Judith Kuntsche

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/226046/publications.pdf

Version: 2024-02-01

33 1,202 2
papers citations h-ir

20 32 h-index g-index

33 33 all docs citations

33 times ranked 2078 citing authors

#	Article	IF	Citations
1	Cryogenic transmission electron microscopy (cryo-TEM) for studying the morphology of colloidal drug delivery systems. International Journal of Pharmaceutics, 2011, 417, 120-137.	5.2	254
2	Tumor Accumulation of NIR Fluorescent PEG–PLA Nanoparticles: Impact of Particle Size and Human Xenograft Tumor Model. ACS Nano, 2011, 5, 8710-8720.	14.6	139
3	Interaction of lipid nanoparticles with human epidermis and an organotypic cell culture model. International Journal of Pharmaceutics, 2008, 354, 180-195.	5.2	79
4	Temoporfin-loaded liposomes: Physicochemical characterization. European Journal of Pharmaceutical Sciences, 2010, 40, 305-315.	4.0	69
5	Poly(glycerol adipate)-fatty acid esters as versatile nanocarriers: From nanocubes over ellipsoids to nanospheres. Journal of Controlled Release, 2012, 158, 156-164.	9.9	56
6	How Stealthy are PEG-PLA Nanoparticles? An NIR In Vivo Study Combined with Detailed Size Measurements. Pharmaceutical Research, 2011, 28, 1995-2007.	3.5	48
7	Influence of massage and occlusion on the ex vivo skin penetration of rigid liposomes and invasomes. European Journal of Pharmaceutics and Biopharmaceutics, 2014, 86, 301-306.	4.3	39
8	Bioactivity of immobilized hyaluronic acid derivatives regarding protein adsorption and cell adhesion. Biotechnology and Applied Biochemistry, 2011, 58, 376-389.	3.1	38
9	Accumulation of nanocarriers in the ovary: A neglected toxicity risk?. Journal of Controlled Release, 2012, 160, 105-112.	9.9	37
10	Comparison of rat epidermal keratinocyte organotypic culture (ROC) with intact human skin: Lipid composition and thermal phase behavior of the stratum corneum. Biochimica Et Biophysica Acta - Biomembranes, 2008, 1778, 824-834.	2.6	35
11	Filter-extruded liposomes revisited: a study into size distributions and morphologies in relation to lipid-composition and process parameters. Journal of Liposome Research, 2016, 26, 11-20.	3.3	34
12	Analysis of liposomes using asymmetrical flow fieldâ€flow fractionation: Separation conditions and drug/lipid recovery. Journal of Separation Science, 2012, 35, 1993-2001.	2.5	32
13	Selective partitioning of cholesterol and a model drug into liposomes of varying size. Chemistry and Physics of Lipids, 2012, 165, 520-529.	3.2	32
14	\hat{l}^2 -Cyclodextrin-dextran polymers for the solubilization of poorly soluble drugs. International Journal of Pharmaceutics, 2014, 468, 258-263.	5.2	30
15	Asymmetrical flow field-flow fractionation with on-line detection for drug transfer studies: a feasibility study. Analytical and Bioanalytical Chemistry, 2014, 406, 7827-7839.	3.7	29
16	Lipophilic Drug Transfer Between Liposomal and Biological Membranes: What Does It Mean for Parenteral and Oral Drug Delivery?. Journal of Liposome Research, 2006, 16, 281-301.	3.3	27
17	Size Determinations of Colloidal Fat Emulsions: A Comparative Study. Journal of Biomedical Nanotechnology, 2009, 5, 384-395.	1.1	27
18	Mechanism and kinetics of the loss of poorly soluble drugs from liposomal carriers studied by a novel flow field-flow fractionation-based drug release \hat{a}^{-} /transfer-assay. Journal of Controlled Release, 2016, 232, 228-237.	9.9	25

#	Article	IF	CITATIONS
19	In situ Gelling Amphotericin B Nanofibers: A New Option for the Treatment of Keratomycosis. Frontiers in Bioengineering and Biotechnology, 2020, 8, 600384.	4.1	23
20	Bone Morphogenetic Protein 2 (BMP-2) Aggregates Can be Solubilized by Albumin—Investigation of BMP-2 Aggregation by Light Scattering and Electrophoresis. Pharmaceutics, 2020, 12, 1143.	4.5	21
21	The use of asymmetrical flow field-flow fractionation with on-line detection in the study of drug retention within liposomal nanocarriers and drug transfer kinetics. Journal of Pharmaceutical and Biomedical Analysis, 2016, 124, 157-163.	2.8	20
22	Carbohydrate plasma expanders for passive tumor targeting: In vitro and in vivo studies. Carbohydrate Polymers, 2013, 95, 404-413.	10.2	18
23	Phosphatidylinositol Stabilizes Fluid-Phase Liposomes Loaded with a Melphalan Lipophilic Prodrug. Pharmaceutics, 2021, 13, 473.	4.5	17
24	Influence of stabilizer systems on the properties and phase behavior of supercooled smectic nanoparticles. Journal of Colloid and Interface Science, 2010, 350, 229-239.	9.4	16
25	Asymmetric flow field-flow fractionation of superferrimagnetic iron oxide multicore nanoparticles. Nanotechnology, 2012, 23, 355701.	2.6	14
26	Control over Particle Size Distribution by Autoclaving Poloxamer-Stabilized Trimyristin Nanodispersions. Molecular Pharmaceutics, 2016, 13, 3187-3195.	4.6	13
27	Supercooled smectic nanoparticles: Influence of the matrix composition and in vitro cytotoxicity. European Journal of Pharmaceutical Sciences, 2009, 38, 238-248.	4.0	11
28	Liposomes as vehicles for water insoluble platinum-based potential drug: 2-(4-(Tetrahydro-2H-pyran-2-yloxy)-undecyl)-propane-1,3-diamminedichloroplatinum(II). European Journal of Medicinal Chemistry, 2012, 54, 567-572.	5.5	10
29	Comparative SAXS and DSC study on stratum corneum structural organization in an epidermal cell culture model (ROC): Impact of cultivation time. European Journal of Pharmaceutical Sciences, 2013, 50, 577-585.	4.0	3
30	Variations in polyethylene glycol brands and their influence on the preparation process of hydrogel microspheres. European Journal of Pharmaceutics and Biopharmaceutics, 2013, 85, 1215-1218.	4.3	3
31	Light and Electron Microscopy. Advances in Delivery Science and Technology, 2016, , 491-522.	0.4	2
32	Editorial to the special EJPS issue "(Trans)dermal drug delivery: Emerging trends to study and overcome the skin barrier― European Journal of Pharmaceutical Sciences, 2013, 50, 545.	4.0	1
33	Molecular Networks and Macromolecular Molar Mass Distributions for Preliminary Characterization of Danish Craft Beers. Beverages, 2022, 8, 35.	2.8	O