Marion Leboyer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/226231/publications.pdf

Version: 2024-02-01

738 papers 57,790 citations

113 h-index 207 g-index

849 all docs 849 docs citations

849 times ranked 44805 citing authors

#	Article	IF	CITATIONS
1	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. Nature Genetics, 2013, 45, 984-994.	21.4	2,067
2	Functional impact of global rare copy number variation in autism spectrum disorders. Nature, 2010, 466, 368-372.	27.8	1,803
3	Mutations of the X-linked genes encoding neuroligins NLGN3 and NLGN4 are associated with autism. Nature Genetics, 2003, 34, 27-29.	21.4	1,612
4	Mutations in the gene encoding the synaptic scaffolding protein SHANK3 are associated with autism spectrum disorders. Nature Genetics, 2007, 39, 25-27.	21.4	1,408
5	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. Nature Genetics, 2011, 43, 977-983.	21.4	1,283
6	Mapping autism risk loci using genetic linkage and chromosomal rearrangements. Nature Genetics, 2007, 39, 319-328.	21.4	1,272
7	Genome-wide association study identifies 30 loci associated with bipolar disorder. Nature Genetics, 2019, 51, 793-803.	21,4	1,191
8	Analysis of shared heritability in common disorders of the brain. Science, 2018, 360, .	12.6	1,085
9	Convergence of Genes and Cellular Pathways Dysregulated in Autism Spectrum Disorders. American Journal of Human Genetics, 2014, 94, 677-694.	6.2	819
10	Promoting social behavior with oxytocin in high-functioning autism spectrum disorders. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 4389-4394.	7.1	807
11	Psychiatric genome-wide association study analyses implicate neuronal, immune and histone pathways. Nature Neuroscience, 2015, 18, 199-209.	14.8	701
12	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829.	21,4	629
13	Psychiatric and psychosocial problems in adults with normal-intelligence autism spectrum disorders. BMC Psychiatry, 2009, 9, 35.	2.6	624
14	A genome-wide linkage and association scan reveals novel loci for autism. Nature, 2009, 461, 802-808.	27.8	570
15	Autism risk factors: genes, environment, and gene-environment interactions. Dialogues in Clinical Neuroscience, 2012, 14, 281-292.	3.7	542
16	A genome-wide scan for common alleles affecting risk for autism. Human Molecular Genetics, 2010, 19, 4072-4082.	2.9	538
17	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. Lancet Psychiatry, the, 2019, 6, 427-436.	7.4	528
18	Meta-analysis of SHANK Mutations in Autism Spectrum Disorders: A Gradient of Severity in Cognitive Impairments. PLoS Genetics, 2014, 10, e1004580.	3.5	501

#	Article	IF	CITATIONS
19	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data metaâ€analysis. Acta Psychiatrica Scandinavica, 2013, 128, 149-162.	4.5	481
20	Impaired Decision Making in Suicide Attempters. American Journal of Psychiatry, 2005, 162, 304-310.	7.2	457
21	Genome-Wide Scan for Autism Susceptibility Genes. Human Molecular Genetics, 1999, 8, 805-812.	2.9	453
22	Abnormal cortical voice processing in autism. Nature Neuroscience, 2004, 7, 801-802.	14.8	444
23	Anxiety and depression comorbidities in irritable bowel syndrome (IBS): a systematic review and meta-analysis. European Archives of Psychiatry and Clinical Neuroscience, 2014, 264, 651-660.	3.2	440
24	Abnormal melatonin synthesis in autism spectrum disorders. Molecular Psychiatry, 2008, 13, 90-98.	7.9	423
25	Altering the course of schizophrenia: progress and perspectives. Nature Reviews Drug Discovery, 2016, 15, 485-515.	46.4	410
26	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. American Journal of Psychiatry, 2017, 174, 850-858.	7.2	410
27	Polygenic transmission disequilibrium confirms that common and rare variation act additively to create risk for autism spectrum disorders. Nature Genetics, 2017, 49, 978-985.	21.4	401
28	Revealing the complex genetic architecture of obsessive–compulsive disorder using meta-analysis. Molecular Psychiatry, 2018, 23, 1181-1188.	7.9	400
29	Can bipolar disorder be viewed as a multi-system inflammatory disease?. Journal of Affective Disorders, 2012, 141, 1-10.	4.1	369
30	Genetic and Functional Analyses of SHANK2 Mutations Suggest a Multiple Hit Model of Autism Spectrum Disorders. PLoS Genetics, 2012, 8, e1002521.	3.5	358
31	The new field of †precision psychiatry'. BMC Medicine, 2017, 15, 80.	5.5	347
32	Beyond the association. <i><scp>T</scp>oxoplasma gondii</i> in schizophrenia, bipolar disorder, and addiction: systematic review and metaâ€analysis. Acta Psychiatrica Scandinavica, 2015, 132, 161-179.	4.5	346
33	Individual common variants exert weak effects on the risk for autism spectrum disorders. Human Molecular Genetics, 2012, 21, 4781-4792.	2.9	334
34	Polygenic dissection of diagnosis and clinical dimensions of bipolar disorder and schizophrenia. Molecular Psychiatry, 2014, 19, 1017-1024.	7.9	333
35	Diagnosing autism: analyses of data from the Autism Diagnostic Interview. Journal of Autism and Developmental Disorders, 1997, 27, 501-517.	2.7	324
36	Genome-wide association study of obsessive-compulsive disorder. Molecular Psychiatry, 2013, 18, 788-798.	7.9	312

#	Article	lF	Citations
37	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. Lancet, The, 2016, 387, 1085-1093.	13.7	306
38	Psychiatric genetics: search for phenotypes. Trends in Neurosciences, 1998, 21, 102-105.	8.6	303
39	Key role for gene dosage and synaptic homeostasis in autism spectrum disorders. Trends in Genetics, 2010, 26, 363-372.	6.7	296
40	Immunoneuropsychiatry â€" novel perspectives on brain disorders. Nature Reviews Neurology, 2019, 15, 317-328.	10.1	293
41	SHANK1 Deletions in Males with Autism Spectrum Disorder. American Journal of Human Genetics, 2012, 90, 879-887.	6.2	292
42	Longitudinal studies of cognition in schizophrenia: Meta-analysis. British Journal of Psychiatry, 2008, 192, 248-257.	2.8	287
43	Linkage and association of the glutamate receptor 6 gene with autism. Molecular Psychiatry, 2002, 7, 302-310.	7.9	279
44	Ketamine administration in depressive disorders: a systematic review and meta-analysis. Psychopharmacology, 2014, 231, 3663-3676.	3.1	278
45	Age at onset in bipolar affective disorders: a review. Bipolar Disorders, 2005, 7, 111-118.	1.9	266
46	Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. American Journal of Human Genetics, 2011, 88, 372-381.	6.2	257
47	Early and late onset bipolar disorders: two different forms of manic-depressive illness?. Journal of Affective Disorders, 2000, 58, 215-221.	4.1	255
48	Autoimmune psychosis: an international consensus on an approach to the diagnosis and management of psychosis of suspected autoimmune origin. Lancet Psychiatry, the, 2020, 7, 93-108.	7.4	252
49	Mutation screening of the <i>PTEN</i> gene in patients with autism spectrum disorders and macrocephaly. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 484-491.	1.7	248
50	Partitioning the Heritability of Tourette Syndrome and Obsessive Compulsive Disorder Reveals Differences in Genetic Architecture. PLoS Genetics, 2013, 9, e1003864.	3.5	241
51	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.	4.3	229
52	Joint Analysis of Psychiatric Disorders Increases Accuracy of Risk Prediction for Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. American Journal of Human Genetics, 2015, 96, 283-294.	6.2	225
53	Age at Onset in Bipolar I Affective Disorder: Further Evidence for Three Subgroups. American Journal of Psychiatry, 2003, 160, 999-1001.	7.2	206
54	Neuroimaging-based markers of bipolar disorder: Evidence from two meta-analyses. Journal of Affective Disorders, 2011, 132, 344-355.	4.1	205

#	Article	IF	Citations
55	Clinical staging in psychiatry: a cross-cutting model of diagnosis with heuristic and practical value. British Journal of Psychiatry, 2013, 202, 243-245.	2.8	204
56	Beyond genetics: childhood affective trauma in bipolar disorder. Bipolar Disorders, 2008, 10, 867-876.	1.9	202
57	Mental disorders and risk of COVID-19-related mortality, hospitalisation, and intensive care unit admission: a systematic review and meta-analysis. Lancet Psychiatry,the, 2021, 8, 797-812.	7.4	202
58	Ensuring mental health care during the SARS-CoV-2 epidemic in France: A narrative review. L'Encephale, 2020, 46, 193-201.	0.9	199
59	Executive dysfunctions as potential markers of familial vulnerability to bipolar disorder and schizophrenia. Psychiatry Research, 2004, 121, 207-217.	3.3	198
60	Biomarkers in bipolar disorder: A positional paper from the International Society for Bipolar Disorders Biomarkers Task Force. Australian and New Zealand Journal of Psychiatry, 2013, 47, 321-332.	2.3	193
61	A meta-analysis of whole-brain diffusion tensor imaging studies in bipolar disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 1820-1826.	4.8	192
62	Conscious and subliminal conflicts in normal subjects and patients with schizophrenia: The role of the anterior cingulate. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 13722-13727.	7.1	191
63	Association Between the Tryptophan Hydroxylase Gene and Manic-depressive Illness. Archives of General Psychiatry, 1998, 55, 33.	12.3	189
64	Fronto-Striatal Overactivation in Euthymic Bipolar Patients During an Emotional Go/NoGo Task. American Journal of Psychiatry, 2007, 164, 638-646.	7.2	186
65	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. American Journal of Psychiatry, 2019, 176, 651-660.	7.2	186
66	Affective lability and affect intensity as core dimensions of bipolar disorders during euthymic period. Psychiatry Research, 2008, 159, 1-6.	3.3	185
67	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. Human Molecular Genetics, 2016, 25, 3383-3394.	2.9	182
68	Duration of untreated bipolar disorder: missed opportunities on the long road to optimal treatment. Acta Psychiatrica Scandinavica, 2013, 127, 136-144.	4.5	181
69	A novel approach of homozygous haplotype sharing identifies candidate genes in autism spectrum disorder. Human Genetics, 2012, 131, 565-579.	3.8	180
70	Genome-wide association study meta-analysis of European and Asian-ancestry samples identifies three novel loci associated with bipolar disorder. Molecular Psychiatry, 2013, 18, 195-205.	7.9	180
71	Staging systems in bipolar disorder: an <scp>I</scp> nternational <scp>S</scp> ociety for <scp>B</scp> ipolar <scp>D</scp> isorders <scp>T</scp> ask <scp>F</scp> orce <scp>R</scp> eport. Acta Psychiatrica Scandinavica, 2014, 130, 354-363.	4.5	175
72	Childhood Trauma Is Associated With Severe Clinical Characteristics of Bipolar Disorders. Journal of Clinical Psychiatry, 2013, 74, 991-998.	2.2	175

#	Article	IF	Citations
73	Whole blood serotonin and plasma beta-endorphin in autistic probands and their first-degree relatives. Biological Psychiatry, 1999, 45, 158-163.	1.3	170
74	Sleep in patients with remitted bipolar disorders: a meta-analysis of actigraphy studies. Acta Psychiatrica Scandinavica, 2015, 131, 89-99.	4.5	168
75	Progress toward treatments for synaptic defects in autism. Nature Medicine, 2013, 19, 685-694.	30.7	167
76	Genotype–phenotype relationship in female carriers of the premutation and full mutation of FMR-1. Psychiatry Research, 1998, 80, 113-127.	3.3	165
77	Association of the <i>SLC1A1</i> glutamate transporter gene and obsessiveâ€compulsive disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 1027-1033.	1.7	165
78	Automatic fiber bundle segmentation in massive tractography datasets using a multi-subject bundle atlas. Neurolmage, 2012, 61, 1083-1099.	4.2	165
79	Increased white matter connectivity in euthymic bipolar patients: diffusion tensor tractography between the subgenual cingulate and the amygdalo-hippocampal complex. Molecular Psychiatry, 2007, 12, 1001-1010.	7.9	162
80	Anxiety Disorders in 318 Bipolar Patients. Journal of Clinical Psychiatry, 2003, 64, 331-335.	2.2	160
81	Immunological and autoimmune considerations of Autism Spectrum Disorders. Journal of Autoimmunity, 2013, 44, 1-7.	6.5	159
82	Mental health research priorities for Europe. Lancet Psychiatry, the, 2015, 2, 1036-1042.	7.4	158
83	The "psychomicrobiotic― Targeting microbiota in major psychiatric disorders: A systematic review. Pathologie Et Biologie, 2015, 63, 35-42.	2.2	158
84	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. PLoS ONE, 2013, 8, e65636.	2.5	156
85	Executive function in parents of children with autism. Psychological Medicine, 1997, 27, 209-220.	4.5	151
86	Antidepressant-Induced Mania in Bipolar Patients: Identification of Risk Factors. Journal of Clinical Psychiatry, 2001, 62, 249-255.	2.2	151
87	Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. Translational Psychiatry, 2017, 7, e1155-e1155.	4.8	150
88	Widespread white matter microstructural abnormalities in bipolar disorder: evidence from mega- and meta-analyses across 3033 individuals. Neuropsychopharmacology, 2019, 44, 2285-2293.	5.4	147
89	Admixture Analysis of Age at Onset in Bipolar I Affective Disorder. Archives of General Psychiatry, 2001, 58, 510-512.	12.3	147
90	Bipolar Disorder. Journal of Clinical Psychiatry, 2010, 71, 1689-1695.	2,2	147

#	Article	IF	CITATIONS
91	Genetics of circadian rhythms and mood spectrum disorders. European Neuropsychopharmacology, 2011, 21, S676-S682.	0.7	144
92	Possible association between serotonin transporter gene polymorphism and violent suicidal behavior in mood disorders. Biological Psychiatry, 2000, 48, 319-322.	1.3	143
93	Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. Lancet Psychiatry,the, 2018, 5, 797-807.	7.4	141
94	Exploratory analysis of obsessive compulsive symptom dimensions in children and adolescents: a Prospective follow-up study. BMC Psychiatry, 2006, 6, 1.	2.6	140
95	Effectiveness and tolerance of antiâ€inflammatory drugs' addâ€on therapy in major mental disorders: a systematic qualitative review. Acta Psychiatrica Scandinavica, 2014, 129, 163-179.	4.5	140
96	Gender differences in autism spectrum disorders: Divergence among specific core symptoms. Autism Research, 2017, 10, 680-689.	3.8	140
97	Neuroleptic intolerance in patients with anti-NMDAR encephalitis. Neurology: Neuroimmunology and NeuroInflammation, 2016, 3, e280.	6.0	139
98	Towards a Cognitive Phenotype for Autism: Increased Prevalence of Executive Dysfunction and Superior Spatial Span amongst Siblings of Children with Autism. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1999, 40, 705-718.	5.2	136
99	C-Reactive Protein Alterations in Bipolar Disorder. Journal of Clinical Psychiatry, 2015, 76, 142-150.	2.2	136
100	Screening for Genomic Rearrangements and Methylation Abnormalities of the 15q11-q13 Region in Autism Spectrum Disorders. Biological Psychiatry, 2009, 66, 349-359.	1.3	133
101	A Multicenter Tractography Study of Deep White Matter Tracts in Bipolar I Disorder. JAMA Psychiatry, 2014, 71, 388.	11.0	132
102	Preferential association between childhood emotional abuse and bipolar disorder. Journal of Traumatic Stress, 2010, 23, 376-383.	1.8	129
103	Serotonin transporter gene polymorphisms and hyperserotonemia in autistic disorder. Molecular Psychiatry, 2002, 7, 67-71.	7.9	127
104	Association Between Bipolar Disorder and Monoamine Oxidase A Gene Polymorphisms: Results of a Multicenter Study. American Journal of Psychiatry, 2000, 157, 948-955.	7.2	125
105	SPECT OF THE BRAIN IN CHILDHOOD AUTISM: EVIDENCE FOR A LACK OF NORMAL HEMISPHERIC ASYMMETRY. Developmental Medicine and Child Neurology, 1995, 37, 849-860.	2.1	125
106	Tryptophan hydroxylase 2 (TPH2) haplotypes predict levels of TPH2 mRNA expression in human pons. Molecular Psychiatry, 2007, 12, 491-501.	7.9	124
107	Serotonin transporter gene polymorphisms in patients with unipolar or bipolar depression. Neuroscience Letters, 1998, 255, 143-146.	2.1	123
108	Brief report: A double-blind study of naltrexone in infantile autism. Journal of Autism and Developmental Disorders, 1992, 22, 309-319.	2.7	120

#	Article	IF	CITATIONS
109	Bipolar Patients With Suicidal Behavior. Journal of Clinical Psychiatry, 2004, 65, 1035-1039.	2.2	120
110	Earlyâ€onset obsessiveâ€compulsive disorder: a subgroup with a specific clinical and familial pattern?. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2005, 46, 881-887.	5. 2	119
111	The serotonin-N-acetylserotonin–melatonin pathway as a biomarker for autism spectrum disorders. Translational Psychiatry, 2014, 4, e479-e479.	4.8	119
112	Prefrontal cortex dysfunction in patients with suicidal behavior. Psychological Medicine, 2007, 37, 411.	4.5	118
113	Cross-Disorder Genome-Wide Analyses Suggest a Complex Genetic Relationship Between Tourette's Syndrome and OCD. American Journal of Psychiatry, 2015, 172, 82-93.	7.2	117
114	Patients with autism spectrum disorders display reproducible functional connectivity alterations. Science Translational Medicine, 2019, 11 , .	12.4	115
115	Pharmacological properties of acetorphan, a parenterally active "enkephalinase" inhibitor. Journal of Pharmacology and Experimental Therapeutics, 1986, 237, 937-44.	2.5	115
116	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. Biological Psychiatry, 2022, 91, 313-327.	1.3	114
117	Admixture analysis of age at onset in obsessive–compulsive disorder. Psychological Medicine, 2005, 35, 237-243.	4.5	113
118	Endogenous Retrovirus Type W GAG and Envelope Protein Antigenemia in Serum of Schizophrenic Patients. Biological Psychiatry, 2008, 64, 1019-1023.	1.3	113
119	Clinical Expression of Bipolar Disorder Type I as a Function of Age and Polarity at Onset. Journal of Clinical Psychiatry, 2012, 73, e561-e566.	2.2	113
120	Tests of executive functions in first-degree relatives of schizophrenic patients: a meta-analysis. Psychological Medicine, 2005, 35, 771-782.	4.5	111
121	Copy Number Variation in Obsessive-Compulsive Disorder and Tourette Syndrome: A Cross-Disorder Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 910-919.	0.5	111
122	ROAMER: roadmap for mental health research in Europe. International Journal of Methods in Psychiatric Research, 2014, 23, 1-14.	2.1	109
123	Fasting in mood disorders: neurobiology and effectiveness. A review of the literature. Psychiatry Research, 2013, 209, 253-258.	3.3	108
124	Treatment Nonadherence and Neurocognitive Impairment in Bipolar Disorder. Journal of Clinical Psychiatry, 2009, 70, 1017-1023.	2.2	108
125	Low-dose naltrexone effects on plasma chemistries and clinical symptoms in autism: a double-blind, placebo-controlled study. Psychiatry Research, 1995, 58, 191-201.	3.3	107
126	Association between the COMT locus and obsessive-compulsive disorder in females but not males. American Journal of Medical Genetics Part A, 2002, 114, 116-120.	2.4	107

#	Article	IF	CITATIONS
127	Molecular characteristics of Human Endogenous Retrovirus type-W in schizophrenia and bipolar disorder. Translational Psychiatry, 2012, 2, e201-e201.	4.8	107
128	Shared executive dysfunctions in unaffected relatives of patients with autism and obsessive-compulsive disorder. European Psychiatry, 2007, 22, 32-38.	0.2	106
129	Dynamic disorganization of synaptic NMDA receptors triggered by autoantibodies from psychotic patients. Nature Communications, 2017, 8, 1791.	12.8	103
130	Relationship between Toxoplasma gondii infection and bipolar disorder in a French sample. Journal of Affective Disorders, 2013, 148, 444-448.	4.1	102
131	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. JAMA Psychiatry, 2018, 75, 65-74.	11.0	102
132	Multi-hit early life adversity affects gut microbiota, brain and behavior in a sex-dependent manner. Brain, Behavior, and Immunity, 2019, 80, 179-192.	4.1	102
133	Tyrosine hydroxylase polymorphisms associated with manic-depressive illness. Lancet, The, 1990, 335, 1219.	13.7	101
134	Faux Pas Detection and Intentional Action in Asperger Syndrome. A Replication on a French Sample. Journal of Autism and Developmental Disorders, 2009, 39, 373-382.	2.7	101
135	Interaction between BDNF Val66Met and childhood trauma on adult's violent suicide attempt. Genes, Brain and Behavior, 2008, 7, 314-322.	2.2	99
136	Sleep in remitted bipolar disorder: A naturalistic case-control study using actigraphy. Journal of Affective Disorders, 2014, 158, 1-7.	4.1	98
137	Dramatic reduction of psychiatric emergency consultations during lockdown linked to ⟨scp⟩COVID⟨ scp⟩‶9 in Paris and suburbs. Psychiatry and Clinical Neurosciences, 2020, 74, 557-559.	1.8	98
138	Absence of association between a polymorphic GGC repeat in the 5′ untranslated region of the reelin gene and autism. Molecular Psychiatry, 2002, 7, 801-804.	7.9	96
139	Emotional hyperâ€reactivity in normothymic bipolar patients. Bipolar Disorders, 2009, 11, 63-69.	1.9	96
140	A first national survey of knowledge, attitudes and behaviours towards schizophrenia, bipolar disorders and autism in France. BMC Psychiatry, 2012, 12, 128.	2.6	95
141	Risk factors for treatment resistance in unipolar depression: A systematic review. Journal of Affective Disorders, 2015, 171, 137-141.	4.1	95
142	A Genetic Family-Based Association Study of OLIG2 in Obsessive-compulsive Disorder. Archives of General Psychiatry, 2007, 64, 209.	12.3	94
143	Influence of prefrontal target region on the efficacy of repetitive transcranial magnetic stimulation in patients with medication-resistant depression: a [18F]-fluorodeoxyglucose PET and MRI study. International Journal of Neuropsychopharmacology, 2010, 13, 45.	2.1	93
144	The Promise of Biological Markers for Treatment Response in First-Episode Psychosis: A Systematic Review. Schizophrenia Bulletin, 2015, 41, 559-573.	4.3	93

#	Article	IF	CITATIONS
145	Antidepressant-induced mania, rapid cycling and the serotonin transporter gene polymorphism. Pharmacogenomics Journal, 2003, 3, 101-104.	2.0	92
146	Microstructural white matter changes in euthymic bipolar patients: a wholeâ€brain diffusion tensor imaging study. Bipolar Disorders, 2009, 11, 504-514.	1.9	92
147	Cerebellar volume in schizophrenia and bipolar I disorder with and without psychotic features. Acta Psychiatrica Scandinavica, 2015, 131, 223-233.	4.5	92
148	Psychiatric diagnoses and personality traits associated with disadvantageous decision-making. European Psychiatry, 2007, 22, 455-461.	0.2	91
149	Genetic and functional abnormalities of the melatonin biosynthesis pathway in patients with bipolar disorder. Human Molecular Genetics, 2012, 21, 4030-4037.	2.9	90
150	Analysis of the chromosome X exome in patients with autism spectrum disorders identified novel candidate genes, including TMLHE. Translational Psychiatry, 2012, 2, e179-e179.	4.8	90
151	Confirmation of linkage of benign familial neonatal convulsions to D20S19 and D20S20. Human Genetics, 1992, 89, 54-58.	3.8	88
152	Preserved Subliminal Processing and Impaired Conscious Access in Schizophrenia. Archives of General Psychiatry, 2006, 63, 1313-23.	12.3	88
153	Four-Factor Structure of Obsessive-Compulsive Disorder Symptoms in Children, Adolescents, and Adults. Journal of the American Academy of Child and Adolescent Psychiatry, 2008, 47, 763-772.	0.5	88
154	Reduced platelet serotonin in depression. Psychiatry Research, 1984, 13, 129-139.	3.3	86
155	Gender and age at onset in schizophrenia: impact of family history. American Journal of Psychiatry, 1995, 152, 208-212.	7.2	86
156	Common variant at 16p11.2 conferring risk of psychosis. Molecular Psychiatry, 2014, 19, 108-114.	7.9	85
157	Genetic and functional analyses demonstrate a role for abnormal glycinergic signaling in autism. Molecular Psychiatry, 2016, 21, 936-945.	7.9	85
158	Suicide attempts and the tryptophan hydroxylase gene. Molecular Psychiatry, 2001, 6, 268-273.	7.9	84
159	Inter-hemispheric asymmetry of motor corticospinal excitability in major depression studied by transcranial magnetic stimulation. Journal of Psychiatric Research, 2008, 42, 389-398.	3.1	84
160	Immunity, Inflammation, and Bipolar Disorder: Diagnostic and Therapeutic Implications. Current Psychiatry Reports, 2013, 15, 387.	4.5	83
161	Disruption of melatonin synthesis is associated with impaired 14-3-3 and miR-451 levels in patients with autism spectrum disorders. Scientific Reports, 2017, 7, 2096.	3.3	83
162	Frequency and transmission of glutamate receptors GRIK2 and GRIK3 polymorphisms in patients with obsessive compulsive disorder. NeuroReport, 2004, 15, 699-702.	1.2	82

#	Article	IF	Citations
163	A National Network of Schizophrenia Expert Centres: an Innovative Tool to Bridge the Research-Practice Gap. European Psychiatry, 2015, 30, 728-735.	0.2	82
164	Chronic Peripheral Inflammation is Associated With Cognitive Impairment in Schizophrenia: Results From the Multicentric FACE-SZ Dataset. Schizophrenia Bulletin, 2016, 42, 1290-1302.	4.3	82
165	Exome Sequencing in 53 Sporadic Cases of Schizophrenia Identifies 18 Putative Candidate Genes. PLoS ONE, 2014, 9, e112745.	2.5	79
166	The influence of four serotoninâ€related genes on decisionâ€making in suicide attempters. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 615-624.	1.7	78
167	Low serum cholesterol in violent but not in non-violent suicide attempters. Psychiatry Research, 2000, 95, 103-108.	3.3	77
168	Reconsideration of bipolar disorder as a developmental disorder: Importance of the time of onset. Journal of Physiology (Paris), 2013, 107, 278-285.	2.1	77
169	Decreased platelet serotonin transporter sites and increased platelet inositol triphosphate levels in patients with unipolar depression: Effects of clomipramine and fluoxetine. Clinical Pharmacology and Therapeutics, 1999, 66, 617-624.	4.7	76
170	Genome-wide survey implicates the influence of copy number variants (CNVs) in the development of early-onset bipolar disorder. Molecular Psychiatry, 2012, 17, 421-432.	7.9	76
171	Autism, language delay and mental retardation in a patient with 7q11 duplication. Journal of Medical Genetics, 2007, 44, 452-458.	3.2	75
172	Consensus paper of the WFSBP Task Force on Genetics: Genetics, epigenetics and gene expression markers of major depressive disorder and antidepressant response. World Journal of Biological Psychiatry, 2017, 18, 5-28.	2.6	75
173	Association between the dopamine receptor D4 (DRD4) gene and obsessiveâ€compulsive disorder. American Journal of Medical Genetics Part A, 2003, 116B, 55-59.	2.4	74
174	Is it time for immunopsychiatry in psychotic disorders?. Psychopharmacology, 2016, 233, 1651-1660.	3.1	74
175	Association of manic-depressive illness with tyrosine hydroxylase microsatellite marker. Lancet, The, 1995, 345, 932.	13.7	73
176	Moral judgment in adults with autism spectrum disorders. Cognition, 2011, 121, 115-126.	2.2	73
177	Affective lability mediates the association between childhood trauma and suicide attempts, mixed episodes and co-morbid anxiety disorders in bipolar disorders. Psychological Medicine, 2017, 47, 902-912.	4.5	73
178	Familial Aggregation of Delusional Proneness in Schizophrenia and Bipolar Pedigrees. American Journal of Psychiatry, 2003, 160, 1313-1319.	7.2	72
179	Immune-based strategies for mood disorders: facts and challenges. Expert Review of Neurotherapeutics, 2018, 18, 139-152.	2.8	72
180	The reliability of the SADS-LA in a family study setting. European Archives of Psychiatry and Clinical Neuroscience, 1991, 241, 165-169.	3.2	71

#	Article	IF	CITATIONS
181	Association between circadian genes, bipolar disorders and chronotypes. Chronobiology International, 2014, 31, 807-814.	2.0	71
182	A SNAP25 promoter variant is associated with early-onset bipolar disorder and a high expression level in brain. Molecular Psychiatry, 2010, 15, 748-755.	7.9	70
183	Risk of myocardial infarction and stroke in bipolar disorder: a systematic review and exploratory metaâ€analysis. Acta Psychiatrica Scandinavica, 2014, 130, 342-353.	4.5	69
184	Schizotypal dimensions: Continuity between schizophrenia and bipolar disorders. Schizophrenia Research, 2005, 80, 235-242.	2.0	68
185	Genome-wide scan for genes involved in bipolar affective disorder in 70 European families ascertained through a bipolar type I early-onset proband: supportive evidence for linkage at 3p14. Molecular Psychiatry, 2006, 11, 685-694.	7.9	68
186	Executive deficits in psychotic and bipolar disorders – Implications for our understanding of schizoaffective disorder. European Psychiatry, 2008, 23, 20-25.	0.2	68
187	A French network of bipolar expert centres: A model to close the gap between evidence-based medicine and routine practice. Journal of Affective Disorders, 2011, 131, 358-363.	4.1	68
188	A Delphi-method-based consensus guideline for definition of treatment-resistant depression for clinical trials. Molecular Psychiatry, 2022, 27, 1286-1299.	7.9	68
189	Reduced sensitivity to social priors during action prediction in adults with autism spectrum disorders. Cognition, 2017, 160, 17-26.	2.2	67
190	Cell- and Single Molecule-Based Methods to Detect Anti- N -Methyl-D-Aspartate Receptor Autoantibodies in Patients With First-Episode Psychosis From the OPTiMiSE Project. Biological Psychiatry, 2017, 82, 766-772.	1.3	67
191	Correlations between objective and subjective sleep and circadian markers in remitted patients with bipolar disorder. Chronobiology International, 2014, 31, 698-704.	2.0	64
192	Racial disparities in bipolar disorder treatment and research: a call to action. Bipolar Disorders, 2018, 20, 506-514.	1.9	64
193	Memory tests in first-degree adult relatives of schizophrenic patients: A meta-analysis. Schizophrenia Research, 2006, 81, 217-226.	2.0	63
194	Evidence for a Pseudoautosomal Locus for Schizophrenia. British Journal of Psychiatry, 1992, 161, 59-62.	2.8	62
195	Adaptive coding of the value of social cues with oxytocin, an fMRI study in autism spectrum disorder. Cortex, 2016, 76, 79-88.	2.4	62
196	Local structural connectivity is associated with social cognition in autism spectrum disorder. Brain, 2018, 141, 3472-3481.	7.6	62
197	The Role of Causal and Intentional Judgments in Moral Reasoning in Individuals with High Functioning Autism. Journal of Autism and Developmental Disorders, 2013, 43, 458-470.	2.7	61
198	Additive effects of childhood abuse and cannabis abuse on clinical expressions of bipolar disorders. Psychological Medicine, 2014, 44, 1653-1662.	4.5	61

#	Article	IF	Citations
199	Allelic differences between Europeans and Chinese for CREB1 SNPs and their implications in gene expression regulation, hippocampal structure and function, and bipolar disorder susceptibility. Molecular Psychiatry, 2014, 19, 452-461.	7.9	61
200	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. Biological Psychiatry, 2022, 91, 102-117.	1.3	61
201	Association between brainâ€derived neurotrophic factor gene and a severe form of bipolar disorder, but no interaction with the serotonin transporter gene. Bipolar Disorders, 2008, 10, 580-587.	1.9	60
202	Prospective diagnostic analysis of copy number variants using SNP microarrays in individuals with autism spectrum disorders. European Journal of Human Genetics, 2014, 22, 71-78.	2.8	60
203	Serotonin transporter gene and manic depressive illness: An association study. Biological Psychiatry, 1997, 41, 750-752.	1.3	59
204	Identification of Pathway-Biased and Deleterious Melatonin Receptor Mutants in Autism Spectrum Disorders and in the General Population. PLoS ONE, 2010, 5, e11495.	2.5	59
205	Age at onset in bipolar I affective disorder in the USA and Europe. World Journal of Biological Psychiatry, 2014, 15, 369-376.	2.6	59
206	Possible association between the androgen receptor gene and autism spectrum disorder. Psychoneuroendocrinology, 2009, 34, 752-761.	2.7	58
207	Information processing deficits in relatives of manic depressive patients. Psychological Medicine, 2000, 30, 545-555.	4.5	57
208	Clinical features associated with trait-impulsiveness in euthymic bipolar disorder patients. Journal of Affective Disorders, 2013, 144, 240-247.	4.1	57
209	Metabolic syndrome, abdominal obesity and hyperuricemia in schizophrenia: Results from the FACE-SZ cohort. Schizophrenia Research, 2015, 168, 388-394.	2.0	57
210	Maternal transmission disequilibrium of the glutamate receptor GRIK2 in schizophrenia. NeuroReport, 2004, 15, 1987-1991.	1.2	56
211	Familial resemblance for executive functions in families of schizophrenic and bipolar patients. Psychiatry Research, 2006, 144, 131-138.	3.3	56
212	Genetic association study of circadian genes with seasonal pattern in bipolar disorders. Scientific Reports, 2015, 5, 10232.	3.3	56
213	Clinical guidelines for the management of treatment-resistant depression: French recommendations from experts, the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental. BMC Psychiatry, 2019, 19, 262.	2.6	56
214	Combined Effect of TLR2 Gene Polymorphism and Early Life Stress on the Age at Onset of Bipolar Disorders. PLoS ONE, 2015, 10, e0119702.	2.5	56
215	COMT but not serotoninâ€related genes modulates the influence of childhood abuse on anger traits. Genes, Brain and Behavior, 2010, 9, 193-202.	2.2	55
216	Childhood trauma and the limbic network: a multimodal MRI study in patients with bipolar disorder and controls. Journal of Affective Disorders, 2016, 200, 159-164.	4.1	55

#	Article	IF	CITATIONS
217	CNTN6 mutations are risk factors for abnormal auditory sensory perception in autism spectrum disorders. Molecular Psychiatry, 2017, 22, 625-633.	7.9	55
218	Serotonin transporter gene polymorphisms and hyperserotonemia in autistic disorder. Molecular Psychiatry, 2002, 7, 67-71.	7.9	55
219	Difference between plasma N- and C-terminally directed beta-endorphin immunoreactivity in infantile autism. American Journal of Psychiatry, 1994, 151, 1797-1801.	7.2	54
220	Human endogenous retrovirus type W (HERV-W) in schizophrenia: A new avenue of research at the gene–environment interface. World Journal of Biological Psychiatry, 2013, 14, 80-90.	2.6	54
221	Possible association of c-harvey-ras-1 (HRAS-1) marker with autism. Psychiatry Research, 1993, 46, 261-267.	3.3	53
222	Temperament in bipolar illness: impact on prognosis. Journal of Affective Disorders, 1999, 56, 103-108.	4.1	53
223	Serotonin transporter gene polymorphism influences age at onset in patients with bipolar affective disorder. Neuroscience Letters, 2002, 334, 17-20.	2.1	53
224	Admixture analysis of age at onset in schizophrenia. Schizophrenia Research, 2004, 71, 35-41.	2.0	53
225	Polymorphism of Toll-like receptor 4 gene in bipolar disorder. Journal of Affective Disorders, 2014, 152-154, 395-402.	4.1	53
226	Corpus callosum area in patients with bipolar disorder with and without psychotic features: an international multicentre study. Journal of Psychiatry and Neuroscience, 2015, 40, 352-359.	2.4	53
227	Psychometric properties of the Affective Lability Scale (54 and 18-item version) in patients with bipolar disorder, first-degree relatives, and healthy controls. Journal of Affective Disorders, 2015, 172, 375-380.	4.1	53
228	Anticipation in schizophrenia: new light on a controversial problem [published erratum appears in Am J Psychiatry 1997 Apr;154(4):590]. American Journal of Psychiatry, 1996, 153, 1173-1177.	7.2	52
229	Anhedonia in schizophrenia: a distinct familial subtype?. Schizophrenia Research, 2003, 61, 59-66.	2.0	52
230	Schizotypal dimensions: An intermediate phenotype associated with the COMT high activity allele. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 64-68.	1.7	52
231	Genetic variations of the melatonin pathway in patients with attention-deficit and hyperactivity disorders. Journal of Pineal Research, 2011, 51, 394-399.	7.4	52
232	Stratification and prediction of remission in first-episode psychosis patients: the OPTiMiSE cohort study. Translational Psychiatry, 2019, 9, 20.	4.8	52
233	Lack of evidence for association between serotonin transporter gene (5-HTTLPR) and obsessive-compulsive disorder by case control and family association study in humans. Neuroscience Letters, 2004, 363, 154-156.	2.1	51
234	Bipolar Disorder with Seasonal Pattern: Clinical Characteristics and Gender Influences. Chronobiology International, 2013, 30, 1101-1107.	2.0	51

#	Article	IF	Citations
235	Immuno-psychiatry: an agenda for clinical practice and innovative research. BMC Medicine, 2016, 14, 173.	5.5	51
236	Absence of linkage between chromosome 11p15 markers and manic- depressive illness in a Belgian pedigree. American Journal of Psychiatry, 1991, 148, 1683-1687.	7.2	50
237	Increased Rate of Twins among Affected Sibling Pairs with Autism. American Journal of Human Genetics, 2002, 70, 1381-1383.	6.2	50
238	Severe mental illness and European COVID-19 vaccination strategies. Lancet Psychiatry, the, 2021, 8, 356-359.	7.4	50
239	Clinical and neurochemical effect of acute tryptophan depletion in unaffected relatives of patients with bipolar affective disorder. Biological Psychiatry, 2001, 50, 184-190.	1.3	49
240	No Human Tryptophan Hydroxylase-2 Gene R441H Mutation in a Large Cohort of Psychiatric Patients and Control Subjects. Biological Psychiatry, 2006, 60, 202-203.	1.3	49
241	Clinical and dimensional characteristics of euthymic bipolar patients with or without suicidal behavior. European Psychiatry, 2012, 27, 570-576.	0.2	49
242	Cognitive deterioration among bipolar disorder patients infected by Toxoplasma gondii is correlated to interleukin 6 levels. Journal of Affective Disorders, 2015, 179, 161-166.	4.1	49
243	Childhood trauma, depression and negative symptoms are independently associated with impaired quality of life in schizophrenia. Results from the national FACE-SZ cohort. Schizophrenia Research, 2017, 185, 173-181.	2.0	48
244	Genetics of schizophrenia: A consensus paper of the WFSBP Task Force on Genetics. World Journal of Biological Psychiatry, 2017, 18, 492-505.	2.6	48
245	EFFECTS OF NALTREXONE ON INFANTILE AUTISM. Lancet, The, 1988, 331, 715.	13.7	47
246	Emotional hyper-reactivity as a fundamental mood characteristic of manic and mixed states. European Psychiatry, 2003, 18, 124-128.	0.2	47
247	The Optimization of Treatment and Management of Schizophrenia in Europe (OPTiMiSE) Trial: Rationale for its Methodology and a Review of the Effectiveness of Switching Antipsychotics. Schizophrenia Bulletin, 2015, 41, 549-558.	4.3	47
248	Driving us mad: the association of <i>Toxoplasma gondii</i> with suicide attempts and traffic accidents – a systematic review and meta-analysis. Psychological Medicine, 2019, 49, 1608-1623.	4.5	47
249	Towards a cognitive phenotype for autism: increased prevalence of executive dysfunction and superior spatial span amongst siblings of children with autism. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1999, 40, 705-18.	5.2	47
250	Failure to find evidence for linkage or association between the dopamine D3 receptor gene and schizophrenia. American Journal of Psychiatry, 1994, 151, 107-111.	7.2	46
251	Age at onset and gender resemblance in bipolar siblings. Psychiatry Research, 1998, 81, 125-131.	3.3	46
252	Neuropsychological profiles of FMR-1 premutation and full-mutation carrier females. Psychiatry Research, 1999, 87, 223-231.	3.3	46

#	Article	lF	CITATIONS
253	Fringe phenotypes in autism: a review of clinical, biochemical and cognitive studies. European Psychiatry, 2002, 17, 120-128.	0.2	46
254	Support for the association between the rare functional variant I425V of the serotonin transporter gene and susceptibility to obsessive compulsive disorder. Molecular Psychiatry, 2005, 10, 1059-1061.	7.9	46
255	Expression and genetic variability of PCDH11Y, a gene specific to Homo sapiens and candidate for susceptibility to psychiatric disorders. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 67-70.	1.7	46
256	Social phobia is associated with suicide attempt history in bipolar inpatients. Bipolar Disorders, 2007, 9, 713-721.	1.9	46
257	Cortical folding difference between patients with earlyâ€onset and patients with intermediateâ€onset bipolar disorder. Bipolar Disorders, 2009, 11, 361-370.	1.9	46
258	Association Between Polymorphisms in GRIK2 Gene and Obsessive-Compulsive Disorder: A Family-Based Study. CNS Neuroscience and Therapeutics, 2011, 17, 141-147.	3.9	46
259	Comparative analysis of anti-toxoplasmic activity of antipsychotic drugs and valproate. European Archives of Psychiatry and Clinical Neuroscience, 2014, 264, 179-183.	3.2	46
260	Anxiety disorders in 318 bipolar patients: prevalence and impact on illness severity and response to mood stabilizer. Journal of Clinical Psychiatry, 2003, 64, 331-5.	2.2	46
261	Depressive residual symptoms are associated with lower adherence to medication in bipolar patients without substance use disorder: Results from the FACE-BD cohort. Journal of Affective Disorders, 2013, 151, 1009-1015.	4.1	45
262	Clinical factors associated with lithium response in bipolar disorders. Australian and New Zealand Journal of Psychiatry, 2017, 51, 524-530.	2.3	45
263	Increased and Decreased Superficial White Matter Structural Connectivity in Schizophrenia and Bipolar Disorder. Schizophrenia Bulletin, 2019, 45, 1367-1378.	4.3	45
264	Y chromosome haplogroups in autistic subjects. Molecular Psychiatry, 2002, 7, 217-219.	7.9	44
265	Evidence for Two Types of Bipolar Depression Using a Dimensional Approach. Psychotherapy and Psychosomatics, 2007, 76, 325-331.	8.8	44
266	Factor analyses of the Suicidal Intent Scale (SIS) and the Risk-Rescue Rating Scale (RRRS): Toward the identification of homogeneous subgroups of suicidal behaviors. Journal of Affective Disorders, 2010, 121, 80-87.	4.1	44
267	Association of <i>AKT1</i> gene variants and protein expression in both schizophrenia and bipolar disorder. Genes, Brain and Behavior, 2010, 9, 503-511.	2.2	44
268	Chronotypes of Bipolar Patients in Remission: Validation of the French Version of the Circadian Type Inventory in the FACE-BD Sample. Chronobiology International, 2013, 30, 1042-1049.	2.0	44
269	Interleukinâ€1 βâ€targeted treatment strategies in inflammatory depression: toward personalized care. Acta Psychiatrica Scandinavica, 2016, 134, 469-484.	4.5	44
270	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. Molecular Psychiatry, 2021, 26, 2457-2470.	7.9	44

#	Article	IF	CITATIONS
271	Childhood trauma, dimensions of psychopathology and the clinical expression of bipolar disorders: A pathway analysis. Journal of Psychiatric Research, 2017, 95, 37-45.	3.1	43
272	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. Biological Psychiatry, 2019, 86, 577-586.	1.3	43
273	Monocyte mitochondrial dysfunction, inflammaging, and inflammatory pyroptosis in major depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 111, 110391.	4.8	43
274	Apolipoprotein E gene polymorphism in early and late onset bipolar patients. Neuroscience Letters, 1997, 233, 45-48.	2.1	42
275	Analysis of X chromosome inactivation in autism spectrum disorders. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 830-835.	1.7	42
276	Admixture analysis of age at first suicide attempt. Journal of Psychiatric Research, 2009, 43, 895-900.	3.1	42
277	Altered Pre-reflective Sense of Agency in Autism Spectrum Disorders as Revealed by Reduced Intentional Binding. Journal of Autism and Developmental Disorders, 2014, 44, 343-352.	2.7	42
278	Association between cannabis use and schizotypal dimensions – A meta-analysis of cross-sectional studies. Psychiatry Research, 2014, 219, 58-66.	3.3	42
279	Impulsivity and its association with childhood trauma experiences across bipolar disorder, attention deficit hyperactivity disorder and borderline personality disorder. Journal of Affective Disorders, 2019, 244, 33-41.	4.1	42
280	Temperament in schizophrenia: a study of the tridimensional personality questionnaire (TPQ). European Psychiatry, 2002, 17, 379-383.	0.2	41
281	Cognitive profiles in euthymic patients with bipolar disorders: results from the FACEâ€BD cohort. Bipolar Disorders, 2017, 19, 146-153.	1.9	41
282	Oxidative and nitrosative stress markers in obsessive–compulsive disorder: a systematic review and metaâ€analysis. Acta Psychiatrica Scandinavica, 2019, 139, 420-433.	4.5	41
283	A Brain Capital Grand Strategy: toward economic reimagination. Molecular Psychiatry, 2021, 26, 3-22.	7.9	41
284	Effects of Cumulative Herpesviridae and Toxoplasma gondii Infections on Cognitive Function in Healthy, Bipolar, and Schizophrenia Subjects. Journal of Clinical Psychiatry, 2017, 78, e18-e27.	2.2	41
285	Performance of linkage analysis under misclassification error when the genetic model is unknown. Genetic Epidemiology, 1989, 6, 253-258.	1.3	40
286	Population-based and family-based association study of 5′UTR polymorphism of the reelin gene and schizophrenia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2005, 137B, 51-55.	1.7	40
287	A mechanistic basis for amplification differences between samples and between genome regions. BMC Genomics, 2012, 13, 455.	2.8	40
288	Metacognition of agency and theory of mind in adults with high functioning autism. Consciousness and Cognition, 2015, 31, 126-138.	1.5	40

#	Article	IF	CITATIONS
289	Is processing speed a valid cognitive endophenotype for bipolar disorder?. Journal of Affective Disorders, 2012, 139, 98-101.	4.1	39
290	D2 and D3 dopamine receptor affinity predicts effectiveness of antipsychotic drugs in obsessive-compulsive disorders: a metaregression analysis. Psychopharmacology, 2014, 231, 3765-3770.	3.1	39
291	Cytomegalovirus seropositivity and serointensity are associated with hippocampal volume and verbal memory in schizophrenia and bipolar disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 48, 142-148.	4.8	39
292	Treatment with anti-toxoplasmic activity (TATA) for toxoplasma positive patients with bipolar disorders or schizophrenia: A cross-sectional study. Journal of Psychiatric Research, 2015, 63, 58-64.	3.1	39
293	Similarities between emotional dysregulation in adults suffering from ADHD and bipolar patients. Journal of Affective Disorders, 2016, 198, 230-236.	4.1	39
294	Childhood trauma and mixed episodes are associated with poor response to lithium in bipolar disorders. Acta Psychiatrica Scandinavica, 2017, 135, 319-327.	4.5	39
295	Cerebellar anatomical alterations and attention to eyes in autism. Scientific Reports, 2017, 7, 12008.	3.3	39
296	HLA-class II haplotypes and Autism Spectrum Disorders. Scientific Reports, 2018, 8, 7639.	3.3	39
297	Chronic low-grade peripheral inflammation is associated with ultra resistant schizophrenia. Results from the FACE-SZ cohort. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 985-992.	3.2	39
298	Immunological causes of obsessive-compulsive disorder: is it time for the concept of an "autoimmune OCD―subtype?. Translational Psychiatry, 2022, 12, 5.	4.8	39
299	CAG repeat sequences in bipolar affective disorder: No evidence for association in a french population. American Journal of Medical Genetics Part A, 1998, 81, 338-341.	2.4	38
300	Autism multiplex family with 16p11.2p12.2 microduplication syndrome in monozygotic twins and distal 16p11.2 deletion in their brother. European Journal of Human Genetics, 2012, 20, 540-546.	2.8	38
301	Regulatory T Cells As Supporters of Psychoimmune Resilience: Toward Immunotherapy of Major Depressive Disorder. Frontiers in Neurology, 2018, 9, 167.	2.4	38
302	Early and very earlyâ€onset schizophrenia compared with adultâ€onset schizophrenia: French FACEâ€SZ database. Brain and Behavior, 2020, 10, e01495.	2.2	38
303	Lack of influence of COMT and NET genes variants on executive functions in schizophrenic and bipolar patients, their first-degree relatives and controls. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 504-512.	1.7	37
304	Genetic overlap between schizophrenia and bipolar disorder: A study with AKT1 gene variants and clinical phenotypes. Schizophrenia Research, 2012, 135, 8-14.	2.0	37
305	An <scp>ASMT</scp> variant associated with bipolar disorder influences sleep and circadian rhythms: a pilot study. Genes, Brain and Behavior, 2014, 13, 299-304.	2.2	37
306	Peripheral sub-inflammation is associated with antidepressant consumption in schizophrenia. Results from the multi-center FACE-SZ data set. Journal of Affective Disorders, 2016, 191, 209-215.	4.1	37

#	Article	IF	Citations
307	Human endogenous retroviral protein triggers deficit in glutamate synapse maturation and behaviors associated with psychosis. Science Advances, 2020, 6, eabc0708.	10.3	37
308	Memory for Self-Performed Actions in Individuals with Asperger Syndrome. PLoS ONE, 2010, 5, e13370.	2.5	37
309	Metabolic Syndrome in a French Cohort of Patients With Bipolar Disorder. Journal of Clinical Psychiatry, 2014, 75, 1078-1085.	2.2	37
310	Cortical folding in patients with bipolar disorder or unipolar depression. Journal of Psychiatry and Neuroscience, 2009, 34, 127-35.	2.4	37
311	The cost of mental disorders in France. European Neuropsychopharmacology, 2013, 23, 879-886.	0.7	36
312	Modeling Determinants of Medication Attitudes and Poor Adherence in Early Nonaffective Psychosis: Implications for Intervention. Schizophrenia Bulletin, 2015, 41, 584-596.	4.3	36
313	The Clinical Challenge of Autoimmune Psychosis: Learning from Anti-NMDA Receptor Autoantibodies. Frontiers in Psychiatry, 2017, 8, 54.	2.6	36
314	Judgment of Intentionality and Moral Evaluation in Individuals with High Functioning Autism. Review of Philosophy and Psychology, 2011, 2, 681-698.	1.8	35
315	Bipolar patients referred to specialized services of care: Not resistant but impaired by sub-syndromal symptoms. Results from the FACE-BD cohort. Australian and New Zealand Journal of Psychiatry, 2015, 49, 898-905.	2.3	35
316	Increased risk of suicide attempt in bipolar patients with severe tobacco dependence. Journal of Affective Disorders, 2015, 183, 113-118.	4.1	35
317	Remission of depression in patients with schizophrenia and comorbid major depressive disorder: results from the FACE-SZ cohort. British Journal of Psychiatry, 2018, 213, 464-470.	2.8	35
318	Emotional dysfunction as a marker of bipolar disorders. Frontiers in Bioscience - Elite, 2012, E4, 2622-2630.	1.8	34
319	Association between toll-like receptor 2 gene diversity and early-onset bipolar disorder. Journal of Affective Disorders, 2014, 165, 135-141.	4.1	34
320	Akathisia: prevalence and risk factors in a community-dwelling sample of patients with schizophrenia. Results from the FACE-SZ dataset. Schizophrenia Research, 2015, 169, 255-261.	2.0	34
321	Clinical and neuropsychological characteristics of euthymic bipolar patients having a history of severe suicide attempt. Acta Psychiatrica Scandinavica, 2015, 131, 129-138.	4.5	34
322	Infectious and immunogenetic factors in bipolar disorder. Acta Psychiatrica Scandinavica, 2017, 136, 409-423.	4.5	34
323	Common and Rare Variant Analysis in Early-Onset Bipolar Disorder Vulnerability. PLoS ONE, 2014, 9, e104326.	2.5	34
324	Precision psychiatry with immunological and cognitive biomarkers: a multi-domain prediction for the diagnosis of bipolar disorder or schizophrenia using machine learning. Translational Psychiatry, 2020, 10, 162.	4.8	33

#	Article	IF	Citations
325	Biomarkers of bipolar disorder specific or shared with schizophrenia. Frontiers in Bioscience - Elite, 2013, E5, 845-863.	1.8	33
326	Micro-analysis of Social Interactions between Autistic Children and Normal Adults in Semi-structured Play Situations. International Journal of Behavioral Development, 1995, 18, 727-747.	2.4	32
327	Mid-morning Tryptophan Depletion Delays REM Sleep Onset in Healthy Subjects. Neuropsychopharmacology, 2002, 27, 843-851.	5.4	32
328	Platelet Serotonergic Markers as Endophenotypes for Obsessive-Compulsive Disorder. Neuropsychopharmacology, 2005, 30, 1539-1547.	5.4	32
329	Angiotensin lâ€converting enzyme I/D polymorphism and suicidal behaviors. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 290-294.	1.7	32
330	Similar white matter but opposite grey matter changes in schizophrenia and highâ€functioning autism. Acta Psychiatrica Scandinavica, 2016, 134, 31-39.	4.5	32
331	<p>Measuring the Patient Experience of Mental Health Care: A Systematic and Critical Review of Patient-Reported Experience Measures</p> . Patient Preference and Adherence, 2020, Volume 14, 2147-2161.	1.8	32
332	Brain Versus Blood: A Systematic Review on the Concordance Between Peripheral and Central Kynurenine Pathway Measures in Psychiatric Disorders. Frontiers in Immunology, 2021, 12, 716980.	4.8	32
333	Evidence for a Pseudoautosomal Locus for Schizophrenia. British Journal of Psychiatry, 1992, 161, 55-58.	2.8	31
334	Suicidal disorders: A nosological entity per se?. American Journal of Medical Genetics, Part C: Seminars in Medical Genetics, 2005, 133C, 3-7.	1.6	31
335	Defining bipolar mood states with quantitative measurement of inhibition/activation and emotional reactivity. Journal of Affective Disorders, 2010, 127, 300-304.	4.1	31
336	Mutation screening of NOS1AP gene in a large sample of psychiatric patients and controls. BMC Medical Genetics, 2010, 11, 108.	2.1	31
337	Cigarette smoking and schizophrenia: a specific clinical and therapeutic profile? Results from the FACE-Schizophrenia cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 79, 332-339.	4.8	31
338	Psychiatric comorbidities in bipolar disorders: An examination of the prevalence and chronology of onset according to sex and bipolar subtype. Journal of Affective Disorders, 2020, 267, 258-263.	4.1	31
339	Elevated expression of complement C4 in the mouse prefrontal cortex causes schizophrenia-associated phenotypes. Molecular Psychiatry, 2021, 26, 3489-3501.	7.9	31
340	The HLA-G low expressor genotype is associated with protection against bipolar disorder. Human Immunology, 2013, 74, 593-597.	2.4	30
341	Mood disorders are associated with a more severe hypovitaminosis D than schizophrenia. Psychiatry Research, 2015, 229, 613-616.	3.3	30
342	Associations between residual depressive symptoms, cognition, and functioning in patients with euthymic bipolar disorder: results from the FACE-BD cohort. British Journal of Psychiatry, 2017, 211, 381-387.	2.8	30

#	Article	IF	Citations
343	Understanding the genetic contribution of the human leukocyte antigen system to common major psychiatric disorders in a world pandemic context. Brain, Behavior, and Immunity, 2021, 91, 731-739.	4.1	30
344	Can the response to mood stabilizers be predicted in bipolar disorder. Frontiers in Bioscience - Elite, 2014, E6, 120-138.	1.8	30
345	Individuals with Autism Spectrum Disorders Do Not Use Social Stereotypes in Irony Comprehension. PLoS ONE, 2014, 9, e95568.	2.5	29
346	Circadian abnormalities as markers of susceptibility in bipolar disorders. Frontiers in Bioscience - Scholar, 2014, S6, 120-137.	2.1	29
347	Complex nature of apparently balanced chromosomal rearrangements in patients with autism spectrum disorder. Molecular Autism, 2015, 6, 19.	4.9	29
348	Toxoplasma gondii exposure may modulate the influence of TLR2 genetic variation on bipolar disorder: a gene–environment interaction study. International Journal of Bipolar Disorders, 2016, 4, 11.	2.2	29
349	A Multilevel Functional Study of a <i>SNAP25</i> At-Risk Variant for Bipolar Disorder and Schizophrenia. Journal of Neuroscience, 2017, 37, 10389-10397.	3 . 6	29
350	Relationships between low-grade peripheral inflammation and psychotropic drugs in schizophrenia: results from the national FACE-SZ cohort. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 541-553.	3.2	29
351	Childhood maltreatment and polygenic risk in bipolar disorders. Bipolar Disorders, 2020, 22, 174-181.	1.9	29
352	No association between dopamine D1, D2, and D3 receptor genes and manic–depressive illness. Biological Psychiatry, 1998, 44, 644-647.	1.3	28
353	Opiate antagonists in children and adolescents. European Child and Adolescent Psychiatry, 2000, 9, S44-S50.	4.7	28
354	Social cognition in autism is associated with the neurodevelopment of the posterior superior temporal sulcus. Acta Psychiatrica Scandinavica, 2017, 136, 517-525.	4.5	28
355	Heritability of the melatonin synthesis variability in autism spectrum disorders. Scientific Reports, 2017, 7, 17746.	3.3	28
356	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. Frontiers in Psychiatry, 2018, 9, 207.	2.6	28
357	Variations of the Candidate SEZ6L2 Gene on Chromosome $16p11.2$ in Patients with Autism Spectrum Disorders and in Human Populations. PLoS ONE, 2011 , 6 , $e17289$.	2.5	28
358	Clinical subtypes and age at onset in schizophrenic siblings. Psychiatry Research, 1992, 41, 107-114.	3.3	27
359	Decreased serotonin transporter binding in unaffected relatives of manic depressive patients. Biological Psychiatry, 1999, 46, 1703-1706.	1.3	27
360	Association between the PPP3CC gene, coding for the calcineurin gamma catalytic subunit, and bipolar disorder. Behavioral and Brain Functions, 2008, 4, 2.	3.3	27

#	Article	IF	Citations
361	Consequences of delayed diagnosis of bipolar disorders. L'Encephale, 2011, 37, S173-S175.	0.9	27
362	MRI exploration of pineal volume in bipolar disorder. Journal of Affective Disorders, 2011, 135, 377-379.	4.1	27
363	Long-term risk of myocardial infarction and stroke in bipolar I disorder: A population-based Cohort Study. Journal of Affective Disorders, 2016, 194, 120-127.	4.1	27
364	Latent toxoplasma infection in real-world schizophrenia: Results from the national FACE-SZ cohort. Schizophrenia Research, 2018, 201, 373-380.	2.0	27
365	Machine learning for predicting psychotic relapse at 2†years in schizophrenia in the national FACE-SZ cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 92, 8-18.	4.8	27
366	The use of a gene expression signature and connectivity map to repurpose drugs for bipolar disorder. World Journal of Biological Psychiatry, 2020, 21, 775-783.	2.6	27
367	Collaborative Strategies in the Molecular Genetics of the Major Psychoses. British Journal of Psychiatry, 1991, 158, 605-610.	2.8	26
368	Verbal Skills in Relatives of Autistic Females. Cortex, 1995, 31, 723-733.	2.4	26
369	Platelet Serotonergic Predictors of Clinical Improvement in Obsessive Compulsive Disorder. Journal of Clinical Psychopharmacology, 2004, 24, 18-23.	1.4	26
370	Links between sleep and body mass index in bipolar disorders: An exploratory study. European Psychiatry, 2015, 30, 89-93.	0.2	26
371	Factors associated with direct health care costs in schizophrenia: Results from the FACE-SZ French dataset. European Neuropsychopharmacology, 2018, 28, 24-36.	0.7	26
372	<p>The Patient-Reported Experience Measure for Improving qUality of care in Mental health (PREMIUM) project in France: study protocol for the development and implementation strategy</p> . Patient Preference and Adherence, 2019, Volume 13, 165-177.	1.8	26
373	Prevention of COVID-19 by drug repurposing: rationale from drugs prescribed for mental disorders. Drug Discovery Today, 2020, 25, 1287-1290.	6.4	26
374	An investigation of ribosomal protein L10 gene in autism spectrum disorders. BMC Medical Genetics, 2009, 10, 7.	2.1	25
375	Correlations between cognitive performances and psychotic or schizotypal dimensions. European Psychiatry, 2009, 24, 244-250.	0.2	25
376	Mutation screening of ASMT, the last enzyme of the melatonin pathway, in a large sample of patients with Intellectual Disability. BMC Medical Genetics, 2011, 12, 17.	2.1	25
377	11q24.2â€25 microâ€rearrangements in autism spectrum disorders: Relation to brain structures. American Journal of Medical Genetics, Part A, 2015, 167, 3019-3030.	1.2	25
378	Outcomes for bipolar patients assessed in the French expert center network: A 2â€year followâ€up observational study (FondaMental Advanced Centers of Expertise for Bipolar Disorder [FACEâ€BD]). Bipolar Disorders, 2017, 19, 651-660.	1.9	25

#	Article	IF	CITATIONS
379	Oxytocin Fails to Recruit Serotonergic Neurotransmission in the Autistic Brain. Cerebral Cortex, 2018, 28, 4169-4178.	2.9	25
380	Neurodevelopmental subtypes of bipolar disorder are related to cortical folding patterns: An international multicenter study. Bipolar Disorders, 2018, 20, 721-732.	1.9	25
381	Overexpression of complement component C4 in the dorsolateral prefrontal cortex, parietal cortex, superior temporal gyrus and associative striatum of patients with schizophrenia. Brain, Behavior, and Immunity, 2020, 90, 216-225.	4.1	25
382	Association between anhedonia and suicidal events in patients with mood disorders: A 3â€year prospective study. Depression and Anxiety, 2021, 38, 17-27.	4.1	25
383	Neuroimaging biomarkers in bipolar disorder. Frontiers in Bioscience - Elite, 2012, E4, 593.	1.8	25
384	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. Translational Psychiatry, 2021, 11, 606.	4.8	25
385	Is autism associated with anomalous dominance?. Journal of Autism and Developmental Disorders, 1988, 18, 539-551.	2.7	24
386	Bipolar sensation seeking is associated with a propensity to abuse rather than to temperamental characteristics. European Psychiatry, 2001, 16, 289-292.	0.2	24
387	Mutation screening of the ARX gene in patients with autism. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 228-230.	1.7	24
388	Episodic memory and self-awareness in Asperger Syndrome: Analysis of memory narratives. Research in Autism Spectrum Disorders, 2013, 7, 1062-1067.	1.5	24
389	Rural-urban variation in incidence of psychosis in France: a prospective epidemiologic study in two contrasted catchment areas. BMC Psychiatry, 2014, 14, 78.	2.6	24
390	Cerebellar parcellation in schizophrenia and bipolar disorder. Acta Psychiatrica Scandinavica, 2019, 140, 468-476.	4.5	24
391	Verbal versus visuospatial abilities in relatives of autistic females. Developmental Neuropsychology, 1995, 11, 139-155.	1.4	23
392	Searching for Alternative Phenotypes in Psychiatric Genetics. , 2003, 77, 145-162.		23
393	Apolipoprotein E in schizophrenia: A French association study and metaâ€analysis. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2003, 119B, 18-23.	1.7	23
394	Lack of association between 5HT2A receptor gene haplotype, bipolar disorder and its clinical subtypes in a West European sample. American Journal of Medical Genetics Part A, 2004, 129B, 29-33.	2.4	23
395	Pharmacogenetic study of atypical antipsychotic drug response: Involvement of the norepinephrine transporter gene. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 491-494.	1.7	23
396	Positive and negative life events and reasons for living modulate suicidal ideation in a sample of patients with history of suicide attempts. Journal of Psychiatric Research, 2017, 88, 64-71.	3.1	23

#	Article	IF	CITATIONS
397	Pathogenicity of Antibodies against NMDA Receptor: Molecular Insights into Autoimmune Psychosis. Trends in Neurosciences, 2018, 41, 502-511.	8.6	23
398	Longitudinal relationships between cognition and functioning over 2 years in euthymic patients with bipolar disorder: a cross-lagged panel model approach with the FACE-BD cohort. British Journal of Psychiatry, 2021, 218, 80-87.	2.8	23
399	Genome-wide association study of pediatric obsessive-compulsive traits: shared genetic risk between traits and disorder. Translational Psychiatry, 2021, 11, 91.	4.8	23
400	A double amino-acid change in the HLA-A peptide-binding groove is associated with response to psychotropic treatment in patients with schizophrenia. Translational Psychiatry, 2015, 5, e608-e608.	4.8	22
401	Revisiting the association between childhood trauma and psychosis in bipolar disorder: A quasi-dimensional path-analysis. Journal of Psychiatric Research, 2017, 84, 73-79.	3.1	22
402	Neuropsychological functioning, age, and medication adherence in bipolar disorder. PLoS ONE, 2017, 12, e0184313.	2.5	22
403	Disruption of Conscious Access in Psychosis Is Associated with Altered Structural Brain Connectivity. Journal of Neuroscience, 2021, 41, 513-523.	3.6	22
404	The relationship between immune and cognitive dysfunction in mood and psychotic disorder: a systematic review and a meta-analysis. Molecular Psychiatry, 2022, 27, 3237-3246.	7.9	22
405	Adenylosuccinate lyase (ADSL) and infantile autism: Absence of previously reported point mutation. American Journal of Medical Genetics Part A, 1995, 60, 554-557.	2.4	21
406	The DRD2 gene and the risk for alcohol dependence in bipolar patients. European Psychiatry, 2000, 15, 103-108.	0.2	21
407	Alcohol use disorders are associated with increased affective lability in bipolar disorder. Journal of Affective Disorders, 2017, 208, 316-324.	4.1	21
408	Tobacco smoking and other substance use disorders associated with recurrent suicide attempts in bipolar disorder. Journal of Affective Disorders, 2019, 256, 348-357.	4.1	21
409	Identification of inflammatory subgroups of schizophrenia and bipolar disorder patients with HERV-W ENV antigenemia by unsupervised cluster analysis. Translational Psychiatry, 2021, 11, 377.	4.8	21
410	A Digital Companion, the Emma App, for Ecological Momentary Assessment and Prevention of Suicide: Quantitative Case Series Study. JMIR MHealth and UHealth, 2020, 8, e15741.	3.7	21
411	Metabolic Syndrome and Illness Severity Predict Relapse at 1-Year Follow-Up in Schizophrenia. Journal of Clinical Psychiatry, 2018, 79, .	2.2	21
412	Prevalence of Metabolic Syndrome and Associated Factors in a Cohort of Individuals With Treatment-Resistant Depression. Journal of Clinical Psychiatry, 2019, 80, .	2.2	21
413	Manic Depressive Illness and Tyrosine Hydroxylase Gene: Linkage Heterogeneity and Association. Neurobiology of Disease, 1997, 4, 337-349.	4.4	20
414	Analysis of ten candidate genes in autism by association and linkage. American Journal of Medical Genetics Part A, 2002, 114, 125-128.	2.4	20

#	Article	IF	CITATIONS
415	Therapeutic andÂneurophysiologic aspects ofÂtranscranial magnetic stimulation inÂschizophrenia. Neurophysiologie Clinique, 2006, 36, 185-194.	2.2	20
416	Mutation analysis of the NSD1 gene in patients with autism spectrum disorders and macrocephaly. BMC Medical Genetics, 2007, 8, 68.	2.1	20
417	Convergent Lines of Evidence Support LRP8 as a Susceptibility Gene for Psychosis. Molecular Neurobiology, 2016, 53, 6608-6619.	4.0	20
418	Childhood trauma and psychosis: Beyond the association. Child Abuse and Neglect, 2017, 72, 227-235.	2.6	20
419	Identifying a neuroanatomical signature of schizophrenia, reproducible across sites and stages, using machine learning with structured sparsity. Acta Psychiatrica Scandinavica, 2018, 138, 571-580.	4.5	20
420	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. Bipolar Disorders, 2019, 21, 68-75.	1.9	20
421	Higher in vivo Cortical Intracellular Volume Fraction Associated with Lithium Therapy in Bipolar Disorder: A Multicenter NODDI Study. Psychotherapy and Psychosomatics, 2019, 88, 171-176.	8.8	20
422	Decreased Cortical Thickness in the Anterior Cingulate Cortex in Adults with Autism. Journal of Autism and Developmental Disorders, 2019, 49, 1402-1409.	2.7	20
423	Characterisation of age and polarity at onset in bipolar disorder. British Journal of Psychiatry, 2021, 219, 659-669.	2.8	20
424	Immune Signatures of Treatment-Resistant Schizophrenia: A FondaMental Academic Centers of Expertise for Schizophrenia (FACE-SZ) Study. Schizophrenia Bulletin Open, 2021, 2, sgab012.	1.7	20
425	Natural killer cells in first-episode psychosis: an innate immune signature?. Molecular Psychiatry, 2021, 26, 5297-5306.	7.9	20
426	Cerebellar Atypicalities in Autism?. Biological Psychiatry, 2022, 92, 674-682.	1.3	20
427	No evidence for physical anhedonia as a candidate symptom or an endophenotype in bipolar affective disorder. Bipolar Disorders, 2007, 9, 706-712.	1.9	19
428	Self-reported childhood trauma correlates with schizotypal measures in schizophrenia but not bipolar pedigrees. Psychological Medicine, 2009, 39, 365-370.	4.5	19
429	Dectin-1 Polymorphism: A Genetic Disease Specifier in Autism Spectrum Disorders?. PLoS ONE, 2015, 10, e0137339.	2.5	19
430	Adherence to medication is associated with non-planning impulsivity in euthymic bipolar disorder patients. Journal of Affective Disorders, 2015, 184, 60-66.	4.1	19
431	Sleep quality and emotional reactivity cluster in bipolar disorders and impact on functioning. European Psychiatry, 2017, 45, 190-197.	0.2	19
432	The MHC/HLA Gene Complex in Major Psychiatric Disorders: Emerging Roles and Implications. Current Behavioral Neuroscience Reports, 2018, 5, 179-188.	1.3	19

#	Article	IF	CITATIONS
433	A study of the real-world effectiveness of group psychoeducation for bipolar disorders: Is change in illness perception a key mediator of benefit?. Journal of Affective Disorders, 2018, 227, 713-720.	4.1	19
434	Emotional hyperâ€reactivity and cardiometabolic risk in remitted bipolar patients: a machine learning approach. Acta Psychiatrica Scandinavica, 2018, 138, 348-359.	4.5	19
435	Prevalence and determinants of cognitive impairment in the euthymic phase of bipolar disorders: results from the FACE-BD cohort. Psychological Medicine, 2019, 49, 519-527.	4.5	19
436	Clinical guidelines for the management of depression with specific comorbid psychiatric conditions French recommendations from experts (the French Association for Biological Psychiatry and) Tj ETQq0 0 0 rgBT	/Oværdock	10119 50 617
437	Effects of depression and cognitive impairment on quality of life in older adults with schizophrenia spectrum disorder: Results from a multicenter study. Journal of Affective Disorders, 2019, 256, 164-175.	4.1	19
438	Increased risk of ADHD in families with ASD. European Child and Adolescent Psychiatry, 2019, 28, 281-288.	4.7	19
439	A preliminary study on early onset schizophrenia and bipolar disorder: large polyglutamine expansions are not involved. Psychiatry Research, 1997, 72, 141-144.	3.3	18
440	Serotonin transporter gene polymorphisms and affective disorder-related phenotypes. Current Opinion in Psychiatry, 2002, 15, 49-58.	6.3	18
441	Comparison of Five Actigraphy Scoring Methods with Bipolar Disorder. Behavioral Sleep Medicine, 2013, 11, 275-282.	2.1	18
442	Violent suicidal behaviour in bipolar disorder is associated with nitric oxide synthase 3 gene polymorphism. Acta Psychiatrica Scandinavica, 2015, 132, 218-225.	4.5	18
443	Resolution of a manic episode treated with activated charcoal: Evidence for a brain–gut axis in bipolar disorder. Australian and New Zealand Journal of Psychiatry, 2015, 49, 1221-1223.	2.3	18
444	Gaze direction detection in autism spectrum disorder. Autism, 2017, 21, 100-107.	4.1	18
445	Chronic low-grade peripheral inflammation is associated with severe nicotine dependence in schizophrenia: results from the national multicentric FACE-SZ cohort. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 465-472.	3.2	18
446	Affect lability predicts occurrence of suicidal ideation in bipolar patients: a twoâ€year prospective study. Acta Psychiatrica Scandinavica, 2017, 135, 460-469.	4.5	18
447	HLA genetics in bipolar disorder. Acta Psychiatrica Scandinavica, 2018, 138, 464-471.	4.5	18
448	Human Autoantibodies Against N-Methyl-D-Aspartate Receptor Modestly Alter Dopamine D1 Receptor Surface Dynamics. Frontiers in Psychiatry, 2019, 10, 670.	2.6	18
449	Persistence of dysfunctional natural killer cells in adults with high-functioning autism spectrum disorders: stigma/consequence of unresolved early infectious events?. Molecular Autism, 2019, 10, 22.	4.9	18
450	Towards a Cognitive Phenotype for Autism: Increased Prevalence of Executive Dysfunction and Superior Spatial Span amongst Siblings of Children with Autism. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1999, 40, 705-718.	5.2	18

#	Article	lF	Citations
451	Paracentric inversion of chromosome 2 associated with cryptic duplication of 2q14 and deletion of 2q37 in a patient with autism. American Journal of Medical Genetics, Part A, 2010, 152A, 2346-2354.	1.2	17
452	European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. International Journal of Bipolar Disorders, 2013, 1, 2.	2.2	17
453	Interaction between SLC6A4 promoter variants and childhood trauma on the age at onset of bipolar disorders. Scientific Reports, 2015, 5, 16301.	3.3	17
454	WAIS-IV Seven-Subtest Short Form: Validity and Clinical Use in Schizophrenia. Archives of Clinical Neuropsychology, 2016, 31, 915-925.	0.5	17
455	A genome wide association study suggests the association of muskelin with early onset bipolar disorder: Implications for a GABAergic epileptogenic neurogenesis model. Journal of Affective Disorders, 2017, 208, 120-129.	4.1	17
456	Birth by cesarean section and schizophrenia: results from the multicenter FACE-SZ data-set. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 587-594.	3.2	17
457	The influence of prior reputation and reciprocity on dynamic trust-building in adults with and without autism spectrum disorder. Cognition, 2018, 172, 1-10.	2.2	17
458	Immunoglobulin sub-class distribution in bipolar disorder and schizophrenia: potential relationship with latent Toxoplasma Gondii infection. BMC Psychiatry, 2018, 18, 239.	2.6	17
459	HLA Polymorphism in Regressive and Nonâ€Regressive Autism: A Preliminary Study. Autism Research, 2020, 13, 182-186.	3.8	17
460	Allostatic load, emotional hyperâ€reactivity, and functioning in individuals with bipolar disorder. Bipolar Disorders, 2020, 22, 711-721.	1.9	17
461	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. Schizophrenia Bulletin, 2021, 47, 1674-1684.	4.3	17
462	Viewpoint European COVID-19 exit strategy for people with severe mental disorders: Too little, but not yet too late. Brain, Behavior, and Immunity, 2021, 94, 15-17.	4.1	17
463	Low peripheral mitochondrial DNA copy number during manic episodes of bipolar disorders is associated with disease severity and inflammation. Brain, Behavior, and Immunity, 2021, 98, 349-356.	4.1	17
464	Psychotic, Mood, and Anxiety Disorders and Venous Thromboembolism: A Systematic Review and Meta-Analysis. Psychosomatic Medicine, 2020, 82, 838-849.	2.0	17
465	No association between DUP25 and anxiety disorders. American Journal of Medical Genetics Part A, 2004, 128B, 80-83.	2.4	16
466	Pharmacogenetic of response efficacy to antipsychotics in schizophrenia: pharmacodynamic aspects. Review and implications for clinical research. Fundamental and Clinical Pharmacology, 2010, 24, 139-160.	1.9	16
467	European collaborative study of earlyâ€onset bipolar disorder: Evidence for genetic heterogeneity on 2q14 according to age at onset. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 1425-1433.	1.7	16
468	Metabolic and psychiatric effects of acyl coenzyme A binding protein (ACBP)/diazepam binding inhibitor (DBI). Cell Death and Disease, 2020, 11, 502.	6.3	16

#	Article	IF	CITATIONS
469	Association between coffee, tobacco, and alcohol daily consumption and sleep/wake cycle: an actigraphy study in euthymic patients with bipolar disorders. Chronobiology International, 2020, 37, 712-722.	2.0	16
470	Childhood maltreatment and clinical severity of treatmentâ€resistant depression in a French cohort of outpatients (FACEâ€DR): Oneâ€year followâ€up. Depression and Anxiety, 2020, 37, 365-374.	4.1	16
471	Shape analysis of the cingulum, uncinate and arcuate fasciculi in patients with bipolar disorder. Journal of Psychiatry and Neuroscience, 2017, 42, 27-36.	2.4	16
472	Clinical and autoimmune features of a patient with autism spectrum disorder seropositive for antiâ€"NMDA-receptor autoantibody. Dialogues in Clinical Neuroscience, 2017, 19, 65-70.	3.7	16
473	Public and Nonprofit Funding for Research on Mental Disorders in France, the United Kingdom, and the United States. Journal of Clinical Psychiatry, 2012, 73, e906-e912.	2.2	16
474	Predictors of functional impairment in bipolar disorder: Results from 13 cohorts from seven countries by the global bipolar cohort collaborative. Bipolar Disorders, 2022, 24, 709-719.	1.9	16
475	Further epidemiological evidence for anticipation in schizophrenia. Biomedicine and Pharmacotherapy, 1997, 51, 376-380.	5.6	15
476	Clinical predictors of response to olanzapine or risperidone during acute episode of schizophrenia. Psychiatry Research, 2010, 179, 12-18.	3.3	15
477	Exploring the relationships between tobacco smoking and schizophrenia in first-degree relatives. Psychiatry Research, 2012, 200, 674-678.	3.3	15
478	Immuno- inflammatory markers of bipolar disorder: a review of evidence. Frontiers in Bioscience - Elite, 2012, E4, 2170.	1.8	15
479	Atypical Social Judgment and Sensitivity to Perceptual Cues in Autism Spectrum Disorders. Journal of Autism and Developmental Disorders, 2016, 46, 1574-1581.	2.7	15
480	Emotional reactivity, functioning, and C-reactive protein alterations in remitted bipolar patients: Clinical relevance of a dimensional approach. Australian and New Zealand Journal of Psychiatry, 2017, 51, 788-798.	2.3	15
481	A reâ€examination of antidepressant treatmentâ€emergent mania in bipolar disorders: evidence of gender differences. Acta Psychiatrica Scandinavica, 2017, 135, 479-488.	4.5	15
482	Risk factors for increased duration of untreated psychosis. Results from the FACE-SZ dataset. Schizophrenia Research, 2018, 195, 529-533.	2.0	15
483	Association of symptoms of attention deficit-hyperactivity disorder and impulsive-aggression with severity of suicidal behavior in adult attempters. Scientific Reports, 2019, 9, 4593.	3.3	15
484	Drugs used to treat bipolar disorder act via microRNAs to regulate expression of genes involved in neurite outgrowth. Journal of Psychopharmacology, 2020, 34, 370-379.	4.0	15
485	Lithium prevents grey matter atrophy in patients with bipolar disorder: an international multicenter study. Psychological Medicine, 2021, 51, 1201-1210.	4.5	15
486	Strategies and foundations for scientific discovery in longitudinal studies of bipolar disorder. Bipolar Disorders, 2022, 24, 499-508.	1.9	15

#	Article	IF	CITATIONS
487	Subtyping familial schizophrenia: Reliability, concordance, and stability. Psychiatry Research, 1990, 34, 77-88.	3.3	14
488	No gender effect on age at onset in familial schizophrenia?. American Journal of Psychiatry, 1992, 149, 1409a-1409.	7.2	14
489	Relationship of HLA to Schizophrenia not supported in multiplex families. Psychiatry Research, 1992, 41, 99-105.	3.3	14
490	Search for copy number variants in chromosomes $15q11-q13$ and $22q11.2$ in obsessive compulsive disorder. BMC Medical Genetics, 2010, 11 , 100 .	2.1	14
491	Autoantibodies to neurotransmitter receptors and ion channels: from neuromuscular to neuropsychiatric disorders. Frontiers in Genetics, 2013, 4, 181.	2.3	14
492	Prevalence of psychotic disorders in an urban area of France. BMC Psychiatry, 2015, 15, 204.	2.6	14
493	Clinical utility of the Multiple Errands Test in schizophrenia: A preliminary assessment. Psychiatry Research, 2016, 240, 390-397.	3.3	14
494	Sleep quality, chronotype and metabolic syndrome components in bipolar disorders during the remission period: Results from the FACE-BD cohort. Chronobiology International, 2017, 34, 1114-1124.	2.0	14
495	Predictors of rapid high weight gain in schizophrenia: Longitudinal analysis of the French FACE-SZ cohort. Journal of Psychiatric Research, 2017, 94, 62-69.	3.1	14
496	Self-reported pain in patients with schizophrenia. Results from the national first-step FACE-SZ cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 85, 62-68.	4.8	14
497	Saccadic eye movements in adults with high-functioning autism spectrum disorder. Autism, 2018, 22, 195-204.	4.1	14
498	Hypovitaminosis D is associated with depression and anxiety in schizophrenia: Results from the national FACE-SZ cohort Psychiatry Research, 2018, 270, 104-110.	3.3	14
499	Assessment of Translocator Protein Density, as Marker of Neuroinflammation, in Major Depressive Disorder: A Pilot, Multicenter, Comparative, Controlled, Brain PET Study (INFLADEP Study). Frontiers in Psychiatry, 2018, 9, 326.	2.6	14
500	Psychiatric and physical outcomes of long-term use of lithium in older adults with bipolar disorder and major depressive disorder: A cross-sectional multicenter study. Journal of Affective Disorders, 2019, 259, 210-217.	4.1	14
501	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. Schizophrenia Bulletin, 2020, 46, 517-529.	4.3	14
502	Social Anxiety in Children and Adolescents With Autism Spectrum Disorders Contribute to Impairments in Social Communication and Social Motivation. Frontiers in Psychiatry, 2020, 11, 710.	2.6	14
503	Relationship Between Serum NMDA Receptor Antibodies and Response to Antipsychotic Treatment in First-Episode Psychosis. Biological Psychiatry, 2021, 90, 9-15.	1.3	14
504	Heterogeneous Pattern of Selective Pressure for PRRT2 in Human Populations, but No Association with Autism Spectrum Disorders. PLoS ONE, 2014, 9, e88600.	2.5	14

#	Article	IF	Citations
505	Two Taql dimorphk sites at the human β-hydroxylase locus. Nucleic Acids Research, 1989, 17, 5871-5871.	14.5	13
506	Allergic sensitization in infantile autism. Journal of Autism and Developmental Disorders, 1993, 23, 419-420.	2.7	13
507	A SCAN-SADS comparison study of psychotic subjects and their first-degree relatives. European Archives of Psychiatry and Clinical Neuroscience, 1993, 242, 352-356.	3.2	13
508	High-functioning autism spectrum disorder and fragile X syndrome: report of two affected sisters. Molecular Autism, 2012, 3, 5.	4.9	13
509	Genetic heterogeneity according to age at onset in bipolar disorder: A combined positional cloning and candidate gene approach. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 653-659.	1.7	13
510	A self administered executive functions ecological questionnaire (the Behavior Rating Inventory of) Tj ETQq0 0 0 Mental Illness, 2013, 5, 4.	rgBT /Ove 0.8	erlock 10 Tf 5
511	Affect intensity measure in bipolar disorders: A multidimensional approach. Journal of Affective Disorders, 2014, 157, 8-13.	4.1	13
512	Genetic association between a â€~standing' variant of NOD2 and bipolar disorder. Immunobiology, 2014, 219, 766-771.	1.9	13
513	Quality of life instruments used in mental health research: Properties and utilization. Psychiatry Research, 2014, 215, 1-8.	3.3	13
514	National funding for mental health research in Finland, France, Spain and the United Kingdom. European Neuropsychopharmacology, 2017, 27, 892-899.	0.7	13
515	The HLA-G Genetic Contribution to Bipolar Disorder: A Trans-Ethnic Replication. Immunological Investigations, 2018, 47, 593-604.	2.0	13
516	Intracellular Pathogen Infections and Immune Response in Autism. NeuroImmunoModulation, 2018, 25, 271-279.	1.8	13
517	Which actigraphic variables optimally characterize the sleepâ€wake cycle of individuals with bipolar disorders?. Acta Psychiatrica Scandinavica, 2019, 139, 269-279.	4.5	13
518	Sexual dysfunctions are associated with major depression, chronic inflammation and anticholinergic consumption in the real-world schizophrenia FACE-SZ national cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 94, 109654.	4.8	13
519	EFFECT OF THE TFM MUTATION ON HANDEDNESS IN MICE. Journal of Endocrinology, 1989, 121, R5-R7.	2.6	12
520	Cytogenetic studies of familial schizophrenics. Biological Psychiatry, 1991, 29, 624-625.	1.3	12
521	Investigation of two variants in the DOPA decarboxylase gene in patients with autism. American Journal of Medical Genetics Part A, 2002, 114, 466-470.	2.4	12
522	Stimulus-reward association and reversal learning in individuals with Asperger Syndrome. Research in Autism Spectrum Disorders, 2009, 3, 913-923.	1.5	12

#	Article	IF	Citations
523	Feelings of regret and disappointment in adults with high-functioning autism. Cortex, 2014, 58, 112-122.	2.4	12
524	Effect of early trauma on the sleep quality of euthymic bipolar patients. Journal of Affective Disorders, 2016, 206, 261-267.	4.1	12
525	Reduced saccadic inhibition of return to moving eyes in autism spectrum disorders. Vision Research, 2016, 127, 115-121.	1.4	12
526	Validation and refinement of the clinical staging model in a French cohort of outpatient with schizophrenia (FACE-SZ). Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 92, 226-234.	4.8	12
527	Eveningness and poor sleep quality contribute to depressive residual symptoms and behavioral inhibition in patients with bipolar disorder. Chronobiology International, 2020, 37, 101-110.	2.0	12
528	Characterization of depressed bipolar patients with current suicidal ideation. Australian and New Zealand Journal of Psychiatry, 2021, 55, 289-304.	2.3	12
529	Trajectories of medication adherence in patients with Bipolar Disorder along 2 years-follow-up. Journal of Affective Disorders, 2021, 282, 812-819.	4.1	12
530	Chemoinformatic Analysis of Psychotropic and Antihistaminic Drugs in the Light of Experimental Anti-SARS-CoV-2 Activities. Advances and Applications in Bioinformatics and Chemistry, 2021, Volume 14, 71-85.	2.6	12
531	Methodological problems in meta-analysis of association studies between bipolar affective disorder and the tyrosine hydroxylase gene., 1998, 81, 349-350.		11
532	European Union investment and countries' involvement in mental health research between 2007 and 2013. Acta Psychiatrica Scandinavica, 2016, 134, 138-149.	4.5	11
533	Impact of a <i>cis</i> -associated gene expression SNP on chromosome 20q11.22 on bipolar disorder susceptibility, hippocampal structure and cognitive performance. British Journal of Psychiatry, 2016, 208, 128-137.	2.8	11
534	Comorbidity between schizophrenia and keratoconus. Psychiatry Research, 2017, 247, 315-316.	3.3	11
535	Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). Frontiers in Psychiatry, 2017, 8, 244.	2.6	11
536	Reconsideration of the factorial structure of the Barratt Impulsiveness Scale (BIS-11): Assessment of impulsivity in a large population of euthymic bipolar patients. Journal of Affective Disorders, 2019, 253, 203-209.	4.1	11
537	Activation Levels, Cardiovascular Risk, and Functional Impairment in Remitted Bipolar Patients: Clinical Relevance of a Dimensional Approach. Psychotherapy and Psychosomatics, 2019, 88, 45-47.	8.8	11
538	Unipolar mania: Identification and characterisation of cases in France and the United Kingdom. Journal of Affective Disorders, 2020, 263, 228-235.	4.1	11
539	Confirmations, advances and recommendations for the daily care of schizophrenia based on the French national FACE-SZ cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 101, 109927.	4.8	11
540	Nonâ€alcoholic fatty liver disease in a sample of individuals with bipolar disorders: results from the FACEâ€BD cohort. Acta Psychiatrica Scandinavica, 2021, 143, 82-91.	4.5	11

#	Article	IF	CITATIONS
541	A conceptual framework to develop a patient-reported experience measure of the quality of mental health care: a qualitative study of the PREMIUM project in France. Journal of Market Access & Health Policy, 2021, 9, 1885789.	1.5	11
542	Decreased phenol sulfotransferase activities associated with hyperserotonemia in autism spectrum disorders. Translational Psychiatry, 2021, 11, 23.	4.8	11
543	Childhood Trauma increases suicidal behaviour in a treatment-resistant depression population: a FACE-DR report. Journal of Psychiatric Research, 2021, 135, 20-27.	3.1	11
544	Disruption of circadian rhythm and risk of autism spectrum disorder: role of immune-inflammatory, oxidative stress, metabolic and neurotransmitter pathways. Reviews in the Neurosciences, 2022, 33, 93-109.	2.9	11
545	Fecal Supernatant from Adult with Autism Spectrum Disorder Alters Digestive Functions, Intestinal Epithelial Barrier, and Enteric Nervous System. Microorganisms, 2021, 9, 1723.	3.6	11
546	Major depression, sleep, hostility and body mass index are associated with impaired quality of life in schizophrenia. Results from the FACE-SZ cohort Journal of Affective Disorders, 2020, 274, 617-623.	4.1	11
547	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. British Journal of Psychiatry, 2022, 220, 219-228.	2.8	11
548	Association between serum lithium level and incidence of COVID-19 infection. British Journal of Psychiatry, 2022, 221, 425-427.	2.8	11
549	Is Rett syndrome a chromosome breakage syndrome?. American Journal of Medical Genetics Part A, 1994, 51, 602-605.	2.4	10
550	Searching Across Diagnostic Boundaries. Schizophrenia Bulletin, 2014, 40, 946-948.	4.3	10
551	Seasonal pattern in bipolar disorders and cardio-vascular risk factors: A study from the FACE-BD cohort. Chronobiology International, 2017, 34, 845-854.	2.0	10
552	Metabolic syndrome and actigraphy measures of sleep and circadian rhythms in bipolar disorders during remission. Acta Psychiatrica Scandinavica, 2018, 138, 155-162.	4.5	10
553	Relationship between childhood trauma and level of insight in schizophrenia: A path-analysis in the national FACE-SZ dataset. Schizophrenia Research, 2019, 208, 90-96.	2.0	10
554	Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). Psychological Medicine, 2019, 49, 2600-2607.	4.5	10
555	The HLA 8.1 ancestral haplotype in schizophrenia: dual implication in neuroâ€synaptic pruning and autoimmunity?. Acta Psychiatrica Scandinavica, 2020, 141, 169-171.	4.5	10
556	Towards precision medicine: What are the stratification hypotheses to identify homogeneous inflammatory subgroups. European Neuropsychopharmacology, 2021, 45, 108-121.	0.7	10
557	Clinical predictors of recurrences in bipolar disorders type 1 and 2 : A FACE-BD longitudinal study. Journal of Psychiatric Research, 2021, 134, 129-137.	3.1	10
558	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. Scientific Reports, 2021, 11, 17823.	3.3	10

#	Article	IF	Citations
559	A specific impairment in cognitive control in individuals with high-functioning autism. Journal of Psychiatric Research, 2014, 58, 26-35.	3.1	9
560	Accelerated time course of saccadic inhibition of return in individuals with autism spectrum disorders. Experimental Brain Research, 2015, 233, 767-775.	1.5	9
561	Reply: Sleep in Patients with Remitted Bipolar Disorders: Analyses stratified on actigraphy devices, age and gender. Acta Psychiatrica Scandinavica, 2015, 131, 400-400.	4.5	9
562	Identification of a Bipolar Disorder Vulnerable Gene CHDH at 3p21.1. Molecular Neurobiology, 2017, 54, 5166-5176.	4.0	9
563	Molecular Pathogenicity of Anti-NMDA Receptor Autoantibody From Patients With First-Episode Psychosis. American Journal of Psychiatry, 2018, 175, 382-383.	7.2	9
564	Influence of Venus and Mars in the cognitive sky of schizophrenia. Results from the first-step national FACE-SZ cohort. Schizophrenia Research, 2018, 195, 357-365.	2.0	9
565	European mental health research resources: Picture and recommendations of the ROAMER project. European Neuropsychopharmacology, 2019, 29, 179-194.	0.7	9
566	Clinical characteristics of obstructive sleep apnea in bipolar disorders. Journal of Affective Disorders, 2019, 245, 1-7.	4.1	9
567	Use of a serious game to strengthen medication adherence in euthymic patients with bipolar disorder following a psychoeducational programme: A randomized controlled trial. Journal of Affective Disorders, 2020, 262, 182-188.	4.1	9
568	Adherence to treatment guidelines in clinical practice for using electroconvulsive therapy in major depressive episode. Journal of Affective Disorders, 2020, 264, 318-323.	4.1	9
569	Trajectories of functioning in bipolar disorders: A longitudinal study in the FondaMental Advanced Centers of Expertise in Bipolar Disorders cohort. Australian and New Zealand Journal of Psychiatry, 2020, 54, 985-996.	2.3	9
570	Treatment-Resistant Depression in a Real-World Setting: First Interim Analysis of Characteristics, Healthcare Resource Use, and Utility Values of the FondaMental Cohort. Brain Sciences, 2020, 10, 962.	2.3	9
571	A comprehensive model of predictors of quality of life in older adults with schizophrenia: results from the CSA study. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1411-1425.	3.1	9
572	A new genetic locus for antipsychotic-induced weight gain: A genome-wide study of first-episode psychosis patients using amisulpride (from the OPTiMiSE cohort). Journal of Psychopharmacology, 2020, 34, 524-531.	4.0	9
573	Antihistamine and cationic amphiphilic drugs, old molecules as new tools against the COVID-19?. Medical Hypotheses, 2021, 148, 110508.	1.5	9
574	Violent suicide attempt history in elderly patients with bipolar disorder: The role of sex, abdominal obesity, and verbal memory: Results from the FACE-BD cohort (FondaMental Advanced center of) Tj ETQq0 0 0 r	gB ¼./ Over	oc k 10 Tf 50
575	Association between childhood maltreatment and the clinical course of bipolar disorders: A survival analysis of mood recurrences. Acta Psychiatrica Scandinavica, 2022, 145, 373-383.	4.5	9
576	Handedness and schizotypal features in healthy subjects. World Journal of Biological Psychiatry, 2008, 9, 121-125.	2.6	8

#	Article	IF	CITATIONS
577	Memory for past events: movement and action chains in high-functioning autism spectrum disorders. Experimental Brain Research, 2013, 226, 325-334.	1.5	8
578	Genetics of emotional reactivity in bipolar disorders. Journal of Affective Disorders, 2015, 188, 101-106.	4.1	8
579	Spatial distribution of psychotic disorders in an urban area of France: an ecological study. Scientific Reports, 2016, 6, 26190.	3.3	8
580	Small area-level variation in the incidence of psychotic disorders in an urban area in France: an ecological study. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 951-960.	3.1	8
581	Using admixture analysis to examine birthâ€cohort effects on age at onset of bipolar disorder. Acta Psychiatrica Scandinavica, 2016, 133, 205-213.	4.5	8
582	Association between CRP genetic diversity and bipolar disorder comorbid complications. International Journal of Bipolar Disorders, 2018, 6, 4.	2.2	8
583	Minimum clinically important differences for the Functioning Assessment Short Test and a battery of neuropsychological tests in bipolar disorders: results from the FACE-BD cohort. Epidemiology and Psychiatric Sciences, 2020, 29, e144.	3.9	8
584	An Association Between Serotonin <scp>1A</scp> Receptor, Gray Matter Volume, and Sociability in Healthy Subjects and in Autism Spectrum Disorder. Autism Research, 2020, 13, 1843-1855.	3.8	8
585	Influence of childhood maltreatment on prevalence, onset, and persistence of psychiatric comorbidities and suicide attempts in bipolar disorders. European Psychiatry, 2022, 65, 1-32.	0.2	8
586	Sampling strategy in linkage studies of affective disorders. Psychological Medicine, 1990, 20, 573-579.	4.5	7
587	Failure to replicate linkage between chromosome $5q11-q13$ markers and schizophrenia in 28 families. Psychiatry Research, 1992, 44, 171-179.	3.3	7
588	Fragile X syndrome. II. Cognitive and behavioral correlates of mutations of the FMR-1 gene. European Psychiatry, 1996, 11, 233-243.	0.2	7
589	Analysis of transmission of novel polymorphisms in the somatostatin receptor 5 (SSTR5) gene in patients with autism. American Journal of Medical Genetics Part A, 2003, 121B, 100-104.	2.4	7
590	Effects of Add-On Cilostazol on Cognition in Patients With Schizophrenia. Journal of Clinical Psychopharmacology, 2011, 31, 659-661.	1.4	7
591	Genetic and molecular exploration of UHMK1 in schizophrenic patients. Psychiatric Genetics, 2011, 21, 315-318.	1.1	7
592	Heterozygous FA2H mutations in autism spectrum disorders. BMC Medical Genetics, 2013, 14, 124.	2.1	7
593	Smoking behavior characteristics of non-selected smokers with childhood attention-deficit/hyperactivity disorder (AD/HD) history: a systematic review and meta-analysis. European Archives of Psychiatry and Clinical Neuroscience, 2014, 264, 379-389.	3.2	7
594	Association between childhood dimensions of attention deficit hyperactivity disorder and adulthood clinical severity of bipolar disorders. Australian and New Zealand Journal of Psychiatry, 2017, 51, 382-392.	2.3	7

#	Article	IF	Citations
595	Advanced Paternal Age is associated with earlier schizophrenia onset in offspring. Results from the national multicentric FACE-SZ cohort. Psychiatry Research, 2017, 254, 218-223.	3.3	7
596	Exploring venlafaxine pharmacokinetic variability with a phenotyping approach, a multicentric french-swiss study (MARVEL study). BMC Pharmacology & David Samp; Toxicology, 2017, 18, 70.	2.4	7
597	A multi-dimensional approach to the relationship between insight and aggressiveness in schizophrenia: Findings from the FACE-SZ cohort. Schizophrenia Research, 2019, 204, 38-45.	2.0	7
598	Inflammatory DEpression Advances in Schizophrenia (IDEAS): A precision medicine approach of the national FACE-SZ cohort. Journal of Affective Disorders, 2019, 245, 468-474.	4.1	7
599	Overlap and Mutual Distinctions Between Clinical Recovery and Personal Recovery in People With Schizophrenia in a One-Year Study. Schizophrenia Bulletin, 2022, 48, 382-394.	4.3	7
600	DNA hydrolysing IgG catalytic antibodies: an emerging link between psychoses and autoimmunity. NPJ Schizophrenia, 2021, 7, 13.	3.6	7
601	Variables as Mediators or Moderators in Predicting Relapse to Any Type of Mood Episode in a Bipolar Maintenance Study. Journal of Clinical Psychiatry, 2012, 73, e913-e917.	2.2	7
602	Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 114, 110479.	4.8	7
603	A one year prevalence study of schizophrenia on Reunion Island. European Psychiatry, 1997, 12, 284-288.	0.2	6
604	Ibogaine-Associated Psychosis in Schizophrenia. Journal of Clinical Psychopharmacology, 2011, 31, 659.	1.4	6
605	Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. American Journal of Human Genetics, 2011, 88, 396.	6.2	6
606	A bipolar disorder patient becoming asymptomatic after adjunctive anti-filiarasis treatment: a case report. BMC Psychiatry, 2013, 13, 81.	2.6	6
607	Do the treasures of †big data' combined with behavioural intervention therapies contain the key to the mystery of large psychiatric issues?. Acta Psychiatrica Scandinavica, 2014, 130, 406-407.	4.5	6
608	IL6/IL6R genetic diversity and plasma IL6 levels in bipolar disorder: An Indo-French study. Heliyon, 2019, 5, e01124.	3.2	6
609	Evolution and characteristics of the use of valproate in women of childbearing age with bipolar disorder: Results from the FACE-BD cohort. Journal of Affective Disorders, 2020, 276, 963-969.	4.1	6
610	Clinical characteristics of bipolar disorders with postpartum depressive onset. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 107, 110225.	4.8	6
611	Key findings on bipolar disorders from the longitudinal FondaMental Advanced Center of Expertise-Bipolar Disorder (FACE-BD) cohort. Journal of Affective Disorders, 2022, 307, 149-156.	4.1	6
612	Hemisphere asymmetry of alpha burst sequential organization in depression. International Journal of Psychophysiology, 1989, 8, 169-183.	1.0	5

#	Article	IF	CITATIONS
613	Idiopathic Basal Ganglia Calcification and Pathological Hoarding. Journal of Neuropsychiatry and Clinical Neurosciences, 2012, 24, E9-E9.	1.8	5
614	Relationship between incidence and prevalence in psychotic disorders: An incidence–prevalence–mortality model. International Journal of Methods in Psychiatric Research, 2018, 27, e1719.	2.1	5
615	Drugs used in the treatment of bipolar disorder and their effects on cholesterol biosynthesis – A possible therapeutic mechanism. World Journal of Biological Psychiatry, 2019, 20, 766-777.	2.6	5
616	Gene expression and response prediction to amisulpride in the OPTiMiSE first episode psychoses. Neuropsychopharmacology, 2020, 45, 1637-1644.	5.4	5
617	Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. Schizophrenia Bulletin, 2020, 46, 1327-1334.	4.3	5
618	Contribution of common and rare damaging variants in familial forms of bipolar disorder and phenotypic outcome. Translational Psychiatry, 2020, 10, 124.	4.8	5
619	The Complement C4 Genetic Diversity in First Episode Psychosis of the OPTiMiSE Cohort. Schizophrenia Bulletin Open, 2021, 2, .	1.7	5
620	Building brain capital. Neuron, 2021, 109, 1430-1432.	8.1	5
621	The course of bipolar disorder as a function of the presence and sequence of onset of comorbid alcohol use disorders in outpatients attending the Fondamental Advanced Centres of Expertise. Journal of Affective Disorders, 2021, 287, 196-203.	4.1	5
622	Comparison of three scales (BIS, SUMD and BCIS) for measuring insight dimensions and their evolution after one-year of follow-up: Findings from the FACE-SZ Cohort. Psychiatry Research, 2021, 303, 114044.	3.3	5
623	HLA-E circulating and genetic determinants in schizophrenia and bipolar disorder. Scientific Reports, 2021, 11, 20260.	3.3	5
624	Abnormal C-reactive protein (CRP) levels in schizophrenia and schizoaffective disorders. Results from the FACE-SZ dataset. European Psychiatry, 2015, 30, S112-S112.	0.2	4
625	Is it time for immunoâ€psychiatry in bipolar disorder and suicidal behaviour?. Acta Psychiatrica Scandinavica, 2015, 132, 159-160.	4.5	4
626	Psychiatric disability as mediator of the neurocognition-functioning link in schizophrenia spectrum disorders: SEM analysis using the Evaluation of Cognitive Processes involved in Disability in Schizophrenia (ECPDS) scale. Schizophrenia Research, 2018, 201, 196-203.	2.0	4
627	Air pollution and psychiatric disorders: Current and future challenges. Bipolar Disorders, 2020, 22, 437-439.	1.9	4
628	"Reading the Mind in the Eyes―in Autistic Adults is Modulated by Valence and Difficulty: An InFoR Study. Autism Research, 2021, 14, 380-388.	3.8	4
629	Relationship between childhood physical abuse and clinical severity of treatment-resistant depression in a geriatric population. PLoS ONE, 2021, 16, e0250148.	2.5	4
630	Clinical features and outcomes of COVID-19 patients hospitalized for psychiatric disorders: a French multi-centered prospective observational study. Psychological Medicine, 2021, , 1-9.	4.5	4

#	Article	IF	Citations
631	Pharmacological treatment profiles in the FACE-BD cohort: An unsupervised machine learning study, applied to a nationwide bipolar cohort✰. Journal of Affective Disorders, 2021, 286, 309-319.	4.1	4
632	Association of high-sensitivity C-reactive protein with susceptibility to Schizophrenia in Tunisian population. L'Encephale, 2020, 46, 241-247.	0.9	4
633	Preventive Medication Patterns in Bipolar Disorder and Their Relationship With Comorbid Substance Use Disorders in a Cross-National Observational Study. Frontiers in Psychiatry, 2022, 13, 813256.	2.6	4
634	PM2.5 and PM10 air pollution peaks are associated with emergency department visits for psychotic and mood disorders. Environmental Science and Pollution Research, 2022, 29, 88577-88586.	5.3	4
635	Selective Attention Impairment in Schizophrenia. Journal of Nervous and Mental Disease, 2010, 198, 779-781.	1.0	3
636	Reduced 3â€ <i>O</i> àê€methylâ€dopa levels in OCD patients and their unaffected parents is associated with the low activity M158 COMT allele. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 542-548.	1.7	3
637	Recently discovered properties of aspirin may be doubly helpful in bipolar disorders. Medical Hypotheses, 2014, 82, 640-641.	1.5	3
638	Evolution of public and non-profit funding for mental health research in France between 2007 and 2011. European Neuropsychopharmacology, 2015, 25, 2339-2348.	0.7	3
639	TLR4 gene polymorphism associated with lifetime cigarette smoking in bipolar disorder. Journal of Neuroimmunology, 2017, 305, 96-101.	2.3	3
640	T145. ALTERATIONS IN SUPERFICIAL WHITE MATTER IN THE FRONTAL CORTEX IN SCHIZOPHRENIA: A DWI STUDY USING A NOVEL ATLAS. Schizophrenia Bulletin, 2018, 44, S172-S172.	4.3	3
641	Screening for cognitive deficits with the Evaluation of Cognitive Processes involved in Disability in Schizophrenia scale. Clinical Rehabilitation, 2019, 33, 113-119.	2.2	3
642	Trustworthiness and Dominance Personality Traits' Judgments in Adults with Autism Spectrum Disorder. Journal of Autism and Developmental Disorders, 2019, 49, 4535-4546.	2.7	3
643	Temporal preparation in adults with autistic spectrum disorder: The variable foreperiod effect. Autism Research, 2021, 14, 2393-2404.	3.8	3
644	Handedness in bipolar disorders is associated with specific neurodevelopmental features: results of the BD-FACE cohort. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 827-838.	3.2	3
645	Recommendations of the schizophrenia expert center network for the screening prevention and treatment of sleep disorders based on the results from the real-world schizophrenia FACE-SZ national cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 110, 110275.	4.8	3
646	Childhood maltreatment and metabolic syndrome in bipolar disorders: In search of moderators. Psychoneuroendocrinology, 2021, 131, 105327.	2.7	3
647	Redefining peripheral inflammation signature in schizophrenia based on the real-world FACE-SZ cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 111, 110335.	4.8	3
648	Linkage and association of the glutamate receptor 6 gene with autism. , 0, .		3

#	Article	IF	CITATIONS
649	Autism, language delay and mental retardation in a patient with 7q11 duplication. BMJ Case Reports, 2009, 2009, bcr0520091911-bcr0520091911.	0.5	3
650	Retinal electrophysiology and transition to psychiatric disorders in subjects under the influence of cannabis. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 113, 110466.	4.8	3
651	Visual attention and inhibitory control in children, teenagers and adults with autism without intellectual disability: results of oculomotor tasks from a 2-year longitudinal follow-up study (InFoR). Molecular Autism, 2021, 12, 71.	4.9	3
652	Cognitive impairments in treatment-resistant depression: Results from the French cohort of outpatients (FACE-DR). Journal of Affective Disorders Reports, 2021, 6, 100272.	1.7	3
653	Naltrexone open trial with a 5-year-old-boy. A social rebound reaction. Acta Paedopsychiatrica, 1992, 55, 169-73.	0.1	3
654	Direct medical cost of bipolar disorder: Insights from the FACE-BD longitudinal cohort. Journal of Affective Disorders, 2022, 306, 223-231.	4.1	3
655	Occurrence of Side Effects in Treatment-Resistant Depression: Role of Clinical, Socio-Demographic and Environmental Characteristics. Frontiers in Psychiatry, 2021, 12, 795666.	2.6	3
656	Naltrexone in infantile autism. Journal of Autism and Developmental Disorders, 1994, 24, 236-239.	2.7	2
657	Fragile X syndrome. I. An overview on its genetic mechanism. European Psychiatry, 1996, 11, 227-232.	0.2	2
658	Segmentation of Short Association Bundles in Massive Tractography Datasets Using a Multi-subject Bundle Atlas. Lecture Notes in Computer Science, 2011, , 701-708.	1.3	2
659	Metabolic syndrome, abdominal obesity and hyperuricemia in schizophrenia: Results from the FACE-SZ dataset. European Psychiatry, 2015, 30, S130-S130.	0.2	2
660	Reduced social coordination in Autism Spectrum Disorders. Research in Autism Spectrum Disorders, 2016, 26, 71-79.	1.5	2
661	242. Superficial White Matter Integrity in Autism Spectrum Disorders. Biological Psychiatry, 2017, 81, S99-S100.	1.3	2
662	Superficial white matter integrity in autism spectrum disorders. European Neuropsychopharmacology, 2017, 27, S700-S701.	0.7	2
663	Does childhood experience of attention-deficit hyperactivity disorder symptoms increase sleep/wake cycle disturbances as measured with actigraphy in adult patients with bipolar disorder?. Chronobiology International, 2019, 36, 1124-1130.	2.0	2
664	Characteristics associated with the risk of psychosis among immigrants and their descendants in France. Brain and Behavior, 2021, 11, e02096.	2.2	2
665	Discriminant value of repetitive behaviors in families with autism spectrum disorder and obsessional compulsive disorder probands. Autism Research, 2021, 14, 2373-2382.	3.8	2
666	No alteration of leukocyte telomere length in first episode psychosis. Psychiatry Research, 2021, 301, 113941.	3.3	2

#	Article	IF	CITATIONS
667	Editorial: The Crossroads Between Immunological Disorders and Neuropsychiatric Diseases. A Case for Schizophrenia. Frontiers in Cellular Neuroscience, 2021, 15, 733997.	3.7	2
668	Psychotropics and COVID-19: An analysis of safety and prophylaxis. L'Encephale, 2021, 47, 564-588.	0.9	2
669	Family Studies of Affective Disorders with 11p15.5 DNA Markers. , 1992, , 164-172.		2
670	Génétique et psychiatrie : à la recherche de phénotypes Medecine/Sciences, 1998, 14, 1406.	0.2	2
671	Patients' health literacy in psychotic disorders. Neuropsychiatric Disease and Treatment, 2007, 3, 511-7.	2.2	2
672	Autisme, la piste génétique se confirme. Enfance, 2009, N° 1, 93-98.	0.2	2
673	Precision-medicine findings from the FACE-SZ cohort to develop motivation-enhancing programs in real-world schizophrenia. World Journal of Biological Psychiatry, 2022, 23, 703-714.	2.6	2
674	Self-Reported Pain and Emotional Reactivity in Bipolar Disorder: A Prospective FACE-BD Study. Journal of Clinical Medicine, 2022, 11, 893.	2.4	2
675	Immuno-metabolic profile of patients with psychotic disorders and metabolic syndrome. Results from the FACE-SZ cohort. Brain, Behavior, & Immunity - Health, 2022, 22, 100436.	2.5	2
676	A Reflection Upon the Contribution of Retinal and Cortical Electrophysiology to Time of Information Processing in Psychiatric Disorders. Frontiers in Psychiatry, 2022, 13, 856498.	2.6	2
677	Relationship between neurocognition and theory of mind as a function of symptomatic profile in schizophrenia: results from the national FACE-SZ cohort. Cognitive Neuropsychiatry, 2022, 27, 49-68.	1.3	2
678	Recommendations of the Schizophrenia Expert Center network for adequate physical activity in real-world schizophrenia (FACE-SZ). European Archives of Psychiatry and Clinical Neuroscience, 2022, , $1. $	3.2	2
679	Psychiatric symptoms and mortality in older adults with major psychiatric disorders: results from a multicenter study. European Archives of Psychiatry and Clinical Neuroscience, 2023, 273, 627-638.	3.2	2
680	Endogenous opioids and childhood autism. Regulatory Peptides, 1994, 53, S169-S170.	1.9	1
681	Anticipation in schizophrenia: New light on a controversial problem. European Psychiatry, 1996, 11, 221s-222s.	0.2	1
682	Étude des profils cognitifs chez les apparentés de personnes avec autismeÂ: hypothèse d'un manque de flexibilité cognitive�. Annales Medico-Psychologiques, 2009, 167, 704-708.	0.4	1
683	Endogenous retrovirus type W GAG and ENV antigenaemia in serum of schizophrenic patients. Retrovirology, 2009, 6, P71.	2.0	1
684	Aspirin for prevention of cardiovascular events in bipolar disorders. Psychiatry Research, 2014, 219, 238-239.	3.3	1

#	Article	IF	CITATIONS
685	Combined Effect of TLR2 Gene Polymorphism and Early Life Stress On the Age at Onset of Bipolar Disorders. European Psychiatry, 2015, 30, 445.	0.2	1
686	Psychiatric Co-morbidities in a French Cohort of Adults with High-functioning Autism (HFA). European Psychiatry, 2017, 41, S136-S136.	0.2	1
687	T240. Relationship Between Cognitive Performance and Superficial White Matter Integrity in the Cingulate Cortex in Schizophrenia: A DWI Study Using a Novel Atlas. Biological Psychiatry, 2018, 83, S222.	1.3	1
688	31.4 GENETIC, IMMUNOLOGICAL AND BIOCHEMICAL MARKERS OF TREATMENT RESPONSE IN SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S51-S51.	4.3	1
689	Sleep and Circadian Profiles of Bipolar Disorder: From Chronobiology to Novel Therapeutic Strategies. Current Psychiatry Reviews, 2014, 10, 235-247.	0.9	1
690	Toward a modern search for schizophrenia genes. Dialogues in Clinical Neuroscience, 2001, 3, 99-108.	3.7	1
691	Autisme, la piste génétique se confirme. Enfance, 2009, 2009, 93.	0.2	1
692	C-Reactive Protein in Bipolar Disorder in an Indian Clinical Setting. Journal of Clinical and Diagnostic Research JCDR, 0, , .	0.8	1
693	CADPS functional mutations in patients with bipolar disorder increase the sensitivity to stress. Molecular Psychiatry, 2022, 27, 1145-1157.	7.9	1
694	Chapter 5.2 Defining phenotypes for psychiatric genetics. Handbook of Behavioral Neuroscience, 1999, 13, 773-782.	0.0	0
695	388. From candidate symptoms and endophenotypes to candidate genes. Biological Psychiatry, 2000, 47, S118.	1.3	O
696	Automatic recognition of cerebral sulci in schizophrenia using a congregation of neural networks. European Neuropsychopharmacology, 2002, 12, 330-331.	0.7	0
697	Fenotipos marginales en el autismo: una revisión de los estudios clÃnicos, bioquÃmicos y cognitivos. European Psychiatry (Ed Española), 2002, 9, 421-429.	0.0	O
698	Autism and autistics disorders. , 2006, , 249-263.		0
699	Predictors of Treatment Response in Pediatric Obsessive-Compulsive Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 2009, 48, 573.	0.5	O
700	A SELF ADMINISTERED "ECOLOGICAL" QUESTIONNAIRE (BRIEF-A) PROVIDES A SENSITIVE MEASURE OF EXECUTIVE DEFICITS IN SCHIZOPHRENIC SUBJECTS. Schizophrenia Research, 2010, 117, 445.	2.0	0
701	S.01.04 The HERV family of new biological entities and their neuroinflammatory properties. European Neuropsychopharmacology, 2011, 21, S185.	0.7	O
702	Treating depression: Diagnosing and treating circadian abnormalities in depression: Current antidepressants. European Neuropsychopharmacology, 2011, 21, S669-S670.	0.7	0

#	Article	IF	CITATIONS
703	Poster #110 NO ASSOCIATION BETWEEN SNAP-25 GENE POLYMORPHISMS AND WEIGHT GAIN IN ANTIPSYCHOTIC TREATMENT OF SCHIZOPHRENIA. Schizophrenia Research, 2012, 136, S225.	2.0	0
704	P.1.f.001 Drug repositioning of anti-inflammatory drugs in major psychiatric disorders. European Neuropsychopharmacology, 2013, 23, S185.	0.7	0
705	Analysis of pathogenic autoantibodies against the N-methyl-d-aspartate glutamate receptor in schizophrenia. Journal of Neuroimmunology, 2014, 275, 101.	2.3	0
706	Anti-inflammatory drugs add-on therapy in major psychiatric disorders. European Psychiatry, 2015, 30, S24-S25.	0.2	0
707	P.1.e.023 Functional mutations in CADPS identified in patients with early-onset bipolar disorder. European Neuropsychopharmacology, 2015, 25, S222-S223.	0.7	0
708	Innovations thérapeutiques en immuno-psychiatrie. European Psychiatry, 2015, 30, S24-S24.	0.2	0
709	PL.04.01 Is it time for immuno-psychiatry?. European Neuropsychopharmacology, 2015, 25, S108.	0.7	0
710	Immuno-inflammation in bipolar disorder: Genetic and environmental risk factors. Neurology Psychiatry and Brain Research, 2016, 22, 15-16.	2.0	0
711	Peripheral sub-inflammation is associated with antidepressant consumption in schizophrenia. Results from the multi-center FACE-SZ dataset. European Psychiatry, 2016, 33, S98-S98.	0.2	0
712	Birth by cesarean section and schizophrenia. Results from the multi-center FACE-SZ dataset. European Psychiatry, 2016, 33, S98-S98.	0.2	0
713	Toward a better characterisation and management of treatment-resistant depression in France through the network of expert centers (FondaMental). European Neuropsychopharmacology, 2017, 27, S786-S787.	0.7	0
714	Management of treatment resistant depression: A comparison between French expert consensus guidelines and international evidence based guidelines. European Psychiatry, 2017, 41, S525-S525.	0.2	0
715	Gender specific behavioral alterations are associated with gut dysbiosis in mice exposed to multifactorial early-life adversity. European Neuropsychopharmacology, 2017, 27, S682-S683.	0.7	0
716	T132. ASSESSMENT OF CROSS-NATIONAL EQUIVALENCE OF THE COMMUNITY ASSESSMENT OF PSYCHIC EXPERIENCES (CAPE). Schizophrenia Bulletin, 2018, 44, S166-S167.	4.3	0
717	T114. SCHIZOTYPAL PERSONALITY QUESTIONNAIRE-BRIEF: FACTOR STRUCTURE ANALYSIS IN A NONCLINICAL ROMANIAN SAMPLE. Schizophrenia Bulletin, 2018, 44, S160-S160.	4.3	0
718	M22 COMMON AND RARE DAMAGING VARIANTS BOTH CONTRIBUTE TO FAMILIAL FORM OF BIPOLAR DISORDER AND EXPLAIN DIFFERENCE IN CLINICAL MANIFESTATIONS IN MULTIPLEX FAMILIES. European Neuropsychopharmacology, 2019, 29, S178.	0.7	0
719	F3. CHILDHOOD MALTREATMENT AND POLYGENIC RISK IN BIPOLAR DISORDERS. Schizophrenia Bulletin, 2019, 45, S255-S256.	4.3	0
720	17.4 STRATIFICATION AND PREDICTION OF REMISSION IN FIRST-EPISODE PSYCHOSIS PATIENTS: THE OPTIMISE COHORT STUDY. Schizophrenia Bulletin, 2019, 45, S116-S117.	4.3	0

#	Article	IF	CITATIONS
721	Lithium therapy in bipolar disorder is associated with higher in-vivo cortical neurite density. European Neuropsychopharmacology, 2019, 29, S38-S39.	0.7	O
722	A MULTI-LEVEL FUNCTIONAL STUDY OF A SNAP25 AT-RISK VARIANT FOR BIPOLAR DISORDER AND SCHIZOPHRENIA. European Neuropsychopharmacology, 2019, 29, S1009-S1010.	0.7	0
723	Short White Matter Tracts Myelinization is Associated With Impaired Social Cognition in Autism Spectrum Disorder: A NODDI and Relaxometry Study. Biological Psychiatry, 2020, 87, S339.	1.3	0
724	Neuroimaging Evidence for Increased Neurite Density in Patients Taking Lithium: A Replication Study. Psychotherapy and Psychosomatics, 2021, 90, 71-72.	8.8	0
725	Is Autism Spectrum Disorder Related to Immune Dysfunction(s)?. , 2021, , 215-225.		0
726	Commentary: 20-Year Trends in the Pharmacologic Treatment of Bipolar Disorder by Psychiatrists in Outpatient Care Settings. Frontiers in Psychiatry, 2020, 11, 592593.	2.6	0
727	Human Endogenous Retrovirus as Missing Link in the Global Etiopathogenesis of Schizophrenia and Bipolar Disorder., 2021,, 159-168.		0
728	The Human Leukocyte Antigen System in Psychiatry: Where Do We Stand?., 2021,, 169-181.		0
729	Pharmacological treatment profiles in the FACE-BD cohort: Treatment description and complete data for bipolar subtypes. Data in Brief, 2021, 36, 107004.	1.0	0
730	El gen de DRD2 y el riesgo de dependencia de alcohol en pacientes bipolares. European Psychiatry (Ed) Tj ETQq0	0 0 rgBT /	Overlock 10 1
731	La búsqueda de sensaciones bipolar se asocia con una propensión al abuso más bien que a caracterÃsticas temperamentales. European Psychiatry (Ed Española), 2001, 8, 531-535.	0.0	0
732	Temperamento en la esquizofrenia: un estudio del Cuestionario Tridimensional de la Personalidad (TPQ). European Psychiatry (Ed Española), 2003, 10, 243-247.	0.0	0
733	Antidepressant-induced Mania, Rapid Cycling and the Serotonin Transporter Gene Polymorphism. Pharmacopsychiatry, 2005, 38, .	3.3	0
734	DiagnÃ ³ sticos psiquiátricos y rasgos de personalidad asociados con el deterioro de la capacidad de toma de decisiones. European Psychiatry (Ed Española), 2008, 15, 23-30.	0.0	0
735	SÃndrome del cromosoma X frágil. I. Una idea general sobre su mecanismo genético. European Psychiatry (Ed Española), 1997, 4, 98-104.	0.0	0
736	Un estudio de la prevalencia anual de la esquizofrenia en la Isla Reunión. European Psychiatry (Ed) Tj ETQq0 0 0	rgBT/Ove	rlock 10 Tf 50
737	Clinical Features and Outcomes of COVID-19 Patients Hospitalized for Psychiatric Disorders: A French Multi-Centered Prospective Observational Study. SSRN Electronic Journal, 0, , .	0.4	0
738	Reader Response: Clinical, Neuroimmunologic, and CSF Investigations in First Episode Psychosis. Neurology, 2022, 98, 905-906.	1.1	0