

Marion Leboyer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/226231/publications.pdf>

Version: 2024-02-01

738
papers

57,790
citations

1046

113
h-index

1934

207
g-index

849
all docs

849
docs citations

849
times ranked

44805
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychiatric symptoms and mortality in older adults with major psychiatric disorders: results from a multicenter study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2023, 273, 627-638.	3.2	2
2	Overlap and Mutual Distinctions Between Clinical Recovery and Personal Recovery in People With Schizophrenia in a One-Year Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 382-394.	4.3	7
3	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117.	1.3	61
4	Disruption of circadian rhythm and risk of autism spectrum disorder: role of immune-inflammatory, oxidative stress, metabolic and neurotransmitter pathways. <i>Reviews in the Neurosciences</i> , 2022, 33, 93-109.	2.9	11
5	Handedness in bipolar disorders is associated with specific neurodevelopmental features: results of the BD-FACE cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 827-838.	3.2	3
6	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2022, 91, 313-327.	1.3	114
7	Violent suicide attempt history in elderly patients with bipolar disorder: The role of sex, abdominal obesity, and verbal memory: Results from the FACE-BD cohort (FondaMental Advanced center of) Tj ETQq1 1 0.784814 rgBT 4 Overlock	1.4	1
8	Retinal electrophysiology and transition to psychiatric disorders in subjects under the influence of cannabis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110466.	4.8	3
9	Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 114, 110479.	4.8	7
10	Influence of childhood maltreatment on prevalence, onset, and persistence of psychiatric comorbidities and suicide attempts in bipolar disorders. <i>European Psychiatry</i> , 2022, 65, 1-32.	0.2	8
11	Immunological causes of obsessive-compulsive disorder: is it time for the concept of an "autoimmune OCD subtype"? <i>Translational Psychiatry</i> , 2022, 12, 5.	4.8	39
12	Association between childhood maltreatment and the clinical course of bipolar disorders: A survival analysis of mood recurrences. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 373-383.	4.5	9
13	Precision-medicine findings from the FACE-SZ cohort to develop motivation-enhancing programs in real-world schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 703-714.	2.6	2
14	Self-Reported Pain and Emotional Reactivity in Bipolar Disorder: A Prospective FACE-BD Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 893.	2.4	2
15	A Delphi-method-based consensus guideline for definition of treatment-resistant depression for clinical trials. <i>Molecular Psychiatry</i> , 2022, 27, 1286-1299.	7.9	68
16	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228.	2.8	11
17	Predictors of functional impairment in bipolar disorder: Results from 13 cohorts from seven countries by the global bipolar cohort collaborative. <i>Bipolar Disorders</i> , 2022, 24, 709-719.	1.9	16
18	Strategies and foundations for scientific discovery in longitudinal studies of bipolar disorder. <i>Bipolar Disorders</i> , 2022, 24, 499-508.	1.9	15

#	ARTICLE	IF	CITATIONS
19	Immuno-metabolic profile of patients with psychotic disorders and metabolic syndrome. Results from the FACE-SZ cohort. <i>Brain, Behavior, & Immunity - Health</i> , 2022, 22, 100436.	2.5	2
20	A Reflection Upon the Contribution of Retinal and Cortical Electrophysiology to Time of Information Processing in Psychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2022, 13, 856498.	2.6	2
21	Direct medical cost of bipolar disorder: Insights from the FACE-BD longitudinal cohort. <i>Journal of Affective Disorders</i> , 2022, 306, 223-231.	4.1	3
22	Key findings on bipolar disorders from the longitudinal FondaMental Advanced Center of Expertise-Bipolar Disorder (FACE-BD) cohort. <i>Journal of Affective Disorders</i> , 2022, 307, 149-156.	4.1	6
23	Relationship between neurocognition and theory of mind as a function of symptomatic profile in schizophrenia: results from the national FACE-SZ cohort. <i>Cognitive Neuropsychiatry</i> , 2022, 27, 49-68.	1.3	2
24	Association between serum lithium level and incidence of COVID-19 infection. <i>British Journal of Psychiatry</i> , 2022, 221, 425-427.	2.8	11
25	Recommendations of the Schizophrenia Expert Center network for adequate physical activity in real-world schizophrenia (FACE-SZ). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 1.	3.2	2
26	CADPS functional mutations in patients with bipolar disorder increase the sensitivity to stress. <i>Molecular Psychiatry</i> , 2022, 27, 1145-1157.	7.9	1
27	Preventive Medication Patterns in Bipolar Disorder and Their Relationship With Comorbid Substance Use Disorders in a Cross-National Observational Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 813256.	2.6	4
28	The relationship between immune and cognitive dysfunction in mood and psychotic disorder: a systematic review and a meta-analysis. <i>Molecular Psychiatry</i> , 2022, 27, 3237-3246.	7.9	22
29	Cerebellar Atypicalities in Autism?. <i>Biological Psychiatry</i> , 2022, 92, 674-682.	1.3	20
30	Reader Response: Clinical, Neuroimmunologic, and CSF Investigations in First Episode Psychosis. <i>Neurology</i> , 2022, 98, 905-906.	1.1	0
31	PM2.5 and PM10 air pollution peaks are associated with emergency department visits for psychotic and mood disorders. <i>Environmental Science and Pollution Research</i> , 2022, 29, 88577-88586.	5.3	4
32	A comprehensive model of predictors of quality of life in older adults with schizophrenia: results from the CSA study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1411-1425.	3.1	9
33	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470.	7.9	44
34	Neuroimaging Evidence for Increased Neurite Density in Patients Taking Lithium: A Replication Study. <i>Psychotherapy and Psychosomatics</i> , 2021, 90, 71-72.	8.8	0
35	Lithium prevents grey matter atrophy in patients with bipolar disorder: an international multicenter study. <i>Psychological Medicine</i> , 2021, 51, 1201-1210.	4.5	15
36	Association between anhedonia and suicidal events in patients with mood disorders: A 3â€­year prospective study. <i>Depression and Anxiety</i> , 2021, 38, 17-27.	4.1	25

#	ARTICLE	IF	CITATIONS
37	Non-alcoholic fatty liver disease in a sample of individuals with bipolar disorders: results from the FACE-BD cohort. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 82-91.	4.5	11
38	Understanding the genetic contribution of the human leukocyte antigen system to common major psychiatric disorders in a world pandemic context. <i>Brain, Behavior, and Immunity</i> , 2021, 91, 731-739.	4.1	30
39	Characterization of depressed bipolar patients with current suicidal ideation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 289-304.	2.3	12
40	Towards precision medicine: What are the stratification hypotheses to identify homogeneous inflammatory subgroups. <i>European Neuropsychopharmacology</i> , 2021, 45, 108-121.	0.7	10
41	Relationship Between Serum NMDA Receptor Antibodies and Response to Antipsychotic Treatment in First-Episode Psychosis. <i>Biological Psychiatry</i> , 2021, 90, 9-15.	1.3	14
42	Clinical predictors of recurrences in bipolar disorders type 1 and 2: A FACE-BD longitudinal study. <i>Journal of Psychiatric Research</i> , 2021, 134, 129-137.	3.1	10
43	Clinical characteristics of bipolar disorders with postpartum depressive onset. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 107, 110225.	4.8	6
44	“Reading the Mind in the Eyes” in Autistic Adults is Modulated by Valence and Difficulty: An InFoR Study. <i>Autism Research</i> , 2021, 14, 380-388.	3.8	4
45	A Brain Capital Grand Strategy: toward economic reimagination. <i>Molecular Psychiatry</i> , 2021, 26, 3-22.	7.9	41
46	Longitudinal relationships between cognition and functioning over 2 years in euthymic patients with bipolar disorder: a cross-lagged panel model approach with the FACE-BD cohort. <i>British Journal of Psychiatry</i> , 2021, 218, 80-87.	2.8	23
47	Is Autism Spectrum Disorder Related to Immune Dysfunction(s)?, 2021, , 215-225.		0
48	The Complement C4 Genetic Diversity in First Episode Psychosis of the OPTiMiSE Cohort. <i>Schizophrenia Bulletin Open</i> , 2021, 2, .	1.7	5
49	A conceptual framework to develop a patient-reported experience measure of the quality of mental health care: a qualitative study of the PREMIUM project in France. <i>Journal of Market Access & Health Policy</i> , 2021, 9, 1885789.	1.5	11
50	Human Endogenous Retrovirus as Missing Link in the Global Etiopathogenesis of Schizophrenia and Bipolar Disorder. , 2021, , 159-168.		0
51	The Human Leukocyte Antigen System in Psychiatry: Where Do We Stand?., 2021, , 169-181.		0
52	Decreased phenol sulfotransferase activities associated with hyperserotonemia in autism spectrum disorders. <i>Translational Psychiatry</i> , 2021, 11, 23.	4.8	11
53	Genome-wide association study of pediatric obsessive-compulsive traits: shared genetic risk between traits and disorder. <i>Translational Psychiatry</i> , 2021, 11, 91.	4.8	23
54	DNA hydrolysing IgG catalytic antibodies: an emerging link between psychoses and autoimmunity. <i>NPJ Schizophrenia</i> , 2021, 7, 13.	3.6	7

#	ARTICLE	IF	CITATIONS
55	Trajectories of medication adherence in patients with Bipolar Disorder along 2 years-follow-up. Journal of Affective Disorders, 2021, 282, 812-819.	4.1	12
56	Childhood Trauma increases suicidal behaviour in a treatment-resistant depression population: a FACE-DR report. Journal of Psychiatric Research, 2021, 135, 20-27.	3.1	11
57	Antihistamine and cationic amphiphilic drugs, old molecules as new tools against the COVID-19?. Medical Hypotheses, 2021, 148, 110508.	1.5	9
58	Characteristics associated with the risk of psychosis among immigrants and their descendants in France. Brain and Behavior, 2021, 11, e02096.	2.2	2
59	Relationship between childhood physical abuse and clinical severity of treatment-resistant depression in a geriatric population. PLoS ONE, 2021, 16, e0250148.	2.5	4
60	Clinical features and outcomes of COVID-19 patients hospitalized for psychiatric disorders: a French multi-centered prospective observational study. Psychological Medicine, 2021, , 1-9.	4.5	4
61	Elevated expression of complement C4 in the mouse prefrontal cortex causes schizophrenia-associated phenotypes. Molecular Psychiatry, 2021, 26, 3489-3501.	7.9	31
62	Chemoinformatic Analysis of Psychotropic and Antihistaminic Drugs in the Light of Experimental Anti-SARS-CoV-2 Activities. Advances and Applications in Bioinformatics and Chemistry, 2021, Volume 14, 71-85.	2.6	12
63	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829.	21.4	629
64	Building brain capital. Neuron, 2021, 109, 1430-1432.	8.1	5
65	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. Schizophrenia Bulletin, 2021, 47, 1674-1684.	4.3	17
66	The course of bipolar disorder as a function of the presence and sequence of onset of comorbid alcohol use disorders in outpatients attending the Fondamental Advanced Centres of Expertise. Journal of Affective Disorders, 2021, 287, 196-203.	4.1	5
67	Pharmacological treatment profiles in the FACE-BD cohort: An unsupervised machine learning study, applied to a nationwide bipolar cohort. Journal of Affective Disorders, 2021, 286, 309-319.	4.1	4
68	Viewpoint European COVID-19 exit strategy for people with severe mental disorders: Too little, but not yet too late. Brain, Behavior, and Immunity, 2021, 94, 15-17.	4.1	17
69	Severe mental illness and European COVID-19 vaccination strategies. Lancet Psychiatry, the, 2021, 8, 356-359.	7.4	50
70	Pharmacological treatment profiles in the FACE-BD cohort: Treatment description and complete data for bipolar subtypes. Data in Brief, 2021, 36, 107004.	1.0	0
71	Identification of inflammatory subgroups of schizophrenia and bipolar disorder patients with HERV-W ENV antigenemia by unsupervised cluster analysis. Translational Psychiatry, 2021, 11, 377.	4.8	21
72	Temporal preparation in adults with autistic spectrum disorder: The variable foreperiod effect. Autism Research, 2021, 14, 2393-2404.	3.8	3

#	ARTICLE	IF	CITATIONS
73	Discriminant value of repetitive behaviors in families with autism spectrum disorder and obsessional compulsive disorder probands. <i>Autism Research</i> , 2021, 14, 2373-2382.	3.8	2
74	No alteration of leukocyte telomere length in first episode psychosis. <i>Psychiatry Research</i> , 2021, 301, 113941.	3.3	2
75	Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669.	2.8	20
76	Fecal Supernatant from Adult with Autism Spectrum Disorder Alters Digestive Functions, Intestinal Epithelial Barrier, and Enteric Nervous System. <i>Microorganisms</i> , 2021, 9, 1723.	3.6	11
77	Editorial: The Crossroads Between Immunological Disorders and Neuropsychiatric Diseases. A Case for Schizophrenia. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 733997.	3.7	2
78	Recommendations of the schizophrenia expert center network for the screening prevention and treatment of sleep disorders based on the results from the real-world schizophrenia FACE-SZ national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 110, 110275.	4.8	3
79	Mental disorders and risk of COVID-19-related mortality, hospitalisation, and intensive care unit admission: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , the, 2021, 8, 797-812.	7.4	202
80	Brain Versus Blood: A Systematic Review on the Concordance Between Peripheral and Central Kynurenine Pathway Measures in Psychiatric Disorders. <i>Frontiers in Immunology</i> , 2021, 12, 716980.	4.8	32
81	Psychotropics and COVID-19: An analysis of safety and prophylaxis. <i>L'Encephale</i> , 2021, 47, 564-588.	0.9	2
82	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823.	3.3	10
83	Comparison of three scales (BIS, SUMD and BCIS) for measuring insight dimensions and their evolution after one-year of follow-up: Findings from the FACE-SZ Cohort. <i>Psychiatry Research</i> , 2021, 303, 114044.	3.3	5
84	Childhood maltreatment and metabolic syndrome in bipolar disorders: In search of moderators. <i>Psychoneuroendocrinology</i> , 2021, 131, 105327.	2.7	3
85	Low peripheral mitochondrial DNA copy number during manic episodes of bipolar disorders is associated with disease severity and inflammation. <i>Brain, Behavior, and Immunity</i> , 2021, 98, 349-356.	4.1	17
86	Monocyte mitochondrial dysfunction, inflamming, and inflammatory pyroptosis in major depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110391.	4.8	43
87	Redefining peripheral inflammation signature in schizophrenia based on the real-world FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110335.	4.8	3
88	Immune Signatures of Treatment-Resistant Schizophrenia: A FondaMental Academic Centers of Expertise for Schizophrenia (FACE-SZ) Study. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgab012.	1.7	20
89	Natural killer cells in first-episode psychosis: an innate immune signature?. <i>Molecular Psychiatry</i> , 2021, 26, 5297-5306.	7.9	20
90	Disruption of Conscious Access in Psychosis Is Associated with Altered Structural Brain Connectivity. <i>Journal of Neuroscience</i> , 2021, 41, 513-523.	3.6	22

#	ARTICLE	IF	CITATIONS
91	HLA-E circulating and genetic determinants in schizophrenia and bipolar disorder. <i>Scientific Reports</i> , 2021, 11, 20260.	3.3	5
92	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606.	4.8	25
93	Visual attention and inhibitory control in children, teenagers and adults with autism without intellectual disability: results of oculomotor tasks from a 2-year longitudinal follow-up study (InFoR). <i>Molecular Autism</i> , 2021, 12, 71.	4.9	3
94	Cognitive impairments in treatment-resistant depression: Results from the French cohort of outpatients (FACE-DR). <i>Journal of Affective Disorders Reports</i> , 2021, 6, 100272.	1.7	3
95	Occurrence of Side Effects in Treatment-Resistant Depression: Role of Clinical, Socio-Demographic and Environmental Characteristics. <i>Frontiers in Psychiatry</i> , 2021, 12, 795666.	2.6	3
96	The use of a gene expression signature and connectivity map to repurpose drugs for bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2020, 21, 775-783.	2.6	27
97	Use of a serious game to strengthen medication adherence in euthymic patients with bipolar disorder following a psychoeducational programme: A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2020, 262, 182-188.	4.1	9
98	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529.	4.3	14
99	Eveningness and poor sleep quality contribute to depressive residual symptoms and behavioral inhibition in patients with bipolar disorder. <i>Chronobiology International</i> , 2020, 37, 101-110.	2.0	12
100	The HLA 8.1 ancestral haplotype in schizophrenia: dual implication in neurosynaptic pruning and autoimmunity?. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 169-171.	4.5	10
101	HLA Polymorphism in Regressive and Non-Regressive Autism: A Preliminary Study. <i>Autism Research</i> , 2020, 13, 182-186.	3.8	17
102	Childhood maltreatment and polygenic risk in bipolar disorders. <i>Bipolar Disorders</i> , 2020, 22, 174-181.	1.9	29
103	Autoimmune psychosis: an international consensus on an approach to the diagnosis and management of psychosis of suspected autoimmune origin. <i>Lancet Psychiatry</i> , 2020, 7, 93-108.	7.4	252
104	Adherence to treatment guidelines in clinical practice for using electroconvulsive therapy in major depressive episode. <i>Journal of Affective Disorders</i> , 2020, 264, 318-323.	4.1	9
105	Drugs used to treat bipolar disorder act via microRNAs to regulate expression of genes involved in neurite outgrowth. <i>Journal of Psychopharmacology</i> , 2020, 34, 370-379.	4.0	15
106	Unipolar mania: Identification and characterisation of cases in France and the United Kingdom. <i>Journal of Affective Disorders</i> , 2020, 263, 228-235.	4.1	11
107	Overexpression of complement component C4 in the dorsolateral prefrontal cortex, parietal cortex, superior temporal gyrus and associative striatum of patients with schizophrenia. <i>Brain, Behavior, and Immunity</i> , 2020, 90, 216-225.	4.1	25
108	Human endogenous retroviral protein triggers deficit in glutamate synapse maturation and behaviors associated with psychosis. <i>Science Advances</i> , 2020, 6, eabc0708.	10.3	37

#	ARTICLE	IF	CITATIONS
109	<p>Measuring the Patient Experience of Mental Health Care: A Systematic and Critical Review of Patient-Reported Experience Measures</p>. Patient Preference and Adherence, 2020, Volume 14, 2147-2161.	1.8	32
110	Evolution and characteristics of the use of valproate in women of childbearing age with bipolar disorder: Results from the FACE-BD cohort. Journal of Affective Disorders, 2020, 276, 963-969.	4.1	6
111	Social Anxiety in Children and Adolescents With Autism Spectrum Disorders Contribute to Impairments in Social Communication and Social Motivation. Frontiers in Psychiatry, 2020, 11, 710.	2.6	14
112	Minimum clinically important differences for the Functioning Assessment Short Test and a battery of neuropsychological tests in bipolar disorders: results from the FACE-BD cohort. Epidemiology and Psychiatric Sciences, 2020, 29, e144.	3.9	8
113	Trajectories of functioning in bipolar disorders: A longitudinal study in the FondaMental Advanced Centers of Expertise in Bipolar Disorders cohort. Australian and New Zealand Journal of Psychiatry, 2020, 54, 985-996.	2.3	9
114	An Association Between Serotonin ^{1A} Receptor, Gray Matter Volume, and Sociability in Healthy Subjects and in Autism Spectrum Disorder. Autism Research, 2020, 13, 1843-1855.	3.8	8
115	Treatment-Resistant Depression in a Real-World Setting: First Interim Analysis of Characteristics, Healthcare Resource Use, and Utility Values of the FondaMental Cohort. Brain Sciences, 2020, 10, 962.	2.3	9
116	Allostatic load, emotional hyperactivity, and functioning in individuals with bipolar disorder. Bipolar Disorders, 2020, 22, 711-721.	1.9	17
117	Short White Matter Tracts Myelinization is Associated With Impaired Social Cognition in Autism Spectrum Disorder: A NODDI and Relaxometry Study. Biological Psychiatry, 2020, 87, S339.	1.3	0
118	Gene expression and response prediction to amisulpride in the OPTiMiSE first episode psychoses. Neuropsychopharmacology, 2020, 45, 1637-1644.	5.4	5
119	Air pollution and psychiatric disorders: Current and future challenges. Bipolar Disorders, 2020, 22, 437-439.	1.9	4
120	A new genetic locus for antipsychotic-induced weight gain: A genome-wide study of first-episode psychosis patients using amisulpride (from the OPTiMiSE cohort). Journal of Psychopharmacology, 2020, 34, 524-531.	4.0	9
121	Confirmations, advances and recommendations for the daily care of schizophrenia based on the French national FACE-SZ cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 101, 109927.	4.8	11
122	Dramatic reduction of psychiatric emergency consultations during lockdown linked to ^{COVID-19} in Paris and suburbs. Psychiatry and Clinical Neurosciences, 2020, 74, 557-559.	1.8	98
123	Metabolic and psychiatric effects of acyl coenzyme A binding protein (ACBP)/diazepam binding inhibitor (DBI). Cell Death and Disease, 2020, 11, 502.	6.3	16
124	Prevention of COVID-19 by drug repurposing: rationale from drugs prescribed for mental disorders. Drug Discovery Today, 2020, 25, 1287-1290.	6.4	26
125	Psychiatric comorbidities in bipolar disorders: An examination of the prevalence and chronology of onset according to sex and bipolar subtype. Journal of Affective Disorders, 2020, 267, 258-263.	4.1	31
126	Association between coffee, tobacco, and alcohol daily consumption and sleep/wake cycle: an actigraphy study in euthymic patients with bipolar disorders. Chronobiology International, 2020, 37, 712-722.	2.0	16

#	ARTICLE	IF	CITATIONS
127	Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. <i>Schizophrenia Bulletin</i> , 2020, 46, 1327-1334.	4.3	5
128	Early and very early-onset schizophrenia compared with adult-onset schizophrenia: French FACE-SZ database. <i>Brain and Behavior</i> , 2020, 10, e01495.	2.2	38
129	Contribution of common and rare damaging variants in familial forms of bipolar disorder and phenotypic outcome. <i>Translational Psychiatry</i> , 2020, 10, 124.	4.8	5
130	Ensuring mental health care during the SARS-CoV-2 epidemic in France: A narrative review. <i>L'Encephale</i> , 2020, 46, 193-201.	0.9	199
131	Commentary: 20-Year Trends in the Pharmacologic Treatment of Bipolar Disorder by Psychiatrists in Outpatient Care Settings. <i>Frontiers in Psychiatry</i> , 2020, 11, 592593.	2.6	0
132	Childhood maltreatment and clinical severity of treatment-resistant depression in a French cohort of outpatients (FACE-DR): One-year follow-up. <i>Depression and Anxiety</i> , 2020, 37, 365-374.	4.1	16
133	Association of high-sensitivity C-reactive protein with susceptibility to Schizophrenia in Tunisian population. <i>L'Encephale</i> , 2020, 46, 241-247.	0.9	4
134	Major depression, sleep, hostility and body mass index are associated with impaired quality of life in schizophrenia. Results from the FACE-SZ cohort.. <i>Journal of Affective Disorders</i> , 2020, 274, 617-623.	4.1	11
135	Precision psychiatry with immunological and cognitive biomarkers: a multi-domain prediction for the diagnosis of bipolar disorder or schizophrenia using machine learning. <i>Translational Psychiatry</i> , 2020, 10, 162.	4.8	33
136	Psychotic, Mood, and Anxiety Disorders and Venous Thromboembolism: A Systematic Review and Meta-Analysis. <i>Psychosomatic Medicine</i> , 2020, 82, 838-849.	2.0	17
137	A Digital Companion, the Emma App, for Ecological Momentary Assessment and Prevention of Suicide: Quantitative Case Series Study. <i>JMIR MHealth and UHealth</i> , 2020, 8, e15741.	3.7	21
138	Impulsivity and its association with childhood trauma experiences across bipolar disorder, attention deficit hyperactivity disorder and borderline personality disorder. <i>Journal of Affective Disorders</i> , 2019, 244, 33-41.	4.1	42
139	Chronic low-grade peripheral inflammation is associated with ultra resistant schizophrenia. Results from the FACE-SZ cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 985-992.	3.2	39
140	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75.	1.9	20
141	A multi-dimensional approach to the relationship between insight and aggressiveness in schizophrenia: Findings from the FACE-SZ cohort. <i>Schizophrenia Research</i> , 2019, 204, 38-45.	2.0	7
142	Screening for cognitive deficits with the Evaluation of Cognitive Processes involved in Disability in Schizophrenia scale. <i>Clinical Rehabilitation</i> , 2019, 33, 113-119.	2.2	3
143	Prevalence and determinants of cognitive impairment in the euthymic phase of bipolar disorders: results from the FACE-BD cohort. <i>Psychological Medicine</i> , 2019, 49, 519-527.	4.5	19
144	Cerebellar parcellation in schizophrenia and bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 468-476.	4.5	24

#	ARTICLE	IF	CITATIONS
145	Trustworthiness and Dominance Personality Traits™ Judgments in Adults with Autism Spectrum Disorder. <i>Journal of Autism and Developmental Disorders</i> , 2019, 49, 4535-4546.	2.7	3
146	M22 COMMON AND RARE DAMAGING VARIANTS BOTH CONTRIBUTE TO FAMILIAL FORM OF BIPOLAR DISORDER AND EXPLAIN DIFFERENCE IN CLINICAL MANIFESTATIONS IN MULTIPLEX FAMILIES. <i>European Neuropsychopharmacology</i> , 2019, 29, S178.	0.7	0
147	Clinical guidelines for the management of treatment-resistant depression: French recommendations from experts, the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental. <i>BMC Psychiatry</i> , 2019, 19, 262.	2.6	56
148	Psychiatric and physical outcomes of long-term use of lithium in older adults with bipolar disorder and major depressive disorder: A cross-sectional multicenter study. <i>Journal of Affective Disorders</i> , 2019, 259, 210-217.	4.1	14
149	Widespread white matter microstructural abnormalities in bipolar disorder: evidence from mega- and meta-analyses across 3033 individuals. <i>Neuropsychopharmacology</i> , 2019, 44, 2285-2293.	5.4	147
150	Drugs used in the treatment of bipolar disorder and their effects on cholesterol biosynthesis – A possible therapeutic mechanism. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 766-777.	2.6	5
151	Human Autoantibodies Against N-Methyl-D-Aspartate Receptor Modestly Alter Dopamine D1 Receptor Surface Dynamics. <i>Frontiers in Psychiatry</i> , 2019, 10, 670.	2.6	18
152	Which actigraphic variables optimally characterize the sleep–wake cycle of individuals with bipolar disorders?. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 269-279.	4.5	13
153	Clinical guidelines for the management of depression with specific comorbid psychiatric conditions French recommendations from experts (the French Association for Biological Psychiatry and) <i>Tj ETQq1 1 0.78431478 BT / Overlock 10</i>		
154	Stratification and prediction of remission in first-episode psychosis patients: the OPTiMiSE cohort study. <i>Translational Psychiatry</i> , 2019, 9, 20.	4.8	52
155	Persistence of dysfunctional natural killer cells in adults with high-functioning autism spectrum disorders: stigma/consequence of unresolved early infectious events?. <i>Molecular Autism</i> , 2019, 10, 22.	4.9	18
156	Does childhood experience of attention-deficit hyperactivity disorder symptoms increase sleep/wake cycle disturbances as measured with actigraphy in adult patients with bipolar disorder?. <i>Chronobiology International</i> , 2019, 36, 1124-1130.	2.0	2
157	Tobacco smoking and other substance use disorders associated with recurrent suicide attempts in bipolar disorder. <i>Journal of Affective Disorders</i> , 2019, 256, 348-357.	4.1	21
158	Sexual dysfunctions are associated with major depression, chronic inflammation and anticholinergic consumption in the real-world schizophrenia FACE-SZ national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 94, 109654.	4.8	13
159	Effects of depression and cognitive impairment on quality of life in older adults with schizophrenia spectrum disorder: Results from a multicenter study. <i>Journal of Affective Disorders</i> , 2019, 256, 164-175.	4.1	19
160	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , 2019, 176, 651-660.	7.2	186
161	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. <i>Biological Psychiatry</i> , 2019, 86, 577-586.	1.3	43
162	Reconsideration of the factorial structure of the Barratt Impulsiveness Scale (BIS-11): Assessment of impulsivity in a large population of euthymic bipolar patients. <i>Journal of Affective Disorders</i> , 2019, 253, 203-209.	4.1	11

#	ARTICLE	IF	CITATIONS
163	Driving us mad: the association of <i>Toxoplasma gondii</i> with suicide attempts and traffic accidents – a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2019, 49, 1608-1623.	4.5	47
164	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	21.4	1,191
165	F3. CHILDHOOD MALTREATMENT AND POLYGENIC RISK IN BIPOLAR DISORDERS. <i>Schizophrenia Bulletin</i> , 2019, 45, S255-S256.	4.3	0
166	Relationship between childhood trauma and level of insight in schizophrenia: A path-analysis in the national FACE-SZ dataset. <i>Schizophrenia Research</i> , 2019, 208, 90-96.	2.0	10
167	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019, 6, 427-436.	7.4	528
168	Multi-hit early life adversity affects gut microbiota, brain and behavior in a sex-dependent manner. <i>Brain, Behavior, and Immunity</i> , 2019, 80, 179-192.	4.1	102
169	Association of symptoms of attention deficit-hyperactivity disorder and impulsive-aggression with severity of suicidal behavior in adult attempters. <i>Scientific Reports</i> , 2019, 9, 4593.	3.3	15
170	Oxidative and nitrosative stress markers in obsessive-compulsive disorder: a systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 420-433.	4.5	41
171	17.4 STRATIFICATION AND PREDICTION OF REMISSION IN FIRST-EPISODE PSYCHOSIS PATIENTS: THE OPTIMISE COHORT STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S116-S117.	4.3	0
172	Immunoneuropsychiatry – novel perspectives on brain disorders. <i>Nature Reviews Neurology</i> , 2019, 15, 317-328.	10.1	293
173	Higher in vivo Cortical Intracellular Volume Fraction Associated with Lithium Therapy in Bipolar Disorder: A Multicenter NODDI Study. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 171-176.	8.8	20
174	Increased and Decreased Superficial White Matter Structural Connectivity in Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2019, 45, 1367-1378.	4.3	45
175	<p>The Patient-Reported Experience Measure for Improving qUality of care in Mental health (PREMIUM) project in France: study protocol for the development and implementation strategy</p>. <i>Patient Preference and Adherence</i> , 2019, Volume 13, 165-177.	1.8	26
176	IL6/IL6R genetic diversity and plasma IL6 levels in bipolar disorder: An Indo-French study. <i>Heliyon</i> , 2019, 5, e01124.	3.2	6
177	Lithium therapy in bipolar disorder is associated with higher in-vivo cortical neurite density. <i>European Neuropsychopharmacology</i> , 2019, 29, S38-S39.	0.7	0
178	Patients with autism spectrum disorders display reproducible functional connectivity alterations. <i>Science Translational Medicine</i> , 2019, 11, .	12.4	115
179	A MULTI-LEVEL FUNCTIONAL STUDY OF A SNAP25 AT-RISK VARIANT FOR BIPOLAR DISORDER AND SCHIZOPHRENIA. <i>European Neuropsychopharmacology</i> , 2019, 29, S1009-S1010.	0.7	0
180	Machine learning for predicting psychotic relapse at 2 years in schizophrenia in the national FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 92, 8-18.	4.8	27

#	ARTICLE	IF	CITATIONS
181	European mental health research resources: Picture and recommendations of the ROAMER project. European Neuropsychopharmacology, 2019, 29, 179-194.	0.7	9
182	Inflammatory DEpression Advances in Schizophrenia (IDEAS): A precision medicine approach of the national FACE-SZ cohort. Journal of Affective Disorders, 2019, 245, 468-474.	4.1	7
183	Validation and refinement of the clinical staging model in a French cohort of outpatient with schizophrenia (FACE-SZ). Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 92, 226-234.	4.8	12
184	Activation Levels, Cardiovascular Risk, and Functional Impairment in Remitted Bipolar Patients: Clinical Relevance of a Dimensional Approach. Psychotherapy and Psychosomatics, 2019, 88, 45-47.	8.8	11
185	Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). Psychological Medicine, 2019, 49, 2600-2607.	4.5	10
186	Decreased Cortical Thickness in the Anterior Cingulate Cortex in Adults with Autism. Journal of Autism and Developmental Disorders, 2019, 49, 1402-1409.	2.7	20
187	Clinical characteristics of obstructive sleep apnea in bipolar disorders. Journal of Affective Disorders, 2019, 245, 1-7.	4.1	9
188	Increased risk of ADHD in families with ASD. European Child and Adolescent Psychiatry, 2019, 28, 281-288.	4.7	19
189	Prevalence of Metabolic Syndrome and Associated Factors in a Cohort of Individuals With Treatment-Resistant Depression. Journal of Clinical Psychiatry, 2019, 80, .	2.2	21
190	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. JAMA Psychiatry, 2018, 75, 65-74.	11.0	102
191	Self-reported pain in patients with schizophrenia. Results from the national first-step FACE-SZ cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 85, 62-68.	4.8	14
192	T240. Relationship Between Cognitive Performance and Superficial White Matter Integrity in the Cingulate Cortex in Schizophrenia: A DWI Study Using a Novel Atlas. Biological Psychiatry, 2018, 83, S222.	1.3	1
193	Factors associated with direct health care costs in schizophrenia: Results from the FACE-SZ French dataset. European Neuropsychopharmacology, 2018, 28, 24-36.	0.7	26
194	The MHC/HLA Gene Complex in Major Psychiatric Disorders: Emerging Roles and Implications. Current Behavioral Neuroscience Reports, 2018, 5, 179-188.	1.3	19
195	Molecular Pathogenicity of Anti-NMDA Receptor Autoantibody From Patients With First-Episode Psychosis. American Journal of Psychiatry, 2018, 175, 382-383.	7.2	9
196	Racial disparities in bipolar disorder treatment and research: a call to action. Bipolar Disorders, 2018, 20, 506-514.	1.9	64
197	Saccadic eye movements in adults with high-functioning autism spectrum disorder. Autism, 2018, 22, 195-204.	4.1	14
198	Oxytocin Fails to Recruit Serotonergic Neurotransmission in the Autistic Brain. Cerebral Cortex, 2018, 28, 4169-4178.	2.9	25

#	ARTICLE	IF	CITATIONS
199	Influence of Venus and Mars in the cognitive sky of schizophrenia. Results from the first-step national FACE-SZ cohort. Schizophrenia Research, 2018, 195, 357-365.	2.0	9
200	Risk factors for increased duration of untreated psychosis. Results from the FACE-SZ dataset. Schizophrenia Research, 2018, 195, 529-533.	2.0	15
201	A study of the real-world effectiveness of group psychoeducation for bipolar disorders: Is change in illness perception a key mediator of benefit?. Journal of Affective Disorders, 2018, 227, 713-720.	4.1	19
202	Immune-based strategies for mood disorders: facts and challenges. Expert Review of Neurotherapeutics, 2018, 18, 139-152.	2.8	72
203	The influence of prior reputation and reciprocity on dynamic trust-building in adults with and without autism spectrum disorder. Cognition, 2018, 172, 1-10.	2.2	17
204	Relationships between low-grade peripheral inflammation and psychotropic drugs in schizophrenia: results from the national FACE-SZ cohort. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 541-553.	3.2	29
205	Revealing the complex genetic architecture of obsessive-compulsive disorder using meta-analysis. Molecular Psychiatry, 2018, 23, 1181-1188.	7.9	400
206	T145. ALTERATIONS IN SUPERFICIAL WHITE MATTER IN THE FRONTAL CORTEX IN SCHIZOPHRENIA: A DWI STUDY USING A NOVEL ATLAS. Schizophrenia Bulletin, 2018, 44, S172-S172.	4.3	3
207	T132. ASSESSMENT OF CROSS-NATIONAL EQUIVALENCE OF THE COMMUNITY ASSESSMENT OF PSYCHIC EXPERIENCES (CAPE). Schizophrenia Bulletin, 2018, 44, S166-S167.	4.3	0
208	Local structural connectivity is associated with social cognition in autism spectrum disorder. Brain, 2018, 141, 3472-3481.	7.6	62
209	T114. SCHIZOTYPAL PERSONALITY QUESTIONNAIRE-BRIEF: FACTOR STRUCTURE ANALYSIS IN A NONCLINICAL ROMANIAN SAMPLE. Schizophrenia Bulletin, 2018, 44, S160-S160.	4.3	0
210	Identifying a neuroanatomical signature of schizophrenia, reproducible across sites and stages, using machine learning with structured sparsity. Acta Psychiatrica Scandinavica, 2018, 138, 571-580.	4.5	20
211	Hypovitaminosis D is associated with depression and anxiety in schizophrenia: Results from the national FACE-SZ cohort.. Psychiatry Research, 2018, 270, 104-110.	3.3	14
212	Pathogenicity of Antibodies against NMDA Receptor: Molecular Insights into Autoimmune Psychosis. Trends in Neurosciences, 2018, 41, 502-511.	8.6	23
213	Latent toxoplasma infection in real-world schizophrenia: Results from the national FACE-SZ cohort. Schizophrenia Research, 2018, 201, 373-380.	2.0	27
214	Emotional hyper-reactivity and cardiometabolic risk in remitted bipolar patients: a machine learning approach. Acta Psychiatrica Scandinavica, 2018, 138, 348-359.	4.5	19
215	Relationship between incidence and prevalence in psychotic disorders: An incidence-prevalence-mortality model. International Journal of Methods in Psychiatric Research, 2018, 27, e1719.	2.1	5
216	HLA-class II haplotypes and Autism Spectrum Disorders. Scientific Reports, 2018, 8, 7639.	3.3	39

#	ARTICLE	IF	CITATIONS
217	Metabolic syndrome and actigraphy measures of sleep and circadian rhythms in bipolar disorders during remission. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 155-162.	4.5	10
218	Psychiatric disability as mediator of the neurocognition-functioning link in schizophrenia spectrum disorders: SEM analysis using the Evaluation of Cognitive Processes Involved in Disability in Schizophrenia (ECPDS) scale. <i>Schizophrenia Research</i> , 2018, 201, 196-203.	2.0	4
219	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207.	2.6	28
220	Immunoglobulin sub-class distribution in bipolar disorder and schizophrenia: potential relationship with latent <i>Toxoplasma Gondii</i> infection. <i>BMC Psychiatry</i> , 2018, 18, 239.	2.6	17
221	Assessment of Translocator Protein Density, as Marker of Neuroinflammation, in Major Depressive Disorder: A Pilot, Multicenter, Comparative, Controlled, Brain PET Study (INFLADEP Study). <i>Frontiers in Psychiatry</i> , 2018, 9, 326.	2.6	14
222	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .	12.6	1,085
223	Regulatory T Cells As Supporters of Psychoimmune Resilience: Toward Immunotherapy of Major Depressive Disorder. <i>Frontiers in Neurology</i> , 2018, 9, 167.	2.4	38
224	Neurodevelopmental subtypes of bipolar disorder are related to cortical folding patterns: An international multicenter study. <i>Bipolar Disorders</i> , 2018, 20, 721-732.	1.9	25
225	Association between CRP genetic diversity and bipolar disorder comorbid complications. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 4.	2.2	8
226	The HLA-G Genetic Contribution to Bipolar Disorder: A Trans-Ethnic Replication. <i>Immunological Investigations</i> , 2018, 47, 593-604.	2.0	13
227	31.4 GENETIC, IMMUNOLOGICAL AND BIOCHEMICAL MARKERS OF TREATMENT RESPONSE IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S51-S51.	4.3	1
228	Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. <i>Lancet Psychiatry</i> , 2018, 5, 797-807.	7.4	141
229	Intracellular Pathogen Infections and Immune Response in Autism. <i>NeuroImmunoModulation</i> , 2018, 25, 271-279.	1.8	13
230	HLA genetics in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 464-471.	4.5	18
231	Remission of depression in patients with schizophrenia and comorbid major depressive disorder: results from the FACE-SZ cohort. <i>British Journal of Psychiatry</i> , 2018, 213, 464-470.	2.8	35
232	Metabolic Syndrome and Illness Severity Predict Relapse at 1-Year Follow-Up in Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	2.2	21
233	Gaze direction detection in autism spectrum disorder. <i>Autism</i> , 2017, 21, 100-107.	4.1	18
234	Association between childhood dimensions of attention deficit hyperactivity disorder and adulthood clinical severity of bipolar disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 382-392.	2.3	7

#	ARTICLE	IF	CITATIONS
235	CNTN6 mutations are risk factors for abnormal auditory sensory perception in autism spectrum disorders. <i>Molecular Psychiatry</i> , 2017, 22, 625-633.	7.9	55
236	Childhood trauma, depression and negative symptoms are independently associated with impaired quality of life in schizophrenia. Results from the national FACE-SZ cohort. <i>Schizophrenia Research</i> , 2017, 185, 173-181.	2.0	48
237	Genetics of schizophrenia: A consensus paper of the WFSBP Task Force on Genetics. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 492-505.	2.6	48
238	Positive and negative life events and reasons for living modulate suicidal ideation in a sample of patients with history of suicide attempts. <i>Journal of Psychiatric Research</i> , 2017, 88, 64-71.	3.1	23
239	Chronic low-grade peripheral inflammation is associated with severe nicotine dependence in schizophrenia: results from the national multicentric FACE-SZ cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 465-472.	3.2	18
240	Affect lability predicts occurrence of suicidal ideation in bipolar patients: a two-year prospective study. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 460-469.	4.5	18
241	TLR4 gene polymorphism associated with lifetime cigarette smoking in bipolar disorder. <i>Journal of Neuroimmunology</i> , 2017, 305, 96-101.	2.3	3
242	Emotional reactivity, functioning, and C-reactive protein alterations in remitted bipolar patients: Clinical relevance of a dimensional approach. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 788-798.	2.3	15
243	Advanced Paternal Age is associated with earlier schizophrenia onset in offspring. Results from the national multicentric FACE-SZ cohort. <i>Psychiatry Research</i> , 2017, 254, 218-223.	3.3	7
244	The new field of "precision psychiatry". <i>BMC Medicine</i> , 2017, 15, 80.	5.5	347
245	Cognitive profiles in euthymic patients with bipolar disorders: results from the FACE-BD cohort. <i>Bipolar Disorders</i> , 2017, 19, 146-153.	1.9	41
246	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017, 174, 850-858.	7.2	410
247	Polygenic transmission disequilibrium confirms that common and rare variation act additively to create risk for autism spectrum disorders. <i>Nature Genetics</i> , 2017, 49, 978-985.	21.4	401
248	Comorbidity between schizophrenia and keratoconus. <i>Psychiatry Research</i> , 2017, 247, 315-316.	3.3	11
249	Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. <i>Translational Psychiatry</i> , 2017, 7, e1155-e1155.	4.8	150
250	242. Superficial White Matter Integrity in Autism Spectrum Disorders. <i>Biological Psychiatry</i> , 2017, 81, S99-S100.	1.3	2
251	Seasonal pattern in bipolar disorders and cardio-vascular risk factors: A study from the FACE-BD cohort. <i>Chronobiology International</i> , 2017, 34, 845-854.	2.0	10
252	Disruption of melatonin synthesis is associated with impaired 14-3-3 and miR-451 levels in patients with autism spectrum disorders. <i>Scientific Reports</i> , 2017, 7, 2096.	3.3	83

#	ARTICLE	IF	CITATIONS
253	A re-examination of antidepressant treatment-emergent mania in bipolar disorders: evidence of gender differences. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 479-488.	4.5	15
254	Reduced sensitivity to social priors during action prediction in adults with autism spectrum disorders. <i>Cognition</i> , 2017, 160, 17-26.	2.2	67
255	Childhood trauma and mixed episodes are associated with poor response to lithium in bipolar disorders. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 319-327.	4.5	39
256	Affective lability mediates the association between childhood trauma and suicide attempts, mixed episodes and co-morbid anxiety disorders in bipolar disorders. <i>Psychological Medicine</i> , 2017, 47, 902-912.	4.5	73
257	A Multilevel Functional Study of a <i>SNAP25</i> At-Risk Variant for Bipolar Disorder and Schizophrenia. <i>Journal of Neuroscience</i> , 2017, 37, 10389-10397.	3.6	29
258	Associations between residual depressive symptoms, cognition, and functioning in patients with euthymic bipolar disorder: results from the FACE-BD cohort. <i>British Journal of Psychiatry</i> , 2017, 211, 381-387.	2.8	30
259	Infectious and immunogenetic factors in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 409-423.	4.5	34
260	Sleep quality, chronotype and metabolic syndrome components in bipolar disorders during the remission period: Results from the FACE-BD cohort. <i>Chronobiology International</i> , 2017, 34, 1114-1124.	2.0	14
261	Childhood trauma and psychosis: Beyond the association. <i>Child Abuse and Neglect</i> , 2017, 72, 227-235.	2.6	20
262	Outcomes for bipolar patients assessed in the French expert center network: A 2-year follow-up observational study (FondaMental Advanced Centers of Expertise for Bipolar Disorder [FACE-BD]). <i>Bipolar Disorders</i> , 2017, 19, 651-660.	1.9	25
263	Social cognition in autism is associated with the neurodevelopment of the posterior superior temporal sulcus. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 517-525.	4.5	28
264	Cerebellar anatomical alterations and attention to eyes in autism. <i>Scientific Reports</i> , 2017, 7, 12008.	3.3	39
265	Sleep quality and emotional reactivity cluster in bipolar disorders and impact on functioning. <i>European Psychiatry</i> , 2017, 45, 190-197.	0.2	19
266	Psychiatric Co-morbidities in a French Cohort of Adults with High-functioning Autism (HFA). <i>European Psychiatry</i> , 2017, 41, S136-S136.	0.2	1
267	National funding for mental health research in Finland, France, Spain and the United Kingdom. <i>European Neuropsychopharmacology</i> , 2017, 27, 892-899.	0.7	13
268	Childhood trauma, dimensions of psychopathology and the clinical expression of bipolar disorders: A pathway analysis. <i>Journal of Psychiatric Research</i> , 2017, 95, 37-45.	3.1	43
269	Dynamic disorganization of synaptic NMDA receptors triggered by autoantibodies from psychotic patients. <i>Nature Communications</i> , 2017, 8, 1791.	12.8	103
270	Toward a better characterisation and management of treatment-resistant depression in France through the network of expert centers (FondaMental). <i>European Neuropsychopharmacology</i> , 2017, 27, S786-S787.	0.7	0

#	ARTICLE	IF	CITATIONS
271	Predictors of rapid high weight gain in schizophrenia: Longitudinal analysis of the French FACE-SZ cohort. <i>Journal of Psychiatric Research</i> , 2017, 94, 62-69.	3.1	14
272	Cell- and Single Molecule-Based Methods to Detect Anti- N -Methyl-D-Aspartate Receptor Autoantibodies in Patients With First-Episode Psychosis From the OPTiMiSE Project. <i>Biological Psychiatry</i> , 2017, 82, 766-772.	1.3	67
273	Cigarette smoking and schizophrenia: a specific clinical and therapeutic profile? Results from the FACE-Schizophrenia cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 79, 332-339.	4.8	31
274	Management of treatment resistant depression: A comparison between French expert consensus guidelines and international evidence based guidelines. <i>European Psychiatry</i> , 2017, 41, S525-S525.	0.2	0
275	Gender differences in autism spectrum disorders: Divergence among specific core symptoms. <i>Autism Research</i> , 2017, 10, 680-689.	3.8	140
276	Alcohol use disorders are associated with increased affective lability in bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 208, 316-324.	4.1	21
277	Clinical factors associated with lithium response in bipolar disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 524-530.	2.3	45
278	Identification of a Bipolar Disorder Vulnerable Gene CHDH at 3p21.1. <i>Molecular Neurobiology</i> , 2017, 54, 5166-5176.	4.0	9
279	A genome wide association study suggests the association of muskellin with early onset bipolar disorder: Implications for a GABAergic epileptogenic neurogenesis model. <i>Journal of Affective Disorders</i> , 2017, 208, 120-129.	4.1	17
280	Revisiting the association between childhood trauma and psychosis in bipolar disorder: A quasi-dimensional path-analysis. <i>Journal of Psychiatric Research</i> , 2017, 84, 73-79.	3.1	22
281	Birth by cesarean section and schizophrenia: results from the multicenter FACE-SZ data-set. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 587-594.	3.2	17
282	Consensus paper of the WFSBP Task Force on Genetics: Genetics, epigenetics and gene expression markers of major depressive disorder and antidepressant response. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 5-28.	2.6	75
283	Heritability of the melatonin synthesis variability in autism spectrum disorders. <i>Scientific Reports</i> , 2017, 7, 17746.	3.3	28
284	Gender specific behavioral alterations are associated with gut dysbiosis in mice exposed to multifactorial early-life adversity. <i>European Neuropsychopharmacology</i> , 2017, 27, S682-S683.	0.7	0
285	Superficial white matter integrity in autism spectrum disorders. <i>European Neuropsychopharmacology</i> , 2017, 27, S700-S701.	0.7	2
286	Exploring venlafaxine pharmacokinetic variability with a phenotyping approach, a multicentric french-swiss study (MARVEL study). <i>BMC Pharmacology & Toxicology</i> , 2017, 18, 70.	2.4	7
287	The Clinical Challenge of Autoimmune Psychosis: Learning from Anti-NMDA Receptor Autoantibodies. <i>Frontiers in Psychiatry</i> , 2017, 8, 54.	2.6	36
288	Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). <i>Frontiers in Psychiatry</i> , 2017, 8, 244.	2.6	11

#	ARTICLE	IF	CITATIONS
289	Neuropsychological functioning, age, and medication adherence in bipolar disorder. PLoS ONE, 2017, 12, e0184313.	2.5	22
290	Shape analysis of the cingulum, uncinate and arcuate fasciculi in patients with bipolar disorder. Journal of Psychiatry and Neuroscience, 2017, 42, 27-36.	2.4	16
291	Clinical and autoimmune features of a patient with autism spectrum disorder seropositive for anti- α -NMDA-receptor autoantibody. Dialogues in Clinical Neuroscience, 2017, 19, 65-70.	3.7	16
292	Effects of Cumulative α -Herpesviridae and α -Toxoplasma gondii Infections on Cognitive Function in Healthy, Bipolar, and Schizophrenia Subjects. Journal of Clinical Psychiatry, 2017, 78, e18-e27.	2.2	41
293	European Union investment and countries' involvement in mental health research between 2007 and 2013. Acta Psychiatrica Scandinavica, 2016, 134, 138-149.	4.5	11
294	Spatial distribution of psychotic disorders in an urban area of France: an ecological study. Scientific Reports, 2016, 6, 26190.	3.3	8
295	Similarities between emotional dysregulation in adults suffering from ADHD and bipolar patients. Journal of Affective Disorders, 2016, 198, 230-236.	4.1	39
296	Immuno-inflammation in bipolar disorder: Genetic and environmental risk factors. Neurology Psychiatry and Brain Research, 2016, 22, 15-16.	2.0	0
297	Peripheral sub-inflammation is associated with antidepressant consumption in schizophrenia. Results from the multi-center FACE-SZ dataset. European Psychiatry, 2016, 33, S98-S98.	0.2	0
298	Small area-level variation in the incidence of psychotic disorders in an urban area in France: an ecological study. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 951-960.	3.1	8
299	Childhood trauma and the limbic network: a multimodal MRI study in patients with bipolar disorder and controls. Journal of Affective Disorders, 2016, 200, 159-164.	4.1	55
300	Reduced social coordination in Autism Spectrum Disorders. Research in Autism Spectrum Disorders, 2016, 26, 71-79.	1.5	2
301	Chronic Peripheral Inflammation is Associated With Cognitive Impairment in Schizophrenia: Results From the Multicentric FACE-SZ Dataset. Schizophrenia Bulletin, 2016, 42, 1290-1302.	4.3	82
302	WAIS-IV Seven-Subtest Short Form: Validity and Clinical Use in Schizophrenia. Archives of Clinical Neuropsychology, 2016, 31, 915-925.	0.5	17
303	Neuroleptic intolerance in patients with anti-NMDAR encephalitis. Neurology: Neuroimmunology and Neuroinflammation, 2016, 3, e280.	6.0	139
304	Effect of early trauma on the sleep quality of euthymic bipolar patients. Journal of Affective Disorders, 2016, 206, 261-267.	4.1	12
305	Reduced saccadic inhibition of return to moving eyes in autism spectrum disorders. Vision Research, 2016, 127, 115-121.	1.4	12
306	Interleukin-1 β -targeted treatment strategies in inflammatory depression: toward personalized care. Acta Psychiatrica Scandinavica, 2016, 134, 469-484.	4.5	44

#	ARTICLE	IF	CITATIONS
307	Immuno-psychiatry: an agenda for clinical practice and innovative research. BMC Medicine, 2016, 14, 173.	5.5	51
308	Toxoplasma gondii exposure may modulate the influence of TLR2 genetic variation on bipolar disorder: a gene-environment interaction study. International Journal of Bipolar Disorders, 2016, 4, 11.	2.2	29
309	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. Human Molecular Genetics, 2016, 25, 3383-3394.	2.9	182
310	Clinical utility of the Multiple Errands Test in schizophrenia: A preliminary assessment. Psychiatry Research, 2016, 240, 390-397.	3.3	14
311	Birth by cesarean section and schizophrenia. Results from the multi-center FACE-SZ dataset. European Psychiatry, 2016, 33, S98-S98.	0.2	0
312	Using admixture analysis to examine birth-cohort effects on age at onset of bipolar disorder. Acta Psychiatrica Scandinavica, 2016, 133, 205-213.	4.5	8
313	Similar white matter but opposite grey matter changes in schizophrenia and high-functioning autism. Acta Psychiatrica Scandinavica, 2016, 134, 31-39.	4.5	32
314	Atypical Social Judgment and Sensitivity to Perceptual Cues in Autism Spectrum Disorders. Journal of Autism and Developmental Disorders, 2016, 46, 1574-1581.	2.7	15
315	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. Lancet, The, 2016, 387, 1085-1093.	13.7	306
316	Adaptive coding of the value of social cues with oxytocin, an fMRI study in autism spectrum disorder. Cortex, 2016, 76, 79-88.	2.4	62
317	Peripheral sub-inflammation is associated with antidepressant consumption in schizophrenia. Results from the multi-center FACE-SZ data set. Journal of Affective Disorders, 2016, 191, 209-215.	4.1	37
318	Convergent Lines of Evidence Support LRP8 as a Susceptibility Gene for Psychosis. Molecular Neurobiology, 2016, 53, 6608-6619.	4.0	20
319	Is it time for immunopsychiatry in psychotic disorders?. Psychopharmacology, 2016, 233, 1651-1660.	3.1	74
320	Impact of a cis-associated gene expression SNP on chromosome 20q11.22 on bipolar disorder susceptibility, hippocampal structure and cognitive performance. British Journal of Psychiatry, 2016, 208, 128-137.	2.8	11
321	Long-term risk of myocardial infarction and stroke in bipolar I disorder: A population-based Cohort Study. Journal of Affective Disorders, 2016, 194, 120-127.	4.1	27
322	Altering the course of schizophrenia: progress and perspectives. Nature Reviews Drug Discovery, 2016, 15, 485-515.	46.4	410
323	Genetic and functional analyses demonstrate a role for abnormal glycinergic signaling in autism. Molecular Psychiatry, 2016, 21, 936-945.	7.9	85
324	Evolution of public and non-profit funding for mental health research in France between 2007 and 2011. European Neuropsychopharmacology, 2015, 25, 2339-2348.	0.7	3

#	ARTICLE	IF	CITATIONS
325	Anti-inflammatory drugs add-on therapy in major psychiatric disorders. <i>European Psychiatry</i> , 2015, 30, S24-S25.	0.2	0
326	Abnormal C-reactive protein (CRP) levels in schizophrenia and schizoaffective disorders. Results from the FACE-SZ dataset. <i>European Psychiatry</i> , 2015, 30, S112-S112.	0.2	4
327	Is it time for immuno- <i>psychiatry</i> in bipolar disorder and suicidal behaviour?. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 159-160.	4.5	4
328	Interaction between SLC6A4 promoter variants and childhood trauma on the age at onset of bipolar disorders. <i>Scientific Reports</i> , 2015, 5, 16301.	3.3	17
329	Bipolar patients referred to specialized services of care: Not resistant but impaired by sub-syndromal symptoms. Results from the FACE-BD cohort. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 898-905.	2.3	35
330	P.1.e.023 Functional mutations in CADPS identified in patients with early-onset bipolar disorder. <i>European Neuropsychopharmacology</i> , 2015, 25, S222-S223.	0.7	0
331	11q24.2-25 micro- <i>rearrangements</i> in autism spectrum disorders: Relation to brain structures. <i>American Journal of Medical Genetics, Part A</i> , 2015, 167, 3019-3030.	1.2	25
332	Violent suicidal behaviour in bipolar disorder is associated with nitric oxide synthase 3 gene polymorphism. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 218-225.	4.5	18
333	Dectin-1 Polymorphism: A Genetic Disease Specifier in Autism Spectrum Disorders?. <i>PLoS ONE</i> , 2015, 10, e0137339.	2.5	19
334	Corpus callosum area in patients with bipolar disorder with and without psychotic features: an international multicentre study. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 352-359.	2.4	53
335	Increased risk of suicide attempt in bipolar patients with severe tobacco dependence. <i>Journal of Affective Disorders</i> , 2015, 183, 113-118.	4.1	35
336	Innovations th��rapeutiques en immuno-psychiatrie. <i>European Psychiatry</i> , 2015, 30, S24-S24.	0.2	0
337	Metabolic syndrome, abdominal obesity and hyperuricemia in schizophrenia: Results from the FACE-SZ cohort. <i>Schizophrenia Research</i> , 2015, 168, 388-394.	2.0	57
338	Akathisia: prevalence and risk factors in a community-dwelling sample of patients with schizophrenia. Results from the FACE-SZ dataset. <i>Schizophrenia Research</i> , 2015, 169, 255-261.	2.0	34
339	Clinical and neuropsychological characteristics of euthymic bipolar patients having a history of severe suicide attempt. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 129-138.	4.5	34
340	Joint Analysis of Psychiatric Disorders Increases Accuracy of Risk Prediction for Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. <i>American Journal of Human Genetics</i> , 2015, 96, 283-294.	6.2	225
341	Cross-Disorder Genome-Wide Analyses Suggest a Complex Genetic Relationship Between Tourette��s Syndrome and OCD. <i>American Journal of Psychiatry</i> , 2015, 172, 82-93.	7.2	117
342	Psychiatric genome-wide association study analyses implicate neuronal, immune and histone pathways. <i>Nature Neuroscience</i> , 2015, 18, 199-209.	14.8	701

#	ARTICLE	IF	CITATIONS
343	Accelerated time course of saccadic inhibition of return in individuals with autism spectrum disorders. <i>Experimental Brain Research</i> , 2015, 233, 767-775.	1.5	9
344	Treatment with anti-toxoplasmic activity (TATA) for toxoplasma positive patients with bipolar disorders or schizophrenia: A cross-sectional study. <i>Journal of Psychiatric Research</i> , 2015, 63, 58-64.	3.1	39
345	Combined Effect of TLR2 Gene Polymorphism and Early Life Stress On the Age at Onset of Bipolar Disorders. <i>European Psychiatry</i> , 2015, 30, 445.	0.2	1
346	Mood disorders are associated with a more severe hypovitaminosis D than schizophrenia. <i>Psychiatry Research</i> , 2015, 229, 613-616.	3.3	30
347	Psychometric properties of the Affective Lability Scale (54 and 18-item version) in patients with bipolar disorder, first-degree relatives, and healthy controls. <i>Journal of Affective Disorders</i> , 2015, 172, 375-380.	4.1	53
348	Adherence to medication is associated with non-planning impulsivity in euthymic bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2015, 184, 60-66.	4.1	19
349	A National Network of Schizophrenia Expert Centres: an Innovative Tool to Bridge the Research-Practice Gap. <i>European Psychiatry</i> , 2015, 30, 728-735.	0.2	82
350	Complex nature of apparently balanced chromosomal rearrangements in patients with autism spectrum disorder. <i>Molecular Autism</i> , 2015, 6, 19.	4.9	29
351	Modeling Determinants of Medication Attitudes and Poor Adherence in Early Nonaffective Psychosis: Implications for Intervention. <i>Schizophrenia Bulletin</i> , 2015, 41, 584-596.	4.3	36
352	Beyond the association. <i>Toxoplasma gondii</i> in schizophrenia, bipolar disorder, and addiction: systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 161-179.	4.5	346
353	The Optimization of Treatment and Management of Schizophrenia in Europe (OPTiMiSE) Trial: Rationale for its Methodology and a Review of the Effectiveness of Switching Antipsychotics. <i>Schizophrenia Bulletin</i> , 2015, 41, 549-558.	4.3	47
354	Cognitive deterioration among bipolar disorder patients infected by <i>Toxoplasma gondii</i> is correlated to interleukin 6 levels. <i>Journal of Affective Disorders</i> , 2015, 179, 161-166.	4.1	49
355	The Promise of Biological Markers for Treatment Response in First-Episode Psychosis: A Systematic Review. <i>Schizophrenia Bulletin</i> , 2015, 41, 559-573.	4.3	93
356	Genetics of emotional reactivity in bipolar disorders. <i>Journal of Affective Disorders</i> , 2015, 188, 101-106.	4.1	8
357	Mental health research priorities for Europe. <i>Lancet Psychiatry</i> , 2015, 2, 1036-1042.	7.4	158
358	Prevalence of psychotic disorders in an urban area of France. <i>BMC Psychiatry</i> , 2015, 15, 204.	2.6	14
359	A double amino-acid change in the HLA-A peptide-binding groove is associated with response to psychotropic treatment in patients with schizophrenia. <i>Translational Psychiatry</i> , 2015, 5, e608-e608.	4.8	22
360	Resolution of a manic episode treated with activated charcoal: Evidence for a brain-gut axis in bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 1221-1223.	2.3	18

#	ARTICLE	IF	CITATIONS
361	Genetic association study of circadian genes with seasonal pattern in bipolar disorders. Scientific Reports, 2015, 5, 10232.	3.3	56
362	Cerebellar volume in schizophrenia and bipolar I disorder with and without psychotic features. Acta Psychiatrica Scandinavica, 2015, 131, 223-233.	4.5	92
363	Reply: Sleep in Patients with Remitted Bipolar Disorders: Analyses stratified on actigraphy devices, age and gender. Acta Psychiatrica Scandinavica, 2015, 131, 400-400.	4.5	9
364	Metabolic syndrome, abdominal obesity and hyperuricemia in schizophrenia: Results from the FACE-SZ dataset. European Psychiatry, 2015, 30, S130-S130.	0.2	2
365	PL04.01 Is it time for immuno-psychiatry?. European Neuropsychopharmacology, 2015, 25, S108.	0.7	0
366	Sleep in patients with remitted bipolar disorders: a meta-analysis of actigraphy studies. Acta Psychiatrica Scandinavica, 2015, 131, 89-99.	4.5	168
367	Metacognition of agency and theory of mind in adults with high functioning autism. Consciousness and Cognition, 2015, 31, 126-138.	1.5	40
368	The "psychomicrobiotic": Targeting microbiota in major psychiatric disorders: A systematic review. Pathologie Et Biologie, 2015, 63, 35-42.	2.2	158
369	Links between sleep and body mass index in bipolar disorders: An exploratory study. European Psychiatry, 2015, 30, 89-93.	0.2	26
370	Risk factors for treatment resistance in unipolar depression: A systematic review. Journal of Affective Disorders, 2015, 171, 137-141.	4.1	95
371	Combined Effect of TLR2 Gene Polymorphism and Early Life Stress on the Age at Onset of Bipolar Disorders. PLoS ONE, 2015, 10, e0119702.	2.5	56
372	C-Reactive Protein Alterations in Bipolar Disorder. Journal of Clinical Psychiatry, 2015, 76, 142-150.	2.2	136
373	Individuals with Autism Spectrum Disorders Do Not Use Social Stereotypes in Irony Comprehension. PLoS ONE, 2014, 9, e95568.	2.5	29
374	Exome Sequencing in 53 Sporadic Cases of Schizophrenia Identifies 18 Putative Candidate Genes. PLoS ONE, 2014, 9, e112745.	2.5	79
375	Circadian abnormalities as markers of susceptibility in bipolar disorders. Frontiers in Bioscience - Scholar, 2014, S6, 120-137.	2.1	29
376	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.	4.3	229
377	Correlations between objective and subjective sleep and circadian markers in remitted patients with bipolar disorder. Chronobiology International, 2014, 31, 698-704.	2.0	64
378	Additive effects of childhood abuse and cannabis abuse on clinical expressions of bipolar disorders. Psychological Medicine, 2014, 44, 1653-1662.	4.5	61

#	ARTICLE	IF	CITATIONS
379	The serotonin-N-acetylserotoninâ€“melatonin pathway as a biomarker for autism spectrum disorders. <i>Translational Psychiatry</i> , 2014, 4, e479-e479.	4.8	119
380	Meta-analysis of SHANK Mutations in Autism Spectrum Disorders: A Gradient of Severity in Cognitive Impairments. <i>PLoS Genetics</i> , 2014, 10, e1004580.	3.5	501
381	Searching Across Diagnostic Boundaries. <i>Schizophrenia Bulletin</i> , 2014, 40, 946-948.	4.3	10
382	Do the treasures of â€“big dataâ€”™ combined with behavioural intervention therapies contain the key to the mystery of large psychiatric issues?. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 406-407.	4.5	6
383	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 1-14.	2.1	109
384	Effectiveness and tolerance of antiâ€“inflammatory drugs' addâ€“on therapy in major mental disorders: a systematic qualitative review. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 163-179.	4.5	140
385	Rural-urban variation in incidence of psychosis in France: a prospective epidemiologic study in two contrasted catchment areas. <i>BMC Psychiatry</i> , 2014, 14, 78.	2.6	24
386	A Multicenter Tractography Study of Deep White Matter Tracts in Bipolar I Disorder. <i>JAMA Psychiatry</i> , 2014, 71, 388.	11.0	132
387	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014, 19, 108-114.	7.9	85
388	Aspirin for prevention of cardiovascular events in bipolar disorders. <i>Psychiatry Research</i> , 2014, 219, 238-239.	3.3	1
389	Altered Pre-reflective Sense of Agency in Autism Spectrum Disorders as Revealed by Reduced Intentional Binding. <i>Journal of Autism and Developmental Disorders</i> , 2014, 44, 343-352.	2.7	42
390	Age at onset in bipolar I affective disorder in the USA and Europe. <i>World Journal of Biological Psychiatry</i> , 2014, 15, 369-376.	2.6	59
391	Comparative analysis of anti-toxoplasmic activity of antipsychotic drugs and valproate. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 179-183.	3.2	46
392	Recently discovered properties of aspirin may be doubly helpful in bipolar disorders. <i>Medical Hypotheses</i> , 2014, 82, 640-641.	1.5	3
393	Sleep in remitted bipolar disorder: A naturalistic case-control study using actigraphy. <i>Journal of Affective Disorders</i> , 2014, 158, 1-7.	4.1	98
394	Anxiety and depression comorbidities in irritable bowel syndrome (IBS): a systematic review and meta-analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 651-660.	3.2	440
395	Convergence of Genes and Cellular Pathways Dysregulated in Autism Spectrum Disorders. <i>American Journal of Human Genetics</i> , 2014, 94, 677-694.	6.2	819
396	Affect intensity measure in bipolar disorders: A multidimensional approach. <i>Journal of Affective Disorders</i> , 2014, 157, 8-13.	4.1	13

#	ARTICLE	IF	CITATIONS
397	Polymorphism of Toll-like receptor 4 gene in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 152-154, 395-402.	4.1	53
398	An <i>ASMT</i> variant associated with bipolar disorder influences sleep and circadian rhythms: a pilot study. <i>Genes, Brain and Behavior</i> , 2014, 13, 299-304.	2.2	37
399	Staging systems in bipolar disorder: an <i>International Society for <i>Bipolar Disorders Task Force Report</i></i> . <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 354-363.	4.5	175
400	Analysis of pathogenic autoantibodies against the N-methyl-d-aspartate glutamate receptor in schizophrenia. <i>Journal of Neuroimmunology</i> , 2014, 275, 101.	2.3	0
401	A specific impairment in cognitive control in individuals with high-functioning autism. <i>Journal of Psychiatric Research</i> , 2014, 58, 26-35.	3.1	9
402	Polygenic dissection of diagnosis and clinical dimensions of bipolar disorder and schizophrenia. <i>Molecular Psychiatry</i> , 2014, 19, 1017-1024.	7.9	333
403	Copy Number Variation in Obsessive-Compulsive Disorder and Tourette Syndrome: A Cross-Disorder Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 910-919.	0.5	111
404	Ketamine administration in depressive disorders: a systematic review and meta-analysis. <i>Psychopharmacology</i> , 2014, 231, 3663-3676.	3.1	278
405	D2 and D3 dopamine receptor affinity predicts effectiveness of antipsychotic drugs in obsessive-compulsive disorders: a metaregression analysis. <i>Psychopharmacology</i> , 2014, 231, 3765-3770.	3.1	39
406	Smoking behavior characteristics of non-selected smokers with childhood attention-deficit/hyperactivity disorder (AD/HD) history: a systematic review and meta-analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 379-389.	3.2	7
407	Risk of myocardial infarction and stroke in bipolar disorder: a systematic review and exploratory meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 342-353.	4.5	69
408	Genetic association between a <i>standing</i> ™ variant of NOD2 and bipolar disorder. <i>Immunobiology</i> , 2014, 219, 766-771.	1.9	13
409	Association between circadian genes, bipolar disorders and chronotypes. <i>Chronobiology International</i> , 2014, 31, 807-814.	2.0	71
410	Association between cannabis use and schizotypal dimensions – A meta-analysis of cross-sectional studies. <i>Psychiatry Research</i> , 2014, 219, 58-66.	3.3	42
411	Quality of life instruments used in mental health research: Properties and utilization. <i>Psychiatry Research</i> , 2014, 215, 1-8.	3.3	13
412	Cytomegalovirus seropositivity and serointensity are associated with hippocampal volume and verbal memory in schizophrenia and bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 48, 142-148.	4.8	39
413	Association between toll-like receptor 2 gene diversity and early-onset bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 165, 135-141.	4.1	34
414	Feelings of regret and disappointment in adults with high-functioning autism. <i>Cortex</i> , 2014, 58, 112-122.	2.4	12

#	ARTICLE	IF	CITATIONS
415	Prospective diagnostic analysis of copy number variants using SNP microarrays in individuals with autism spectrum disorders. <i>European Journal of Human Genetics</i> , 2014, 22, 71-78.	2.8	60
416	Allelic differences between Europeans and Chinese for CREB1 SNPs and their implications in gene expression regulation, hippocampal structure and function, and bipolar disorder susceptibility. <i>Molecular Psychiatry</i> , 2014, 19, 452-461.	7.9	61
417	Heterogeneous Pattern of Selective Pressure for PRRT2 in Human Populations, but No Association with Autism Spectrum Disorders. <i>PLoS ONE</i> , 2014, 9, e88600.	2.5	14
418	Common and Rare Variant Analysis in Early-Onset Bipolar Disorder Vulnerability. <i>PLoS ONE</i> , 2014, 9, e104326.	2.5	34
419	Sleep and Circadian Profiles of Bipolar Disorder: From Chronobiology to Novel Therapeutic Strategies. <i>Current Psychiatry Reviews</i> , 2014, 10, 235-247.	0.9	1
420	Can the response to mood stabilizers be predicted in bipolar disorder. <i>Frontiers in Bioscience - Elite</i> , 2014, E6, 120-138.	1.8	30
421	Metabolic Syndrome in a French Cohort of Patients With Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 1078-1085.	2.2	37
422	Immunological and autoimmune considerations of Autism Spectrum Disorders. <i>Journal of Autoimmunity</i> , 2013, 44, 1-7.	6.5	159
423	Memory for past events: movement and action chains in high-functioning autism spectrum disorders. <i>Experimental Brain Research</i> , 2013, 226, 325-334.	1.5	8
424	Chronotypes of Bipolar Patients in Remission: Validation of the French Version of the Circadian Type Inventory in the FACE-BD Sample. <i>Chronobiology International</i> , 2013, 30, 1042-1049.	2.0	44
425	Episodic memory and self-awareness in Asperger Syndrome: Analysis of memory narratives. <i>Research in Autism Spectrum Disorders</i> , 2013, 7, 1062-1067.	1.5	24
426	A bipolar disorder patient becoming asymptomatic after adjunctive anti-filaria treatment: a case report. <i>BMC Psychiatry</i> , 2013, 13, 81.	2.6	6
427	European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 2.	2.2	17
428	Reconsideration of bipolar disorder as a developmental disorder: Importance of the time of onset. <i>Journal of Physiology (Paris)</i> , 2013, 107, 278-285.	2.1	77
429	Fasting in mood disorders: neurobiology and effectiveness. A review of the literature. <i>Psychiatry Research</i> , 2013, 209, 253-258.	3.3	108
430	Biomarkers in bipolar disorder: A positional paper from the International Society for Bipolar Disorders Biomarkers Task Force. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 321-332.	2.3	193
431	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013, 45, 984-994.	21.4	2,067
432	Depressive residual symptoms are associated with lower adherence to medication in bipolar patients without substance use disorder: Results from the FACE-BD cohort. <i>Journal of Affective Disorders</i> , 2013, 151, 1009-1015.	4.1	45

#	ARTICLE	IF	CITATIONS
433	Immunity, Inflammation, and Bipolar Disorder: Diagnostic and Therapeutic Implications. <i>Current Psychiatry Reports</i> , 2013, 15, 387.	4.5	83
434	Heterozygous FA2H mutations in autism spectrum disorders. <i>BMC Medical Genetics</i> , 2013, 14, 124.	2.1	7
435	Comparison of Five Actigraphy Scoring Methods with Bipolar Disorder. <i>Behavioral Sleep Medicine</i> , 2013, 11, 275-282.	2.1	18
436	The Role of Causal and Intentional Judgments in Moral Reasoning in Individuals with High Functioning Autism. <i>Journal of Autism and Developmental Disorders</i> , 2013, 43, 458-470.	2.7	61
437	P.1.f.001 Drug repositioning of anti-inflammatory drugs in major psychiatric disorders. <i>European Neuropsychopharmacology</i> , 2013, 23, S185.	0.7	0
438	The cost of mental disorders in France. <i>European Neuropsychopharmacology</i> , 2013, 23, 879-886.	0.7	36
439	The HLA-G low expressor genotype is associated with protection against bipolar disorder. <i>Human Immunology</i> , 2013, 74, 593-597.	2.4	30
440	Relationship between <i>Toxoplasma gondii</i> infection and bipolar disorder in a French sample. <i>Journal of Affective Disorders</i> , 2013, 148, 444-448.	4.1	102
441	Clinical features associated with trait-impulsiveness in euthymic bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2013, 144, 240-247.	4.1	57
442	Duration of untreated bipolar disorder: missed opportunities on the long road to optimal treatment. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 136-144.	4.5	181
443	Human endogenous retrovirus type W (HERV-W) in schizophrenia: A new avenue of research at the geneâ€environment interface. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 80-90.	2.6	54
444	Genome-wide association study of obsessive-compulsive disorder. <i>Molecular Psychiatry</i> , 2013, 18, 788-798.	7.9	312
445	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 149-162.	4.5	481
446	Progress toward treatments for synaptic defects in autism. <i>Nature Medicine</i> , 2013, 19, 685-694.	30.7	167
447	Genome-wide association study meta-analysis of European and Asian-ancestry samples identifies three novel loci associated with bipolar disorder. <i>Molecular Psychiatry</i> , 2013, 18, 195-205.	7.9	180
448	Partitioning the Heritability of Tourette Syndrome and Obsessive Compulsive Disorder Reveals Differences in Genetic Architecture. <i>PLoS Genetics</i> , 2013, 9, e1003864.	3.5	241
449	Bipolar Disorder with Seasonal Pattern: Clinical Characteristics and Gender Influences. <i>Chronobiology International</i> , 2013, 30, 1101-1107.	2.0	51
450	Clinical staging in psychiatry: a cross-cutting model of diagnosis with heuristic and practical value. <i>British Journal of Psychiatry</i> , 2013, 202, 243-245.	2.8	204

#	ARTICLE	IF	CITATIONS
451	A self administered executive functions ecological questionnaire (the Behavior Rating Inventory of Executive Functions) for children with mental illness. <i>Journal of Abnormal Child Psychology</i> , 2013, 41, 101-110.	0.8	13
452	Autoantibodies to neurotransmitter receptors and ion channels: from neuromuscular to neuropsychiatric disorders. <i>Frontiers in Genetics</i> , 2013, 4, 181.	2.3	14
453	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013, 8, e65636.	2.5	156
454	Biomarkers of bipolar disorder specific or shared with schizophrenia. <i>Frontiers in Bioscience - Elite</i> , 2013, E5, 845-863.	1.8	33
455	Childhood Trauma Is Associated With Severe Clinical Characteristics of Bipolar Disorders. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 991-998.	2.2	175
456	Genetic and functional abnormalities of the melatonin biosynthesis pathway in patients with bipolar disorder. <i>Human Molecular Genetics</i> , 2012, 21, 4030-4037.	2.9	90
457	Genetic and Functional Analyses of SHANK2 Mutations Suggest a Multiple Hit Model of Autism Spectrum Disorders. <i>PLoS Genetics</i> , 2012, 8, e1002521.	3.5	358
458	Idiopathic Basal Ganglia Calcification and Pathological Hoarding. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2012, 24, E9-E9.	1.8	5
459	Autism multiplex family with 16p11.2p12.2 microduplication syndrome in monozygotic twins and distal 16p11.2 deletion in their brother. <i>European Journal of Human Genetics</i> , 2012, 20, 540-546.	2.8	38
460	Individual common variants exert weak effects on the risk for autism spectrum disorders. <i>Human Molecular Genetics</i> , 2012, 21, 4781-4792.	2.9	334
461	Molecular characteristics of Human Endogenous Retrovirus type-W in schizophrenia and bipolar disorder. <i>Translational Psychiatry</i> , 2012, 2, e201-e201.	4.8	107
462	Analysis of the chromosome X exome in patients with autism spectrum disorders identified novel candidate genes, including TMLHE. <i>Translational Psychiatry</i> , 2012, 2, e179-e179.	4.8	90
463	A novel approach of homozygous haplotype sharing identifies candidate genes in autism spectrum disorder. <i>Human Genetics</i> , 2012, 131, 565-579.	3.8	180
464	Clinical and dimensional characteristics of euthymic bipolar patients with or without suicidal behavior. <i>European Psychiatry</i> , 2012, 27, 570-576.	0.2	49
465	Exploring the relationships between tobacco smoking and schizophrenia in first-degree relatives. <i>Psychiatry Research</i> , 2012, 200, 674-678.	3.3	15
466	Automatic fiber bundle segmentation in massive tractography datasets using a multi-subject bundle atlas. <i>NeuroImage</i> , 2012, 61, 1083-1099.	4.2	165
467	A mechanistic basis for amplification differences between samples and between genome regions. <i>BMC Genomics</i> , 2012, 13, 455.	2.8	40
468	High-functioning autism spectrum disorder and fragile X syndrome: report of two affected sisters. <i>Molecular Autism</i> , 2012, 3, 5.	4.9	13

#	ARTICLE	IF	CITATIONS
469	Poster #110 NO ASSOCIATION BETWEEN SNAP-25 GENE POLYMORPHISMS AND WEIGHT GAIN IN ANTIPSYCHOTIC TREATMENT OF SCHIZOPHRENIA. Schizophrenia Research, 2012, 136, S225.	2.0	0
470	Genetic overlap between schizophrenia and bipolar disorder: A study with AKT1 gene variants and clinical phenotypes. Schizophrenia Research, 2012, 135, 8-14.	2.0	37
471	Can bipolar disorder be viewed as a multi-system inflammatory disease?. Journal of Affective Disorders, 2012, 141, 1-10.	4.1	369
472	A first national survey of knowledge, attitudes and behaviours towards schizophrenia, bipolar disorders and autism in France. BMC Psychiatry, 2012, 12, 128.	2.6	95
473	Immuno- inflammatory markers of bipolar disorder: a review of evidence. Frontiers in Bioscience - Elite, 2012, E4, 2170.	1.8	15
474	Emotional dysfunction as a marker of bipolar disorders. Frontiers in Bioscience - Elite, 2012, E4, 2622-2630.	1.8	34
475	Genetic heterogeneity according to age at onset in bipolar disorder: A combined positional cloning and candidate gene approach. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 653-659.	1.7	13
476	SHANK1 Deletions in Males with Autism Spectrum Disorder. American Journal of Human Genetics, 2012, 90, 879-887.	6.2	292
477	Genome-wide survey implicates the influence of copy number variants (CNVs) in the development of early-onset bipolar disorder. Molecular Psychiatry, 2012, 17, 421-432.	7.9	76
478	Is processing speed a valid cognitive endophenotype for bipolar disorder?. Journal of Affective Disorders, 2012, 139, 98-101.	4.1	39
479	Neuroimaging biomarkers in bipolar disorder. Frontiers in Bioscience - Elite, 2012, E4, 593.	1.8	25
480	Autism risk factors: genes, environment, and gene-environment interactions. Dialogues in Clinical Neuroscience, 2012, 14, 281-292.	3.7	542
481	Clinical Expression of Bipolar Disorder Type I as a Function of Age and Polarity at Onset. Journal of Clinical Psychiatry, 2012, 73, e561-e566.	2.2	113
482	Variables as Mediators or Moderators in Predicting Relapse to Any Type of Mood Episode in a Bipolar Maintenance Study. Journal of Clinical Psychiatry, 2012, 73, e913-e917.	2.2	7
483	Public and Nonprofit Funding for Research on Mental Disorders in France, the United Kingdom, and the United States. Journal of Clinical Psychiatry, 2012, 73, e906-e912.	2.2	16
484	Segmentation of Short Association Bundles in Massive Tractography Datasets Using a Multi-subject Bundle Atlas. Lecture Notes in Computer Science, 2011, , 701-708.	1.3	2
485	A meta-analysis of whole-brain diffusion tensor imaging studies in bipolar disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 1820-1826.	4.8	192
486	Consequences of delayed diagnosis of bipolar disorders. L'Encephale, 2011, 37, S173-S175.	0.9	27

#	ARTICLE	IF	CITATIONS
487	Association Between Polymorphisms in GRIK2 Gene and Obsessive-Compulsive Disorder: A Family-Based Study. <i>CNS Neuroscience and Therapeutics</i> , 2011, 17, 141-147.	3.9	46
488	S.01.04 The HERV family of new biological entities and their neuroinflammatory properties. <i>European Neuropsychopharmacology</i> , 2011, 21, S185.	0.7	0
489	Genetics of circadian rhythms and mood spectrum disorders. <i>European Neuropsychopharmacology</i> , 2011, 21, S676-S682.	0.7	144
490	Treating depression: Diagnosing and treating circadian abnormalities in depression: Current antidepressants. <i>European Neuropsychopharmacology</i> , 2011, 21, S669-S670.	0.7	0
491	lbgaine-Associated Psychosis in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2011, 31, 659.	1.4	6
492	Effects of Add-On Cilostazol on Cognition in Patients With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2011, 31, 659-661.	1.4	7
493	Genetic variations of the melatonin pathway in patients with attention-deficit and hyperactivity disorders. <i>Journal of Pineal Research</i> , 2011, 51, 394-399.	7.4	52
494	A French network of bipolar expert centres: A model to close the gap between evidence-based medicine and routine practice. <i>Journal of Affective Disorders</i> , 2011, 131, 358-363.	4.1	68
495	Neuroimaging-based markers of bipolar disorder: Evidence from two meta-analyses. <i>Journal of Affective Disorders</i> , 2011, 132, 344-355.	4.1	205
496	MRI exploration of pineal volume in bipolar disorder. <i>Journal of Affective Disorders</i> , 2011, 135, 377-379.	4.1	27
497	Moral judgment in adults with autism spectrum disorders. <i>Cognition</i> , 2011, 121, 115-126.	2.2	73
498	Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2011, 88, 372-381.	6.2	257
499	Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2011, 88, 396.	6.2	6
500	Judgment of Intentionality and Moral Evaluation in Individuals with High Functioning Autism. <i>Review of Philosophy and Psychology</i> , 2011, 2, 681-698.	1.8	35
501	Mutation screening of ASMT, the last enzyme of the melatonin pathway, in a large sample of patients with Intellectual Disability. <i>BMC Medical Genetics</i> , 2011, 12, 17.	2.1	25
502	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. <i>Nature Genetics</i> , 2011, 43, 977-983.	21.4	1,283
503	Genetic and molecular exploration of UHMK1 in schizophrenic patients. <i>Psychiatric Genetics</i> , 2011, 21, 315-318.	1.1	7
504	Variations of the Candidate SEZ6L2 Gene on Chromosome 16p11.2 in Patients with Autism Spectrum Disorders and in Human Populations. <i>PLoS ONE</i> , 2011, 6, e17289.	2.5	28

#	ARTICLE	IF	CITATIONS
505	Pharmacogenetic of response efficacy to antipsychotics in schizophrenia: pharmacodynamic aspects. Review and implications for clinical research. <i>Fundamental and Clinical Pharmacology</i> , 2010, 24, 139-160.	1.9	16
506	Selective Attention Impairment in Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 779-781.	1.0	3
507	Promoting social behavior with oxytocin in high-functioning autism spectrum disorders. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 4389-4394.	7.1	807
508	Key role for gene dosage and synaptic homeostasis in autism spectrum disorders. <i>Trends in Genetics</i> , 2010, 26, 363-372.	6.7	296
509	Factor analyses of the Suicidal Intent Scale (SIS) and the Risk-Rescue Rating Scale (RRRS): Toward the identification of homogeneous subgroups of suicidal behaviors. <i>Journal of Affective Disorders</i> , 2010, 121, 80-87.	4.1	44
510	Defining bipolar mood states with quantitative measurement of inhibition/activation and emotional reactivity. <i>Journal of Affective Disorders</i> , 2010, 127, 300-304.	4.1	31
511	Paracentric inversion of chromosome 2 associated with cryptic duplication of 2q14 and deletion of 2q37 in a patient with autism. <i>American Journal of Medical Genetics, Part A</i> , 2010, 152A, 2346-2354.	1.2	17
512	Reduced 3â€œmethylâ€œdopa levels in OCD patients and their unaffected parents is associated with the low activity M158 COMT allele. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 542-548.	1.7	3
513	European collaborative study of earlyâ€œonset bipolar disorder: Evidence for genetic heterogeneity on 2q14 according to age at onset. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1425-1433.	1.7	16
514	Preferential association between childhood emotional abuse and bipolar disorder. <i>Journal of Traumatic Stress</i> , 2010, 23, 376-383.	1.8	129
515	Search for copy number variants in chromosomes 15q11-q13 and 22q11.2 in obsessive compulsive disorder. <i>BMC Medical Genetics</i> , 2010, 11, 100.	2.1	14
516	Mutation screening of NOS1AP gene in a large sample of psychiatric patients and controls. <i>BMC Medical Genetics</i> , 2010, 11, 108.	2.1	31
517	Association of <i>AKT1</i> gene variants and protein expression in both schizophrenia and bipolar disorder. <i>Genes, Brain and Behavior</i> , 2010, 9, 503-511.	2.2	44
518	A SNAP25 promoter variant is associated with early-onset bipolar disorder and a high expression level in brain. <i>Molecular Psychiatry</i> , 2010, 15, 748-755.	7.9	70
519	Functional impact of global rare copy number variation in autism spectrum disorders. <i>Nature</i> , 2010, 466, 368-372.	27.8	1,803
520	COMT but not serotoninâ€œrelated genes modulates the influence of childhood abuse on anger traits. <i>Genes, Brain and Behavior</i> , 2010, 9, 193-202.	2.2	55
521	Identification of Pathway-Biased and Deleterious Melatonin Receptor Mutants in Autism Spectrum Disorders and in the General Population. <i>PLoS ONE</i> , 2010, 5, e11495.	2.5	59
522	A genome-wide scan for common alleles affecting risk for autism. <i>Human Molecular Genetics</i> , 2010, 19, 4072-4082.	2.9	538

#	ARTICLE	IF	CITATIONS
523	Influence of prefrontal target region on the efficacy of repetitive transcranial magnetic stimulation in patients with medication-resistant depression: a [18F]-fluorodeoxyglucose PET and MRI study. International Journal of Neuropsychopharmacology, 2010, 13, 45.	2.1	93
524	A SELF ADMINISTERED "ECOLOGICAL" QUESTIONNAIRE (BRIEF-A) PROVIDES A SENSITIVE MEASURE OF EXECUTIVE DEFICITS IN SCHIZOPHRENIC SUBJECTS. Schizophrenia Research, 2010, 117, 445.	2.0	0
525	Clinical predictors of response to olanzapine or risperidone during acute episode of schizophrenia. Psychiatry Research, 2010, 179, 12-18.	3.3	15
526	Memory for Self-Performed Actions in Individuals with Asperger Syndrome. PLoS ONE, 2010, 5, e13370.	2.5	37
527	Bipolar Disorder. Journal of Clinical Psychiatry, 2010, 71, 1689-1695.	2.2	147
528	Self-reported childhood trauma correlates with schizotypal measures in schizophrenia but not bipolar pedigrees. Psychological Medicine, 2009, 39, 365-370.	4.5	19
529	Admixture analysis of age at first suicide attempt. Journal of Psychiatric Research, 2009, 43, 895-900.	3.1	42
530	Possible association between the androgen receptor gene and autism spectrum disorder. Psychoneuroendocrinology, 2009, 34, 752-761.	2.7	58
531	Angiotensin converting enzyme I/D polymorphism and suicidal behaviors. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 290-294.	1.7	32
532	Faux Pas Detection and Intentional Action in Asperger Syndrome. A Replication on a French Sample. Journal of Autism and Developmental Disorders, 2009, 39, 373-382.	2.7	101
533	An investigation of ribosomal protein L10 gene in autism spectrum disorders. BMC Medical Genetics, 2009, 10, 7.	2.1	25
534	Psychiatric and psychosocial problems in adults with normal-intelligence autism spectrum disorders. BMC Psychiatry, 2009, 9, 35.	2.6	624
535	A genome-wide linkage and association scan reveals novel loci for autism. Nature, 2009, 461, 802-808.	27.8	570
536	Emotional hyper-reactivity in normothymic bipolar patients. Bipolar Disorders, 2009, 11, 63-69.	1.9	96
537	Cortical folding difference between patients with early-onset and patients with intermediate-onset bipolar disorder. Bipolar Disorders, 2009, 11, 361-370.	1.9	46
538	Microstructural white matter changes in euthymic bipolar patients: a whole-brain diffusion tensor imaging study. Bipolar Disorders, 2009, 11, 504-514.	1.9	92
539	Stimulus-reward association and reversal learning in individuals with Asperger Syndrome. Research in Autism Spectrum Disorders, 2009, 3, 913-923.	1.5	12
540	Étude des profils cognitifs chez les apparentés de personnes avec autisme: hypothèse d'un manque de flexibilité cognitive. Annales Medico-Psychologiques, 2009, 167, 704-708.	0.4	1

#	ARTICLE	IF	CITATIONS
541	Screening for Genomic Rearrangements and Methylation Abnormalities of the 15q11-q13 Region in Autism Spectrum Disorders. <i>Biological Psychiatry</i> , 2009, 66, 349-359.	1.3	133
542	Endogenous retrovirus type W GAG and ENV antigenaemia in serum of schizophrenic patients. <i>Retrovirology</i> , 2009, 6, P71.	2.0	1
543	Correlations between cognitive performances and psychotic or schizotypal dimensions. <i>European Psychiatry</i> , 2009, 24, 244-250.	0.2	25
544	Predictors of Treatment Response in Pediatric Obsessive-Compulsive Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 573.	0.5	0
545	Autism, language delay and mental retardation in a patient with 7q11 duplication. <i>BMJ Case Reports</i> , 2009, 2009, bcr0520091911-bcr0520091911.	0.5	3
546	Treatment Nonadherence and Neurocognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1017-1023.	2.2	108
547	Autisme, la piste g�n�tologique se confirme. <i>Enfance</i> , 2009, 2009, 93.	0.2	1
548	Cortical folding in patients with bipolar disorder or unipolar depression. <i>Journal of Psychiatry and Neuroscience</i> , 2009, 34, 127-35.	2.4	37
549	Autisme, la piste g�n�tologique se confirme. <i>Enfance</i> , 2009, N�� 1, 93-98.	0.2	2
550	Pharmacogenetic study of atypical antipsychotic drug response: Involvement of the norepinephrine transporter gene. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 491-494.	1.7	23
551	Analysis of X chromosome inactivation in autism spectrum disorders. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 830-835.	1.7	42
552	Interaction between BDNF Val66Met and childhood trauma on adult��s violent suicide attempt. <i>Genes, Brain and Behavior</i> , 2008, 7, 314-322.	2.2	99
553	Abnormal melatonin synthesis in autism spectrum disorders. <i>Molecular Psychiatry</i> , 2008, 13, 90-98.	7.9	423
554	Association between brain��derived neurotrophic factor gene and a severe form of bipolar disorder, but no interaction with the serotonin transporter gene. <i>Bipolar Disorders</i> , 2008, 10, 580-587.	1.9	60
555	Beyond genetics: childhood affective trauma in bipolar disorder. <i>Bipolar Disorders</i> , 2008, 10, 867-876.	1.9	202
556	Inter-hemispheric asymmetry of motor corticospinal excitability in major depression studied by transcranial magnetic stimulation. <i>Journal of Psychiatric Research</i> , 2008, 42, 389-398.	3.1	84
557	Association between the PPP3CC gene, coding for the calcineurin gamma catalytic subunit, and bipolar disorder. <i>Behavioral and Brain Functions</i> , 2008, 4, 2.	3.3	27
558	Endogenous Retrovirus Type W GAG and Envelope Protein Antigenemia in Serum of Schizophrenic Patients. <i>Biological Psychiatry</i> , 2008, 64, 1019-1023.	1.3	113

#	ARTICLE	IF	CITATIONS
559	Four-Factor Structure of Obsessive-Compulsive Disorder Symptoms in Children, Adolescents, and Adults. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008, 47, 763-772.	0.5	88
560	Affective lability and affect intensity as core dimensions of bipolar disorders during euthymic period. <i>Psychiatry Research</i> , 2008, 159, 1-6.	3.3	185
561	Executive deficits in psychotic and bipolar disorders – Implications for our understanding of schizoaffective disorder. <i>European Psychiatry</i> , 2008, 23, 20-25.	0.2	68
562	Handedness and schizotypal features in healthy subjects. <i>World Journal of Biological Psychiatry</i> , 2008, 9, 121-125.	2.6	8
563	Longitudinal studies of cognition in schizophrenia: Meta-analysis. <i>British Journal of Psychiatry</i> , 2008, 192, 248-257.	2.8	287
564	Diagn�sticos psiqui�tricos y rasgos de personalidad asociados con el deterioro de la capacidad de toma de decisiones. <i>European Psychiatry (Ed Espa�ola)</i> , 2008, 15, 23-30.	0.0	0
565	A Genetic Family-Based Association Study of OLIG2 in Obsessive-compulsive Disorder. <i>Archives of General Psychiatry</i> , 2007, 64, 209.	12.3	94
566	Autism, language delay and mental retardation in a patient with 7q11 duplication. <i>Journal of Medical Genetics</i> , 2007, 44, 452-458.	3.2	75
567	Fronto-Striatal Overactivation in Euthymic Bipolar Patients During an Emotional Go/NoGo Task. <i>American Journal of Psychiatry</i> , 2007, 164, 638-646.	7.2	186
568	Prefrontal cortex dysfunction in patients with suicidal behavior. <i>Psychological Medicine</i> , 2007, 37, 411.	4.5	118
569	Shared executive dysfunctions in unaffected relatives of patients with autism and obsessive-compulsive disorder. <i>European Psychiatry</i> , 2007, 22, 32-38.	0.2	106
570	Psychiatric diagnoses and personality traits associated with disadvantageous decision-making. <i>European Psychiatry</i> , 2007, 22, 455-461.	0.2	91
571	Evidence for Two Types of Bipolar Depression Using a Dimensional Approach. <i>Psychotherapy and Psychosomatics</i> , 2007, 76, 325-331.	8.8	44
572	Schizotypal dimensions: An intermediate phenotype associated with the COMT high activity allele. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 64-68.	1.7	52
573	Mutation screening of the ARX gene in patients with autism. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 228-230.	1.7	24
574	The influence of four serotonin-related genes on decision-making in suicide attempters. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 615-624.	1.7	78
575	Mutation screening of the PTEN gene in patients with autism spectrum disorders and macrocephaly. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 484-491.	1.7	248
576	Association of the SLC1A1 glutamate transporter gene and obsessive-compulsive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 1027-1033.	1.7	165

#	ARTICLE	IF	CITATIONS
577	Mutation analysis of the NSD1 gene in patients with autism spectrum disorders and macrocephaly. BMC Medical Genetics, 2007, 8, 68.	2.1	20
578	Mutations in the gene encoding the synaptic scaffolding protein SHANK3 are associated with autism spectrum disorders. Nature Genetics, 2007, 39, 25-27.	21.4	1,408
579	Mapping autism risk loci using genetic linkage and chromosomal rearrangements. Nature Genetics, 2007, 39, 319-328.	21.4	1,272
580	Tryptophan hydroxylase 2 (TPH2) haplotypes predict levels of TPH2 mRNA expression in human pons. Molecular Psychiatry, 2007, 12, 491-501.	7.9	124
581	Increased white matter connectivity in euthymic bipolar patients: diffusion tensor tractography between the subgenual cingulate and the amygdalo-hippocampal complex. Molecular Psychiatry, 2007, 12, 1001-1010.	7.9	162
582	No evidence for physical anhedonia as a candidate symptom or an endophenotype in bipolar affective disorder. Bipolar Disorders, 2007, 9, 706-712.	1.9	19
583	Social phobia is associated with suicide attempt history in bipolar inpatients. Bipolar Disorders, 2007, 9, 713-721.	1.9	46
584	Patients' health literacy in psychotic disorders. Neuropsychiatric Disease and Treatment, 2007, 3, 511-7.	2.2	2
585	No Human Tryptophan Hydroxylase-2 Gene R441H Mutation in a Large Cohort of Psychiatric Patients and Control Subjects. Biological Psychiatry, 2006, 60, 202-203.	1.3	49
586	Memory tests in first-degree adult relatives of schizophrenic patients: A meta-analysis. Schizophrenia Research, 2006, 81, 217-226.	2.0	63
587	Therapeutic and neurophysiologic aspects of transcranial magnetic stimulation in schizophrenia. Neurophysiologie Clinique, 2006, 36, 185-194.	2.2	20
588	Familial resemblance for executive functions in families of schizophrenic and bipolar patients. Psychiatry Research, 2006, 144, 131-138.	3.3	56
589	Genome-wide scan for genes involved in bipolar affective disorder in 70 European families ascertained through a bipolar type I early-onset proband: supportive evidence for linkage at 3p14. Molecular Psychiatry, 2006, 11, 685-694.	7.9	68
590	Exploratory analysis of obsessive compulsive symptom dimensions in children and adolescents: a Prospective follow-up study. BMC Psychiatry, 2006, 6, 1.	2.6	140
591	Expression and genetic variability of PCDH11Y, a gene specific to Homo sapiens and candidate for susceptibility to psychiatric disorders. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 67-70.	1.7	46
592	Lack of influence of COMT and NET genes variants on executive functions in schizophrenic and bipolar patients, their first-degree relatives and controls. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 504-512.	1.7	37
593	Preserved Subliminal Processing and Impaired Conscious Access in Schizophrenia. Archives of General Psychiatry, 2006, 63, 1313-23.	12.3	88
594	Autism and autistics disorders. , 2006, , 249-263.		0

#	ARTICLE	IF	CITATIONS
595	Tests of executive functions in first-degree relatives of schizophrenic patients: a meta-analysis. <i>Psychological Medicine</i> , 2005, 35, 771-782.	4.5	111
596	Early-onset obsessive-compulsive disorder: a subgroup with a specific clinical and familial pattern?. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2005, 46, 881-887.	5.2	119
597	Age at onset in bipolar affective disorders: a review. <i>Bipolar Disorders</i> , 2005, 7, 111-118.	1.9	266
598	Support for the association between the rare functional variant I425V of the serotonin transporter gene and susceptibility to obsessive compulsive disorder. <i>Molecular Psychiatry</i> , 2005, 10, 1059-1061.	7.9	46
599	Population-based and family-based association study of 5'UTR polymorphism of the reelin gene and schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005, 137B, 51-55.	1.7	40
600	Suicidal disorders: A nosological entity per se?. <i>American Journal of Medical Genetics, Part C: Seminars in Medical Genetics</i> , 2005, 133C, 3-7.	1.6	31
601	Platelet Serotonergic Markers as Endophenotypes for Obsessive-Compulsive Disorder. <i>Neuropsychopharmacology</i> , 2005, 30, 1539-1547.	5.4	32
602	Impaired Decision Making in Suicide Attempters. <i>American Journal of Psychiatry</i> , 2005, 162, 304-310.	7.2	457
603	Schizotypal dimensions: Continuity between schizophrenia and bipolar disorders. <i>Schizophrenia Research</i> , 2005, 80, 235-242.	2.0	68
604	Admixture analysis of age at onset in obsessive-compulsive disorder. <i>Psychological Medicine</i> , 2005, 35, 237-243.	4.5	113
605	Antidepressant-induced Mania, Rapid Cycling and the Serotonin Transporter Gene Polymorphism. <i>Pharmacopsychiatry</i> , 2005, 38, .	3.3	0
606	Abnormal cortical voice processing in autism. <i>Nature Neuroscience</i> , 2004, 7, 801-802.	14.8	444
607	No association between DUP25 and anxiety disorders. <i>American Journal of Medical Genetics Part A</i> , 2004, 128B, 80-83.	2.4	16
608	Lack of association between 5HT2A receptor gene haplotype, bipolar disorder and its clinical subtypes in a West European sample. <i>American Journal of Medical Genetics Part A</i> , 2004, 129B, 29-33.	2.4	23
609	Admixture analysis of age at onset in schizophrenia. <i>Schizophrenia Research</i> , 2004, 71, 35-41.	2.0	53
610	Lack of evidence for association between serotonin transporter gene (5-HTTLPR) and obsessive-compulsive disorder by case control and family association study in humans. <i>Neuroscience Letters</i> , 2004, 363, 154-156.	2.1	51
611	Executive dysfunctions as potential markers of familial vulnerability to bipolar disorder and schizophrenia. <i>Psychiatry Research</i> , 2004, 121, 207-217.	3.3	198
612	Platelet Serotonergic Predictors of Clinical Improvement in Obsessive Compulsive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2004, 24, 18-23.	1.4	26

#	ARTICLE	IF	CITATIONS
613	Maternal transmission disequilibrium of the glutamate receptor GRIK2 in schizophrenia. <i>NeuroReport</i> , 2004, 15, 1987-1991.	1.2	56
614	Frequency and transmission of glutamate receptors GRIK2 and GRIK3 polymorphisms in patients with obsessive compulsive disorder. <i>NeuroReport</i> , 2004, 15, 699-702.	1.2	82
615	Bipolar Patients With Suicidal Behavior. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 1035-1039.	2.2	120
616	Searching for Alternative Phenotypes in Psychiatric Genetics. , 2003, 77, 145-162.		23
617	Association between the dopamine receptor D4 (DRD4) gene and obsessive-compulsive disorder. <i>American Journal of Medical Genetics Part A</i> , 2003, 116B, 55-59.	2.4	74
618	Apolipoprotein E in schizophrenia: A French association study and meta-analysis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2003, 119B, 18-23.	1.7	23
619	Analysis of transmission of novel polymorphisms in the somatostatin receptor 5 (SSTR5) gene in patients with autism. <i>American Journal of Medical Genetics Part A</i> , 2003, 121B, 100-104.	2.4	7
620	Antidepressant-induced mania, rapid cycling and the serotonin transporter gene polymorphism. <i>Pharmacogenomics Journal</i> , 2003, 3, 101-104.	2.0	92
621	Mutations of the X-linked genes encoding neuroligins NLGN3 and NLGN4 are associated with autism. <i>Nature Genetics</i> , 2003, 34, 27-29.	21.4	1,612
622	Anhedonia in schizophrenia: a distinct familial subtype?. <i>Schizophrenia Research</i> , 2003, 61, 59-66.	2.0	52
623	Emotional hyper-reactivity as a fundamental mood characteristic of manic and mixed states. <i>European Psychiatry</i> , 2003, 18, 124-128.	0.2	47
624	Conscious and subliminal conflicts in normal subjects and patients with schizophrenia: The role of the anterior cingulate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 13722-13727.	7.1	191
625	Age at Onset in Bipolar I Affective Disorder: Further Evidence for Three Subgroups. <i>American Journal of Psychiatry</i> , 2003, 160, 999-1001.	7.2	206
626	Familial Aggregation of Delusional Proneness in Schizophrenia and Bipolar Pedigrees. <i>American Journal of Psychiatry</i> , 2003, 160, 1313-1319.	7.2	72
627	Anxiety Disorders in 318 Bipolar Patients. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 331-335.	2.2	160
628	Temperamento en la esquizofrenia: un estudio del Cuestionario Tridimensional de la Personalidad (TPQ). <i>European Psychiatry (Ed Espa�ola)</i> , 2003, 10, 243-247.	0.0	0
629	Anxiety disorders in 318 bipolar patients: prevalence and impact on illness severity and response to mood stabilizer. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 331-5.	2.2	46
630	Y chromosome haplogroups in autistic subjects. <i>Molecular Psychiatry</i> , 2002, 7, 217-219.	7.9	44

#	ARTICLE	IF	CITATIONS
631	Linkage and association of the glutamate receptor 6 gene with autism. <i>Molecular Psychiatry</i> , 2002, 7, 302-310.	7.9	279
632	Serotonin transporter gene polymorphisms and hyperserotonemia in autistic disorder. <i>Molecular Psychiatry</i> , 2002, 7, 67-71.	7.9	127
633	Serotonin transporter gene polymorphisms and affective disorder-related phenotypes. <i>Current Opinion in Psychiatry</i> , 2002, 15, 49-58.	6.3	18
634	Fringe phenotypes in autism: a review of clinical, biochemical and cognitive studies. <i>European Psychiatry</i> , 2002, 17, 120-128.	0.2	46
635	Temperament in schizophrenia: a study of the tridimensional personality questionnaire (TPQ). <i>European Psychiatry</i> , 2002, 17, 379-383.	0.2	41
636	Automatic recognition of cerebral sulci in schizophrenia using a congregation of neural networks. <i>European Neuropsychopharmacology</i> , 2002, 12, 330-331.	0.7	0
637	Increased Rate of Twins among Affected Sibling Pairs with Autism. <i>American Journal of Human Genetics</i> , 2002, 70, 1381-1383.	6.2	50
638	Serotonin transporter gene polymorphism influences age at onset in patients with bipolar affective disorder. <i>Neuroscience Letters</i> , 2002, 334, 17-20.	2.1	53
639	Fenotipos marginales en el autismo: una revisión de los estudios clínicos, bioquímicos y cognitivos. <i>European Psychiatry (Ed Española)</i> , 2002, 9, 421-429.	0.0	0
640	Mid-morning Tryptophan Depletion Delays REM Sleep Onset in Healthy Subjects. <i>Neuropsychopharmacology</i> , 2002, 27, 843-851.	5.4	32
641	Association between the COMT locus and obsessive-compulsive disorder in females but not males. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 116-120.	2.4	107
642	Analysis of ten candidate genes in autism by association and linkage. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 125-128.	2.4	20
643	Investigation of two variants in the DOPA decarboxylase gene in patients with autism. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 466-470.	2.4	12
644	Absence of association between a polymorphic GGC repeat in the 5' untranslated region of the reelin gene and autism. <i>Molecular Psychiatry</i> , 2002, 7, 801-804.	7.9	96
645	Serotonin transporter gene polymorphisms and hyperserotonemia in autistic disorder. <i>Molecular Psychiatry</i> , 2002, 7, 67-71.	7.9	55
646	Bipolar sensation seeking is associated with a propensity to abuse rather than to temperamental characteristics. <i>European Psychiatry</i> , 2001, 16, 289-292.	0.2	24
647	Clinical and neurochemical effect of acute tryptophan depletion in unaffected relatives of patients with bipolar affective disorder. <i>Biological Psychiatry</i> , 2001, 50, 184-190.	1.3	49
648	Antidepressant-Induced Mania in Bipolar Patients: Identification of Risk Factors. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 249-255.	2.2	151

#	ARTICLE	IF	CITATIONS
649	Suicide attempts and the tryptophan hydroxylase gene. <i>Molecular Psychiatry</i> , 2001, 6, 268-273.	7.9	84
650	Admixture Analysis of Age at Onset in Bipolar I Affective Disorder. <i>Archives of General Psychiatry</i> , 2001, 58, 510-512.	12.3	147
651	Toward a modern search for schizophrenia genes. <i>Dialogues in Clinical Neuroscience</i> , 2001, 3, 99-108.	3.7	1
652	La búsqueda de sensaciones bipolar se asocia con una propensión al abuso más bien que a características temperamentales. <i>European Psychiatry (Ed Española)</i> , 2001, 8, 531-535.	0.0	0
653	Association Between Bipolar Disorder and Monoamine Oxidase A Gene Polymorphisms: Results of a Multicenter Study. <i>American Journal of Psychiatry</i> , 2000, 157, 948-955.	7.2	125
654	Information processing deficits in relatives of manic depressive patients. <i>Psychological Medicine</i> , 2000, 30, 545-555.	4.5	57
655	Early and late onset bipolar disorders: two different forms of manic-depressive illness?. <i>Journal of Affective Disorders</i> , 2000, 58, 215-221.	4.1	255
656	Opiate antagonists in children and adolescents. <i>European Child and Adolescent Psychiatry</i> , 2000, 9, S44-S50.	4.7	28
657	Low serum cholesterol in violent but not in non-violent suicide attempters. <i>Psychiatry Research</i> , 2000, 95, 103-108.	3.3	77
658	The DRD2 gene and the risk for alcohol dependence in bipolar patients. <i>European Psychiatry</i> , 2000, 15, 103-108.	0.2	21
659	388. From candidate symptoms and endophenotypes to candidate genes. <i>Biological Psychiatry</i> , 2000, 47, S118.	1.3	0
660	Possible association between serotonin transporter gene polymorphism and violent suicidal behavior in mood disorders. <i>Biological Psychiatry</i> , 2000, 48, 319-322.	1.3	143
661	El gen de DRD2 y el riesgo de dependencia de alcohol en pacientes bipolares. <i>European Psychiatry (Ed) Tj ETQq1 1 0.784314 ggBT /Over</i>	0.0	0
662	Towards a Cognitive Phenotype for Autism: Increased Prevalence of Executive Dysfunction and Superior Spatial Span amongst Siblings of Children with Autism. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1999, 40, 705-718.	5.2	136
663	Decreased platelet serotonin transporter sites and increased platelet inositol triphosphate levels in patients with unipolar depression: Effects of clomipramine and fluoxetine. <i>Clinical Pharmacology and Therapeutics</i> , 1999, 66, 617-624.	4.7	76
664	Temperament in bipolar illness: impact on prognosis. <i>Journal of Affective Disorders</i> , 1999, 56, 103-108.	4.1	53
665	Neuropsychological profiles of FMR-1 premutation and full-mutation carrier females. <i>Psychiatry Research</i> , 1999, 87, 223-231.	3.3	46
666	Whole blood serotonin and plasma beta-endorphin in autistic probands and their first-degree relatives. <i>Biological Psychiatry</i> , 1999, 45, 158-163.	1.3	170

#	ARTICLE	IF	CITATIONS
667	Decreased serotonin transporter binding in unaffected relatives of manic depressive patients. Biological Psychiatry, 1999, 46, 1703-1706.	1.3	27
668	Genome-Wide Scan for Autism Susceptibility Genes. Human Molecular Genetics, 1999, 8, 805-812.	2.9	453
669	Chapter 5.2 Defining phenotypes for psychiatric genetics. Handbook of Behavioral Neuroscience, 1999, 13, 773-782.	0.0	0
670	Towards a Cognitive Phenotype for Autism: Increased Prevalence of Executive Dysfunction and Superior Spatial Span amongst Siblings of Children with Autism. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1999, 40, 705-718.	5.2	18
671	Towards a cognitive phenotype for autism: increased prevalence of executive dysfunction and superior spatial span amongst siblings of children with autism. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1999, 40, 705-18.	5.2	47
672	CAG repeat sequences in bipolar affective disorder: No evidence for association in a french population. American Journal of Medical Genetics Part A, 1998, 81, 338-341.	2.4	38
673	Methodological problems in meta-analysis of association studies between bipolar affective disorder and the tyrosine hydroxylase gene. , 1998, 81, 349-350.		11
674	Genotype-phenotype relationship in female carriers of the premutation and full mutation of FMR-1. Psychiatry Research, 1998, 80, 113-127.	3.3	165
675	Age at onset and gender resemblance in bipolar siblings. Psychiatry Research, 1998, 81, 125-131.	3.3	46
676	Serotonin transporter gene polymorphisms in patients with unipolar or bipolar depression. Neuroscience Letters, 1998, 255, 143-146.	2.1	123
677	No association between dopamine D1, D2, and D3 receptor genes and manic-depressive illness. Biological Psychiatry, 1998, 44, 644-647.	1.3	28
678	Psychiatric genetics: search for phenotypes. Trends in Neurosciences, 1998, 21, 102-105.	8.6	303
679	Association Between the Tryptophan Hydroxylase Gene and Manic-depressive Illness. Archives of General Psychiatry, 1998, 55, 33.	12.3	189
680	Génétique et psychiatrie : À la recherche de phénotypes.. Medecine/Sciences, 1998, 14, 1406.	0.2	2
681	Un estudio de la prevalencia anual de la esquizofrenia en la Isla Reunión. European Psychiatry (Ed) Tj ETQq1 1 0.784314 rgBTj /Overlock 0.0	0.0	
682	Executive function in parents of children with autism. Psychological Medicine, 1997, 27, 209-220.	4.5	151
683	A one year prevalence study of schizophrenia on Reunion Island. European Psychiatry, 1997, 12, 284-288.	0.2	6
684	Manic Depressive Illness and Tyrosine Hydroxylase Gene: Linkage Heterogeneity and Association. Neurobiology of Disease, 1997, 4, 337-349.	4.4	20

#	ARTICLE	IF	CITATIONS
685	Further epidemiological evidence for anticipation in schizophrenia. Biomedicine and Pharmacotherapy, 1997, 51, 376-380.	5.6	15
686	Serotonin transporter gene and manic depressive illness: An association study. Biological Psychiatry, 1997, 41, 750-752.	1.3	59
687	A preliminary study on early onset schizophrenia and bipolar disorder: large polyglutamine expansions are not involved. Psychiatry Research, 1997, 72, 141-144.	3.3	18
688	Apolipoprotein E gene polymorphism in early and late onset bipolar patients. Neuroscience Letters, 1997, 233, 45-48.	2.1	42
689	Diagnosing autism: analyses of data from the Autism Diagnostic Interview. Journal of Autism and Developmental Disorders, 1997, 27, 501-517.	2.7	324
690	S�ndrome del cromosoma X fr�gil. I. Una idea general sobre su mecanismo gen�tico. European Psychiatry (Ed Espa�ola), 1997, 4, 98-104.	0.0	0
691	Fragile X syndrome. I. An overview on its genetic mechanism. European Psychiatry, 1996, 11, 227-232.	0.2	2
692	Fragile X syndrome. II. Cognitive and behavioral correlates of mutations of the FMR-1 gene. European Psychiatry, 1996, 11, 233-243.	0.2	7
693	Anticipation in schizophrenia: New light on a controversial problem. European Psychiatry, 1996, 11, 221s-222s.	0.2	1
694	Anticipation in schizophrenia: new light on a controversial problem [published erratum appears in Am J Psychiatry 1997 Apr;154(4):590]. American Journal of Psychiatry, 1996, 153, 1173-1177.	7.2	52
695	Adenylosuccinate lyase (ADSL) and infantile autism: Absence of previously reported point mutation. American Journal of Medical Genetics Part A, 1995, 60, 554-557.	2.4	21
696	Micro-analysis of Social Interactions between Autistic Children and Normal Adults in Semi-structured Play Situations. International Journal of Behavioral Development, 1995, 18, 727-747.	2.4	32
697	Gender and age at onset in schizophrenia: impact of family history. American Journal of Psychiatry, 1995, 152, 208-212.	7.2	86
698	Verbal versus visuospatial abilities in relatives of autistic females. Developmental Neuropsychology, 1995, 11, 139-155.	1.4	23
699	Low-dose naltrexone effects on plasma chemistries and clinical symptoms in autism: a double-blind, placebo-controlled study. Psychiatry Research, 1995, 58, 191-201.	3.3	107
700	Association of manic-depressive illness with tyrosine hydroxylase microsatellite marker. Lancet, The, 1995, 345, 932.	13.7	73
701	Verbal Skills in Relatives of Autistic Females. Cortex, 1995, 31, 723-733.	2.4	26
702	SPECT OF THE BRAIN IN CHILDHOOD AUTISM: EVIDENCE FOR A LACK OF NORMAL HEMISPHERIC ASYMMETRY. Developmental Medicine and Child Neurology, 1995, 37, 849-860.	2.1	125

#	ARTICLE	IF	CITATIONS
703	Difference between plasma N- and C-terminally directed beta-endorphin immunoreactivity in infantile autism. American Journal of Psychiatry, 1994, 151, 1797-1801.	7.2	54
704	Naltrexone in infantile autism. Journal of Autism and Developmental Disorders, 1994, 24, 236-239.	2.7	2
705	Is Rett syndrome a chromosome breakage syndrome?. American Journal of Medical Genetics Part A, 1994, 51, 602-605.	2.4	10
706	Endogenous opioids and childhood autism. Regulatory Peptides, 1994, 53, S169-S170.	1.9	1
707	Failure to find evidence for linkage or association between the dopamine D3 receptor gene and schizophrenia. American Journal of Psychiatry, 1994, 151, 107-111.	7.2	46
708	Allergic sensitization in infantile autism. Journal of Autism and Developmental Disorders, 1993, 23, 419-420.	2.7	13
709	A SCAN-SADS comparison study of psychotic subjects and their first-degree relatives. European Archives of Psychiatry and Clinical Neuroscience, 1993, 242, 352-356.	3.2	13
710	Possible association of c-harvey-ras-1 (HRAS-1) marker with autism. Psychiatry Research, 1993, 46, 261-267.	3.3	53
711	No gender effect on age at onset in familial schizophrenia?. American Journal of Psychiatry, 1992, 149, 1409a-1409.	7.2	14
712	Evidence for a Pseudoautosomal Locus for Schizophrenia. British Journal of Psychiatry, 1992, 161, 59-62.	2.8	62
713	Failure to replicate linkage between chromosome 5q11-q13 markers and schizophrenia in 28 families. Psychiatry Research, 1992, 44, 171-179.	3.3	7
714	Relationship of HLA to Schizophrenia not supported in multiplex families. Psychiatry Research, 1992, 41, 99-105.	3.3	14
715	Clinical subtypes and age at onset in schizophrenic siblings. Psychiatry Research, 1992, 41, 107-114.	3.3	27
716	Evidence for a Pseudoautosomal Locus for Schizophrenia. British Journal of Psychiatry, 1992, 161, 55-58.	2.8	31
717	Confirmation of linkage of benign familial neonatal convulsions to D20S19 and D20S20. Human Genetics, 1992, 89, 54-58.	3.8	88
718	Brief report: A double-blind study of naltrexone in infantile autism. Journal of Autism and Developmental Disorders, 1992, 22, 309-319.	2.7	120
719	Family Studies of Affective Disorders with 11p15.5 DNA Markers. , 1992, , 164-172.		2
720	Naltrexone open trial with a 5-year-old-boy. A social rebound reaction. Acta Paedopsychiatrica, 1992, 55, 169-73.	0.1	3

#	ARTICLE	IF	CITATIONS
721	Cytogenetic studies of familial schizophrenics. Biological Psychiatry, 1991, 29, 624-625.	1.3	12
722	Collaborative Strategies in the Molecular Genetics of the Major Psychoses. British Journal of Psychiatry, 1991, 158, 605-610.	2.8	26
723	Absence of linkage between chromosome 11p15 markers and manic- depressive illness in a Belgian pedigree. American Journal of Psychiatry, 1991, 148, 1683-1687.	7.2	50
724	The reliability of the SADS-LA in a family study setting. European Archives of Psychiatry and Clinical Neuroscience, 1991, 241, 165-169.	3.2	71
725	Sampling strategy in linkage studies of affective disorders. Psychological Medicine, 1990, 20, 573-579.	4.5	7
726	Tyrosine hydroxylase polymorphisms associated with manic-depressive illness. Lancet, The, 1990, 335, 1219.	13.7	101
727	Subtyping familial schizophrenia: Reliability, concordance, and stability. Psychiatry Research, 1990, 34, 77-88.	3.3	14
728	EFFECT OF THE TFM MUTATION ON HANDEDNESS IN MICE. Journal of Endocrinology, 1989, 121, R5-R7.	2.6	12
729	Two TaqI dimorphk sites at the human β^2 -hydroxylase locus. Nucleic Acids Research, 1989, 17, 5871-5871.	14.5	13
730	Performance of linkage analysis under misclassification error when the genetic model is unknown. Genetic Epidemiology, 1989, 6, 253-258.	1.3	40
731	Hemisphere asymmetry of alpha burst sequential organization in depression. International Journal of Psychophysiology, 1989, 8, 169-183.	1.0	5
732	Is autism associated with anomalous dominance?. Journal of Autism and Developmental Disorders, 1988, 18, 539-551.	2.7	24
733	EFFECTS OF NALTREXONE ON INFANTILE AUTISM. Lancet, The, 1988, 331, 715.	13.7	47
734	Pharmacological properties of acutorphan, a parenterally active "enkephalinase" inhibitor. Journal of Pharmacology and Experimental Therapeutics, 1986, 237, 937-44.	2.5	115
735	Reduced platelet serotonin in depression. Psychiatry Research, 1984, 13, 129-139.	3.3	86
736	Linkage and association of the glutamate receptor 6 gene with autism. , 0, .		3
737	C-Reactive Protein in Bipolar Disorder in an Indian Clinical Setting. Journal of Clinical and Diagnostic Research JCDR, 0, , .	0.8	1
738	Clinical Features and Outcomes of COVID-19 Patients Hospitalized for Psychiatric Disorders: A French Multi-Centered Prospective Observational Study. SSRN Electronic Journal, 0, , .	0.4	0