

Laura Mandelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2263203/publications.pdf>

Version: 2024-02-01

42
papers

2,165
citations

331670

21
h-index

276875

41
g-index

42
all docs

42
docs citations

42
times ranked

3571
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of specific early trauma in adult depression: A meta-analysis of published literature. Childhood trauma and adult depression. <i>European Psychiatry</i> , 2015, 30, 665-680.	0.2	393
2	Genetic dissection of psychopathological symptoms: Insomnia in mood disorders and CLOCK gene polymorphism. <i>American Journal of Medical Genetics Part A</i> , 2003, 121B, 35-38.	2.4	228
3	Serotonin Transporter Gene Variants and Behavior: A Comprehensive Review. <i>Current Drug Targets</i> , 2006, 7, 1659-1669.	2.1	190
4	Insomnia improvement during antidepressant treatment and CLOCK gene polymorphism. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005, 137B, 36-39.	1.7	146
5	Gene environment interaction studies in depression and suicidal behavior: An update. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 2375-2397.	6.1	143
6	Interaction between serotonin transporter gene, catechol-O-methyltransferase gene and stressful life events in mood disorders. <i>International Journal of Neuropsychopharmacology</i> , 2007, 10, 437.	2.1	111
7	The association between electrodermal activity (EDA), depression and suicidal behaviour: A systematic review and narrative synthesis. <i>BMC Psychiatry</i> , 2018, 18, 22.	2.6	107
8	Psychometric characteristic of the Italian version of the Temperament and Character Inventory—Revised, personality, psychopathology, and attachment styles. <i>Comprehensive Psychiatry</i> , 2008, 49, 514-522.	3.1	81
9	Temperament and Character in Mood Disorders: Influence of DRD4, SERTPR, TPH and MAO-A Polymorphisms. <i>Neuropsychobiology</i> , 2006, 53, 9-16.	1.9	75
10	Clinical features, response to treatment and functional outcome of bipolar disorder patients with and without co-occurring substance use disorder: 1-year follow-up. <i>Journal of Affective Disorders</i> , 2009, 115, 27-35.	4.1	70
11	The influence of childhood trauma on the onset and repetition of suicidal behavior: An investigation in a high risk sample of male prisoners. <i>Journal of Psychiatric Research</i> , 2011, 45, 742-747.	3.1	67
12	Suicide attempts in eating disorder subtypes: a meta-analysis of the literature employing DSM-IV, DSM-5, or ICD-10 diagnostic criteria. <i>Psychological Medicine</i> , 2019, 49, 1237-1249.	4.5	45
13	Interaction between SERTPR and stressful life events on response to antidepressant treatment. <i>European Neuropsychopharmacology</i> , 2009, 19, 64-67.	0.7	42
14	Harm avoidance moderates the influence of serotonin transporter gene variants on treatment outcome in bipolar patients. <i>Journal of Affective Disorders</i> , 2009, 119, 205-209.	4.1	39
15	MDR1 gene polymorphisms and response to acute risperidone treatment. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 387-392.	4.8	35
16	Improvement of cognitive functioning in mood disorder patients with depressive symptomatic recovery during treatment: An exploratory analysis. <i>Psychiatry and Clinical Neurosciences</i> , 2006, 60, 598-604.	1.8	33
17	The 3111T/C Polymorphism Interacts With Stressful Life Events to Influence Patterns of Sleep in Females. <i>Chronobiology International</i> , 2012, 29, 891-897.	2.0	33
18	The role of serotonergic genes and environmental stress on the development of depressive symptoms and neuroticism. <i>Journal of Affective Disorders</i> , 2012, 142, 82-89.	4.1	32

#	ARTICLE	IF	CITATIONS
19	Neuroticism, social network, stressful life events: Association with mood disorders, depressive symptoms and suicidal ideation in a community sample of women. <i>Psychiatry Research</i> , 2015, 226, 38-44.	3.3	31
20	Rates of comorbid obsessive-compulsive disorder in eating disorders: A meta-analysis of the literature. <i>Journal of Affective Disorders</i> , 2020, 277, 927-939.	4.1	31
21	Bipolar II disorder as a risk factor for postpartum depression. <i>Journal of Affective Disorders</i> , 2016, 204, 54-58.	4.1	30
22	Genes Involved in Neurodevelopment, Neuroplasticity, and Bipolar Disorder: CACNA1C, CHRNA1, and MAPK1. <i>Neuropsychobiology</i> , 2016, 74, 159-168.	1.9	23
23	Antidepressant response in the elderly. <i>Psychiatry Research</i> , 2007, 152, 37-44.	3.3	20
24	Role of Substance Abuse Comorbidity and Personality on the Outcome of Depression in Bipolar Disorder: Harm Avoidance Influences Medium-Term Treatment Outcome. <i>Psychopathology</i> , 2012, 45, 174-178.	1.5	18
25	Further evidence supporting the influence of brain-derived neurotrophic factor on the outcome of bipolar depression: independent effect of brain-derived neurotrophic factor and harm avoidance. <i>Journal of Psychopharmacology</i> , 2010, 24, 1747-1754.	4.0	16
26	The Impact of a Single Nucleotide Polymorphism in SIGMAR1 on Depressive Symptoms in Major Depressive Disorder and Bipolar Disorder. <i>Advances in Therapy</i> , 2017, 34, 713-724.	2.9	15
27	Age of Onset in Schizophrenia Spectrum Disorders: Complex Interactions between Genetic and Environmental Factors. <i>Psychiatry Investigation</i> , 2016, 13, 247.	1.6	15
28	Neuroplasticity, Neurotransmission and Brain-Related Genes in Major Depression and Bipolar Disorder: Focus on Treatment Outcomes in an Asiatic Sample. <i>Advances in Therapy</i> , 2018, 35, 1656-1670.	2.9	14
29	Genes Involved in Neurodevelopment, Neuroplasticity and Major Depression: No Association for <i>CACNA1C</i> , <i>CHRNA7</i> and <i>MAPK1</i> . <i>Clinical Psychopharmacology and Neuroscience</i> , 2019, 17, 364-368.	2.0	12
30	Genes involved in neuroplasticity and stressful life events act on the short-term response to antidepressant treatment: a complex interplay between genetics and environment. <i>Human Psychopharmacology</i> , 2014, 29, 388-391.	1.5	11
31	Schizophrenia: genetics, prevention and rehabilitation. <i>Acta Neuropsychiatrica</i> , 2009, 21, 109-120.	2.1	9
32	Role of synaptosome-related (SNARE) genes in adults with attention deficit hyperactivity disorder. <i>Psychiatry Research</i> , 2014, 215, 799-800.	3.3	8
33	High occupational level is associated with poor response to treatment of depression. <i>European Neuropsychopharmacology</i> , 2016, 26, 1320-1326.	0.7	8
34	Opinion paper: poor response to treatment of depression in people in high occupational levels. <i>Psychological Medicine</i> , 2019, 49, 49-54.	4.5	8
35	Bipolar disorder: "pure" versus mixed depression over a 1-year follow-up. <i>International Journal of Psychiatry in Clinical Practice</i> , 2012, 16, 113-120.	2.4	7
36	<i>ZNF804A</i> Gene Variants Have a Cross-diagnostic Influence on Psychosis and Treatment Improvement in Mood Disorders. <i>Clinical Psychopharmacology and Neuroscience</i> , 2020, 18, 231-240.	2.0	5

#	ARTICLE	IF	CITATIONS
37	Impact of 5-HTTLPR Polymorphism on Alexithymia in Alcoholic Patients After Detoxification Treatment. <i>Journal of Addiction Medicine</i> , 2013, 7, 372-373.	2.6	4
38	Psychopathological Features of Bipolar Depression: Italian Validation of the Bipolar Depression Rating Scale (I-BDRS). <i>Frontiers in Psychology</i> , 2018, 9, 1047.	2.1	4
39	High occupational level is associated with poor response to the treatment of depression: A replication study. <i>European Neuropsychopharmacology</i> , 2019, 29, 349-355.	0.7	3
40	Possible Modulatory Role of ARC Gene Variants in Mood Disorders. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 46-52.	2.0	2
41	Low-activity alleles of the MAOA gene are associated with measures of hostility. <i>Psychiatric Genetics</i> , 2015, 25, 215.	1.1	1
42	Corrigendum to: "TAAR6 variation effect on clinic presentation and outcome in a sample of schizophrenic in-patients: An open label study" [Eur Psychiatr 2008;23:390-5]. <i>European Psychiatry</i> , 2009, 24, 64-64.	0.2	0