
Laura Mandelli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2263203/publications.pdf Version: 2024-02-01



Ι λιίρλ Μλνισει ι

#	Article	IF	CITATIONS
1	Possible Modulatory Role of ARC Gene Variants in Mood Disorders. Clinical Psychopharmacology and Neuroscience, 2021, 19, 46-52.	2.0	2
2	Rates of comorbid obsessive-compulsive disorder in eating disorders: A meta-analysis of the literature. Journal of Affective Disorders, 2020, 277, 927-939.	4.1	31
3	<i>ZNF804A</i> Gene Variants Have a Cross-diagnostic Influence on Psychosis and Treatment Improvement in Mood Disorders. Clinical Psychopharmacology and Neuroscience, 2020, 18, 231-240.	2.0	5
4	High occupational level is associated with poor response to the treatment of depression: A replication study. European Neuropsychopharmacology, 2019, 29, 349-355.	0.7	3
5	Opinion paper: poor response to treatment of depression in people in high occupational levels. Psychological Medicine, 2019, 49, 49-54.	4.5	8
6	Suicide attempts in eating disorder subtypes: a meta-analysis of the literature employing DSM-IV, DSM-5, or ICD-10 diagnostic criteria. Psychological Medicine, 2019, 49, 1237-1249.	4.5	45
7	Genes Involved in Neurodevelopment, Neuroplasticity and Major Depression: No Association for <i>CACNA1C, CHRNA7</i> and <i>MAPK1</i> . Clinical Psychopharmacology and Neuroscience, 2019, 17, 364-368.	2.0	12
8	Neuroplasticity, Neurotransmission and Brain-Related Genes in Major Depression and Bipolar Disorder: Focus on Treatment Outcomes in an Asiatic Sample. Advances in Therapy, 2018, 35, 1656-1670.	2.9	14
9	Psychopathological Features of Bipolar Depression: Italian Validation of the Bipolar Depression Rating Scale (I-BDRS). Frontiers in Psychology, 2018, 9, 1047.	2.1	4
10	The association between electrodermal activity (EDA), depression and suicidal behaviour: A systematic review and narrative synthesis. BMC Psychiatry, 2018, 18, 22.	2.6	107
11	The Impact of a Single Nucleotide Polymorphism in SIGMAR1 on Depressive Symptoms in Major Depressive Disorder and Bipolar Disorder. Advances in Therapy, 2017, 34, 713-724.	2.9	15
12	Genes Involved in Neurodevelopment, Neuroplasticity, and Bipolar Disorder: CACNA1C, CHRNA1, and MAPK1. Neuropsychobiology, 2016, 74, 159-168.	1.9	23
13	High occupational level is associated with poor response to treatment of depression. European Neuropsychopharmacology, 2016, 26, 1320-1326.	0.7	8
14	Bipolar II disorder as a risk factor for postpartum depression. Journal of Affective Disorders, 2016, 204, 54-58.	4.1	30
15	Age of Onset in Schizophrenia Spectrum Disorders: Complex Interactions between Genetic and Environmental Factors. Psychiatry Investigation, 2016, 13, 247.	1.6	15
16	Low-activity alleles of the MAOA gene are associated with measures of hostility. Psychiatric Genetics, 2015, 25, 215.	1.1	1
17	The role of specific early trauma in adult depression: A meta-analysis of published literature. Childhood trauma and adult depression. European Psychiatry, 2015, 30, 665-680.	0.2	393
18	Neuroticism, social network, stressful life events: Association with mood disorders, depressive symptoms and suicidal ideation in a community sample of women. Psychiatry Research, 2015, 226, 38-44.	3.3	31

Laura Mandelli

#	Article	IF	CITATIONS
19	Genes involved in neuroplasticity and stressful life events act on the short-term response to antidepressant treatment: a complex interplay between genetics and environment. Human Psychopharmacology, 2014, 29, 388-391.	1.5	11
20	Role of synaptosome-related (SNARE) genes in adults with attention deficit hyperactivity disorder. Psychiatry Research, 2014, 215, 799-800.	3.3	8
21	Gene environment interaction studies in depression and suicidal behavior: An update. Neuroscience and Biobehavioral Reviews, 2013, 37, 2375-2397.	6.1	143
22	Impact of 5-HTTLPR Polymorphism on Alexithymia in Alcoholic Patients After Detoxification Treatment. Journal of Addiction Medicine, 2013, 7, 372-373.	2.6	4
23	Bipolar disorder: "pure―versus mixed depression over a 1-year follow-up. International Journal of Psychiatry in Clinical Practice, 2012, 16, 113-120.	2.4	7
24	Role of Substance Abuse Comorbidity and Personality on the Outcome of Depression in Bipolar Disorder: Harm Avoidance Influences Medium-Term Treatment Outcome. Psychopathology, 2012, 45, 174-178.	1.5	18
25	The 3111T/C Polymorphism Interacts With Stressful Life Events to Influence Patterns of Sleep in Females. Chronobiology International, 2012, 29, 891-897.	2.0	33
26	The role of serotonergic genes and environmental stress on the development of depressive symptoms and neuroticism. Journal of Affective Disorders, 2012, 142, 82-89.	4.1	32
27	The influence of childhood trauma on the onset and repetition of suicidal behavior: An investigation in a high risk sample of male prisoners. Journal of Psychiatric Research, 2011, 45, 742-747.	3.1	67
28	MDR1 gene polymorphisms and response to acute risperidone treatment. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 387-392.	4.8	35
29	Further evidence supporting the influence of brain-derived neurotrophic factor on the outcome of bipolar depression: independent effect of brain-derived neurotrophic factor and harm avoidance. Journal of Psychopharmacology, 2010, 24, 1747-1754.	4.0	16
30	Clinical features, response to treatment and functional outcome of bipolar disorder patients with and without co-occurring substance use disorder: 1-year follow-up. Journal of Affective Disorders, 2009, 115, 27-35.	4.1	70
31	Harm avoidance moderates the influence of serotonin transporter gene variants on treatment outcome in bipolar patients. Journal of Affective Disorders, 2009, 119, 205-209.	4.1	39
32	Schizophrenia: genetics, prevention and rehabilitation. Acta Neuropsychiatrica, 2009, 21, 109-120.	2.1	9
33	Interaction between SERTPR and stressful life events on response to antidepressant treatment. European Neuropsychopharmacology, 2009, 19, 64-67.	0.7	42
34	Corrigendum to: "TAAR6 variation effect on clinic presentation and outcome in a sample of schizophrenic in-patients: An open label study―[Eur Psychiatr 2008;23:390–5]. European Psychiatry, 2009, 24, 64-64.	0.2	0
35	Psychometric characteristic of the Italian version of the Temperament and Character Inventory—Revised, personality, psychopathology, and attachment styles. Comprehensive Psychiatry, 2008, 49, 514-522.	3.1	81
36	Antidepressant response in the elderly. Psychiatry Research, 2007, 152, 37-44.	3.3	20

Laura Mandelli

#	Article	IF	CITATIONS
37	Interaction between serotonin transporter gene, catechol-O-methyltransferase gene and stressful life events in mood disorders. International Journal of Neuropsychopharmacology, 2007, 10, 437.	2.1	111
38	Improvement of cognitive functioning in mood disorder patients with depressive symptomatic recovery during treatment: An exploratory analysis. Psychiatry and Clinical Neurosciences, 2006, 60, 598-604.	1.8	33
39	Serotonin Transporter Gene Variants and Behavior: A Comprehensive Review. Current Drug Targets, 2006, 7, 1659-1669.	2.1	190
40	Temperament and Character in Mood Disorders: Influence of DRD4, SERTPR, TPH and MAO-A Polymorphisms. Neuropsychobiology, 2006, 53, 9-16.	1.9	75
41	Insomnia improvement during antidepressant treatment andCLOCK gene polymorphism. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2005, 137B, 36-39.	1.7	146
42	Genetic dissection of psychopathological symptoms: Insomnia in mood disorders and <i>CLOCK</i> gene polymorphism. American Journal of Medical Genetics Part A, 2003, 121B, 35-38.	2.4	228