

# Guido Fadda

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2267948/publications.pdf>

Version: 2024-02-01

188  
papers

5,610  
citations

81900

39  
h-index

102487

66  
g-index

192  
all docs

192  
docs citations

192  
times ranked

4676  
citing authors

#	ARTICLE	IF	CITATIONS
1	Update regarding the role of PD-L1 in oncocytic thyroid lesions on cytological samples. Journal of Clinical Pathology, 2023, 76, 671-677.	2.0	1
2	Impact of mobile devices on cancer diagnosis in cytology. Diagnostic Cytopathology, 2022, 50, 34-45.	1.0	13
3	COVID-19 pandemic impact on cytopathology practice in the post-lockdown period: An international, multicenter study. Cancer Cytopathology, 2022, 130, 344-351.	2.4	15
4	Application of the Milan System for Reporting Salivary Gland Cytopathology in pediatric patients: An international, multi-institutional study. Cancer Cytopathology, 2022, 130, 370-380.	2.4	6
5	High-Grade Urothelial Carcinoma (HGUC). , 2022, , 97-114.		4
6	Does Locally Advanced Thyroid Cancer Have Different Features? Results from a Single Academic Center. Journal of Personalized Medicine, 2022, 12, 221.	2.5	3
7	Secretory carcinoma of the salivary gland, a rare entity: An international multi-institutional study. Cancer Cytopathology, 2022, 130, 684-694.	2.4	13
8	Subcutaneous implantation of oncocytic thyroid cell aggregates nine years later from thyroidectomy. A case report. International Journal of Surgery Case Reports, 2022, 93, 106935.	0.6	1
9	Granular cell tumor of the trachea mimicking an infiltrating thyroid cancer. A case report. International Journal of Surgery Case Reports, 2022, 94, 107031.	0.6	2
10	Is it possible to intraoperatively modulate the extent of thyroidectomy in small papillary thyroid carcinoma?. Surgery, 2021, 169, 77-81.	1.9	9
11	Assessing the diagnostic accuracy for pleomorphic adenoma and Warthin tumor by employing the Milan System for Reporting Salivary Gland Cytopathology: An international, multi-institutional study. Cancer Cytopathology, 2021, 129, 43-52.	2.4	27
12	Combined molecular and mathematical analysis of long noncoding RNAs expression in fine needle aspiration biopsies as novel tool for early diagnosis of thyroid cancer. Endocrine, 2021, 72, 711-720.	2.3	18
13	Modulating the extension of thyroidectomy in patients with papillary thyroid carcinoma pre-operatively eligible for lobectomy: reliability of ipsilateral central neck dissection. Endocrine, 2021, 72, 437-444.	2.3	3
14	Overview of the Ultrasound Classification Systems in the Field of Thyroid Cytology. Cancers, 2021, 13, 3133.	3.7	7
15	How limited molecular testing can also offer diagnostic and prognostic evaluation of thyroid nodules processed with liquid-based cytology: Role of TERT promoter and BRAF V600E mutation analysis. Cancer Cytopathology, 2021, 129, 819-829.	2.4	12
16	The Role of Cytology in the Diagnosis of Subcentimeter Thyroid Lesions. Diagnostics, 2021, 11, 1043.	2.6	6
17	Reporting Thyroid Cytology in a Globalized World. Endocrines, 2021, 2, 311-319.	1.0	4
18	Fine-Needle Aspiration of the Thyroid Gland. , 2021, , 108-117.e2.		0

#	ARTICLE	IF	CITATIONS
19	Metastatic thyroid carcinoma mimicking as a primary neoplasia of the kidney: A case report. <i>Molecular and Clinical Oncology</i> , 2021, 15, 268.	1.0	1
20	M1 Polarized Tumor-Associated Macrophages (TAMs) as Promising Prognostic Signature in Stage II Gastric Adenocarcinomas. <i>Gastrointestinal Disorders</i> , 2021, 3, 207-217.	0.8	1
21	Follow-Up or Surgery for Indeterminate Thyroid Nodules: Could the CLUT Score Application Be a Support for Decision-Making in the Preoperative Assessment?. <i>Thyroid</i> , 2020, 30, 65-71.	4.5	7
22	PD-L1 and thyroid cytology: A possible diagnostic and prognostic marker. <i>Cancer Cytopathology</i> , 2020, 128, 177-189.	2.4	13
23	Description of a new biosafe procedure for cytological specimens from patients with COVID-19 processed by liquid-based preparations. <i>Cancer Cytopathology</i> , 2020, 128, 905-909.	2.4	9
24	Global impact of the COVID-19 pandemic on cytopathology practice: Results from an international survey of laboratories in 23 countries. <i>Cancer Cytopathology</i> , 2020, 128, 885-894.	2.4	47
25	Relevance of rosette patterns in variants of papillary thyroid carcinoma. <i>Cytopathology</i> , 2020, 31, 533-540.	0.7	2
26	Analytical validation of a novel targeted next-generation sequencing assay for mutation detection in thyroid nodule aspirates and tissue. <i>Endocrine</i> , 2020, 69, 451-455.	2.3	10
27	Exploring the Inter-observer Agreement Among the Members of the Italian Consensus for the Classification and Reporting of Thyroid Cytology. <i>Endocrine Pathology</i> , 2020, 31, 301-306.	9.0	8
28	Cytologic and histologic samples from patients infected by the novel coronavirus 2019 SARS-CoV-2: An Italian institutional experience focusing on biosafety procedures. <i>Cancer Cytopathology</i> , 2020, 128, 317-320.	2.4	31
29	Performance of a dual-component molecular assay in cytologically indeterminate thyroid nodules. <i>Endocrine</i> , 2020, 68, 458-465.	2.3	27
30	Biosafety in surgical pathology in the era of SARS-Cov2 pandemia. A statement of the Italian Society of Surgical Pathology and Cytology. <i>Pathologica</i> , 2020, 112, 1-5.	3.4	22
31	Biosafety procedures for handling intraoperative surgical samples during COVID-19 pandemic: an Italian pathology laboratory experience. <i>Pathologica</i> , 2020, 112, 174-177.	3.4	2
32	Management of thyroid cytological material, preanalytical procedures and bio-banking. <i>Cytopathology</i> , 2019, 30, 7-16.	0.7	13
33	The Italian Reporting System for Thyroid Cytology. , 2019, , 53-57.		1
34	A large series of hyalinizing trabecular tumors: Cytomorphology and ancillary techniques on fine needle aspiration. <i>Cancer Cytopathology</i> , 2019, 127, 390-398.	2.4	11
35	Mucoepidermoid carcinoma, acinic cell carcinoma, and adenoid cystic carcinoma on fine-needle aspiration biopsy and The Milan System: an international multi-institutional study. <i>Journal of the American Society of Cytopathology</i> , 2019, 8, 270-277.	0.5	19
36	Application of the Milan System for Reporting Submandibular Gland Cytopathology: An international, multi-institutional study. <i>Cancer Cytopathology</i> , 2019, 127, 306-315.	2.4	45

#	ARTICLE	IF	CITATIONS
37	The immunocytochemical expression of VE $\hat{=}$ 1 ( BRAF V600E $\hat{=}$ related) antibody identifies the aggressive variants of papillary thyroid carcinoma on liquid $\hat{=}$ based cytology. <i>Cytopathology</i> , 2019, 30, 460-467.	0.7	12
38	Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features (NIFTP): Update and Diagnostic Considerations $\hat{=}$ a Review. <i>Endocrine Pathology</i> , 2019, 30, 155-162.	9.0	25
39	Cytologic Diagnosis of Oncocytic Neoplasms of the Thyroid Gland: The Importance of the Clinical Scenario. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2019, 27, 726-731.	1.2	2
40	Comparison between cytospin and liquid $\hat{=}$ based cytology in cerebrospinal fluid diagnosis of neoplastic diseases: A single institution experience. <i>Cytopathology</i> , 2019, 30, 236-240.	0.7	3
41	To Obtain More With Less: Cytologic Samples With Ancillary Molecular Techniques $\hat{=}$ The Useful Role of Liquid-Based Cytology. <i>Archives of Pathology and Laboratory Medicine</i> , 2018, 142, 299-307.	2.5	22
42	Morphology combined with ancillary techniques: An algorithm approach for thyroid nodules. <i>Cytopathology</i> , 2018, 29, 418-427.	0.7	17
43	The risk of malignancy of atypical urothelial cells of undetermined significance in patients treated with chemohyperthermia or electromotive drug administration. <i>Cancer Cytopathology</i> , 2018, 126, 200-206.	2.4	12
44	Neoplasm. , 2018, , 55-83.		8
45	A novel nonsense EIF1AX mutation identified in a thyroid nodule histologically diagnosed as oncocytic carcinoma. <i>Endocrine</i> , 2018, 62, 492-495.	2.3	11
46	$\hat{=}$ Suspicious $\hat{=}$ salivary gland FNA: Risk of malignancy and interinstitutional variability. <i>Cancer Cytopathology</i> , 2018, 126, 94-100.	2.4	28
47	Noninvasive follicular thyroid neoplasm with papillary $\hat{=}$ like nuclear features in the pediatric age group. <i>Cancer Cytopathology</i> , 2018, 126, 27-35.	2.4	28
48	Noninvasive follicular thyroid neoplasm with papillary $\hat{=}$ like nuclear features $\langle$ scp $\rangle$ (NIFTP): $\langle$ scp $\rangle$ Implications for the risk of malignancy $\langle$ scp $\rangle$ (ROM) $\langle$ scp $\rangle$ in the Bethesda System for Reporting Thyroid Cytopathology $\langle$ scp $\rangle$ (TBSRTC) $\langle$ scp $\rangle$ . <i>Cancer Cytopathology</i> , 2018, 126, 20-26.	2.4	62
49	Molecular Testing in EBUS-TBNA Specimens of Lung Adenocarcinoma: A Study of Concordance Between Cell Block Method and Liquid-Based Cytology in Appraising Sample Cellularity and EGFR Mutations. <i>Molecular Diagnosis and Therapy</i> , 2018, 22, 723-728.	3.8	12
50	Risk factors for central neck lymph node metastases in follicular variant vs. classic papillary thyroid carcinoma. <i>Endocrine</i> , 2018, 62, 64-70.	2.3	9
51	Italian consensus on diagnosis and treatment of differentiated thyroid cancer: joint statements of six Italian societies. <i>Journal of Endocrinological Investigation</i> , 2018, 41, 849-876.	3.3	165
52	Morphological features that can predict $\langle$ i $\rangle$ BRAF $\langle$ i $\rangle$ <sup><math>\langle</math>i<math>\rangle</math>V600E<math>\langle</math>i<math>\rangle</math></sup> $\hat{=}$ mutated carcinoma in paediatric thyroid cytology. <i>Cytopathology</i> , 2017, 28, 55-64.	0.7	11
53	$\langle$ i $\rangle$ BRAF $\langle$ i $\rangle$ <sup><math>\langle</math>i<math>\rangle</math>K601E<math>\langle</math>i<math>\rangle</math></sup> Mutation in a Follicular Thyroid Adenoma: A Case Report. <i>International Journal of Surgical Pathology</i> , 2017, 25, 348-351.	0.8	19
54	Diagnosis and Treatment of Metastases to the Thyroid Gland: a Meta-Analysis. <i>Endocrine Pathology</i> , 2017, 28, 112-120.	9.0	34

#	ARTICLE	IF	CITATIONS
55	FNA biopsy of secondary nonlymphomatous malignancies in salivary glands: A multi-institutional study of 184 cases. <i>Cancer Cytopathology</i> , 2017, 125, 91-103.	2.4	28
56	Atypical salivary gland fine needle aspiration: Risk of malignancy and interinstitutional variability. <i>Diagnostic Cytopathology</i> , 2017, 45, 1088-1094.	1.0	53
57	Incidence, malignancy rates of diagnoses and cyto-histological correlations in the new Italian Reporting System for Thyroid Cytology: An institutional experience. <i>Cytopathology</i> , 2017, 28, 503-508.	0.7	22
58	Cyto-histology in NET: what is necessary today and what is the future?. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2017, 18, 381-391.	5.7	18
59	Assessment of VAV2 Expression Refines Prognostic Prediction in Adrenocortical Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 3491-3498.	3.6	33
60	The expression of monocarboxylate transporters in thyroid carcinoma can be associated with the morphological features of BRAF V600E mutation. <i>Endocrine</i> , 2017, 56, 379-387.	2.3	0
61	Livin/BIRC7 expression as malignancy marker in adrenocortical tumors. <i>Oncotarget</i> , 2017, 8, 9323-9338.	1.8	27
62	Adequacy of EBUS-TBNA specimens for molecular testing in lung adenocarcinoma. , 2017, , .		0
63	Noninvasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP): A changing paradigm in thyroid surgical pathology and implications for thyroid cytopathology. <i>Cancer Cytopathology</i> , 2016, 124, 616-620.	2.4	105
64	Comparison between cytospin and liquid-based cytology in urine specimens classified according to the Paris System for Reporting Urinary Cytology. <i>Cancer Cytopathology</i> , 2016, 124, 519-523.	2.4	46
65	The evaluation of miRNAs on thyroid FNAC: the promising role of miR-375 in follicular neoplasms. <i>Endocrine</i> , 2016, 54, 723-732.	2.3	36
66	The Bethesda System for Reporting Thyroid Cytopathology: proposed modifications and updates for the second edition from an international panel. <i>Journal of the American Society of Cytopathology</i> , 2016, 5, 245-251.	0.5	23
67	The impact of FNAC in the management of salivary gland lesions: Institutional experiences leading to a risk-based classification scheme. <i>Cancer Cytopathology</i> , 2016, 124, 388-396.	2.4	111
68	The potential of liquid-based cytology in lymph node cytological evaluation: the role of morphology and the aid of ancillary techniques. <i>Cytopathology</i> , 2016, 27, 50-58.	0.7	10
69	The Bethesda System for Reporting Thyroid Cytopathology: Proposed Modifications and Updates for the Second Edition from an International Panel. <i>Acta Cytologica</i> , 2016, 60, 399-405.	1.3	110
70	Thyroid FNA: New classifications and new interpretations. <i>Cancer Cytopathology</i> , 2016, 124, 457-466.	2.4	50
71	The cytological diagnosis of a "benign thyroid lesion": is it a real safe diagnosis for the patient?. <i>Cytopathology</i> , 2016, 27, 168-175.	0.7	6
72	Minichromosome maintenance protein 7 as prognostic marker of tumor aggressiveness in pituitary adenoma patients. <i>European Journal of Endocrinology</i> , 2016, 174, 307-314.	3.7	25

#	ARTICLE	IF	CITATIONS
73	DIAGNOSIS OF ENDOCRINE DISEASE: High-yield thyroid fine-needle aspiration cytology: an update focused on ancillary techniques improving its accuracy. <i>European Journal of Endocrinology</i> , 2016, 174, R53-R63.	3.7	18
74	The role of fine-needle aspiration in the thyroid nodules of elderly patients. <i>Oncotarget</i> , 2016, 7, 11850-11859.	1.8	9
75	Cytology of Thyroid Lesions. , 2016, , 25-35.		0
76	Cytology of Head and Neck Lesions. , 2016, , 753-805.		0
77	Uncommon <i>BRAF</i> mutations in the follicular variant of thyroid papillary carcinoma: New insights. <i>Cancer Cytopathology</i> , 2015, 123, 593-602.	2.4	22
78	A meta-analytic review of the Bethesda System for Reporting Thyroid Cytopathology: Has the rate of malignancy in indeterminate lesions been underestimated?. <i>Cancer Cytopathology</i> , 2015, 123, 713-722.	2.4	143
79	Is thyroid gland only a "land" for primary malignancies? role of morphology and immunocytochemistry. <i>Diagnostic Cytopathology</i> , 2015, 43, 374-380.	1.0	19
80	Well-differentiated Thyroid Cancer With a Minor Poorly Differentiated Component. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2015, 23, 196-201.	1.2	3
81	Ipsilateral Central Neck Dissection Plus Frozen Section Examination Versus Prophylactic Bilateral Central Neck Dissection in cN0 Papillary Thyroid Carcinoma. <i>Annals of Surgical Oncology</i> , 2015, 22, 2302-2308.	1.5	46
82	Large non-functioning parathyroid cysts: our institutional experience of a rare entity and a possible pitfall in thyroid cytology. <i>Cytopathology</i> , 2015, 26, 114-121.	0.7	15
83	The Role of CD56 in Thyroid Fine Needle Aspiration Cytology: A Pilot Study Performed on Liquid Based Cytology. <i>PLoS ONE</i> , 2015, 10, e0132939.	2.5	21
84	Usefulness of 18F-FDG PET/CT in a Rare Case of Malignant Pseudothyroiditis. <i>Clinical Nuclear Medicine</i> , 2014, 39, e163-e165.	1.3	2
85	Actual Incidence and Clinical Behaviour of Follicular Thyroid Carcinoma: An Institutional Experience. <i>Scientific World Journal</i> , The, 2014, 2014, 1-7.	2.1	16
86	Parathyroid Gland Involvement by Thyroid Cancer: Results from a Large Series of Thyroidectomies Performed in Two Italian University Hospitals and Review of the Literature. <i>Journal of Thyroid Research</i> , 2014, 2014, 1-7.	1.3	3
87	The role of thyroid fine-needle aspiration cytology in the pediatric population: An institutional experience. <i>Cancer Cytopathology</i> , 2014, 122, 359-367.	2.4	26
88	A Rare Case of Solitary Fibrous Tumor of the Adrenal Gland Detected by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014, 39, 475-477.	1.3	14
89	The Nightmare of Indeterminate Follicular Proliferations: When Liquid-Based Cytology and Ancillary Techniques are not a Moon Landing but a Realistic Plan. <i>Acta Cytologica</i> , 2014, 58, 543-551.	1.3	15
90	Performance of the forward-viewing linear echoendoscope for fine-needle aspiration of solid and cystic lesions throughout the gastrointestinal tract: a large single-center experience. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014, 28, 1801-1807.	2.4	7

#	ARTICLE	IF	CITATIONS
91	Papillary Thyroid Carcinoma with Predominant Spindle Cell Component: Report of Two Rare Cases and Discussion on the Differential Diagnosis with Other Spindled Thyroid Neoplasm. <i>Endocrine Pathology</i> , 2014, 25, 307-314.	9.0	10
92	Analysis of immunocytochemical and molecular BRAF expression in thyroid carcinomas: A cytohistologic institutional experience. <i>Cancer Cytopathology</i> , 2014, 122, 527-535.	2.4	47
93	Immunohistochemical Diagnosis of Thyroid Tumors. <i>Surgical Pathology Clinics</i> , 2014, 7, 491-500.	1.7	5
94	Role of BRAFV600E in the First Preclinical Model of Multifocal Infiltrating Myopericytoma Development and Microenvironment. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	6.3	31
95	Thyroglossal duct cyst cancer most likely arises from a thyroid gland remnant. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 465, 67-72.	2.8	22
96	Is morphology alone able to predict BRAF-mutated malignancies on thyroid FNAC?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 465, 247-248.	2.8	13
97	Italian consensus for the classification and reporting of thyroid cytology. <i>Journal of Endocrinological Investigation</i> , 2014, 37, 593-599.	3.3	322
98	Papillary thyroid microcarcinoma: a painstaking category to manage. <i>Clinical Endocrinology</i> , 2014, 81, 785-786.	2.4	3
99	Morphological parameters able to predict BRAF <sup>V600E</sup> -mutated malignancies on thyroid fine-needle aspiration cytology: Our institutional experience. <i>Cancer Cytopathology</i> , 2014, 122, 883-891.	2.4	39
100	Calcitonin measurement in fine-needle aspirate washouts vs. cytologic examination for diagnosis of primary or metastatic medullary thyroid carcinoma. <i>Acta Otorhinolaryngologica Italica</i> , 2014, 34, 399-405.	1.5	15
101	Parathyroid-gland ultrasonography in clinical and therapeutic evaluation of renal secondary hyperparathyroidism. <i>Radiologia Medica</i> , 2013, 118, 707-722.	7.7	9
102	Secondary malignancies of the uterine cervix: a potential diagnostic pitfall. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 463, 23-29.	2.8	13
103	BRAF (V600E) mutation analysis on liquid-based cytology-processed aspiration biopsies predicts bilaterality and lymph node involvement in papillary thyroid microcarcinoma. <i>Cancer Cytopathology</i> , 2013, 121, 291-297.	2.4	104
104	Can a gene-expression classifier with high negative predictive value solve the indeterminate thyroid fine-needle aspiration dilemma?. <i>Cancer Cytopathology</i> , 2013, 121, 403-403.	2.4	6
105	Detection of ectopic thyroid remnants: A serious diagnostic dilemma. When molecular biology and immunohistochemistry can solve the problem. <i>Pathology Research and Practice</i> , 2013, 209, 59-61.	2.3	13
106	Diagnostic and Prognostic Role of HBME-1, Galectin-3, and $\beta$ -Catenin in Poorly Differentiated and Anaplastic Thyroid Carcinomas. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2013, 21, 237-241.	1.2	32
107	The cytologic category of oncocytic (Hurthle) cell neoplasm mostly includes low-risk lesions at histology: an institutional experience. <i>European Journal of Endocrinology</i> , 2013, 169, 649-655.	3.7	30
108	Diagnostic and prognostic value of immunocytochemistry and BRAF mutation analysis on liquid-based biopsies of thyroid neoplasms suspicious for carcinoma. <i>European Journal of Endocrinology</i> , 2013, 168, 853-859.	3.7	62

#	ARTICLE	IF	CITATIONS
109	Histology and immunohistochemistry of the parathyroid glands in renal secondary hyperparathyroidism refractory to vitamin D or cinacalcet therapy. <i>European Journal of Endocrinology</i> , 2013, 168, 811-819.	3.7	11
110	Markedly Increased 18F-FDG Uptake in a Nonfunctioning Adrenal Adenoma Mimicking Malignancy. <i>Clinical Nuclear Medicine</i> , 2013, 38, e333-e335.	1.3	4
111	Aggressive Papillary Thyroid Microcarcinoma. <i>Clinical Nuclear Medicine</i> , 2013, 38, 25-28.	1.3	79
112	Application of Liquid-Based Cytology to Fine-Needle Aspiration Biopsies of the Thyroid Gland. <i>Frontiers in Endocrinology</i> , 2012, 3, 57.	3.5	30
113	Transesophageal endoscopic ultrasound-guided transcarotid fine needle aspiration of a positron emission tomography (PET)-positive mediastinal lymph node. <i>Endoscopy</i> , 2012, 44, E402-E403.	1.8	3
114	Cribriform-Morular Variant of Papillary Thyroid Carcinoma in an 8-Year-Old Girl. <i>International Journal of Surgical Pathology</i> , 2012, 20, 629-632.	0.8	15
115	Blood presence of circulating oncofetal fibronectin mRNA, by RT-PCR, does not represent a useful specific marker for the management and follow-up of thyroid cancer patients. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 715-20.	2.3	3
116	SCF $\beta$ -TRCP suppresses angiogenesis and thyroid cancer cell migration by promoting ubiquitination and destruction of VEGF receptor 2. <i>Journal of Experimental Medicine</i> , 2012, 209, 1289-1307.	8.5	85
117	Morphological and immunocytochemical diagnosis of thyroiditis: Comparison between conventional and liquid-based cytology. <i>Diagnostic Cytopathology</i> , 2012, 40, 404-409.	1.0	10
118	Images in Endocrine Pathology: Spindle Cell Lesion of the Thyroid Gland. <i>Endocrine Pathology</i> , 2012, 23, 132-134.	9.0	5
119	SCF $\beta$ -TRCP suppresses angiogenesis and thyroid cancer cell migration by promoting ubiquitination and destruction of VEGF receptor 2. <i>Journal of Cell Biology</i> , 2012, 197, i12-i12.	5.2	0
120	Angiogenesis in Hand Chondroma: An Immunohistochemical Study. <i>International Journal of Immunopathology and Pharmacology</i> , 2011, 24, 143-147.	2.1	0
121	Overexpression of estrogen receptor $\alpha$ in human papillary thyroid carcinomas studied by laser capture microdissection and molecular biology. <i>Cancer Science</i> , 2011, 102, 1921-1927.	3.9	43
122	The Chernobyl Thyroid Cancer Experience: Pathology. <i>Clinical Oncology</i> , 2011, 23, 261-267.	1.4	62
123	Colonic Carcinoma Metastatic to the Endometrium. <i>International Journal of Surgical Pathology</i> , 2011, 19, 787-790.	0.8	9
124	Liquid-Based Cytology in Fine-Needle Aspiration Biopsies of the Thyroid Gland. <i>Acta Cytologica</i> , 2011, 55, 389-400.	1.3	119
125	Follicular thyroid neoplasms can be classified as low- and high-risk according to HBME-1 and Galectin-3 expression on liquid-based fine-needle cytology. <i>European Journal of Endocrinology</i> , 2011, 165, 447-453.	3.7	95
126	Recurrent renal hyperparathyroidism due to parathyromatosis. <i>CKJ: Clinical Kidney Journal</i> , 2011, 4, 318-320.	2.9	3



#	ARTICLE	IF	CITATIONS
127	Endoscopic Ultrasound-Guided Fine-Needle Aspiration With Liquid-Based Cytologic Preparation in the Diagnosis of Primary Pancreatic Lymphoma. <i>Pancreas</i> , 2010, 39, 1299-1302.	1.1	31
128	Papillary Thyroid Microcarcinoma: Extrathyroidal Extension, Lymph Node Metastases, and Risk Factors for Recurrence in a High Prevalence of Goiter Area. <i>World Journal of Surgery</i> , 2010, 34, 1214-1221.	1.6	123
129	Usefulness of the combination of ultrasonography and <sup>99m</sup> Tc sestamibi scintigraphy in the preoperative evaluation of uremic secondary hyperparathyroidism. <i>Head and Neck</i> , 2010, 32, 1226-1235.	2.0	48
130	Thyroid fine needle aspiration cytology processed by ThinPrep: an additional slide decreased the number of inadequate results. <i>Cytopathology</i> , 2010, 21, 97-102.	0.7	62
131	Nodular disease and parafollicular C-cell distribution: results from a prospective and retrospective clinico-pathological study on the thyroid isthmus. <i>European Journal of Endocrinology</i> , 2010, 162, 137-143.	3.7	13
132	Surgical treatment of thyroid diseases in elderly patients. <i>American Journal of Surgery</i> , 2010, 200, 467-472.	1.8	41
133	The role of fine-needle aspiration performed with liquid-based cytology in the surgical management of thyroid lesions. <i>In Vivo</i> , 2010, 24, 333-7.	1.3	7
134	Cytological classification of thyroid nodules. Proposal of the SIAPEC-IAP Italian Consensus Working Group. <i>Pathologica</i> , 2010, 102, 405-8.	3.4	126
135	Diagnostic Efficacy of Conventional as Compared to Liquid-Based Cytology in Thyroid Lesions. <i>Acta Cytologica</i> , 2009, 53, 659-666.	1.3	47
136	<i>FOXA1</i> Is a Potential Oncogene in Anaplastic Thyroid Carcinoma. <i>Clinical Cancer Research</i> , 2009, 15, 3680-3689.	7.0	75
137	Evaluation of hilar biliary strictures by using a newly developed forward-viewing therapeutic echoendoscope: preliminary results of an ongoing experience. <i>Gastrointestinal Endoscopy</i> , 2009, 69, 356-360.	1.0	33
138	Performance of the Forward Viewing Linear Echoendoscope for Fine Needle Aspiration of Solid and Cystic Lesions Throughout the GI Tract: A Large Single Center Experience. <i>Gastrointestinal Endoscopy</i> , 2009, 69, AB323.	1.0	0
139	Thin-layer liquid-based preparation of non-gynaecological exfoliative and fine-needle aspiration biopsy cytology. <i>Diagnostic Histopathology</i> , 2008, 14, 563-570.	0.4	16
140	Solitary Fibrous Tumour of Thyroid: Report of Two Cases with Immunohistochemical Features and Literature Review. <i>Head and Neck Pathology</i> , 2008, 2, 231-235.	2.6	17
141	The role of HPV detection and typing in diagnosis of pulmonary metastatic squamous cell carcinoma of the uterine cervix. <i>Histopathology</i> , 2008, 53, 604-606.	2.9	7
142	PA.202 EVALUATION OF HILAR BILIARY STRICTURES USING A NEWLY DEVELOPED FORWARD VIEWING THERAPEUTIC ECHOENDOSCOPE: PRELIMINARY RESULTS OF AN ONGOING EXPERIENCE. <i>Digestive and Liver Disease</i> , 2008, 40, S149.	0.9	0
143	Relevance of Immunocytochemistry on Thin-layer Cytology in Thyroid Lesions Suspicious for Medullary Carcinoma. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2008, 16, 548-553.	1.2	25
144	Application of liquid-based preparation to non-gynaecologic exfoliative cytology. <i>Pathologica</i> , 2008, 100, 461-5.	3.4	9

#	ARTICLE	IF	CITATIONS
145	Ovarian endometrioma with atypias: description of a case. <i>Fertility and Sterility</i> , 2007, 88, 1438.e15-1438.e17.	1.0	1
146	Thyroid carcinomas with a variable insular component. <i>Cancer</i> , 2007, 110, 1209-1217.	4.1	31
147	Metastases to the thyroid gland: prevalence, clinicopathological aspects and prognosis: a 10-year experience. <i>Clinical Endocrinology</i> , 2007, 66, 070208104737004-???	2.4	164
148	Ovarian serous carcinoma presenting with mediastinal lymphadenopathy 20 months before the intraabdominal mass: Role of immunohistochemistry. <i>Gynecologic Oncology</i> , 2007, 104, 497-500.	1.4	6
149	Value of routine measurement of serum calcitonin concentrations in patients with nodular thyroid disease: A multicenter study. <i>Journal of Endocrinological Investigation</i> , 2006, 29, 427-437.	3.3	61
150	Fine-Needle Aspiration Biopsy of Thyroid Lesions Processed by Thin-Layer Cytology: One-Year Institutional Experience with Histologic Correlation. <i>Thyroid</i> , 2006, 16, 975-981.	4.5	45
151	Gene expression profiling of adrenal cortical tumors by cDNA macroarray analysis. Results of a preliminary study. <i>Biomedicine and Pharmacotherapy</i> , 2006, 60, 186-190.	5.6	20
152	Diagnostic Relevance of the Immunohistochemical Detection of Growth Factors in Benign and Malignant Cartilaginous Tumors. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2006, 14, 334-340.	1.2	5
153	Diagnostic Efficacy of Immunocytochemistry on Fine Needle Aspiration Biopsies Processed by Thin-Layer Cytology. <i>Acta Cytologica</i> , 2006, 50, 129-135.	1.3	50
154	Simultaneous immunohistochemical expression of HBME-1 and galectin-3 differentiates papillary carcinomas from hyperfunctioning lesions of the thyroid. <i>Histopathology</i> , 2006, 48, 795-800.	2.9	80
155	Granular cell tumour on conventional cytology and thin-layer smears. <i>Cytopathology</i> , 2005, 16, 259-261.	0.7	5
156	Safety of video-assisted thyroidectomy versus conventional surgery. <i>Head and Neck</i> , 2005, 27, 58-64.	2.0	92
157	Immunocytochemical evaluation of thyroid neoplasms on thin-layer smears from fine-needle aspiration biopsies. <i>Cancer</i> , 2005, 105, 87-95.	4.1	102
158	Posterior Mediastinal Hyperfunctioning Insular Thyroid Carcinoma. <i>Tumori</i> , 2005, 91, 358-360.	1.1	2
159	Asymptomatic Intrathyroidal Parathyroid Adenoma. <i>Acta Cytologica</i> , 2004, 48, 437-440.	1.3	12
160	Management of Cystic or Predominantly Cystic Thyroid Nodules: The Role of Ultrasound-Guided Fine-Needle Aspiration Biopsy. <i>Thyroid</i> , 2004, 14, 43-47.	4.5	89
161	Does the fine-needle aspiration diagnosis of "cell neoplasm/follicular neoplasm with oncocyctic features" denote increased risk of malignancy?. <i>Diagnostic Cytopathology</i> , 2004, 31, 307-312.	1.0	144
162	Solitary liver metastasis from Hürthle cell thyroid cancer: A Case Report and review of the literature. <i>Journal of Endocrinological Investigation</i> , 2004, 27, 52-56.	3.3	28

#	ARTICLE	IF	CITATIONS
163	BRAFV599EMutation Is the Leading Genetic Event in Adult Sporadic Papillary Thyroid Carcinomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 2414-2420.	3.6	259
164	Diagnostic Lobectomy for Unilateral Follicular Nodules of the Thyroid Gland. <i>Surgery Today</i> , 2004, 34, 557-559.	1.5	6
165	Neurocutaneous Island Flap:. <i>Annals of Plastic Surgery</i> , 2004, 53, 146-149.	0.9	4
166	Unsuspected Testicular Metastases From Merkel Cell Carcinoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2004, 27, 636-637.	1.3	8
167	Cytologic diagnosis of pulmonary lesions. <i>Rays</i> , 2004, 29, 357-61.	0.2	9
168	Coexistence of a parathyroid adenoma and parathyroid cyst causing primary hyperparathyroidism. <i>Journal of Endocrinological Investigation</i> , 2003, 26, 679-682.	3.3	8
169	Correlation between fine needle aspiration biopsy and histologic findings in parotid masses. Personal experience. <i>Acta Otorhinolaryngologica Italica</i> , 2003, 23, 314-8.	1.5	25
170	Macrofollicular Encapsulated Variant of Papillary Thyroid Carcinoma as a Potential Pitfall in Histologic and Cytologic Diagnosis. <i>Acta Cytologica</i> , 2002, 46, 555-559.	1.3	21
171	Diffuse hyperplastic oncocytosis of the parotid gland. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2002, 55, 151-152.	1.1	14
172	Oligodendroglioma arising within a mature cystic ovarian teratoma: case report and review of the literature. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2002, 81, 896-897.	2.8	13
173	FREE PERITONEAL GRAFTS FOR PATCH URETHROPLASTY IN MALE RABBITS. <i>Journal of Urology</i> , 2001, 165, 578-580.	0.4	12
174	An Original Technique for Bladder Autoaugmentation with Protective Abdominal Rectus Muscle Flaps: An Experimental Study in Rats. <i>Journal of Surgical Research</i> , 2001, 99, 169-174.	1.6	4
175	Thyroid Tumors in Children and Adolescents: Preoperative Study. <i>European Journal of Pediatric Surgery</i> , 2001, 11, 154-157.	1.3	13
176	Cystic Medullary Thyroid Carcinoma: Report of a Case with Morphological and Clinical Correlations. <i>Endocrine Pathology</i> , 2000, 11, 373-378.	9.0	10
177	Proliferating cell nuclear antigen labelling index in localised pigmented villo-nodular synovitis and its relationship to the size of nodules. <i>International Orthopaedics</i> , 2000, 24, 197-201.	1.9	8
178	Preliminary experiences with contact endoscopy of the larynx. <i>European Archives of Oto-Rhino-Laryngology</i> , 2000, 257, 68-71.	1.6	30
179	Dyshormonogenetic Goiter Pathology. <i>International Journal of Surgical Pathology</i> , 1999, 7, 125-131.	0.8	10
180	Histology and aspiration cytology of benign thyroid diseases. <i>Rays</i> , 1999, 24, 182-96.	0.2	8

#	ARTICLE	IF	CITATIONS
181	Fine Needle Aspiration of a Warthin-like Thyroid Tumor. <i>Acta Cytologica</i> , 1998, 42, 998-1002.	1.3	26
182	Role of planimetric analysis in diagnosing thyroid follicular lesions on fine needle aspiration biopsies: a study with histologic correlation. , 1998, 20, 192-8.		0
183	Papillary thyroid carcinoma mimicking an autonomous functioning nodule. <i>European Journal of Surgical Oncology</i> , 1997, 23, 569.	1.0	7
184	Choledochoceles: Changing trends in diagnosis and management. <i>Surgery Today</i> , 1996, 26, 281-285.	1.5	45
185	Disseminated bone marrow metastases of insular thyroid carcinoma detected by radioiodine whole-body scintigraphy. <i>Journal of Nuclear Medicine</i> , 1996, 37, 633-6.	5.0	9
186	Morphologic and planimetric diagnosis of follicular thyroid lesions on fine needle aspiration cytology. , 1995, 17, 247-56.		4
187	DNA ploidy pattern in human chronic liver diseases and hepatic nodular lesions. Flow cytometric analysis on echo-guided needle liver biopsy. <i>Cancer</i> , 1994, 73, 281-288.	4.1	44
188	Spinal neurenteric cyst in association with syringomyelia: Case report. <i>World Neurosurgery</i> , 1992, 37, 202-207.	1.3	22