

Zhu L Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2272651/publications.pdf>

Version: 2024-02-01

98
papers

2,829
citations

236925
25
h-index

206112
48
g-index

101
all docs

101
docs citations

101
times ranked

1701
citing authors

#	ARTICLE	IF	CITATIONS
1	Fungal diversity notes 111–252: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2015, 75, 27-274.	12.3	375
2	Molecular phylogenetic analyses redefine seven major clades and reveal 22 new generic clades in the fungal family Boletaceae. <i>Fungal Diversity</i> , 2014, 69, 93-115.	12.3	183
3	One hundred noteworthy boletes from China. <i>Fungal Diversity</i> , 2016, 81, 25-188.	12.3	142
4	Multigene molecular phylogenetics reveals true morels (<i>Morchella</i>) are especially species-rich in China. <i>Fungal Genetics and Biology</i> , 2012, 49, 455-469.	2.1	107
5	Multi-locus phylogeny of lethal amanitas: Implications for species diversity and historical biogeography. <i>BMC Evolutionary Biology</i> , 2014, 14, 143.	3.2	104
6	Zangia, a new genus of Boletaceae supported by molecular and morphological evidence. <i>Fungal Diversity</i> , 2011, 49, 125-143.	12.3	86
7	The genus Phylloporus (Boletaceae, Boletales) from China: morphological and multilocus DNA sequence analyses. <i>Fungal Diversity</i> , 2013, 58, 73-101.	12.3	86
8	The family Amanitaceae: molecular phylogeny, higher-rank taxonomy and the species in China. <i>Fungal Diversity</i> , 2018, 91, 5-230.	12.3	83
9	Lethal amanitas of East Asia characterized by morphological and molecular data. <i>Fungal Diversity</i> , 2010, 42, 119-133.	12.3	69
10	Borofutus, a new genus of Boletaceae from tropical Asia: phylogeny, morphology and taxonomy. <i>Fungal Diversity</i> , 2013, 58, 215-226.	12.3	66
11	Four new genera of the fungal family Boletaceae. <i>Fungal Diversity</i> , 2016, 81, 1-24.	12.3	61
12	Molecular techniques revolutionize knowledge of basidiomycete evolution. <i>Fungal Diversity</i> , 2011, 50, 47-58.	12.3	60
13	Lethal Amanita species in China. <i>Mycologia</i> , 2016, 108, 993-1009.	1.9	59
14	Multigene phylogeny of the family Cordycipitaceae (Hypocreales): new taxa and the new systematic position of the Chinese cordycipitoid fungus Paecilomyces hepiali. <i>Fungal Diversity</i> , 2020, 103, 1-46.	12.3	59
15	A review on research advances, issues, and perspectives of morels. <i>Mycology</i> , 2015, 6, 78-85.	4.4	55
16	Phylogenetic Analyses of <i>Armillaria</i> Reveal at Least 15 Phylogenetic Lineages in China, Seven of Which Are Associated with Cultivated <i>Gastrodia elata</i> . <i>PLoS ONE</i> , 2016, 11, e0154794.	2.5	49
17	Phylogeny and species delimitation of Flammulina: taxonomic status of winter mushroom in East Asia and a new European species identified using an integrated approach. <i>Mycological Progress</i> , 2018, 17, 1013-1030.	1.4	48
18	Mixed-reproductive strategies, competitive mating-type distribution and life cycle of fourteen black morel species. <i>Scientific Reports</i> , 2017, 7, 1493.	3.3	38

#	ARTICLE	IF	CITATIONS
19	The genus <i>Macrolepiota</i> (Agaricaceae, Basidiomycota) in China. <i>Fungal Diversity</i> , 2010, 45, 81-98.	12.3	36
20	Porcini mushrooms (<i>Boletus</i> sect. <i>Boletus</i>) from China. <i>Fungal Diversity</i> , 2016, 81, 189-212.	12.3	36
21	Evidence for a Dark Septate Endophyte (<i>Exophiala Pisciphila</i> , H93) Enhancing Phosphorus Absorption by Maize Seedlings. <i>Plant and Soil</i> , 2020, 452, 249-266.	3.7	35
22	Genetic diversity and breeding history of Winter Mushroom (<i>Flammulina velutipes</i>) in China uncovered by genomic SSR markers. <i>Gene</i> , 2016, 591, 227-235.	2.2	34
23	A new genus <i>Pseudoaustroboletus</i> (Boletaceae, Boletales) from Asia as inferred from molecular and morphological data. <i>Mycological Progress</i> , 2014, 13, 1207.	1.4	29
24	Multilocus phylogenetic analyses reveal unexpected abundant diversity and significant disjunct distribution pattern of the Hedgehog Mushrooms (<i>Hydnus</i> L.). <i>Scientific Reports</i> , 2016, 6, 25586.	3.3	29
25	Drainage isolation and climate change-driven population expansion shape the genetic structures of <i>Tuber indicum</i> complex in the Hengduan Mountains region. <i>Scientific Reports</i> , 2016, 6, 21811.	3.3	29
26	Diversity and distribution patterns of root-associated fungi on herbaceous plants in alpine meadows of southwestern China. <i>Mycologia</i> , 2016, 108, 281-291.	1.9	29
27	The genus <i>< i>Retiboletus</i></i> in China. <i>Mycologia</i> , 2016, 108, 363-380.	1.9	28
28	African origin and global distribution patterns: Evidence inferred from phylogenetic and biogeographical analyses of ectomycorrhizal fungal genus <i>< i>Strobilomyces</i></i> . <i>Journal of Biogeography</i> , 2018, 45, 201-212.	3.0	28
29	Three new species of <i>Lentinus</i> from northern Thailand. <i>Mycological Progress</i> , 2011, 10, 389-398.	1.4	26
30	New species and distinctive geographical divergences of the genus <i>Sparassis</i> (Basidiomycota): evidence from morphological and molecular data. <i>Mycological Progress</i> , 2013, 12, 445-454.	1.4	26
31	Genetic diversity and structure of core collection of winter mushroom (<i>Flammulina velutipes</i>) developed by genomic SSR markers. <i>Hereditas</i> , 2018, 155, 3.	1.4	26
32	Mating Systems in True Morels (<i>< i>Morchella</i></i>). <i>Microbiology and Molecular Biology Reviews</i> , 2021, 85, e0022020.	6.6	26
33	<i>Trogia venenata</i> (Agaricales), a novel poisonous species which has caused hundreds of deaths in southwestern China. <i>Mycological Progress</i> , 2012, 11, 937-945.	1.4	25
34	Molecular phylogeny of <i>Caloboletus</i> (Boletaceae) and a new species in East Asia. <i>Mycological Progress</i> , 2014, 13, 1127.	1.4	25
35	Out of Asia: Biogeography of fungal populations reveals Asian origin of diversification of the <i>Laccaria amethystina</i> complex, and two new species of violet <i>Laccaria</i> . <i>Fungal Biology</i> , 2017, 121, 939-955.	2.5	24
36	A multi-gene phylogeny of <i>Chlorophyllum</i> (Agaricaceae, Basidiomycota): new species, new combination and infrageneric classification. <i>MycoKeys</i> , 2018, 32, 65-90.	1.9	24

#	ARTICLE	IF	CITATIONS
37	The genus <i>Pulveroboletus</i> (Boletaceae, Boletales) in China. <i>Mycologia</i> , 2017, 109, 422-442.	1.9	23
38	New species of <i>Amanita</i> from the eastern Himalaya and adjacent regions. <i>Mycologia</i> , 2004, 96, 636-646.	1.9	22
39	Hourangia, a new genus of Boletaceae to accommodate <i>Xerocomus cheoi</i> and its allied species. <i>Mycological Progress</i> , 2015, 14, 1.	1.4	22
40	Multigene Molecular Phylogeny and Biogeographic Diversification of the Earth Tongue Fungi in the Genera Cudonia and Spathularia (Rhytismatales, Ascomycota). <i>PLoS ONE</i> , 2014, 9, e103457.	2.5	21
41	High inbreeding, limited recombination and divergent evolutionary patterns between two sympatric morel species in China. <i>Scientific Reports</i> , 2016, 6, 22434.	3.3	20
42	Genome of lethal <i>Lepiota venenata</i> and insights into the evolution of toxin-biosynthetic genes. <i>BMC Genomics</i> , 2019, 20, 198.	2.8	20
43	Transcriptome data reveal conserved patterns of fruiting body development and response to heat stress in the mushroom-forming fungus <i>Flammulina filiformis</i> . <i>PLoS ONE</i> , 2020, 15, e0239890.	2.5	20
44	A new species of <i>Amanita</i> section <i>Lepidella</i> from South China. <i>Mycological Progress</i> , 2014, 13, 211-217.	1.4	19
45	The MSDIN family in amanitin-producing mushrooms and evolution of the prolyl oligopeptidase genes. <i>IMA Fungus</i> , 2018, 9, 225-242.	3.8	19
46	Morphological and molecular evidence for a new species of <i>Rhodotus</i> from tropical and subtropical Yunnan, China. <i>Mycological Progress</i> , 2014, 13, 45-53.	1.4	18
47	Solving the ecological puzzle of mycorrhizal associations using data from annotated collections and environmental samples – an example of saddle fungi. <i>Environmental Microbiology Reports</i> , 2015, 7, 658-667.	2.4	18
48	Four new species in <i>Leucoagaricus</i> (Agaricaceae, Basidiomycota) from Asia. <i>Mycologia</i> , 2015, 107, 1033-1044.	1.9	18
49	Diversity and taxonomy of <i>Tricholoma</i> species from Yunnan, China, and notes on species from Europe and North America. <i>Mycologia</i> , 2018, 110, 1081-1109.	1.9	18
50	Occultocarpon, a new monotypic genus of Gnomoniaceae on <i>Alnus nepalensis</i> from China. <i>Fungal Diversity</i> , 2012, 52, 99-105.	12.3	17
51	The saprotrophic <i>Pleurotus ostreatus</i> species complex: late Eocene origin in East Asia, multiple dispersal, and complex speciation. <i>IMA Fungus</i> , 2020, 11, 10.	3.8	17
52	Ovipoculum album, a new anamorph with gelatinous cupulate bulbilliferous conidiomata from China and with affinities to the Auriculariales (Basidiomycota). <i>Fungal Diversity</i> , 2010, 43, 55-65.	12.3	16
53	The taxonomic foundation, species circumscription and continental endemisms of <i>Singerocybe</i> : evidence from morphological and molecular data. <i>Mycologia</i> , 2014, 106, 1015-1026.	1.9	16
54	Species clarification of oyster mushrooms in China and their DNA barcoding. <i>Mycological Progress</i> , 2017, 16, 191-203.	1.4	16

#	ARTICLE	IF	CITATIONS
55	New Asian species of the genus <i>Anamika</i> (euagarics, hebelomatoid clade) based on morphology and ribosomal DNA sequences. <i>Mycological Research</i> , 2005, 109, 1259-1267.	2.5	15
56	Taxonomy and phylogenetic position of species of <i>Amanita</i> sect. <i>Vaginatae</i> s.l. from tropical Africa. <i>Mycological Progress</i> , 2015, 14, 1.	1.4	15
57	< i> <i>Spongisorpa temasekensis</i> </i>, a new boletoid genus and species from Singapore. <i>Mycologia</i> , 2018, 110, 919-929.	1.9	15
58	<i>Parixerula ellipsospora</i> , a new Asian species of <i>Physalacriaceae</i> . <i>Mycological Progress</i> , 2014, 13, 639-647.	1.4	14
59	Using mating-type loci to improve taxonomy of the <i>Tuber indicum</i> complex, and discovery of a new species, <i>T. longispinosum</i> . <i>PLoS ONE</i> , 2018, 13, e0193745.	2.5	13
60	Ecological and physical barriers shape genetic structure of the Alpine porcini (<i>Boletus reticuliceps</i>). <i>Mycorrhiza</i> , 2017, 27, 261-272.	2.8	10
61	Species diversity, distribution patterns, and substrate specificity of < i> <i>Strobilurus</i> </i>. <i>Mycologia</i> , 2018, 110, 584-604.	1.9	10
62	Genes and evolutionary fates of the amanitin biosynthesis pathway in poisonous mushrooms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2201113119.	7.1	10
63	< i> <i>Clitopilus</i> , <i>Clitocella</i> </i>, and < i> <i>Clitopilopsis</i> </i> in China. <i>Mycologia</i> , 2020, 112, 371-399.	1.9	9
64	Novel Cyclic Peptides from Lethal Amanita Mushrooms through a Genome-Guided Approach. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 204.	3.5	9
65	<i>Lepiota coloratipes</i> , a new species for <i>Lepiota rufipes</i> ss. <i>Auct. europ. non ss. orig.</i> . <i>Mycological Progress</i> , 2014, 13, 171-179.	1.4	7
66	A geographical extension of the North American genus <i>Bothia</i> (Boletaceae, Boletales) to East Asia with a new species <i>B. fujianensis</i> from China. <i>Mycological Progress</i> , 2015, 14, 1.	1.4	7
67	The genus < i> <i>Heimioporoides</i> </i> in China. <i>Mycologia</i> , 2018, 110, 1110-1126.	1.9	7
68	<i>Mycoamaranthus cambodgensis</i> comb. nov., a widely distributed sequestrate basidiomycete from Australia and southeastern Asia. <i>Mycological Progress</i> , 2003, 2, 323-325.	1.4	6
69	Three new species of < i> <i>Physalacria</i> </i> from China, with a key to the Asian taxa. <i>Mycologia</i> , 2016, 108, 215-226.	1.9	6
70	Notes on <i>Amanita</i> section <i>Caesareae</i> from Malaysia. <i>Mycologia</i> , 2017, 109, 1-11.	1.9	6
71	Squamanitaceae and three new species of <i>Squamanita</i> parasitic on <i>Amanita</i> basidiomes. <i>IMA Fungus</i> , 2021, 12, 4.	3.8	6
72	The Genus <i>Leccinum</i> (Boletaceae, Boletales) from China Based on Morphological and Molecular Data. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 732.	3.5	6

#	ARTICLE	IF	CITATIONS
73	Four New Species of <i>Hemileccinum</i> (Xerocomoideae, Boletaceae) from Southwestern China. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 823.	3.5	6
74	<p> <i>Phallus dongsun</i> and <i>P. lutescens</i> two new species of <i>Phallaceae</i> (Basidiomycota) from China</p>. <i>Phytotaxa</i> , 2020, 443, 19-37.	0.3	6
75	<i>Kaziboletus</i> , a new boletoid genus of <i>Boletaceae</i> associated with <i>Shorea robusta</i> in Bangladesh. <i>Mycological Progress</i> , 2021, 20, 1145-1156.	1.4	6
76	Two new taxa of the <i>Auriscalpium vulgare</i> species complex with substrate preferences. <i>Mycological Progress</i> , 2019, 18, 641-652.	1.4	5
77	A new clitocyboid genus <i>Spodocybe</i> and a new subfamily <i>Cuphophylloideae</i> in the family <i>Hygrophoraceae</i> (Agaricales). <i>MycoKeys</i> , 2021, 79, 129-148.	1.9	5
78	The genera <i>Bonomyces</i> , <i>Harmajaea</i> and <i>Notholepista</i> from Northwestern China: two new species and a new record. <i>Mycological Progress</i> , 2022, 21, 1.	1.4	5
79	<i>Amanita</i> sect. <i>Phalloideae</i> : two interesting non-lethal species from West Africa. <i>Mycological Progress</i> , 2022, 21, 1.	1.4	5
80	Morphology, Multilocus Phylogeny, and Toxin Analysis Reveal <i>Amanita alboliimbata</i> , the First Lethal <i>Amanita</i> Species From Benin, West Africa. <i>Frontiers in Microbiology</i> , 2020, 11, 599047.	3.5	4
81	Two new <i>Laccaria</i> species from China based on molecular and morphological evidence. <i>Mycological Progress</i> , 2021, 20, 567-576.	1.4	4
82	<p>Two new species of <i>Tricholoma</i> sect. <i>Genuina</i> (Agaricales) from China</p>. <i>Phytotaxa</i> , 2020, 443, 155-166.	0.3	4
83	<i> <i>Psiloboletinus</i> </i> is an independent genus sister to <i> <i>Suillus</i> </i>. <i>Mycologia</i> , 2020, 112, 185-196.	1.9	3
84	Cyanescent <i>Gyroporus</i> (Gyroporaceae, Boletales) from China. <i>MycoKeys</i> , 2021, 81, 165-183.	1.9	3
85	Phylogenetic analysis reveals the new genus <i> <i>Amoenoboletus</i> </i> from Asia and New Zealand. <i>Mycologia</i> , 2022, 114, 144-156.	1.9	3
86	New species of <i>Amanita</i> from the eastern Himalaya and adjacent regions. <i>Mycologia</i> , 2004, 96, 636-46.	1.9	3
87	<i>Tricholoma</i> sect. <i>Tricholoma</i> (Tricholomataceae) from China: molecular phylogeny and taxonomy. <i>Mycological Progress</i> , 2022, 21, 1.	1.4	3
88	<i>Amanita pallidoverruca</i> , a new species of <i>Amanita</i> section <i>Validae</i> from the Hengduan Mountains, southwestern China. <i>Phytotaxa</i> , 2022, 542, 73-82.	0.3	2
89	Genomic and Experimental Investigations of <i>Auriscalpium</i> and <i>Strobilurus</i> Fungi Reveal New Insights into Pinecone Decomposition. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 679.	3.5	1
90	Two new species of <i>Tricholoma</i> sect. <i>Genuina</i> (Agaricales) from China based on molecular phylogenetic and morphological evidence. <i>Mycological Progress</i> , 2022, 21, 1.	1.4	1

#	ARTICLE	IF	CITATIONS
91	Title is missing!. , 2020, 15, e0239890.		0
92	Title is missing!. , 2020, 15, e0239890.		0
93	Title is missing!. , 2020, 15, e0239890.		0
94	Title is missing!. , 2020, 15, e0239890.		0
95	Title is missing!. , 2020, 15, e0239890.		0
96	Title is missing!. , 2020, 15, e0239890.		0
97	Title is missing!. , 2020, 15, e0239890.		0
98	Title is missing!. , 2020, 15, e0239890.		0