

Stephen D Brealey

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2274493/publications.pdf>

Version: 2024-02-01

51
papers

2,429
citations

430874

18
h-index

223800

46
g-index

54
all docs

54
docs citations

54
times ranked

3474
citing authors

#	ARTICLE	IF	CITATIONS
1	Screening for Depression in Medical Settings with the Patient Health Questionnaire (PHQ): A Diagnostic Meta-Analysis. <i>Journal of General Internal Medicine</i> , 2007, 22, 1596-1602.	2.6	991
2	Surgical vs Nonsurgical Treatment of Adults With Displaced Fractures of the Proximal Humerus. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 1037.	7.4	398
3	Acupuncture and Counselling for Depression in Primary Care: A Randomised Controlled Trial. <i>PLoS Medicine</i> , 2013, 10, e1001518.	8.4	106
4	Management of adults with primary frozen shoulder in secondary care (UK FROST): a multicentre, pragmatic, three-arm, superiority randomised clinical trial. <i>Lancet, The</i> , 2020, 396, 977-989.	13.7	97
5	The ProFHER (PROximal Fracture of the Humerus: Evaluation by Randomisation) trial – a pragmatic multicentre randomised controlled trial evaluating the clinical effectiveness and cost-effectiveness of surgical compared with non-surgical treatment for proximal fracture of the humerus in adults. <i>Health Technology Assessment</i> , 2015, 19, 1-280.	2.8	91
6	Screening for postnatal depression – is it acceptable to women and healthcare professionals? A systematic review and meta-analysis. <i>Journal of Reproductive and Infant Psychology</i> , 2010, 28, 328-344.	1.8	66
7	Instruments to identify post-natal depression: Which methods have been the most extensively validated, in what setting and in which language?. <i>International Journal of Psychiatry in Clinical Practice</i> , 2010, 14, 72-76.	2.4	64
8	Surgery versus cast immobilisation for adults with a bicortical fracture of the scaphoid waist (SWIFFT): a pragmatic, multicentre, open-label, randomised superiority trial. <i>Lancet, The</i> , 2020, 396, 390-401.	13.7	62
9	Measuring the Effects of Image Interpretation: An Evaluative Framework. <i>Clinical Radiology</i> , 2001, 56, 341-347.	1.1	54
10	The effectiveness of behavioural therapy for the treatment of depression in older adults: a meta-analysis. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 1211-1220.	2.7	47
11	Protocol for the ProFHER (PROximal Fracture of the Humerus: Evaluation by Randomisation) trial: a pragmatic multi-centre randomised controlled trial of surgical versus non-surgical treatment for proximal fracture of the humerus in adults. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 140.	1.9	44
12	Managing Idiopathic Frozen Shoulder: A Survey of Health Professionals' Current Practice and Research Priorities. <i>Shoulder and Elbow</i> , 2010, 2, 294-300.	1.5	33
13	Influence of magnetic resonance of the knee on GPs' decisions: a randomised trial. <i>British Journal of General Practice</i> , 2007, 57, 622-9.	1.4	28
14	Scaphoid Waist Internal Fixation for Fractures Trial (SWIFFT) protocol: a pragmatic multi-centre randomised controlled trial of cast treatment versus surgical fixation for the treatment of bi-cortical, minimally displaced fractures of the scaphoid waist in adults. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 248.	1.9	25
15	United Kingdom Frozen Shoulder Trial (UK FROST), multi-centre, randomised, 12 month, parallel group, superiority study to compare the clinical and cost-effectiveness of Early Structured Physiotherapy versus manipulation under anaesthesia versus arthroscopic capsular release for patients referred to secondary care with a primary frozen shoulder: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 614.	1.6	25
16	Improving response rates using a monetary incentive for patient completion of questionnaires: an observational study. <i>BMC Medical Research Methodology</i> , 2007, 7, 12.	3.1	24
17	The DAMASK trial protocol: a pragmatic randomised trial to evaluate whether GPs should have direct access to MRI for patients with suspected internal derangement of the knee. <i>BMC Health Services Research</i> , 2006, 6, 133.	2.2	22
18	Development of the Knee Quality of Life (KQoL-26) 26-item questionnaire: data quality, reliability, validity and responsiveness. <i>Health and Quality of Life Outcomes</i> , 2008, 6, 48.	2.4	20

#	ARTICLE	IF	CITATIONS
19	Acupuncture for pain and osteoarthritis of the knee: a pilot study for an open parallel-arm randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 130.	1.9	17
20	Orthopaedic Trial Networks. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012, 94, 97-100.	3.0	15
21	A framework for radiographers planning to undertake a systematic review. <i>Radiography</i> , 1999, 5, 131-146.	2.1	14
22	Tissue inflammation signatures point towards resolution in adhesive capsulitis. <i>Rheumatology</i> , 2019, 58, 1109-1111.	1.9	14
23	Comparative responsiveness and minimal change of the Knee Quality of Life 26-item (KQoL-26) questionnaire. <i>Quality of Life Research</i> , 2013, 22, 2461-2475.	3.1	13
24	Exploring the outcomes in studies of primary frozen shoulder: is there a need for a core outcome set?. <i>Quality of Life Research</i> , 2014, 23, 2495-2504.	3.1	13
25	Cost-Effectiveness Analysis of Acupuncture, Counselling and Usual Care in Treating Patients with Depression: The Results of the ACUDep Trial. <i>PLoS ONE</i> , 2014, 9, e113726.	2.5	13
26	Effectiveness of interventions for the management of primary frozen shoulder. <i>Bone & Joint Open</i> , 2021, 2, 773-784.	2.6	12
27	Surgical fixation compared with cast immobilisation for adults with a bicortical fracture of the scaphoid waist: the SWIFFT RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-234.	2.8	11
28	Surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder: the UK FROST three-arm RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-162.	2.8	11
29	A multicentre, randomized, parallel group, superiority study to compare the clinical effectiveness and cost-effectiveness of external frame versus internal locking plate for complete articular pilon fracture fixation in adults. <i>Bone & Joint Open</i> , 2021, 2, 150-163.	2.6	10
30	Participants' preference for type of leaflet used to feed back the results of a randomised trial: a survey. <i>Trials</i> , 2010, 11, 116.	1.6	9
31	Timing of electronic reminders did not improve trial participant questionnaire response: a randomized trial and meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2020, 122, 70-77.	5.0	9
32	Remote or on-site visits were feasible for the initial setup meetings with hospitals in a multicenter surgical trial: an embedded randomized trial. <i>Journal of Clinical Epidemiology</i> , 2018, 100, 13-21.	5.0	8
33	The impact of surgeon and patient treatment preferences in an orthopaedic trauma surgery trial. <i>Trials</i> , 2019, 20, 570.	1.6	8
34	Using postal randomization to replace telephone randomization had no significant effect on recruitment of patients. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 1046-1051.	5.0	7
35	Does time to surgery affect patient-reported outcome in proximal humeral fractures? A subanalysis of the PROFHER randomized clinical trial. <i>Bone and Joint Journal</i> , 2020, 102-B, 33-41.	4.4	7
36	Recruitment patterns in multicentre randomised trials fit more closely to Price's Law than the Pareto Principle: A review of trials funded and published by the United Kingdom Health Technology Assessment Programme. <i>Contemporary Clinical Trials</i> , 2022, 113, 106665.	1.8	6

#	ARTICLE	IF	CITATIONS
37	What is evidence based medicine? An emerging science not fashionable rhetoric. Radiography, 2001, 7, 7-10.	2.1	5
38	Interventions to improve retention in a surgical, clinical trial: A pragmatic, stakeholderâ€driven approach. Journal of Evidence-Based Medicine, 2018, 11, 12-19.	2.4	5
39	Cost-effectiveness of surgery versus cast immobilization for adults with a bicortical fracture of the scaphoid waist. Bone and Joint Journal, 2021, 103-B, 1277-1283.	4.4	5
40	The Effectiveness of Nurse Led 2-D Ultrasound Guided Insertion of Peripherally Inserted Central Catheters in Adult Patients: A Systematic Review. , 2008, 13, 120-125.		4
41	Embedding qualitative research in randomised controlled trials to improve recruitment: findings from two recruitment optimisation studies of orthopaedic surgical trials. Trials, 2021, 22, 461.	1.6	4
42	Staff training to improve participant recruitment into surgical randomised controlled trials: A feasibility study within a trial (SWAT) across four host trials simultaneously. Research Methods in Medicine & Health Sciences, 0, , 263208432211069.	1.2	3
43	High-Quality Orthopedic Research Is Having an Impact. Orthopedics, 2018, 41, 8-8.	1.1	2
44	Cost-effective clinical trial design: Application of a Bayesian sequential model to the ProFHER pragmatic trial. Clinical Trials, 2021, 18, 647-656.	1.6	2
45	Cost-effectiveness of surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder. Bone & Joint Open, 2021, 2, 685-695.	2.6	2
46	â€œAway Daysâ€ in multicenter randomized controlled trials: a questionnaire survey of their use and a case study on the effect of one Away Day on patient recruitment. Journal of Evidence-Based Medicine, 2016, 9, 24-31.	2.4	1
47	Concerns about the evidence in relation to implementation of the ProFHER trial. BMJ Quality and Safety, 2020, 29, 430-431.	3.7	1
48	Frozen shoulder â€“ Authors' reply. Lancet, The, 2021, 397, 372-373.	13.7	1
49	The Internet as a research tool in radiography. Radiography, 1998, 4, 107-114.	2.1	0
50	Invited Commentary: Author's Reply. Clinical Radiology, 2001, 56, 349.	1.1	0
51	Experiences and perceptions of trial participants and healthcare professionals in the UK Frozen Shoulder Trial (UK FROST): a nested qualitative study. BMJ Open, 2021, 11, e040829.	1.9	0