
Stephen D Brealey

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2274493/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Recruitment patterns in multicentre randomised trials fit more closely to Price's Law than the Pareto Principle: A review of trials funded and published by the United Kingdom Health Technology Assessment Programme. Contemporary Clinical Trials, 2022, 113, 106665.	1.8	6
2	Frozen shoulder – Authors' reply. Lancet, The, 2021, 397, 372-373.	13.7	1
3	A multicentre, randomized, parallel group, superiority study to compare the clinical effectiveness and cost-effectiveness of external frame versus internal locking plate for complete articular pilon fracture fixation in adults. Bone & Joint Open, 2021, 2, 150-163.	2.6	10
4	Experiences and perceptions of trial participants and healthcare professionals in the UK Frozen Shoulder Trial (UK FROST): a nested qualitative study. BMJ Open, 2021, 11, e040829.	1.9	0
5	Cost-effectiveness of surgery versus cast immobilization for adults with a bicortical fracture of the scaphoid waist. Bone and Joint Journal, 2021, 103-B, 1277-1283.	4.4	5
6	Embedding qualitative research in randomised controlled trials to improve recruitment: findings from two recruitment optimisation studies of orthopaedic surgical trials. Trials, 2021, 22, 461.	1.6	4
7	Cost-effective clinical trial design: Application of a Bayesian sequential model to the ProFHER pragmatic trial. Clinical Trials, 2021, 18, 647-656.	1.6	2
8	Cost-effectiveness of surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder. Bone & Joint Open, 2021, 2, 685-695.	2.6	2
9	Effectiveness of interventions for the management of primary frozen shoulder. Bone & Joint Open, 2021, 2, 773-784.	2.6	12
10	Management of adults with primary frozen shoulder in secondary care (UK FROST): a multicentre, pragmatic, three-arm, superiority randomised clinical trial. Lancet, The, 2020, 396, 977-989.	13.7	97
11	Concerns about the evidence in relation to implementation of the ProFHER trial. BMJ Quality and Safety, 2020, 29, 430-431.	3.7	1
12	Surgery versus cast immobilisation for adults with a bicortical fracture of the scaphoid waist (SWIFFT): a pragmatic, multicentre, open-label, randomised superiority trial. Lancet, The, 2020, 396, 390-401.	13.7	62
13	Does time to surgery affect patient-reported outcome in proximal humeral fractures? A subanalysis of the PROFHER randomized clinical trial. Bone and Joint Journal, 2020, 102-B, 33-41.	4.4	7
14	Timing of electronic reminders did not improve trial participant questionnaire response: a randomized trial and meta-analyses. Journal of Clinical Epidemiology, 2020, 122, 70-77.	5.0	9
15	Surgical fixation compared with cast immobilisation for adults with a bicortical fracture of the scaphoid waist: the SWIFFT RCT. Health Technology Assessment, 2020, 24, 1-234.	2.8	11
16	Surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder: the UK FROST three-arm RCT. Health Technology Assessment, 2020, 24, 1-162.	2.8	11
17	The impact of surgeon and patient treatment preferences in an orthopaedic trauma surgery trial. Trials, 2019, 20, 570.	1.6	8
18	Tissue inflammation signatures point towards resolution in adhesive capsulitis. Rheumatology, 2019, 58. 1109-1111.	1.9	14

STEPHEN D BREALEY

#	Article	IF	CITATIONS
19	Remote or on-site visits were feasible for the initial setup meetings with hospitals in a multicenter surgical trial: an embedded randomized trial. Journal of Clinical Epidemiology, 2018, 100, 13-21.	5.0	8
20	High-Quality Orthopedic Research Is Having an Impact. Orthopedics, 2018, 41, 8-8.	1.1	2
21	Interventions to improve retention in a surgical, clinical trial: A pragmatic, stakeholderâ€driven approach. Journal of Evidence-Based Medicine, 2018, 11, 12-19.	2.4	5
22	United Kingdom Frozen Shoulder Trial (UK FROST), multi-centre, randomised, 12 month, parallel group, superiority study to compare the clinical and cost-effectiveness of Early Structured Physiotherapy versus manipulation under anaesthesia versus arthroscopic capsular release for patients referred to secondary care with a primary frozen shoulder: study protocol for a randomised controlled trial.	1.6	25
23	Trials, 2017, 18, 614. "Away Days―in multicenter randomized controlled trials: a questionnaire survey of their use and a case study on the effect of one Away Day on patient recruitment. Journal of Evidence-Based Medicine, 2016, 9, 24-31.	2.4	1
24	Scaphoid Waist Internal Fixation for Fractures Trial (SWIFFT) protocol: a pragmatic multi-centre randomised controlled trial of cast treatment versus surgical fixation for the treatment of bi-cortical, minimally displaced fractures of the scaphoid waist in adults. BMC Musculoskeletal Disorders, 2016, 17, 248.	1.9	25
25	Surgical vs Nonsurgical Treatment of Adults With Displaced Fractures of the Proximal Humerus. JAMA - Journal of the American Medical Association, 2015, 313, 1037.	7.4	398
26	The ProFHER (PROximal Fracture of the Humerus: Evaluation by Randomisation) trial – a pragmatic multicentre randomised controlled trial evaluating the clinical effectiveness and cost-effectiveness of surgical compared with non-surgical treatment for proximal fracture of the humerus in adults. Health Technology Assessment, 2015, 19, 1-280.	2.8	91
27	Exploring the outcomes in studies of primary frozen shoulder: is there a need for a core outcome set?. Quality of Life Research, 2014, 23, 2495-2504.	3.1	13
28	Cost-Effectiveness Analysis of Acupuncture, Counselling and Usual Care in Treating Patients with Depression: The Results of the ACUDep Trial. PLoS ONE, 2014, 9, e113726.	2.5	13
29	Comparative responsiveness and minimal change of the Knee Quality of Life 26-item (KQoL-26) questionnaire. Quality of Life Research, 2013, 22, 2461-2475.	3.1	13
30	Acupuncture and Counselling for Depression in Primary Care: A Randomised Controlled Trial. PLoS Medicine, 2013, 10, e1001518.	8.4	106
31	Orthopaedic Trial Networks. Journal of Bone and Joint Surgery - Series A, 2012, 94, 97-100.	3.0	15
32	The effectiveness of behavioural therapy for the treatment of depression in older adults: a metaâ€analysis. International Journal of Geriatric Psychiatry, 2011, 26, 1211-1220.	2.7	47
33	Participants' preference for type of leaflet used to feed back the results of a randomised trial: a survey. Trials, 2010, 11, 116.	1.6	9
34	Instruments to identify post-natal depression: Which methods have been the most extensively validated, in what setting and in which language?. International Journal of Psychiatry in Clinical Practice, 2010, 14, 72-76.	2.4	64
35	Screening for postnatal depression – is it acceptable to women and healthcare professionals? A systematic review and metaâ€synthesis. Journal of Reproductive and Infant Psychology, 2010, 28, 328-344.	1.8	66
36	Managing Idiopathic Frozen Shoulder: A Survey of Health Professionals' Current Practice and Research Priorities. Shoulder and Elbow, 2010, 2, 294-300.	1.5	33

STEPHEN D BREALEY

#	Article	IF	CITATIONS
37	Acupuncture for pain and osteoarthritis of the knee: a pilot study for an open parallel-arm randomised controlled trial. BMC Musculoskeletal Disorders, 2009, 10, 130.	1.9	17
38	Protocol for the ProFHER (PROximal Fracture of the Humerus: Evaluation by Randomisation) trial: a pragmatic multi-centre randomised controlled trial of surgical versus non-surgical treatment for proximal fracture of the humerus in adults. BMC Musculoskeletal Disorders, 2009, 10, 140.	1.9	44
39	Development of the Knee Quality of Life (KQoL-26) 26-item questionnaire: data quality, reliability, validity and responsiveness. Health and Quality of Life Outcomes, 2008, 6, 48.	2.4	20
40	The Effectiveness of Nurse Led 2-D Ultrasound Guided Insertion of Peripherally Inserted Central Catheters in Adult Patients: A Systematic Review. , 2008, 13, 120-125.		4
41	Using postal randomization to replace telephone randomization had no significant effect on recruitment of patients. Journal of Clinical Epidemiology, 2007, 60, 1046-1051.	5.0	7
42	Improving response rates using a monetary incentive for patient completion of questionnaires: an observational study. BMC Medical Research Methodology, 2007, 7, 12.	3.1	24
43	Screening for Depression in Medical Settings with the Patient Health Questionnaire (PHQ): A Diagnostic Meta-Analysis. Journal of General Internal Medicine, 2007, 22, 1596-1602.	2.6	991
44	Influence of magnetic resonance of the knee on GPs' decisions: a randomised trial. British Journal of General Practice, 2007, 57, 622-9.	1.4	28
45	The DAMASK trial protocol: a pragmatic randomised trial to evaluate whether GPs should have direct access to MRI for patients with suspected internal derangement of the knee. BMC Health Services Research, 2006, 6, 133.	2.2	22
46	Invited Commentary: Author's Reply. Clinical Radiology, 2001, 56, 349.	1.1	0
47	Measuring the Effects of Image Interpretation: An Evaluative Framework. Clinical Radiology, 2001, 56, 341-347.	1.1	54
48	What is evidence based medicine? An emerging science not fashionable rhetoric. Radiography, 2001, 7, 7-10.	2.1	5
49	A framework for radiographers planning to undertake a systematic review. Radiography, 1999, 5, 131-146.	2.1	14
50	The Internet as a research tool in radiography. Radiography, 1998, 4, 107-114.	2.1	0
51	Staff training to improve participant recruitment into surgical randomised controlled trials: A feasibility study within a trial (SWAT) across four host trials simultaneously. Research Methods in Medicine & Health Sciences, 0, , 263208432211069.	1.2	3