

Andrea Cornia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2281987/publications.pdf>

Version: 2024-02-01

191
papers

11,325
citations

26630

56
h-index

31849

101
g-index

201
all docs

201
docs citations

201
times ranked

5856
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | A tetrairon(III) single-molecule magnet and its solvatomorphs: synthesis, crystal structures and vapor-phase processing. <i>Inorganica Chimica Acta</i> , 2022, 531, 120698. | 2.4 | 1 |
| 2 | Stereoisomerism in Tetrametallic Propeller-Like Complexes: A Solid-State and Solution NMR Study on a Tetragallium(III) Derivative. <i>European Journal of Inorganic Chemistry</i> , 2022, 2022, . | 2.0 | 0 |
| 3 | Structural Diversity of Lithium Oligo- π -Pyridylamides. <i>Chemistry</i> , 2022, 4, 520-534. | 2.2 | 0 |
| 4 | Tetrairon(II) extended metal atom chains as single-molecule magnets. <i>Dalton Transactions</i> , 2021, 50, 7571-7589. | 3.3 | 10 |
| 5 | Engineering Chemisorption of Fe ₄ Single-Molecule Magnets on Gold. <i>Advanced Materials Interfaces</i> , 2021, 8, 2101182. | 3.7 | 7 |
| 6 | S-Functionalized Tripods with Monomethylene Spacers: Routes to Tetrairon(III) Single-Molecule Magnets with Ultrashort Tethering Groups. <i>Magnetochemistry</i> , 2020, 6, 55. | 2.4 | 2 |
| 7 | Unbiased evaluation of zero-field splitting D parameter in high-spin molecules from DC magnetic data with incomplete powder averaging. <i>Journal of Magnetism and Magnetic Materials</i> , 2020, 510, 166713. | 2.3 | 3 |
| 8 | Quantum dynamics of a single molecule magnet on superconducting Pb(111). <i>Nature Materials</i> , 2020, 19, 546-551. | 27.5 | 62 |
| 9 | The Origin of Magnetic Anisotropy and Single-Molecule Magnet Behavior in Chromium(II)-Based Extended Metal Atom Chains. <i>Inorganic Chemistry</i> , 2020, 59, 1763-1777. | 4.0 | 29 |
| 10 | Propeller-shaped Fe ₄ and Fe ₃ M Molecular Nanomagnets: A Journey from Crystals to Addressable Single Molecules. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 552-568. | 2.0 | 25 |
| 11 | A Pseudo-Octahedral Cobalt(II) Complex with Bispyrazolylpyridine Ligands Acting as a Zero-Field Single-Molecule Magnet with Easy Axis Anisotropy. <i>Chemistry - A European Journal</i> , 2018, 24, 8857-8868. | 3.3 | 60 |
| 12 | Filling the Gap in Extended Metal Atom Chains: Ferromagnetic Interactions in a Tetrairon(II) String Supported by Oligo- π -pyridylamido Ligands. <i>Inorganic Chemistry</i> , 2018, 57, 5438-5448. | 4.0 | 16 |
| 13 | Mössbauer spectroscopy of a monolayer of single molecule magnets. <i>Nature Communications</i> , 2018, 9, 480. | 12.8 | 37 |
| 14 | Sev and pcu topological nets in one-pot newly synthesized mixed-ligand imidazole-containing Cu(II) coordination frameworks: Crystal structure, intermolecular interactions, theoretical calculations, magnetic behavior and biological activity. <i>Inorganica Chimica Acta</i> , 2018, 478, 59-70. | 2.4 | 7 |
| 15 | Solution structure of a pentachromium(II) single molecule magnet from DFT calculations, isotopic labelling and multinuclear NMR spectroscopy. <i>Dalton Transactions</i> , 2018, 47, 585-595. | 3.3 | 11 |
| 16 | Topological analysis and properties of new imidazole-based systems as potential candidates for biological applications. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2018, 74, e390-e390. | 0.1 | 0 |
| 17 | Form Matters: Stable Helical Foldamers Preferentially Target Human Monocytes and Granulocytes. <i>ChemMedChem</i> , 2017, 12, 337-345. | 3.2 | 2 |
| 18 | Evidence of crystal packing effects in stabilizing high or low spin states of iron(II) complexes with functionalized 2,6-bis(pyrazol-1-yl)pyridine ligands. <i>Dalton Transactions</i> , 2017, 46, 4075-4085. | 3.3 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Structure, magnetic properties and thermal sublimation of fluorinated Fe ₄ Single-Molecule Magnets. <i>Polyhedron</i> , 2017, 128, 9-17. | 2.2 | 11 |
| 20 | The molecular way. <i>Nature Materials</i> , 2017, 16, 505-506. | 27.5 | 116 |
| 21 | Synthesis, structural characterization and biological evaluation of 4 th -C-methyl- and phenyl-dioxolane pyrimidine and purine nucleosides. <i>Archives of Pharmacal Research</i> , 2017, 40, 537-549. | 6.3 | 2 |
| 22 | Torque-Detected Electron Spin Resonance as a Tool to Investigate Magnetic Anisotropy in Molecular Nanomagnets. <i>Magnetochemistry</i> , 2016, 2, 25. | 2.4 | 5 |
| 23 | Expansion of a Discrete [3 rd - μ - O] Mn ⁹ Metallogrid to a μ -Carboxylato-Bridged Polymeric {Mn ¹¹ } _n Assembly. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 2993-2999. | 2.0 | 6 |
| 24 | The Challenge of Thermal Deposition of Coordination Compounds: Insight into the Case of an Fe ₄ Single Molecule Magnet. <i>Chemistry of Materials</i> , 2016, 28, 7693-7702. | 6.7 | 13 |
| 25 | Diamondoid Structure in a Metal-Organic Framework of Fe ₄ Single-Molecule Magnets. <i>Chemistry - A European Journal</i> , 2016, 22, 13705-13714. | 3.3 | 18 |
| 26 | The classical and quantum dynamics of molecular spins on graphene. <i>Nature Materials</i> , 2016, 15, 164-168. | 27.5 | 109 |
| 27 | Experimental and Theoretical Studies on the Magnetic Anisotropy in Lanthanide(III)-Centered Fe ₃ Ln Propellers. <i>Chemistry - A European Journal</i> , 2015, 21, 12171-12180. | 3.3 | 23 |
| 28 | Redox-Controlled Exchange Bias in a Supramolecular Chain of Fe ₄ Single-Molecule Magnets. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 8777-8782. | 13.8 | 40 |
| 29 | Chiral Gold Nanoparticles Decorated with Pseudopeptides. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 6243-6248. | 2.4 | 10 |
| 30 | Magnetic fingerprint of individual Fe ₄ molecular magnets under compression by a scanning tunnelling microscope. <i>Nature Communications</i> , 2015, 6, 8216. | 12.8 | 56 |
| 31 | Crystal structure of a new homochiral one-dimensional zincophosphate containing L-methionine. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, 832-835. | 0.5 | 0 |
| 32 | Probing transverse magnetic anisotropy by electronic transport through a single-molecule magnet. <i>Physical Review B</i> , 2015, 91, . | 3.2 | 27 |
| 33 | A New and Versatile Synthesis of 1,3-Dioxan-5-yl-pyrimidine and Purine Nucleoside Analogues. <i>Synlett</i> , 2015, 26, 625-630. | 1.8 | 0 |
| 34 | Magnetic Bistability in a Submonolayer of Sublimated Fe ₄ Single-Molecule Magnets. <i>Nano Letters</i> , 2015, 15, 535-541. | 9.1 | 63 |
| 35 | UHV deposition and characterization of a mononuclear iron(III) η^2 -diketonate complex on Au(111). <i>Beilstein Journal of Nanotechnology</i> , 2014, 5, 2139-2148. | 2.8 | 8 |
| 36 | Magnetic blocking in extended metal atom chains: a pentachromium(μ_5) complex behaving as a single-molecule magnet. <i>Chemical Communications</i> , 2014, 50, 15191-15194. | 4.1 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Spin-lattice relaxation via quantum tunneling in diluted crystals of Fe ₄ single-molecule magnets. <i>Physical Review B</i> , 2014, 89, . | 3.2 | 9 |
| 38 | Arylsulfonyl Groups: The Best Cyclization Auxiliaries for the Preparation of ATRC β -Lactams can be Acidolytically Removed. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 6734-6745. | 2.4 | 15 |
| 39 | Crafting Single Molecule Magnets on Gold Nanoparticles. <i>Small</i> , 2014, 10, 323-329. | 10.0 | 31 |
| 40 | Franck's Condon Blockade in a Single-Molecule Transistor. <i>Nano Letters</i> , 2014, 14, 3191-3196. | 9.1 | 102 |
| 41 | Mapping of single-site magnetic anisotropy tensors in weakly coupled spin clusters by torque magnetometry. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 17220. | 2.8 | 24 |
| 42 | Single-Molecule Magnets on Surfaces. <i>Structure and Bonding</i> , 2014, , 293-330. | 1.0 | 18 |
| 43 | Adding Remnant Magnetization and Anisotropic Exchange to Propeller-like Single-Molecule Magnets through Chemical Design. <i>Chemistry - A European Journal</i> , 2014, 20, 13681-13691. | 3.3 | 20 |
| 44 | λ -Hybrid Foldamers with 1,2,3-Triazole Rings: Order versus Disorder. <i>Journal of Organic Chemistry</i> , 2014, 79, 5958-5969. | 3.2 | 14 |
| 45 | Tetrairon(III) Single-Molecule Magnet Monolayers on Gold: Insights from ToF-SIMS and Isotopic Labeling. <i>Langmuir</i> , 2014, 30, 8645-8649. | 3.5 | 21 |
| 46 | Synthesis, enantiomeric separation and docking studies of spiropiperidine analogues as ligands of the nociceptin/orphanin FQ receptor. <i>MedChemComm</i> , 2014, 5, 973. | 3.4 | 9 |
| 47 | On-Surface Magnetometry: The Evaluation of Superexchange Coupling Constants in Surface-Wired Single-Molecule Magnets. <i>Chemistry - A European Journal</i> , 2013, 19, 16902-16905. | 3.3 | 18 |
| 48 | A new approach to the synthesis of heteronuclear propeller-like single molecule magnets. <i>Dalton Transactions</i> , 2013, 42, 4416. | 3.3 | 30 |
| 49 | Origin and spectroscopic determination of trigonal anisotropy in a heteronuclear single-molecule magnet. <i>Physical Review B</i> , 2013, 88, . | 3.2 | 26 |
| 50 | Enhanced Vapor-Phase Processing in Fluorinated Fe ₄ Single-Molecule Magnets. <i>Inorganic Chemistry</i> , 2013, 52, 5897-5905. | 4.0 | 28 |
| 51 | CuCl-catalyzed radical cyclisation of N- λ -perchloroacyl-ketene-N,S-acetals: a new way to prepare disubstituted maleic anhydrides. <i>Tetrahedron</i> , 2012, 68, 5863-5881. | 1.9 | 16 |
| 52 | Direct Observation of Magnetic Anisotropy in an Individual Fe ₄ Single-Molecule Magnet. <i>Physical Review Letters</i> , 2012, 109, 147203. | 7.8 | 78 |
| 53 | Torque-detected ESR of a tetrairon(III) single molecule magnet. <i>Journal of Magnetic Resonance</i> , 2012, 223, 55-60. | 2.1 | 10 |
| 54 | Magnetic and optical bistability in tetrairon(III) single molecule magnets functionalized with azobenzene groups. <i>Dalton Transactions</i> , 2012, 41, 8368. | 3.3 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Magnetic Bistability of Isolated Giant Spin Centers in a Diamagnetic Crystalline Matrix. <i>Chemistry - A European Journal</i> , 2012, 18, 3390-3398. | 3.3 | 44 |
| 56 | One-step covalent grafting of Fe ₄ single-molecule magnet monolayers on gold. <i>Chemical Communications</i> , 2011, 47, 1467-1469. | 4.1 | 38 |
| 57 | Chemical strategies and characterization tools for the organization of single molecule magnets on surfaces. <i>Chemical Society Reviews</i> , 2011, 40, 3076. | 38.1 | 247 |
| 58 | High-spin and magnetic anisotropy signatures in three-terminal transport through a single molecule. <i>Synthetic Metals</i> , 2011, 161, 591-597. | 3.9 | 17 |
| 59 | A novel tripodal ligand with organosulfur alligator clips for deposition of tetrairon(III) single-molecule magnets on gold. <i>Polyhedron</i> , 2011, 30, 2960-2964. | 2.2 | 1 |
| 60 | Spin Structure of Surface-Supported Single-Molecule Magnets from Isomorphous Replacement and X-ray Magnetic Circular Dichroism. <i>Inorganic Chemistry</i> , 2011, 50, 2911-2917. | 4.0 | 47 |
| 61 | Slow Magnetic Relaxation from Hard Axis Metal Ions in Tetranuclear Single-Molecule Magnets. <i>Chemistry - A European Journal</i> , 2010, 16, 10482-10493. | 3.3 | 53 |
| 62 | Quantum tunnelling of the magnetization in a monolayer of oriented single-molecule magnets. <i>Nature</i> , 2010, 468, 417-421. | 27.8 | 574 |
| 63 | XAS and XMCD of Single Molecule Magnets. <i>Springer Proceedings in Physics</i> , 2010, , 279-311. | 0.2 | 11 |
| 64 | Deposition of intact tetrairon(III) single molecule magnet monolayers on gold: an STM, XPS, and ToF-SIMS investigation. <i>Journal of Materials Chemistry</i> , 2010, 20, 187-194. | 6.7 | 35 |
| 65 | XPS, FTIR-ATR, and AFM Structural Study of Silicon-Grafted Triol Monolayers for Controlled Anchoring of Single Molecule Magnets. <i>Journal of Physical Chemistry C</i> , 2010, 114, 20696-20701. | 3.1 | 2 |
| 66 | Thermodynamics of host-guest interactions between methylpyridinium salts and phosphonate cavitands. <i>Supramolecular Chemistry</i> , 2010, 22, 768-775. | 1.2 | 33 |
| 67 | Electric Field Controlled Magnetic Anisotropy in a Single Molecule. <i>Nano Letters</i> , 2010, 10, 3307-3311. | 9.1 | 177 |
| 68 | Introduction of ester and amido functions in tetrairon(III) single-molecule magnets: synthesis and physical characterization. <i>Dalton Transactions</i> , 2010, 39, 5851. | 3.3 | 15 |
| 69 | Muon spin relaxation investigation of tetranuclear iron(III) $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"} \rangle$ | | |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Single-Molecule Magnet Carbon-Nanotube Hybrids. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 746-750. | 13.8 | 90 |
| 74 | Thermal Deposition of Intact Tetrairon(III) Single-Molecule Magnets in High-Vacuum Conditions. <i>Small</i> , 2009, 5, 1460-1466. | 10.0 | 58 |
| 75 | Magnetic memory of a single-molecule quantum magnet wired to a gold surface. <i>Nature Materials</i> , 2009, 8, 194-197. | 27.5 | 999 |
| 76 | One pot grafting of tetrairon(III) single molecule magnets on silicon. <i>Polyhedron</i> , 2009, 28, 1758-1763. | 2.2 | 13 |
| 77 | A novel class of tetrairon(III) single-molecule magnets with graphene-binding groups. <i>Polyhedron</i> , 2009, 28, 2029-2035. | 2.2 | 10 |
| 78 | XMCD of a single layer of single molecule magnets. <i>European Physical Journal: Special Topics</i> , 2009, 169, 167-173. | 2.6 | 7 |
| 79 | Organizing and Addressing Magnetic Molecules. <i>Inorganic Chemistry</i> , 2009, 48, 3408-3419. | 4.0 | 122 |
| 80 | XAS and XMCD Investigation of Mn ₁₂ Monolayers on Gold. <i>Chemistry - A European Journal</i> , 2008, 14, 7530-7535. | 3.3 | 122 |
| 81 | Slow quantum relaxation in a tetrairon(III) single-molecule magnet. <i>Inorganica Chimica Acta</i> , 2008, 361, 3481-3488. | 2.4 | 23 |
| 82 | Magneto-optical studies on the molecular cluster Fe ₄ in different polymeric environments. <i>Inorganica Chimica Acta</i> , 2008, 361, 3970-3974. | 2.4 | 9 |
| 83 | Molecular magnetism, status and perspectives. <i>Solid State Sciences</i> , 2008, 10, 1701-1709. | 3.2 | 75 |
| 84 | Novel Chiral Calix[4]arenes by Direct Asymmetric Epoxidation Reaction. <i>Journal of Organic Chemistry</i> , 2008, 73, 4233-4236. | 3.2 | 22 |
| 85 | Site-Specific Anchoring of Tetrairon(III) Single Molecule Magnets on Functionalized Si(100) Surfaces. <i>Chemistry of Materials</i> , 2008, 20, 2405-2411. | 6.7 | 47 |
| 86 | Solvent Effects on the Adsorption and Self-Organization of Mn ₁₂ on Au(111). <i>Langmuir</i> , 2007, 23, 11836-11843. | 3.5 | 34 |
| 87 | The Origin of Transverse Anisotropy in Axially Symmetric Single Molecule Magnets. <i>Journal of the American Chemical Society</i> , 2007, 129, 10754-10762. | 13.7 | 89 |
| 88 | Magneto-Optical Investigations of Nanostructured Materials Based on Single-Molecule Magnets Monitor Strong Environmental Effects. <i>Advanced Materials</i> , 2007, 19, 3906-3911. | 21.0 | 78 |
| 89 | New Single-Molecule Magnets by Site-Specific Substitution: Incorporation of "Alligator Clips" into Fe ₄ Complexes. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 4145-4152. | 2.0 | 50 |
| 90 | Self-assembling of Mn ₁₂ molecular nanomagnets on FIB-patterned Au dot matrix. <i>Surface Science</i> , 2007, 601, 2618-2622. | 1.9 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | New Cyclosiloxanolate Cluster Complexes of Transition Metals. <i>Journal of Cluster Science</i> , 2007, 18, 217-236. | 3.3 | 5 |
| 92 | Electron Transport through SingleMn12Molecular Magnets. <i>Physical Review Letters</i> , 2006, 96, 206801. | 7.8 | 444 |
| 93 | Tuning Anisotropy Barriers in a Family of Tetrairon(III) Single-Molecule Magnets with anS= 5 Ground State. <i>Journal of the American Chemical Society</i> , 2006, 128, 4742-4755. | 13.7 | 205 |
| 94 | EPR of molecular nanomagnets. <i>Coordination Chemistry Reviews</i> , 2006, 250, 1514-1529. | 18.8 | 102 |
| 95 | Single-ion and molecular contributions to the zero-field splitting in an iron(III)-oxo dimer studied by single crystal W-band EPR. <i>Journal of Magnetic Resonance</i> , 2006, 179, 29-37. | 2.1 | 33 |
| 96 | Valence band resonant photoemission of Mn12 single molecules grafted on Au(111) surface. <i>Surface Science</i> , 2006, 600, 4185-4189. | 1.9 | 35 |
| 97 | Fe57NMR and relaxation by strong collision in the tunneling regime in the molecular nanomagnet Fe8. <i>Physical Review B</i> , 2005, 71, . | 3.2 | 14 |
| 98 | Isolated single-molecule magnets on native gold. <i>Chemical Communications</i> , 2005, , 1640. | 4.1 | 86 |
| 99 | Advances in Single-Molecule Magnet Surface Patterning through Microcontact Printing. <i>Nano Letters</i> , 2005, 5, 1435-1438. | 9.1 | 72 |
| 100 | 7Li nuclear magnetic resonance in the hexairon(III) antiferromagnetic molecular ring Fe6:Li. <i>Journal of Applied Physics</i> , 2004, 95, 6879-6881. | 2.5 | 1 |
| 101 | Scaling behavior of the proton spin-lattice relaxation rate in antiferromagnetic molecular rings. <i>Physical Review B</i> , 2004, 70, . | 3.2 | 48 |
| 102 | Intra- and inter-multiplet magnetic excitations in a tetrairon(III) molecular cluster. <i>Physical Review B</i> , 2004, 70, . | 3.2 | 27 |
| 103 | Energy-Barrier Enhancement by Ligand Substitution in Tetrairon(III) Single-Molecule Magnets. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 1136-1139. | 13.8 | 134 |
| 104 | Spin dynamics at level crossing in molecular AF rings probed by NMR. <i>Journal of Magnetism and Magnetic Materials</i> , 2004, 272-276, 1042-1047. | 2.3 | 5 |
| 105 | NMR in oriented powder of Fe8 in zero and applied field. <i>Journal of Magnetism and Magnetic Materials</i> , 2004, 272-276, E771-E772. | 2.3 | 5 |
| 106 | Inter-multiplet transitions in the Fe4 magnetic cluster. <i>Journal of Magnetism and Magnetic Materials</i> , 2004, 272-276, E777-E778. | 2.3 | 1 |
| 107 | Tuneable energy barriers in tetrairon(III) single-molecule magnets. <i>Journal of Magnetism and Magnetic Materials</i> , 2004, 272-276, E749-E751. | 2.3 | 5 |
| 108 | Organized single-molecule magnets: direct observation of new Mn12 derivatives on gold. <i>Journal of Magnetism and Magnetic Materials</i> , 2004, 272-276, E725-E726. | 2.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Site-specific ligation of anthracene-1,8-dicarboxylates to an Mn ₁₂ core: a route to the controlled functionalisation of single-molecule magnets. <i>Chemical Communications</i> , 2004, , 2604. | 4.1 | 35 |
| 110 | Self-Assembly of High-Nuclearity Metal Clusters: A Programmed Expansion of a Metallasiloxane Cage to an Octacopper(II) Cluster. <i>Inorganic Chemistry</i> , 2004, 43, 4540-4542. | 4.0 | 19 |
| 111 | Microscopic spin Hamiltonian of a Cr ₈ antiferromagnetic ring from inelastic neutron scattering. <i>Physical Review B</i> , 2003, 67, . | 3.2 | 124 |
| 112 | Direct Observation of Single-Molecule Magnets Organized on Gold Surfaces. <i>Angewandte Chemie</i> , 2003, 115, 1683-1686. | 2.0 | 28 |
| 113 | Direct Observation of Single-Molecule Magnets Organized on Gold Surfaces. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 1645-1648. | 13.8 | 190 |
| 114 | Quantum level structure of molecular magnets, Fe ₁₂ and V ₁₅ . <i>Physica B: Condensed Matter</i> , 2003, 329-333, 1138-1139. | 2.7 | 7 |
| 115 | Rational design of large-spin clusters based on the hexacopper(II) siloxanolate core. <i>Comptes Rendus Chimie</i> , 2003, 6, 645-656. | 0.5 | 14 |
| 116 | High Field Magnetization Process in a Dodecanuclear Fe(III) Ring Cluster. <i>Journal of the Physical Society of Japan</i> , 2003, 72, 1178-1183. | 1.6 | 12 |
| 117 | Observation of Magnetic Level Repulsion in Fe ₆ :Li Molecular Antiferromagnetic Rings. <i>Physical Review Letters</i> , 2002, 88, 167201. | 7.8 | 56 |
| 118 | [¹ H nuclear magnetic resonance and spin dynamics in the tetranuclear iron(III) cluster {Fe ₄ }. <i>Journal of Applied Physics</i> , 2002, 91, 7173. | 2.5 | 12 |
| 119 | Origin of Second-Order Transverse Magnetic Anisotropy in Mn ₁₂ -Acetate. <i>Physical Review Letters</i> , 2002, 89, 257201. | 7.8 | 154 |
| 120 | Titelbild: <i>Angew. Chem.</i> 23/2002. <i>Angewandte Chemie</i> , 2002, 114, 4533-4533. | 2.0 | 0 |
| 121 | Title is missing!. <i>Angewandte Chemie</i> , 2002, 114, 4699-4702. | 2.0 | 3 |
| 122 | Magnetic Anisotropy of the Antiferromagnetic Ring [Cr ₈ F ₈ Piv ₁₆]. <i>Chemistry - A European Journal</i> , 2002, 8, 277-285. | 3.3 | 194 |
| 123 | Cover Picture: <i>Angew. Chem. Int. Ed.</i> 23/2002. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 4355-4355. | 13.8 | 0 |
| 124 | Towards Stepwise Cluster Assembly: A Decacopper(II) Complex Obtained by Controlled Expansion of a Metallasiloxane Cage. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 4517-4520. | 13.8 | 25 |
| 125 | Intra- and inter-multiplet neutron transitions in an Fe ₄ magnetic cluster. <i>Applied Physics A: Materials Science and Processing</i> , 2002, 74, s929-s931. | 2.3 | 3 |
| 126 | Disorder effects in Mn ₁₂ acetate at 83 K. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, m371-m373. | 0.4 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Post-synthetic isotopic labeling of an azamacrocyclic ligand. <i>Tetrahedron Letters</i> , 2002, 43, 771-774. | 1.4 | 13 |
| 128 | Single-Ion versus Dipolar Origin of the Magnetic Anisotropy in Iron(III)-Oxo Clusters: A Case Study. <i>Chemistry - A European Journal</i> , 2001, 7, 1796-1807. | 3.3 | 59 |
| 129 | New experimental techniques for magnetic anisotropy in molecular materials. <i>Coordination Chemistry Reviews</i> , 2001, 219-221, 573-604. | 18.8 | 72 |
| 130 | Isotopic effect on the quantum tunneling of the magnetization of molecular nanomagnets. <i>Journal of Magnetism and Magnetic Materials</i> , 2001, 226-230, 1954-1960. | 2.3 | 14 |
| 131 | Theory of NMR in the molecular ring Fe ₁₀ . <i>Journal of Magnetism and Magnetic Materials</i> , 2001, 226-230, 2009-2011. | 2.3 | 1 |
| 132 | High-field torque magnetometry for investigating magnetic anisotropy in Mn ₁₂ -acetate nanomagnets. <i>Journal of Magnetism and Magnetic Materials</i> , 2001, 226-230, 2012-2014. | 2.3 | 6 |
| 133 | Neutron spectroscopy within the S=5 ground multiplet and low-temperature heat capacity in an Fe ₄ magnetic cluster. <i>Physical Review B</i> , 2001, 64, . | 3.2 | 35 |
| 134 | [Fe(OCH ₃) ₂ (dbm)] ₁₂ : synthesis, solid-state characterization and reactivity of a new molecular ferric wheel. <i>Inorganica Chimica Acta</i> , 2000, 297, 291-300. | 2.4 | 56 |
| 135 | Low-temperature specific heat of Li : Fe ₆ molecular magnets. <i>Physica B: Condensed Matter</i> , 2000, 284-288, 1233-1234. | 2.7 | 5 |
| 136 | Magnetic anisotropy of Mn ₁₂ -acetate nanomagnets from high-field torque magnetometry. <i>Chemical Physics Letters</i> , 2000, 322, 477-482. | 2.6 | 31 |
| 137 | Low temperature specific heat of molecular rings: a study on the effects of the internal guest substitution and on the lattice contribution. <i>European Physical Journal B</i> , 2000, 15, 633-639. | 1.5 | 26 |
| 138 | Nonadiabatic Landau-Zener tunneling in Fe ₈ molecular nanomagnets. <i>Europhysics Letters</i> , 2000, 50, 552-558. | 2.0 | 150 |
| 139 | Magnetic and structural properties of an octanuclear Cu(II) S=1/2 mesoscopic ring: Susceptibility and NMR measurements. <i>Physical Review B</i> , 2000, 61, 6839-6847. | 3.2 | 22 |
| 140 | Landau-Zener method to study quantum phase interference of Fe ₈ molecular nanomagnets (invited). <i>Journal of Applied Physics</i> , 2000, 87, 5481-5486. | 2.5 | 88 |
| 141 | Effects of Nuclear Spins on the Quantum Relaxation of the Magnetization for the Molecular Nanomagnet Fe ₈ . <i>Physical Review Letters</i> , 2000, 84, 2965-2968. | 7.8 | 151 |
| 142 | Single-molecule magnets based on iron(III) oxo clusters. <i>Chemical Communications</i> , 2000, , 725-732. | 4.1 | 349 |
| 143 | Low-temperature theory of proton NMR in the molecular antiferromagnetic ring Fe ₁₀ . <i>Europhysics Letters</i> , 2000, 50, 88-93. | 2.0 | 20 |
| 144 | Reaction of N,N'-dimethylimidazolidine-2-selone (4) with TCNQ. Characterisation and X-ray crystal structure of the mixed-valence compound 4·(TCNQ) _{1.167} . <i>Journal of Materials Chemistry</i> , 2000, 10, 1281-1286. | 6.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Low-temperature specific heat of Fe ₆ and Fe ₁₀ molecular magnets. <i>Physical Review B</i> , 1999, 60, 1161-1166. | 3.2 | 36 |
| 146 | Preparation and molecular structures of benzyl- and phenylacetyl cobalt carbonyls. <i>Journal of Organometallic Chemistry</i> , 1999, 586, 61-69. | 1.8 | 17 |
| 147 | A tetracopper(II) complex containing two μ_4 -oxamidato-dicopper(II) units linked by croconate anions. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1999, 55, 2043-2045. | 0.4 | 12 |
| 148 | The molecular approach to nanoscale magnetism. <i>Journal of Magnetism and Magnetic Materials</i> , 1999, 200, 182-201. | 2.3 | 202 |
| 149 | Structure and Magnetic Properties of a Dodecanuclear Twisted-Ring Iron(III) Cluster. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 1295-1297. | 13.8 | 98 |
| 150 | Manganese(III) Formate: A Three-Dimensional Framework That Traps Carbon Dioxide Molecules. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 1780-1782. | 13.8 | 77 |
| 151 | Tuning of Magnetic Anisotropy in Hexa-iron(III) Rings by Host-Guest Interactions: An Investigation by High-Field Torque Magnetometry. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 2264-2266. | 13.8 | 70 |
| 152 | Single-Molecule Magnet Behavior of a Tetranuclear Iron(III) Complex. The Origin of Slow Magnetic Relaxation in Iron(III) Clusters. <i>Journal of the American Chemical Society</i> , 1999, 121, 5302-5310. | 13.7 | 454 |
| 153 | Magnetic anisotropy of Fe ₆ and Fe ₁₀ molecular rings by cantilever torque magnetometry in high magnetic fields. <i>Physical Review B</i> , 1999, 60, 12177-12183. | 3.2 | 71 |
| 154 | Molecular Magnetic Clusters: a Bridge Between Molecules and Classical Magnets. , 1999, , 369-388. | | 1 |
| 155 | Bimetallic cyclooligosiloxanolate complexes of copper and nickel. <i>Inorganica Chimica Acta</i> , 1998, 280, 282-287. | 2.4 | 19 |
| 156 | Title is missing!. , 1998, 116, 215-224. | | 7 |
| 157 | Heterobimetallic Cyclosiloxanolate Sandwich Clusters: Na[μ_6 -cyclo(PhSiO ₂) ₆] ₂ [Fe(OR)] ₂ Ni ₄ (μ_4 -Cl) (R =) Tj ETQq ₁ 1 0.784314 rgBT | 3.3 | 14 |
| 158 | Structure and Magnetic Properties of a Mixed-Valence Heptanuclear Manganese Cluster. <i>Inorganic Chemistry</i> , 1998, 37, 3759-3766. | 4.0 | 106 |
| 159 | A Ferromagnetic Ring of Six Manganese(III) Ions with a S = 12 Ground State. <i>Inorganic Chemistry</i> , 1998, 37, 1430-1431. | 4.0 | 92 |
| 160 | Valence Tautomerism in a Cobalt Complex of a Schiff Base Diquinone Ligand. <i>Inorganic Chemistry</i> , 1998, 37, 3419-3421. | 4.0 | 98 |
| 161 | Nuclear-spin relaxation in magnetic rings. <i>Physical Review B</i> , 1998, 57, 1115-1123. | 3.2 | 25 |
| 162 | Comparison of the spin dynamics in different types of molecular magnetic rings from 1H NMR. <i>Journal of Applied Physics</i> , 1998, 83, 6946-6948. | 2.5 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | REACTION BETWEEN CuCl_2 AND 2-S-METHYL-5,5-DIMETHYLIMIDAZOLINE-4-THIONE X-Ray Crystal Structure of catena-Chloro($\frac{1}{4}$ -N(1), S(4) (2-S-Methyl-5,5-Dimethylimidazoline-4-Thione)) Copper(I). <i>Journal of Coordination Chemistry</i> , 1998, 44, 71-79. | 2.2 | 2 |
| 164 | Spin dynamics in mesoscopic size magnetic systems: A ^1H NMR study in rings of iron (III) ions. <i>Physical Review B</i> , 1997, 55, 14341-14349. | 3.2 | 87 |
| 165 | Modulated Magnetic Coupling in Alkoxoiron(III) Rings by Host-Guest Interactions with Alkali Metal Cations. <i>Inorganic Chemistry</i> , 1997, 36, 6443-6446. | 4.0 | 88 |
| 166 | The bonding of thiazoles to platinum(II) complexes. X-ray crystal structure of cis- and trans-[Pt(dimethyl sulfoxide)(thiazole) Cl_2]. <i>Inorganica Chimica Acta</i> , 1997, 255, 405-409. | 2.4 | 34 |
| 167 | Electronic Structure of Manganese(III) Compounds from High-Frequency EPR Spectra. <i>Angewandte Chemie International Edition in English</i> , 1997, 36, 2329-2331. | 4.4 | 141 |
| 168 | A Cyclic Octadeca-iron(III) Complex, the Molecular 18-Wheeler. <i>Angewandte Chemie International Edition in English</i> , 1997, 36, 2774-2776. | 4.4 | 179 |
| 169 | Elektronenstruktur von Mangan(III)-Verbindungen aus Hochfrequenz-EPR-Spektren. <i>Angewandte Chemie</i> , 1997, 109, 2423-2426. | 2.0 | 21 |
| 170 | Ein cyclischer Octadeca-eisen(III)-Komplex: ein molekulares Achtehner-Rad. <i>Angewandte Chemie</i> , 1997, 109, 2917-2919. | 2.0 | 75 |
| 171 | Synthesis, crystal structures and magnetic characterization of four μ^2 -diketonate-alkoxide iron(III) dimers. Dependence of the magnetic properties on geometrical and electronic parameters. <i>Inorganica Chimica Acta</i> , 1997, 262, 123-132. | 2.4 | 120 |
| 172 | New perspectives in phosphonodithioate coordination chemistry. Synthesis and X-ray crystal structure of trans-bis-[O-ethyl-(4-methoxyphenyl)phosphonodithioato] nickel(II). <i>Inorganica Chimica Acta</i> , 1997, 262, 81-84. | 2.4 | 52 |
| 173 | Metal Binding of Polyalcohols. 4. Structure and Magnetism of the Hexanuclear, μ_4 -Oxo-Centered [$\text{OFe}_6(\text{H}_3\text{thme})_3(\text{OCH}_3)_3\text{Cl}_6$] $_2$ - (thme = 1,1,1-Tris(hydroxymethyl)ethane). <i>Inorganic Chemistry</i> , 1996, 35, 4414-4419. | 4.0 | 66 |
| 174 | Molecule-Based Magnets: Ferro- and Antiferromagnetic Interactions in Copper(II)-Polyorganosiloxanolate Clusters. <i>Inorganic Chemistry</i> , 1996, 35, 4427-4431. | 4.0 | 86 |
| 175 | Magnetism of large iron-oxo clusters. <i>Chemical Society Reviews</i> , 1996, 25, 101. | 38.1 | 124 |
| 176 | Magnetic properties of dodecanuclear mixed valence iron clusters. <i>Inorganica Chimica Acta</i> , 1996, 243, 295-304. | 2.4 | 38 |
| 177 | Synthesis, Crystal Structure, Magnetism, and Magnetic Anisotropy of Cyclic Clusters Comprising six Iron(III) Ions and Entrapping Alkaline Ions. <i>Chemistry - A European Journal</i> , 1996, 2, 1379-1387. | 3.3 | 153 |
| 178 | Structure and Magnetic Properties of a Decanuclear Oxoiron(III) Cluster: A Further Step to Understanding Iron Aggregation Processes. <i>Angewandte Chemie International Edition in English</i> , 1996, 34, 2716-2718. | 4.4 | 46 |
| 179 | Cyclooligosiloxanolate cluster complexes of transition metals and lanthanides. <i>Journal of Molecular Catalysis A</i> , 1996, 107, 313-321. | 4.8 | 27 |
| 180 | Ein ringförmiger Eisen(III)-Komplex mit [12]Metallakrone-Struktur und einem oktaedrisch koordinierten Natrium-Ion im Zentrum. <i>Angewandte Chemie</i> , 1995, 107, 511-513. | 2.0 | 52 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | A Cyclic Hexairon(III) Complex with an Octahedrally Coordinated Sodium Ion at the Center, an Example of the [12]Metallacrown-6 Structure Type. <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 467-469. | 4.4 | 144 |
| 182 | Molecule-Based Magnets: Ferro- and Antiferromagnetic Interactions in Nickel(II) Cyclohexasiloxanolate Sandwich Complexes. <i>Inorganic Chemistry</i> , 1995, 34, 5383-5387. | 4.0 | 49 |
| 183 | Polyiron(III)-Alkoxo Clusters: a Novel Trinuclear Complex and Its Relevance to the Extended Lattices of Iron Oxides and Hydroxides. <i>Inorganic Chemistry</i> , 1995, 34, 4660-4668. | 4.0 | 63 |

184