

# Augusto Filippo Di Castelnuovo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2283199/publications.pdf>

Version: 2024-02-01

257  
papers

27,214  
citations

22153

59  
h-index

6654

156  
g-index

263  
all docs

263  
docs citations

263  
times ranked

39950  
citing authors

#	ARTICLE	IF	CITATIONS
1	Alcohol intake and total mortality in 142,960 individuals from the MORGAM Project: a population-based study. <i>Addiction</i> , 2022, 117, 312-325.	3.3	22
2	Exploring domains, clinical implications and environmental associations of a deep learning marker of biological ageing. <i>European Journal of Epidemiology</i> , 2022, 37, 35-48.	5.7	14
3	Factors for heterogeneous outcomes of angina and myocardial ischemia without obstructive coronary atherosclerosis. <i>Journal of Internal Medicine</i> , 2022, 291, 197-206.	6.0	3
4	Ultra-processed food intake and all-cause and cause-specific mortality in individuals with cardiovascular disease: the Moli-sani Study. <i>European Heart Journal</i> , 2022, 43, 213-224.	2.2	42
5	Fine-grained investigation of the relationship between human nutrition and global DNA methylation patterns. <i>European Journal of Nutrition</i> , 2022, 61, 1231-1243.	3.9	3
6	Psychological distress resulting from the COVID-19 confinement is associated with unhealthy dietary changes in two Italian population-based cohorts. <i>European Journal of Nutrition</i> , 2022, 61, 1491-1505.	3.9	12
7	Correlates of Calcidiol Deficiency in Adults” Cross-Sectional, Observational, Population-Based Study. <i>Nutrients</i> , 2022, 14, 459.	4.1	0
8	Response to commentaries: alcohol intake and total mortality, strengths and limitations of observational studies, waiting for clinical trials. <i>Addiction</i> , 2022, 117, 329-330.	3.3	0
9	Retrospective Recall of Psychological Distress Experienced During the First COVID-19 Lockdown in Italy: Results From the ALT RISCOVID-19 Survey. <i>International Journal of Public Health</i> , 2022, 67, 1604345.	2.3	0
10	Targeting the ASMAse/S1P pathway protects from sortilin-evoked vascular damage in hypertension. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	23
11	Effects of liraglutide vs. lifestyle changes on soluble suppression of tumorigenesis-2 (sST2) and galectin-3 in obese subjects with prediabetes or type 2 diabetes after comparable weight loss. <i>Cardiovascular Diabetology</i> , 2022, 21, 36.	6.8	4
12	Mediterranean diet and other dietary patterns in association with biological aging in the Moli-sani Study cohort. <i>Clinical Nutrition</i> , 2022, 41, 1025-1033.	5.0	7
13	Association of Psychological Resilience with All-Cause and Cardiovascular Mortality in a General Population in Italy: Prospective Findings from the Moli-Sani Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 222.	2.6	2
14	Determinants of serum uric acid levels in an adult general population: results from the Moli-sani Study. <i>Clinical Rheumatology</i> , 2021, 40, 857-865.	2.2	1
15	Skin toxicity following radiotherapy in patients with breast carcinoma: is anthocyanin supplementation beneficial?. <i>Clinical Nutrition</i> , 2021, 40, 2068-2077.	5.0	9
16	The CASSIOPEA Study (Economic Crisis and Adherence to the Mediterranean diet: possible impact on) Tj ETQq0 0 0 rgBT /Overlock 10 T Rationale, design and characteristics of participants. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1053-1062.	2.6	4
17	Ultra-processed food consumption is associated with increased risk of all-cause and cardiovascular mortality in the Moli-sani Study. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 446-455.	4.7	103
18	Heparin in COVID-19 Patients Is Associated with Reduced In-Hospital Mortality: The Multicenter Italian CORIST Study. <i>Thrombosis and Haemostasis</i> , 2021, 121, 1054-1065.	3.4	87

#	ARTICLE	IF	CITATIONS
19	Alcohol consumption, cardiac biomarkers, and risk of atrial fibrillation and adverse outcomes. <i>European Heart Journal</i> , 2021, 42, 1170-1177.	2.2	79
20	Life-Course Socioeconomic Status and Risk of Hospitalization for Heart Failure or Atrial Fibrillation in the Moli-sani Study Cohort. <i>American Journal of Epidemiology</i> , 2021, 190, 1561-1571.	3.4	7
21	Changes in ultra-processed food consumption during the first Italian lockdown following the COVID-19 pandemic and major correlates: results from two population-based cohorts. <i>Public Health Nutrition</i> , 2021, 24, 3905-3915.	2.2	28
22	Sex-Specific Association of Endogenous PCSK9 With Memory Function in Elderly Subjects at High Cardiovascular Risk. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 632655.	3.4	2
23	Egg consumption and risk of all-cause and cause-specific mortality in an Italian adult population. <i>European Journal of Nutrition</i> , 2021, 60, 3691-3702.	3.9	17
24	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021, 10, .	6.0	41
25	Different Anticoagulant Regimens, Mortality, and Bleeding in Hospitalized Patients with COVID-19: A Systematic Review and an Updated Meta-Analysis. <i>Seminars in Thrombosis and Hemostasis</i> , 2021, 47, 372-391.	2.7	52
26	Sodium Intake and Proteinuria/Albuminuria in the Populationâ€™ Observational, Cross-Sectional Study. <i>Nutrients</i> , 2021, 13, 1255.	4.1	4
27	Changes in the consumption of foods characterising the Mediterranean dietary pattern and major correlates during the COVID-19 confinement in Italy: results from two cohort studies. <i>International Journal of Food Sciences and Nutrition</i> , 2021, 72, 1105-1117.	2.8	22
28	Endogenous PCSK9 may influence circulating CD45neg/CD34bright and CD45neg/CD34bright/CD146neg cells in patients with type 2 diabetes mellitus. <i>Scientific Reports</i> , 2021, 11, 9659.	3.3	8
29	Dietary Polyphenol Intake Is Associated with Biological Aging, a Novel Predictor of Cardiovascular Disease: Cross-Sectional Findings from the Moli-Sani Study. <i>Nutrients</i> , 2021, 13, 1701.	4.1	12
30	Hydroxychloroquine and mortality in COVID-19 patients: a systematic review and a meta-analysis of observational studies and randomized controlled trials. <i>Pathogens and Global Health</i> , 2021, 115, 456-466.	2.3	13
31	Ultra-processed food consumption and its correlates among Italian children, adolescents and adults from the Italian Nutrition & Health Survey (INHES) cohort study. <i>Public Health Nutrition</i> , 2021, 24, 6258-6271.	2.2	27
32	Lopinavir/Ritonavir and Darunavir/Cobicistat in Hospitalized COVID-19 Patients: Findings From the Multicenter Italian CORIST Study. <i>Frontiers in Medicine</i> , 2021, 8, 639970.	2.6	20
33	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , 2021, 42, 2439-2454.	2.2	491
34	Disentangling the Association of Hydroxychloroquine Treatment with Mortality in Covid-19 Hospitalized Patients through Hierarchical Clustering. <i>Journal of Healthcare Engineering</i> , 2021, 2021, 1-10.	1.9	2
35	Dietary selenium intake and risk of hospitalization for type 2 diabetes in the Moli-sani study cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1738-1746.	2.6	25
36	Association between body mass index, waist circumference, and relative fat mass with the risk of first unprovoked venous thromboembolism. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 3122-3130.	2.6	7

#	ARTICLE	IF	CITATIONS
37	Age-dependent effect of susceptibility factors on the risk of intracerebral haemorrhage: Multicenter Study on Cerebral Hemorrhage in Italy (MUCH-Italy). <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 1068-1071.	1.9	0
38	Protective effect of oral anticoagulant drugs in atrial fibrillation patients admitted for COVID-19: Results from the CORIST study. <i>Thrombosis Research</i> , 2021, 203, 138-141.	1.7	5
39	Insulin resistance and NAFLD may influence memory performance in obese patients with prediabetes or newly-diagnosed type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2685-2692.	2.6	2
40	Reduced pulmonary function, low-grade inflammation and increased risk of total and cardiovascular mortality in a general adult population: Prospective results from the Moli-sani study. <i>Respiratory Medicine</i> , 2021, 184, 106441.	2.9	12
41	Dietary factors and the risk of lumbar spinal stenosis: a case-control analysis from the PREFACE Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, , .	2.6	1
42	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , 2021, 398, 957-980.	13.7	1,289
43	NMU DNA methylation in blood is associated with metabolic and inflammatory indices: results from the Moli-sani study. <i>Epigenetics</i> , 2021, 16, 1-14.	2.7	4
44	Combined influence of depression severity and low-grade inflammation on incident hospitalization and mortality risk in Italian adults. <i>Journal of Affective Disorders</i> , 2021, 279, 173-182.	4.1	12
45	Association of a traditional Mediterranean diet and non-Mediterranean dietary scores with all-cause and cause-specific mortality: prospective findings from the Moli-sani Study. <i>European Journal of Nutrition</i> , 2021, 60, 729-746.	3.9	18
46	Daily Coffee Drinking Is Associated with Lower Risks of Cardiovascular and Total Mortality in a General Italian Population: Results from the Moli-sani Study. <i>Journal of Nutrition</i> , 2021, 151, 395-404.	2.9	15
47	Hydroxichloroquine for COVID-19 infection: Do we have a final word after one year?. <i>European Journal of Internal Medicine</i> , 2021, 94, 4-5.	2.2	1
48	Platelet Distribution Width Is Associated with P-Selectin Dependent Platelet Function: Results from the Moli-Family Cohort Study. <i>Cells</i> , 2021, 10, 2737.	4.1	16
49	Lifestyle and biological factors influence the relationship between mental health and low-grade inflammation. <i>Brain, Behavior, and Immunity</i> , 2020, 85, 4-13.	4.1	38
50	Randomised trial of chronic supplementation with a nutraceutical mixture in subjects with non-alcoholic fatty liver disease. <i>British Journal of Nutrition</i> , 2020, 123, 190-197.	2.3	16
51	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , 2020, 49, 173-192.	1.9	44
52	Correction of QRS voltage for body mass index does not improve the prediction of fatal and nonfatal cardiovascular events. The Moli-sani study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 426-433.	2.6	1
53	Common cardiovascular risk factors and in-hospital mortality in 3,894 patients with COVID-19: survival analysis and machine learning-based findings from the multicentre Italian CORIST Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1899-1913.	2.6	137
54	Use of hydroxychloroquine in hospitalised COVID-19 patients is associated with reduced mortality: Findings from the observational multicentre Italian CORIST study. <i>European Journal of Internal Medicine</i> , 2020, 82, 38-47.	2.2	88

#	ARTICLE	IF	CITATIONS
55	Cardiac Troponin I and Incident Stroke in European Cohorts. <i>Stroke</i> , 2020, 51, 2770-2777.	2.0	9
56	Decomposing the educational gradient in allostatic load across European populations. What matters the most: differentials in exposure or in susceptibility?. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2020-213946.	3.7	4
57	Socioeconomic gradient in health: mind the gap in "invisible" disparities. <i>Annals of Translational Medicine</i> , 2020, 8, 1200-1200.	1.7	4
58	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020, 396, 1511-1524.	13.7	219
59	Revisiting the link between platelets and depression through genetic epidemiology: new insights from platelet distribution width. <i>Haematologica</i> , 2020, 105, e246-e248.	3.5	17
60	Controversial Relationship Between Renin-Angiotensin System Inhibitors and Severity of COVID-19. <i>Hypertension</i> , 2020, 76, 312-313.	2.7	9
61	Repositioning of the global epicentre of non-optimal cholesterol. <i>Nature</i> , 2020, 582, 73-77.	27.8	138
62	Reply. <i>Journal of the American College of Cardiology</i> , 2020, 75, 1866-1867.	2.8	0
63	High-Sensitivity Cardiac Troponin I Levels and Prediction of Heart Failure. <i>JACC: Heart Failure</i> , 2020, 8, 401-411.	4.1	26
64	Associations between systemic inflammation and somatic depressive symptoms: Findings from the Moliá€sani study. <i>Depression and Anxiety</i> , 2020, 37, 935-943.	4.1	9
65	Liraglutide improves memory in obese patients with prediabetes or early type 2 diabetes: a randomized, controlled study. <i>International Journal of Obesity</i> , 2020, 44, 1254-1263.	3.4	54
66	Comparison of Cardiovascular Risk Factors in European Population Cohorts for Predicting Atrial Fibrillation and Heart Failure, Their Subsequent Onset, and Death. <i>Journal of the American Heart Association</i> , 2020, 9, e015218.	3.7	13
67	RAAS inhibitors are not associated with mortality in COVID-19 patients: Findings from an observational multicenter study in Italy and a meta-analysis of 19 studies. <i>Vascular Pharmacology</i> , 2020, 135, 106805.	2.1	39
68	Reduced Kidney Function and Relative Hypocalciuria" Observational, Cross-Sectional, Population-Based Data. <i>Journal of Clinical Medicine</i> , 2020, 9, 4133.	2.4	4
69	Socioeconomic and psychosocial determinants of adherence to the Mediterranean diet in a general adult Italian population. <i>European Journal of Public Health</i> , 2019, 29, 328-335.	0.3	37
70	Vitamin D Status and Indices of Mineral Homeostasis in the Population: Differences Between 25-Hydroxyvitamin D and 1,25-Dihydroxyvitamin D. <i>Nutrients</i> , 2019, 11, 1777.	4.1	11
71	Machine Learning Approaches for the Estimation of Biological Aging: The Road Ahead for Population Studies. <i>Frontiers in Medicine</i> , 2019, 6, 146.	2.6	27
72	Variation of PEAR1 DNA methylation influences platelet and leukocyte function. <i>Clinical Epigenetics</i> , 2019, 11, 151.	4.1	25

#	ARTICLE	IF	CITATIONS
73	F48INVESTIGATING THE RELATION BETWEEN MENTAL HEALTH AND LOW GRADE INFLAMMATION. European Neuropsychopharmacology, 2019, 29, S1135.	0.7	0
74	Moderate alcohol consumption and lower total mortality risk: Justified doubts or established facts?. Nutrition, Metabolism and Cardiovascular Diseases, 2019, 29, 1003-1008.	2.6	28
75	Alcohol and the global burden of disease. Lancet, The, 2019, 393, 2389.	13.7	7
76	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. Nature, 2019, 569, 260-264.	27.8	469
77	ZBTB12 DNA methylation is associated with coagulation- and inflammation-related blood cell parameters: findings from the Moli-family cohort. Clinical Epigenetics, 2019, 11, 74.	4.1	12
78	Impact of combined healthy lifestyle factors on survival in an adult general population and in high-risk groups: prospective results from the Moli-sani Study. Journal of Internal Medicine, 2019, 286, 207-220.	6.0	25
79	Socioeconomic trajectories across the life course and risk of total and cause-specific mortality: prospective findings from the Moli-sani Study. Journal of Epidemiology and Community Health, 2019, 73, 516-528.	3.7	7
80	Consumption of whole grain food and its determinants in a general Italian population: Results from the INHES study. Nutrition, Metabolism and Cardiovascular Diseases, 2019, 29, 611-620.	2.6	16
81	NT-proBNP (N-Terminal Pro-B-Type Natriuretic Peptide) and the Risk of Stroke. Stroke, 2019, 50, 610-617.	2.0	41
82	Chili Pepper Consumption and Mortality in Italian Adults. Journal of the American College of Cardiology, 2019, 74, 3139-3149.	2.8	57
83	Interaction between Mediterranean diet and statins on mortality risk in patients with cardiovascular disease: Findings from the Moli-sani Study. International Journal of Cardiology, 2019, 276, 248-254.	1.7	19
84	Alcohol consumption and hospitalization burden in an adult Italian population: prospective results from the Moli-sani study. Addiction, 2019, 114, 636-650.	3.3	14
85	Abstract P079: Prediction of All-Cause Mortality in Diabetic Patients. Circulation, 2019, 139, .	1.6	0
86	Abstract P227: Association of Alcohol Intake with Cardiovascular and Total Mortality. Circulation, 2019, 139, .	1.6	0
87	Abstract P224: Chili Pepper Intake and Risk of Total and Cardiovascular Mortality in Italian Adults: Prospective Findings From the Moli-Sani Study. Circulation, 2019, 139, .	1.6	0
88	Abstract P353: Health-Related Quality of Life and Risk of All-cause and Cardiovascular Hospitalization in a Healthy General Population: Prospective Findings From the Moli-Sani Study. Circulation, 2019, 139, .	1.6	0
89	Association of proinflammatory diet with low-grade inflammation: results from the Moli-sani study. Nutrition, 2018, 54, 182-188.	2.4	66
90	Favorable association of polyphenol-rich diets with lung function: Cross-sectional findings from the Moli-sani study. Respiratory Medicine, 2018, 136, 48-57.	2.9	24

#	ARTICLE	IF	CITATIONS
91	Serum vitamin D deficiency and risk of hospitalization for heart failure: Prospective results from the Moli-sani study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 298-307.	2.6	21
92	Reduced mortality risk by a polyphenol-rich diet: An analysis from the Moli-sani study. <i>Nutrition</i> , 2018, 48, 87-95.	2.4	31
93	Health-related quality of life and risk of composite coronary heart disease and cerebrovascular events in the Moli-sani study cohort. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 287-297.	1.8	11
94	Age- and sex-based ranges of platelet count and cause-specific mortality risk in an adult general population: prospective findings from the Moli-sani study. <i>Platelets</i> , 2018, 29, 312-315.	2.3	15
95	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018, 47, 872-883i.	1.9	65
96	Mediterranean-type diet is associated with higher psychological resilience in a general adult population: findings from the Moli-sani study. <i>European Journal of Clinical Nutrition</i> , 2018, 72, 154-160.	2.9	50
97	Body Mass Index and Mortality in Elderly Subjects from the Moli-Sani Study: A Possible Mediation by Low-Grade Inflammation?. <i>Immunological Investigations</i> , 2018, 47, 774-789.	2.0	8
98	Socioeconomic status and impact of the economic crisis on dietary habits in Italy: results from the INHES study. <i>Journal of Public Health</i> , 2018, 40, 703-712.	1.8	15
99	Thromboxane-Dependent Platelet Activation in Obese Subjects with Prediabetes or Early Type 2 Diabetes: Effects of Liraglutide- or Lifestyle Changes-Induced Weight Loss. <i>Nutrients</i> , 2018, 10, 1872.	4.1	19
100	Mediterranean diet and mortality in the elderly: a prospective cohort study and a meta-analysis. <i>British Journal of Nutrition</i> , 2018, 120, 841-854.	2.3	74
101	Alcohol intake and the risk of intracerebral hemorrhage in the elderly. <i>Neurology</i> , 2018, 91, e227-e235.	1.1	20
102	Abstract O31: Socioeconomic Trajectories Across the Life Course and Risk of All-cause and Cardiovascular Mortality: Prospective Findings From the Moli-sani Study. <i>Circulation</i> , 2018, 137, .	1.6	1
103	Food group consumption in an Italian population using the updated food classification system FoodEx2: Results from the Italian Nutrition & Health Survey (INHES) study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 307-328.	2.6	35
104	Relative contribution of health-related behaviours and chronic diseases to the socioeconomic patterning of low-grade inflammation. <i>International Journal of Public Health</i> , 2017, 62, 551-562.	2.3	28
105	Screening for Fabry disease in patients with ischaemic stroke at young age: the Italian Project on Stroke in Young Adults. <i>European Journal of Neurology</i> , 2017, 24, e12-e14.	3.3	6
106	Obesity and ECG left ventricular hypertrophy. <i>Journal of Hypertension</i> , 2017, 35, 162-169.	0.5	24
107	Reduction by coffee consumption of prostate cancer risk: Evidence from the Moli&eacute;sani cohort and cellular models. <i>International Journal of Cancer</i> , 2017, 141, 72-82.	5.1	27
108	Higher adherence to the Mediterranean diet is associated with lower levels of D-dimer: findings from the MOLI-SANI study. <i>Haematologica</i> , 2017, 102, e61-e64.	3.5	3

#	ARTICLE	IF	CITATIONS
109	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017, 390, 2627-2642.	13.7	5,010
110	Moderate Alcohol Consumption Is Associated With Lower Risk for Heart Failure But Not Atrial Fibrillation. <i>JACC: Heart Failure</i> , 2017, 5, 837-844.	4.1	30
111	Fish intake is associated with lower cardiovascular risk in a Mediterranean population: Prospective results from the Moli-sani study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 865-873.	2.6	31
112	Effects of Liraglutide on Weight Loss, Fat Distribution, and $\beta$ -Cell Function in Obese Subjects With Prediabetes or Early Type 2 Diabetes. <i>Diabetes Care</i> , 2017, 40, 1556-1564.	8.6	69
113	Frontal plane T-wave axis orientation predicts coronary events: Findings from the Moli-sani study. <i>Atherosclerosis</i> , 2017, 264, 51-57.	0.8	3
114	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017, 389, 37-55.	13.7	1,667
115	High adherence to the Mediterranean diet is associated with cardiovascular protection in higher but not in lower socioeconomic groups: prospective findings from the Moli-sani study. <i>International Journal of Epidemiology</i> , 2017, 46, 1478-1487.	1.9	51
116	Mean platelet volume is associated with lower risk of overall and non-vascular mortality in a general population. <i>Thrombosis and Haemostasis</i> , 2017, 117, 1129-1140.	3.4	7
117	Polyphenol intake is associated with low-grade inflammation, using a novel data analysis from the Moli-sani study. <i>Thrombosis and Haemostasis</i> , 2016, 115, 344-352.	3.4	91
118	Association of pasta consumption with body mass index and waist-to-hip ratio: results from Moli-sani and INHES studies. <i>Nutrition and Diabetes</i> , 2016, 6, e218-e218.	3.2	22
119	Serum cholesterol levels, HMG-CoA reductase inhibitors and the risk of intracerebral haemorrhage. The Multicenter Study on Cerebral Haemorrhage in Italy (MUCH-Italy). <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 924-929.	1.9	33
120	A score of low-grade inflammation and risk of mortality: prospective findings from the Moli-sani study. <i>Haematologica</i> , 2016, 101, 1434-1441.	3.5	97
121	Effects of moderate beer consumption on health and disease: A consensus document. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 443-467.	2.6	196
122	Interaction between education and income on the risk of all-cause mortality: prospective results from the MOLI-SANI study. <i>International Journal of Public Health</i> , 2016, 61, 765-776.	2.3	25
123	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016, 387, 1513-1530.	13.7	2,842
124	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19.2 million participants. <i>Lancet, The</i> , 2016, 387, 1377-1396.	13.7	3,941
125	ACE-inhibitors versus angiotensin receptor blockers for prevention of events in cardiovascular patients without heart failure â€” A network meta-analysis. <i>International Journal of Cardiology</i> , 2016, 217, 128-134.	1.7	23
126	Risk Profile of Symptomatic Lacunar Stroke Versus Nonlobar Intracerebral Hemorrhage. <i>Stroke</i> , 2016, 47, 2141-2143.	2.0	12

#	ARTICLE	IF	CITATIONS
127	Age-sex-specific ranges of platelet count and all-cause mortality: prospective findings from the MOLI-SANI study. <i>Blood</i> , 2016, 127, 1614-1616.	1.4	33
128	Adherence to the traditional Mediterranean diet and mortality in subjects with diabetes. Prospective results from the MOLI-SANI study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 400-407.	1.8	92
129	Flavonoid and lignan intake in a Mediterranean population: proposal for a holistic approach in polyphenol dietary analysis, the Moli-sani Study. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 338-345.	2.9	40
130	Nut consumption is inversely associated with both cancer and total mortality in a Mediterranean population: prospective results from the Moli-sani study. <i>British Journal of Nutrition</i> , 2015, 114, 804-811.	2.3	46
131	T-wave axis deviation is associated with biomarkers of low-grade inflammation. <i>Thrombosis and Haemostasis</i> , 2015, 114, 1199-1206.	3.4	9
132	Supplementation with vitamin E alone is associated with reduced myocardial infarction: A meta-analysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 354-363.	2.6	54
133	Cardiovascular Risk and Events and Country Income Stratum. <i>New England Journal of Medicine</i> , 2015, 372, 288-290.	27.0	4
134	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331,288 participants. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 624-637.	11.4	139
135	Circulating Tissue Factor Levels and Risk of Stroke. <i>Stroke</i> , 2015, 46, 1501-1507.	2.0	7
136	Computerised ECG repository in the Moli-sani project. , 2014, , .		0
137	5,10-Methylenetetrahydrofolate reductase (MTHFR) C677T and A1298C polymorphisms: genotype frequency and association with homocysteine and folate levels in middle-aged southern Italian adults. <i>Cell Biochemistry and Function</i> , 2014, 32, 1-4.	2.9	39
138	Folate intake and folate serum levels in men and women from two European populations: The IMMIDIET project. <i>Nutrition</i> , 2014, 30, 822-830.	2.4	30
139	Mushroom and dietary selenium intakes in relation to fasting glucose levels in a free-living Italian adult population: The Moli-sani Project. <i>Diabetes and Metabolism</i> , 2014, 40, 34-42.	2.9	27
140	L-Carnitine status in end-stage renal disease patients on automated peritoneal dialysis. <i>Journal of Nephrology</i> , 2014, 27, 699-706.	2.0	19
141	Seasonality of cardiovascular risk factors: an analysis including over 230,000 participants in 15 countries. <i>Heart</i> , 2014, 100, 1517-1523.	2.9	113
142	Decline of the Mediterranean diet at a time of economic crisis. Results from the Moli-sani study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 853-860.	2.6	119
143	Elevated levels of D-dimers increase the risk of ischaemic and haemorrhagic stroke. <i>Thrombosis and Haemostasis</i> , 2014, 112, 941-946.	3.4	44
144	Adherence to the Mediterranean diet is associated with lower platelet and leukocyte counts: results from the Moli-sani study. <i>Blood</i> , 2014, 123, 3037-3044.	1.4	82

#	ARTICLE	IF	CITATIONS
145	Both red and blond orange juice intake decreases the procoagulant activity of whole blood in healthy volunteers. <i>Thrombosis Research</i> , 2013, 132, 288-292.	1.7	14
146	Metabolic syndrome in survivors from the 2009 earthquake in Italy. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, e5-e8.	2.6	3
147	Prolonged administration of <i>Ascophyllum nodosum</i> to healthy human volunteers and cardiovascular risk. <i>Nutrafoods</i> , 2013, 12, 137-144.	0.5	5
148	Prevention of postoperative atrial fibrillation in open heart surgery patients by preoperative supplementation of n-3 polyunsaturated fatty acids: An updated meta-analysis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013, 146, 906-911.	0.8	52
149	T-wave axis deviation and left ventricular hypertrophy interaction in diabetes and hypertension. <i>Journal of Electrocardiology</i> , 2013, 46, 487-491.	0.9	20
150	Folate, vitamin B12 and homocysteine status in an Italian blood donor population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 473-480.	2.6	32
151	T-wave axis deviation, metabolic syndrome and estimated cardiovascular risk “ In men and women of the MOLI-SANI study. <i>Atherosclerosis</i> , 2013, 226, 412-418.	0.8	8
152	Effect of an l-Carnitine“Containing Peritoneal Dialysate on Insulin Sensitivity in Patients Treated With CAPD: A 4-Month, Prospective, Multicenter Randomized Trial. <i>American Journal of Kidney Diseases</i> , 2013, 62, 929-938.	1.9	42
153	Nutrition knowledge is associated with higher adherence to Mediterranean diet and lower prevalence of obesity. Results from the Moli-sani study. <i>Appetite</i> , 2013, 68, 139-146.	3.7	128
154	Reply to the Editor. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013, 146, 992-993.	0.8	0
155	Heritability, genetic correlation and linkage“to the 9p21.3 region of mixed platelet“leukocyte conjugates in families with and without early myocardial infarction. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 684-692.	2.6	9
156	Moderate alcohol use and health: A consensus document. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 487-504.	2.6	120
157	Type 1 plasminogen activator inhibitor as a common risk factor for cancer and ischaemic vascular disease: the EPICOR study. <i>BMJ Open</i> , 2013, 3, e003725.	1.9	33
158	Obesity and the Risk of Intracerebral Hemorrhage. <i>Stroke</i> , 2013, 44, 1584-1589.	2.0	46
159	Planning comparison between standard and conformal 3D techniques in post-operative radiotherapy of gastric cancer: a systematic review. <i>British Journal of Radiology</i> , 2013, 86, 20130274.	2.2	7
160	Relation between pulmonary function and 10-year risk for cardiovascular disease among healthy men and women in Italy: the Moli-sani Project. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 862-871.	1.8	25
161	Consumption of healthy foods at different content of antioxidant vitamins and phytochemicals and metabolic risk factors for cardiovascular disease in men and women of the Moli“sani study. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 207-213.	2.9	48
162	Association of D-dimer levels with all-cause mortality in a healthy adult population: findings from the MOLI-SANI study. <i>Haematologica</i> , 2013, 98, 1476-1480.	3.5	74

#	ARTICLE	IF	CITATIONS
163	Adherence to a Mediterranean diet is associated with a better health-related quality of life: a possible role of high dietary antioxidant content. <i>BMJ Open</i> , 2013, 3, e003003.	1.9	118
164	Age- And Sex-Related Variations in Platelet Count in Italy: A Proposal of Reference Ranges Based on 40987 Subjects' Data. <i>PLoS ONE</i> , 2013, 8, e54289.	2.5	190
165	Food Labels Use Is Associated with Higher Adherence to Mediterranean Diet: Results from the Moli-Sani Study. <i>Nutrients</i> , 2013, 5, 4364-4379.	4.1	15
166	Distribution of short and lifetime risks for cardiovascular disease in Italians. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 723-730.	1.8	72
167	Effects of long-term treatment with pioglitazone on cognition and glucose metabolism of PS1-KI, 3xTg-AD, and wild-type mice. <i>Cell Death and Disease</i> , 2012, 3, e448-e448.	6.3	64
168	Low income is associated with poor adherence to a Mediterranean diet and a higher prevalence of obesity: cross-sectional results from the Moli-sani study. <i>BMJ Open</i> , 2012, 2, e001685.	1.9	117
169	Total dietary antioxidant capacity and lung function in an Italian population: a favorable role in premenopausal/never smoker women. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 61-68.	2.9	30
170	Typical breakfast food consumption and risk factors for cardiovascular disease in a large sample of Italian adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012, 22, 347-354.	2.6	40
171	Consumption of cocoa, tea and coffee and risk of cardiovascular disease. <i>European Journal of Internal Medicine</i> , 2012, 23, 15-25.	2.2	73
172	The Moli-sani project: computerized ECG database in a population-based cohort study. <i>Journal of Electrocardiology</i> , 2012, 45, 684-689.	0.9	5
173	T-wave axis deviation, metabolic syndrome and cardiovascular risk: results from the MOLI-SANI study. <i>Journal of Electrocardiology</i> , 2012, 45, 546-550.	0.9	3
174	Type 2 diabetes and polymorphisms on chromosome 9p21: A meta-analysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012, 22, 619-625.	2.6	39
175	Mass media information and adherence to Mediterranean diet: results from the Moli-sani study. <i>International Journal of Public Health</i> , 2012, 57, 589-597.	2.3	30
176	Toward personalized hemodialysis by low molecular weight amino-containing compounds: future perspective of patient metabolic fingerprint. <i>Blood Transfusion</i> , 2012, 10 Suppl 2, s78-88.	0.4	17
177	Alcohol Consumption in Relation to Vascular and Total Mortality in Patients with Diabetes, Hypertension or History of Cardiovascular Disease: A Meta-analysis. <i>Journal of Wine Research</i> , 2011, 22, 119-122.	1.5	2
178	White blood cell count, sex and age are major determinants of heterogeneity of platelet indices in an adult general population: results from the MOLI-SANI project. <i>Haematologica</i> , 2011, 96, 1180-1188.	3.5	151
179	Incomplete inhibition of platelet function as assessed by the platelet function analyzer (PFA-100) identifies a subset of cardiovascular patients with high residual platelet response while on aspirin. <i>Platelets</i> , 2011, 22, 179-187.	2.3	22
180	Haplotypes and haplotype-pairs of IL-1 beta and IL-6 genes and risk of non fatal myocardial infarction in the Western New York Acute MI Study. <i>Thrombosis and Haemostasis</i> , 2011, 106, 1231-1233..	3.4	5

#	ARTICLE	IF	CITATIONS
181	Wine, beer or spirit drinking in relation to fatal and non-fatal cardiovascular events: a meta-analysis. <i>European Journal of Epidemiology</i> , 2011, 26, 833-850.	5.7	195
182	What should we advise about alcohol consumption: reply letter by A. Di Castelnuovo. <i>Internal and Emergency Medicine</i> , 2011, 6, 89-90.	2.0	0
183	Thrombotic complications in adult patients with lymphoma: a meta-analysis of 29 independent cohorts including 18 018 patients and 1149 events. <i>Blood</i> , 2010, 115, 5322-5328.	1.4	101
184	Prevention of cardiovascular risk by moderate alcohol consumption: epidemiologic evidence and plausible mechanisms. <i>Internal and Emergency Medicine</i> , 2010, 5, 291-297.	2.0	51
185	Cardiovascular and Overall Mortality Risk in Relation to Alcohol Consumption in Patients With Cardiovascular Disease. <i>Circulation</i> , 2010, 121, 1951-1959.	1.6	90
186	Alcohol Consumption and Mortality in Patients With Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2010, 55, 1339-1347.	2.8	248
187	Interleukin 1 Gene Cluster, Myocardial Infarction at Young Age and Inflammatory Response of Human Mononuclear Cells. <i>Immunological Investigations</i> , 2009, 38, 203-219.	2.0	17
188	Alcohol consumption and n-3 polyunsaturated fatty acids in healthy men and women from 3 European populations. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 354-362.	4.7	94
189	Genotype Prevalence and Allele Frequencies of 5,10-Methylenetetrahydrofolate Reductase (MTHFR) C677T and A1298C Polymorphisms in Italian Newborns. <i>Laboratory Medicine</i> , 2009, 40, 732-736.	1.2	14
190	Polymorphisms in chromosome 9 and risk of ischemic stroke in two European white populations, and a meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 365-367.	3.8	3
191	Tissue factor gene polymorphisms and haplotypes and the risk of ischemic vascular events: four studies and a meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 1465-1471.	3.8	14
192	Radioprotective Effect of Moderate Wine Consumption in Patients With Breast Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 74, 1501-1505.	0.8	20
193	Dietary patterns, cardiovascular risk factors and C-reactive protein in a healthy Italian population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009, 19, 697-706.	2.6	136
194	Alcohol consumption and cardiovascular risk: mechanisms of action and epidemiologic perspectives. <i>Future Cardiology</i> , 2009, 5, 467-477.	1.2	48
195	Genetic variation of alcohol dehydrogenase type 1C (ADH1C), alcohol consumption, and metabolic cardiovascular risk factors: Results from the IMMIDIET study. <i>Atherosclerosis</i> , 2009, 207, 284-290.	0.8	19
196	C reactive protein and its determinants in healthy men and women from European regions at different risk of coronary disease: the IMMIDIET Project. <i>Journal of Thrombosis and Haemostasis</i> , 2008, 6, 436-443.	3.8	22
197	Adherence to Mediterranean diet and anthropometric and metabolic parameters in an observational study in the "Alto Molise" region: The MOLI-SAL project. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2008, 18, 415-421.	2.6	43
198	Spousal Concordance for Major Coronary Risk Factors: A Systematic Review and Meta-Analysis. <i>American Journal of Epidemiology</i> , 2008, 169, 1-8.	3.4	169

#	ARTICLE	IF	CITATIONS
199	Prevalence, awareness, treatment and control of hypertension in healthy unrelated male-female pairs of European regions: the dietary habit profile in European communities with different risk of myocardial infarction - the impact of migration as a model of gene-environment interaction project. <i>Journal of Hypertension</i> , 2008, 26, 2303-2311.	0.5	49
200	The C242T polymorphism of the p22phox component of NAD (P)H oxidase and vascular risk. <i>Thrombosis and Haemostasis</i> , 2008, 99, 594-601.	3.4	18
201	Rebuttal to "Aspirin response variability assessed with the PFA-100 device" by Reny et al.. <i>Thrombosis and Haemostasis</i> , 2008, 99, 969-969.	3.4	39
202	Regular Consumption of Dark Chocolate Is Associated with Low Serum Concentrations of C-Reactive Protein in a Healthy Italian Population. <i>Journal of Nutrition</i> , 2008, 138, 1939-1945.	2.9	102
203	Response variability to aspirin as assessed by the platelet function analyzer (PFA)-100. <i>Thrombosis and Haemostasis</i> , 2008, 99, 14-26.	3.4	116
204	PFA-100 closure time to predict cardiovascular events in aspirin-treated cardiovascular patients: A meta-analysis of 19 studies comprising 3,003 patients. <i>Thrombosis and Haemostasis</i> , 2008, 99, 1129-1131.	3.4	50
205	Alcohol consumption and cardiovascular risk: An epidemiological perspective. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007, 17, 561-564.	2.6	6
206	Cardiovascular risk factors and global risk of fatal cardiovascular disease are positively correlated between partners of 802 married couples from different European countries. <i>Thrombosis and Haemostasis</i> , 2007, 98, 648-655.	3.4	29
207	Venous thrombotic complications in adults undergoing induction treatment for acute lymphoblastic leukemia: results from a meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2007, 5, 621-623.	3.8	70
208	Cardiovascular risk factors and global risk of fatal cardiovascular disease are positively correlated between partners of 802 married couples from different European countries. Report from the IMMIDIET project. <i>Thrombosis and Haemostasis</i> , 2007, 98, 648-55.	3.4	12
209	P-selectin gene genotypes or haplotypes and cardiovascular complications in type 2 diabetes mellitus. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006, 16, 418-425.	2.6	8
210	Thrombotic complications in childhood acute lymphoblastic leukemia: a meta-analysis of 17 prospective studies comprising 1752 pediatric patients. <i>Blood</i> , 2006, 108, 2216-2222.	1.4	330
211	The -675 4G/5G plasminogen activator inhibitor-1 promoter polymorphism in house dust mite-sensitive allergic asthma patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006, 61, 234-238.	5.7	38
212	Alcohol, cardiovascular risk, and health: there is a window for benefits. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 1156-1157.	3.8	8
213	Alcohol Dosing and Total Mortality in Men and Women. <i>Archives of Internal Medicine</i> , 2006, 166, 2437.	3.8	777
214	Alcohol-free red wine prevents arterial thrombosis in dietary-induced hypercholesterolemic rats: experimental support for the 'French paradox'. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 346-350.	3.8	43
215	Genetic variation in alcohol dehydrogenase 3 and the decrease of hs-C-reactive protein levels by moderate alcohol consumption. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 801-802.	3.8	0
216	Polymorphisms of the Interleukin-1 $\beta$ Gene Affect the Risk of Myocardial Infarction and Ischemic Stroke at Young Age and the Response of Mononuclear Cells to Stimulation In Vitro. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 222-227.	2.4	150

#	ARTICLE	IF	CITATIONS
217	Platelet Glycoprotein IIb/IIIa Polymorphism and Coronary Artery Disease. <i>Molecular Diagnosis and Therapy</i> , 2005, 5, 93-99.	3.3	28
218	Thrombotic Complications in Acute Lymphoblastic Leukemia. A Meta-Analysis of Prospective Studies Comprising 1,920 Patients.. <i>Blood</i> , 2005, 106, 2153-2153.	1.4	0
219	Wine, alcohol and cardiovascular risk: open issue. <i>Journal of Thrombosis and Haemostasis</i> , 2004, 2, 2042-2044.	3.8	6
220	Job-Related Anxiety and Carotid Atherosclerosis. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2004, 11, 99-105.	2.2	0
221	4G/5G PAI-1 Promoter Polymorphism and Acute-Phase Levels of PAI-1 Following Coronary Bypass Surgery: A Prospective Study. <i>Journal of Thrombosis and Thrombolysis</i> , 2003, 16, 149-154.	2.1	22
222	Genetic control of postoperative systemic inflammatory reaction and pulmonary and renal complications after coronary artery surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003, 126, 1107-1112.	0.8	66
223	A high-score Mediterranean dietary pattern is associated with a reduced risk of peripheral arterial disease in Italian patients with Type 2 diabetes. <i>Journal of Thrombosis and Haemostasis</i> , 2003, 1, 1744-1752.	3.8	88
224	Homocysteine levels are associated with the severity of peripheral arterial disease in Type 2 diabetic patients. <i>Journal of Thrombosis and Haemostasis</i> , 2003, 1, 2540-2547.	3.8	28
225	Pharmacokinetic and Pharmacodynamic Differences Between Two Low Dosages of Aspirin May Affect Therapeutic Outcomes. <i>Clinical Pharmacokinetics</i> , 2003, 42, 1059-1070.	3.5	62
226	The -174G/C Interleukin-6 Polymorphism Influences Postoperative Interleukin-6 Levels and Postoperative Atrial Fibrillation. Is Atrial Fibrillation an Inflammatory Complication?. <i>Circulation</i> , 2003, 108, 195II-199.	1.6	264
227	The Mediterranean Lecture: Wine and Thrombosis – From Epidemiology to Physiology and Back. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 2003, 33, 466-471.	0.3	32
228	Interleukin-1 gene cluster polymorphisms and risk of coronary artery disease. <i>Haematologica</i> , 2003, 88, 54-60.	3.5	31
229	Alcohol and coronary heart disease. <i>New England Journal of Medicine</i> , 2003, 348, 1719-22; author reply 1719-22.	27.0	1
230	Outcome of patients with cancer of the esophagogastric junction in relation to histology and surgical strategy. <i>Hepato-Gastroenterology</i> , 2003, 50, 1948-52.	0.5	2
231	A meta-analysis of studies on wine and beer and cardiovascular disease. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 2002, 32, 353-355.	0.3	21
232	Meta-Analysis of Wine and Beer Consumption in Relation to Vascular Risk. <i>Circulation</i> , 2002, 105, 2836-2844.	1.6	517
233	Association of factor VII levels with inflammatory parameters in hypercholesterolemic patients. <i>Atherosclerosis</i> , 2002, 165, 159-166.	0.8	20
234	Plasma fibrinogen variability in healthy citizens. <i>Thrombosis Research</i> , 2002, 108, 287-289.	1.7	3

#	ARTICLE	IF	CITATIONS
235	Transforming growth factor- $\beta$ 1 levels in hypertensive patients: association with body mass index and leptin. <i>American Journal of Hypertension</i> , 2002, 15, 759-765.	2.0	46
236	Antithrombotic Effect of Polyphenols in Experimental Models. <i>Annals of the New York Academy of Sciences</i> , 2002, 957, 174-188.	3.8	60
237	Polymorphisms in the thrombopoietin gene are associated with risk of myocardial infarction at a young age. <i>Atherosclerosis</i> , 2001, 154, 703-711.	0.8	17
238	Chlamydia pneumoniae and cytomegalovirus seropositivity, inflammatory markers, and the risk of myocardial infarction at a young age. <i>American Heart Journal</i> , 2001, 142, 633-640.	2.7	67
239	The E27 $\beta$ 2-adrenergic Receptor Polymorphism Reduces the Risk of Myocardial Infarction in Dyslipidemic Young Males. <i>Thrombosis and Haemostasis</i> , 2001, 85, 231-233.	3.4	13
240	Platelet Glycoprotein Receptor IIIa Polymorphism PIA1/PIA2 and Coronary Risk: a Meta-Analysis. <i>Thrombosis and Haemostasis</i> , 2001, 85, 626-633.	3.4	110
241	Experimental Arterial Thrombosis in Genetically or Diet Induced Hyperlipidemia in Rats. <i>Thrombosis and Haemostasis</i> , 2001, 86, 1440-1448.	3.4	7
242	Relation of the $\beta$ 174 G/C polymorphism of interleukin-6 to interleukin-6 plasma levels and to length of hospitalization after surgical coronary revascularization. <i>American Journal of Cardiology</i> , 2001, 88, 1125-1128.	1.6	161
243	Assessment of absolute risk of death after myocardial infarction by use of multiple-risk-factor assessment equations; GISSI-Prevenzione mortality risk chart. <i>European Heart Journal</i> , 2001, 22, 2085-2103.	2.2	115
244	Lyophilized red wine administration prolongs survival in an animal model of amyotrophic lateral sclerosis. <i>Annals of Neurology</i> , 2000, 48, 686-687.	5.3	18
245	Genes, coagulation and cardiovascular risk. <i>Journal of Human Hypertension</i> , 2000, 14, 369-372.	2.2	8
246	Effect of Lipid-Lowering Treatment on Factor VII Profile in Hyperlipidemic Patients. <i>Thrombosis and Haemostasis</i> , 2000, 84, 789-793.	3.4	38
247	Risk of Myocardial Infarction in Carriers of Mutations in the Hemochromatosis-associated Gene. <i>Thrombosis and Haemostasis</i> , 2000, 84, 726-727.	3.4	13
248	The Decanucleotide Insertion/Deletion Polymorphism in the Promoter Region of the Coagulation Factor VII Gene and the Risk of Familial Myocardial Infarction. <i>Thrombosis Research</i> , 2000, 98, 9-17.	1.7	33
249	Helicobacter Pylori Infection and the Risk of Myocardial Infarction: Role of Fibrinogen and Its Genetic Control. <i>Thrombosis and Haemostasis</i> , 1999, 82, 14-18.	3.4	23
250	Contribution of factor VII, fibrinogen and fibrinolytic components to the risk of ischaemic cardiovascular disease: their genetic determinants. <i>Fibrinolysis and Proteolysis</i> , 1998, 12, 259-276.	1.1	20
251	Polymorphisms in the Coagulation Factor VII Gene and the Risk of Myocardial Infarction. <i>New England Journal of Medicine</i> , 1998, 338, 79-85.	27.0	288
252	The 4G/5G Polymorphism of PAI-1 Promoter Gene and the Risk of Myocardial Infarction: A Meta-analysis. <i>Thrombosis and Haemostasis</i> , 1998, 80, 1029-1030.	3.4	153

#	ARTICLE	IF	CITATIONS
253	4G/5G Promoter PAI-1 Gene Polymorphism Is Associated with Plasmatic PAI-1 Activity in Italians: A Model of Gene-Environment Interaction. <i>Thrombosis and Haemostasis</i> , 1998, 79, 354-358.	3.4	81
254	A Polymorphic Cluster in the 5' Region of the Human Coagulation Factor VII Gene: Detection, Frequency, and Linkage Disequilibrium. <i>Thrombosis Research</i> , 1997, 88, 445-448.	1.7	22
255	Decrease in urokinase-type plasminogen activator (u-PA) levels in patients with non-insulin dependent diabetes mellitus. <i>Fibrinolysis and Proteolysis</i> , 1997, 11, 215-219.	1.1	2
256	Bcl I Polymorphism in the Fibrinogen $\beta$ -Chain Gene Is Associated With the Risk of Familial Myocardial Infarction by Increasing Plasma Fibrinogen Levels. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 3489-3494.	2.4	82
257	4G/5G Polymorphism in the Promoter Region of the PAI-1 Gene Is not a Risk Factor for Familial Myocardial Infarction in Subjects over 45 Years. <i>Thrombosis and Haemostasis</i> , 1997, 78, 1294-1295.	3.4	14