

Jiumao Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2284270/publications.pdf>

Version: 2024-02-01

71
papers

1,628
citations

236925

25
h-index

361022

35
g-index

72
all docs

72
docs citations

72
times ranked

1867
citing authors

#	ARTICLE	IF	CITATIONS
1	Anticancer Properties of Traditional Chinese Medicine. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2017, 20, 423-429.	1.1	106
2	Hedyotis diffusa Willd Inhibits Colorectal Cancer Growth in Vivo via Inhibition of STAT3 Signaling Pathway. <i>International Journal of Molecular Sciences</i> , 2012, 13, 6117-6128.	4.1	73
3	Ursolic acid inhibits colorectal cancer angiogenesis through suppression of multiple signaling pathways. <i>International Journal of Oncology</i> , 2013, 43, 1666-1674.	3.3	73
4	Hedyotis diffusa Willd extract suppresses Sonic hedgehog signaling leading to the inhibition of colorectal cancer angiogenesis. <i>International Journal of Oncology</i> , 2013, 42, 651-656.	3.3	56
5	EBF1-Mediated Upregulation of Ribosome Assembly Factor PNO1 Contributes to Cancer Progression by Negatively Regulating the p53 Signaling Pathway. <i>Cancer Research</i> , 2019, 79, 2257-2270.	0.9	49
6	Qualitative and Quantitative Analysis of the Major Constituents in Shexiang Tongxin Dropping Pill by HPLC-Q-TOF-MS/MS and UPLC-QqQ-MS/MS. <i>Molecules</i> , 2015, 20, 18597-18619.	3.8	44
7	Effect of Hedyotis Diffusa Willd extract on tumor angiogenesis. <i>Molecular Medicine Reports</i> , 2011, 4, 1283-8.	2.4	43
8	Hedyotis diffusa Willd. extract suppresses proliferation and induces apoptosis via IL-6-inducible STAT3 pathway inactivation in human colorectal cancer cells. <i>Oncology Letters</i> , 2015, 9, 1962-1970.	1.8	43
9	<i>Scutellaria Barbata</i> D Don Inhibits Colorectal Cancer Growth via Suppression of Multiple Signaling Pathways. <i>Integrative Cancer Therapies</i> , 2014, 13, 240-248.	2.0	41
10	Synergistic effect of kaempferol and 5-fluorouracil on the growth of colorectal cancer cells by regulating the PI3K/Akt signaling pathway. <i>Molecular Medicine Reports</i> , 2019, 20, 728-734.	2.4	41
11	Pien Tze Huang inhibits metastasis of human colorectal carcinoma cells via modulation of TGF- β 1/ZEB/miR-200 signaling network. <i>International Journal of Oncology</i> , 2015, 46, 685-690.	3.3	39
12	Poly (dopamine) coated superparamagnetic iron oxide nanocluster for noninvasive labeling, tracking and targeted delivery of adipose tissue-derived stem cells. <i>Scientific Reports</i> , 2016, 6, 18746.	3.3	39
13	Oleanolic acid modulates multiple intracellular targets to inhibit colorectal cancer growth. <i>International Journal of Oncology</i> , 2015, 47, 2247-2254.	3.3	37
14	Cell division cycle associated 5 promotes colorectal cancer progression by activating the ERK signaling pathway. <i>Oncogenesis</i> , 2019, 8, 19.	4.9	37
15	Hedyotis Diffusa Willd extract induces apoptosis via activation of the mitochondrion-dependent pathway in human colon carcinoma cells. <i>International Journal of Oncology</i> , 2010, 37, 1331-8.	3.3	35
16	Pien Tze Huang suppresses IL-6-inducible STAT3 activation in human colon carcinoma cells through induction of SOCS3. <i>Oncology Reports</i> , 2012, 28, 2125-2130.	2.6	34
17	Pien Tze Huang inhibits tumor angiogenesis in a mouse model of colorectal cancer via suppression of multiple cellular pathways. <i>Oncology Reports</i> , 2013, 30, 1701-1706.	2.6	33
18	Inhibitory effects of Hedyotis diffusa Willd. on colorectal cancer stem cells. <i>Oncology Letters</i> , 2016, 11, 3875-3881.	1.8	31

#	ARTICLE	IF	CITATIONS
19	Scutellaria barbata D. Don inhibits migration and invasion of colorectal cancer cells via suppression of PI3K/AKT and TGF- β ² /Smad signaling pathways. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 5527-5534.	1.8	31
20	Chloroform fraction of Scutellaria barbata D. Don promotes apoptosis and suppresses proliferation in human colon cancer cells. <i>Molecular Medicine Reports</i> , 2014, 9, 701-706.	2.4	29
21	Scutellaria barbata D. Don inhibits 5-fluorouracil resistance in colorectal cancer by regulating PI3K/AKT pathway. <i>Oncology Reports</i> , 2017, 38, 2293-2300.	2.6	29
22	Hedyotis diffusa Willd overcomes 5-fluorouracil resistance in human colorectal cancer HCT-8/5-FU cells by downregulating the expression of P-glycoprotein and ATP-binding cassette subfamily G member 2. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 1845-1850.	1.8	28
23	Oleanolic acid inhibits colorectal cancer angiogenesis in vivo and in vitro via suppression of STAT3 and Hedgehog pathways. <i>Molecular Medicine Reports</i> , 2016, 13, 5276-5282.	2.4	28
24	Hedyotis diffusa Willd extract inhibits HT-29 cell proliferation via cell cycle arrest. <i>Experimental and Therapeutic Medicine</i> , 2012, 4, 307-310.	1.8	27
25	Pien Tze Huang Overcomes Multidrug Resistance and Epithelial-Mesenchymal Transition in Human Colorectal Carcinoma Cells via Suppression of TGF- β Pathway. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-10.	1.2	27
26	Ursolic acid promotes colorectal cancer cell apoptosis and inhibits cell proliferation via modulation of multiple signaling pathways. <i>International Journal of Oncology</i> , 2013, 43, 1235-1243.	3.3	26
27	Scutellaria barbata D. Don inhibits growth and induces apoptosis by suppressing IL-6-inducible STAT3 pathway activation in human colorectal cancer cells. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 1602-1608.	1.8	25
28	Qingjie Fuzheng Granule attenuates 5-fluorouracil-induced intestinal mucosal damage. <i>Biomedicine and Pharmacotherapy</i> , 2019, 118, 109223.	5.6	25
29	Hedyotis diffusa Willd suppresses metastasis in 5-fluorouracil-resistant colorectal cancer cells by regulating the TGF- β ² signaling pathway. <i>Molecular Medicine Reports</i> , 2017, 16, 7752-7758.	2.4	24
30	Pien Tze Huang inhibits the proliferation, and induces the apoptosis and differentiation of colorectal cancer stem cells via suppression of the Notch1 pathway. <i>Oncology Reports</i> , 2016, 35, 511-517.	2.6	22
31	Protective effects of Shexiang Tongxin Dropping Pill on pituitrin-induced acute myocardial ischemia in rats. <i>Molecular Medicine Reports</i> , 2017, 16, 3125-3132.	2.4	22
32	Hedyotis diffusa willd extract suppresses colorectal cancer growth through multiple cellular pathways. <i>Oncology Letters</i> , 2017, 14, 8197-8205.	1.8	21
33	Pien Tze Huang inhibits the proliferation of human colon carcinoma cells by arresting G1/S cell cycle progression. <i>Oncology Letters</i> , 2012, 4, 767-770.	1.8	19
34	Pien Tze Huang inhibits hypoxia-induced epithelial-mesenchymal transition in human colon carcinoma cells through suppression of the HIF-1 pathway. <i>Experimental and Therapeutic Medicine</i> , 2014, 7, 1237-1242.	1.8	19
35	Pien Tze Huang suppresses VEGF-C-mediated lymphangiogenesis in colorectal cancer. <i>Oncology Reports</i> , 2016, 36, 3568-3576.	2.6	19
36	Hedyotis diffusa Willd inhibits proliferation and induces apoptosis of 5-FU resistant colorectal cancer cells by regulating the PI3K/AKT signaling pathway. <i>Molecular Medicine Reports</i> , 2017, 17, 358-365.	2.4	19

#	ARTICLE	IF	CITATIONS
37	Pien Tze Huang Inhibits Hypoxia-Induced Angiogenesis via HIF-1 α /VEGF-A Pathway in Colorectal Cancer. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-8.	1.2	18
38	Qianliening capsule treats benign prostatic hyperplasia via suppression of the EGF/STAT3 signaling pathway. Experimental and Therapeutic Medicine, 2013, 5, 1293-1300.	1.8	17
39	Pien Tze Huang alleviates 5-fluorouracil-induced intestinal mucositis in CT-26 tumor-bearing mice. Experimental and Therapeutic Medicine, 2017, 14, 2291-2297.	1.8	17
40	Babao Dan induces gastric cancer cell apoptosis via regulating MAPK and NF- κ B signaling pathways. Journal of International Medical Research, 2019, 47, 5106-5119.	1.0	17
41	Hepatoprotection in a Rat Model of Acute Liver Damage Through Inhibition of CYP2E1 Activity by Total Alkaloids Extracted From <i>Rubus alceifolius</i> Poir. International Journal of Toxicology, 2011, 30, 237-243.	1.2	16
42	Qianliening capsule treats benign prostatic hyperplasia via induction of prostatic cell apoptosis. Molecular Medicine Reports, 2013, 7, 848-854.	2.4	16
43	Qingjie Fuzheng Granule suppresses lymphangiogenesis in colorectal cancer via the VEGF-C/VEGFR-3 dependent PI3K/AKT pathway. Biomedicine and Pharmacotherapy, 2021, 137, 111331.	5.6	15
44	Identification of mini-chromosome maintenance 8 as a potential prognostic marker and its effects on proliferation and apoptosis in gastric cancer. Journal of Cellular and Molecular Medicine, 2020, 24, 14415-14425.	3.6	14
45	Anlotinib Overcomes Multiple Drug Resistant Colorectal Cancer Cells via Inactivating PI3K/AKT Pathway. Anti-Cancer Agents in Medicinal Chemistry, 2021, 21, 1987-1995.	1.7	14
46	Anti-proliferative effects of qianliening capsules on prostatic hyperplasia in vitro and in vivo. Molecular Medicine Reports, 2015, 12, 1699-1708.	2.4	13
47	Down-regulated Solute Carrier Family 4 Member 4 Predicts Poor Progression in Colorectal Cancer. Journal of Cancer, 2020, 11, 3675-3684.	2.5	13
48	Cationic nanomicelles derived from Pluronic F127 as delivery vehicles of Chinese herbal medicine active components of ursolic acid for colorectal cancer treatment. RSC Advances, 2018, 8, 15906-15914.	3.6	12
49	Spica Prunellae Extract Enhances Fluorouracil Sensitivity of 5-Fluorouracil-Resistant Human Colon Carcinoma HCT-8/5-FU Cells via TOP2 α and miR-494. BioMed Research International, 2019, 2019, 1-12.	1.9	10
50	Babao Dan inhibits the migration and invasion of gastric cancer cells by suppressing epithelial-mesenchymal transition through the TGF- β 2/Smad pathway. Journal of International Medical Research, 2020, 48, 030006052092559.	1.0	10
51	Quantification and discovery of quality control chemical markers for Ba-Bao-Dan by UPLC-MS/MS combined with chemometrics. Journal of Pharmaceutical and Biomedical Analysis, 2021, 204, 114273.	2.8	10
52	Hedyotis diffusa Willd. inhibits VEGF-mediated lymphangiogenesis in colorectal cancer via multiple signaling pathways. Oncology Reports, 2019, 42, 1225-1236.	2.6	10
53	Qianliening capsule inhibits benign prostatic hyperplasia angiogenesis via the HIF-1 α signaling pathway. Experimental and Therapeutic Medicine, 2014, 8, 118-124.	1.8	9
54	Comparative proteomics network analysis of proteins responsible for ursolic acid-induced cytotoxicity in colorectal cancer cells. Tumor Biology, 2017, 39, 101042831769501.	1.8	9

#	ARTICLE	IF	CITATIONS
55	Chloroform extract of <i>Hedyotis diffusa</i> Willd inhibits viability of human colorectal cancer cells via suppression of AKT and ERK signaling pathways. <i>Oncology Letters</i> , 2017, 14, 7923-7930.	1.8	9
56	A Traditional Chinese Medicine Herb Mixture Qingjie Fuzheng Granules Inhibits Hepatocellular Carcinoma Cells Growth by Inducing Apoptosis. <i>Journal of Evidence-based Integrative Medicine</i> , 2018, 23, 2515690X1878963.	2.6	9
57	Downregulation of CLCA4 expression is associated with the development and progression of colorectal cancer. <i>Oncology Letters</i> , 2020, 20, 631-638.	1.8	9
58	Ethyl acetate extract of <i>Hypericum japonicum</i> induces apoptosis via the mitochondria-dependent pathway in vivo and in vitro. <i>Molecular Medicine Reports</i> , 2015, 12, 4851-4858.	2.4	8
59	<i>Artemisia capillaris</i> formula inhibits hepatic steatosis via an miR-122-induced decrease in fatty acid synthase expression in vivo and in vitro. <i>Molecular Medicine Reports</i> , 2016, 13, 4751-4758.	2.4	8
60	Qingjie Fuzheng Granule Inhibits EMT and Induces Autophagy in Colorectal Cancer via mTOR Signaling Pathways. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-10.	1.2	8
61	Qingjie Fuzheng Granule Inhibited the Migration and Invasion of Colorectal Cancer Cells by Regulating the lncRNA ANRIL/let-7a/TGF- β 1/Smad Axis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-9.	1.2	7
62	Ethanol extract of <i>Tulipa edulis</i> Bak induces apoptosis in SGC-7901 human gastric carcinoma cells via the mitochondrial signaling pathway. <i>Oncology Letters</i> , 2015, 10, 2371-2377.	1.8	6
63	Babao Dan Reverses Multiple-Drug Resistance in Gastric Cancer Cells via Triggering Apoptosis and Autophagy and Inhibiting PI3K/AKT/mTOR Signaling. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-13.	1.2	6
64	Inhibition of the signal transducer and activator of transcription 3 signaling pathway by Qianliening capsules suppresses the growth and induces the apoptosis of human prostate cells. <i>Molecular Medicine Reports</i> , 2015, 11, 2207-2214.	2.4	5
65	Preconditioning with Gua Lou Gui Zhi decoction enhances H ₂ O ₂ -induced Nrf2/HO-1 activation in PC12 cells. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 877-884.	1.8	5
66	<i>Hedyotis diffusa</i> Willd reduces migration and invasion through inhibition of TGF- β -induced EMT in colorectal cancer cells. <i>European Journal of Integrative Medicine</i> , 2018, 23, 57-63.	1.7	4
67	miRNA Regulation Network Analysis in Qianliening Capsule Treatment of Benign Prostatic Hyperplasia. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-9.	1.2	3
68	Qianliening Capsule Promotes Mitochondrial Pathway Mediated the Apoptosis of Benign Prostatic Hyperplasia Epithelial-1 Cells by Regulating the miRNA-181a. <i>International Journal of Gerontology</i> , 2018, 12, 244-250.	0.6	3
69	Qianliening capsules influence the apoptosis of benign prostatic hyperplasia epithelial-1 cells by regulating the extracellular matrix. <i>Molecular Medicine Reports</i> , 2015, 11, 3734-3740.	2.4	2
70	GPC2 deficiency inhibits cell growth and metastasis in colon adenocarcinoma. <i>Open Medicine (Poland)</i> , 2022, 17, 304-316.	1.3	2
71	Based on the Network Pharmacology to Investigate the Mechanism of Qingjie Fuzheng Granules against Colorectal Cancer. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022, 2022, 1-14.	1.2	0