## Henry de Vries

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2291164/publications.pdf

Version: 2024-02-01

324 papers 9,456 citations

52 h-index 82 g-index

331 all docs

331 docs citations

times ranked

331

8215 citing authors

#	Article	IF	CITATIONS
1	Sexually transmitted infections: challenges ahead. Lancet Infectious Diseases, The, 2017, 17, e235-e279.	9.1	510
2	Cutaneous Leishmaniasis: Recent Developments in Diagnosis and Management. American Journal of Clinical Dermatology, 2015, 16, 99-109.	6.7	299
3	Whole-genome analysis of diverse Chlamydia trachomatis strains identifies phylogenetic relationships masked by current clinical typing. Nature Genetics, 2012, 44, 413-419.	21.4	279
4	Increase in HCV Incidence among Men Who Have Sex with Men in Amsterdam Most Likely Caused by Sexual Transmission. Journal of Infectious Diseases, 2007, 196, 230-238.	4.0	261
5	2015 European guideline on the management of <i>Chlamydia trachomatis</i> infections. International Journal of STD and AIDS, 2016, 27, 333-348.	1.1	239
6	Diagnostic and Clinical Implications of Anorectal Lymphogranuloma Venereum in Men Who Have Sex with Men: A Retrospective Case-Control Study. Clinical Infectious Diseases, 2006, 42, 186-194.	5.8	163
7	2013 European guideline on the management of lymphogranuloma venereum. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 1-6.	2.4	152
8	Comparison of imiquimod, topical fluorouracil, and electrocautery for the treatment of anal intraepithelial neoplasia in HIV-positive men who have sex with men: an open-label, randomised controlled trial. Lancet Oncology, The, 2013, 14, 346-353.	10.7	147
9	Neisseria gonorrhoeae Sequence Typing for Antimicrobial Resistance, a Novel Antimicrobial Resistance Multilocus Typing Scheme for Tracking Global Dissemination of N. gonorrhoeae Strains. Journal of Clinical Microbiology, 2017, 55, 1454-1468.	3.9	147
10	Pharmacokinetics of Miltefosine in Old World Cutaneous Leishmaniasis Patients. Antimicrobial Agents and Chemotherapy, 2008, 52, 2855-2860.	3.2	141
11	The association between ethnicity and vaginal microbiota composition in Amsterdam, the Netherlands. PLoS ONE, 2017, 12, e0181135.	2.5	138
12	Extracellular matrix characterization during healing of full-thickness wounds treated with a collagen/elastin dermal substitute shows improved skin regeneration in pigs Journal of Histochemistry and Cytochemistry, 1996, 44, 1311-1322.	2.5	135
13	Real-time Polymerase Chain Reaction To Diagnose Lymphogranuloma Venereum. Emerging Infectious Diseases, 2005, 11, 1311-1312.	4.3	128
14	Lymphogranuloma venereum among men who have sex with men. An epidemiological and clinical review. Expert Review of Anti-Infective Therapy, 2014, 12, 697-704.	4.4	125
15	MSM starting preexposure prophylaxis are at risk of hepatitis C virus infection. Aids, 2017, 31, 1603-1610.	2.2	119
16	Clinical Value of <i>Treponema pallidum</i> Real-Time PCR for Diagnosis of Syphilis. Journal of Clinical Microbiology, 2010, 48, 497-502.	3.9	116
17	Sexual behaviour and incidence of HIV and sexually transmitted infections among men who have sex with men using daily and event-driven pre-exposure prophylaxis in AMPrEP: 2 year results from a demonstration study. Lancet HIV,the, 2019, 6, e447-e455.	4.7	114
18	Population Genomics of Chlamydia trachomatis: Insights on Drift, Selection, Recombination, and Population Structure. Molecular Biology and Evolution, 2012, 29, 3933-3946.	8.9	94

#	Article	IF	CITATIONS
19	Slow Epidemic of Lymphogranuloma Venereum L2b Strain. Emerging Infectious Diseases, 2005, 11, 1787-1788.	4.3	93
20	Morphometry of dermal collagen orientation by Fourier analysis is superior to multi-observer assessment. Journal of Pathology, 2002, 198, 284-291.	4.5	91
21	Reduced wound contraction and scar formation in punch biopsy wounds. Native collagen dermal substitutes. A clinical study. British Journal of Dermatology, 1995, 132, 690-697.	1.5	91
22	<i>Lactobacillus iners</i> -dominated vaginal microbiota is associated with increased susceptibility to <i>Chlamydia trachomatis</i> infection in Dutch women: a caseâ€"control study. Sexually Transmitted Infections, 2018, 94, 117-123.	1.9	89
23	Predicting Phenotype and Emerging Strains among <i>Chlamydia trachomatis </i> Infections. Emerging Infectious Diseases, 2009, 15, 1385-1394.	4.3	87
24	Anorectal and inguinal lymphogranuloma venereum among men who have sex with men in Amsterdam, the Netherlands: trends over time, symptomatology and concurrent infections. Sexually Transmitted Infections, 2013, 89, 548-552.	1.9	87
25	SARS Coronavirus Detection Methods. Emerging Infectious Diseases, 2005, 11, 1090-1092.	4.3	86
26	Quantitative Nucleic Acid Sequence-Based Assay as a New Molecular Tool for Detection and Quantification of Leishmania Parasites in Skin Biopsy Samples. Journal of Clinical Microbiology, 2005, 43, 5560-5566.	3.9	86
27	Dermal regeneration in native non-cross-linked collagen sponges with different extracellular matrix molecules. Wound Repair and Regeneration, 1994, 2, 37-47.	3.0	85
28	Comparative genomics of human Lactobacillus crispatus isolates reveals genes for glycosylation and glycogen degradation: implications for in vivo dominance of the vaginal microbiota. Microbiome, 2019, 7, 49.	11.1	84
29	Anal and penile high-risk human papillomavirus prevalence in HIV-negative and HIV-infected MSM. Aids, 2013, 27, 2921-2931.	2.2	80
30	HPV and Anal Cancer in HIV-Infected Individuals: A Review. Current HIV/AIDS Reports, 2014, 11, 250-262.	3.1	77
31	Chemsex Among Men Who Have Sex With Men: a Sexualized Drug Use Survey Among Clients of the Sexually Transmitted Infection Outpatient Clinic and Users of a Gay Dating App in Amsterdam, the Netherlands. Sexually Transmitted Diseases, 2018, 45, 325-331.	1.7	76
32	Evaluation of Medium-Dose UVA1 Phototherapy in Localized Scleroderma with the Cutometer and Fast Fourier Transform Method. Dermatology, 2003, 207, 298-301.	2.1	75
33	Topical 5-fluorouracil treatment of anal intraepithelial neoplasia in human immunodeficiency virus-positive men. British Journal of Dermatology, 2010, 163, 1301-1307.	1.5	75
34	Species-Directed Therapy for Leishmaniasis in Returning Travellers: A Comprehensive Guide. PLoS Neglected Tropical Diseases, 2014, 8, e2832.	3.0	74
35	Lymphogranuloma Venereum Proctitis in Men Who Have Sex With Men Is Associated With Anal Enema Use and High-Risk Behavior. Sexually Transmitted Diseases, 2008, 35, 203-208.	1.7	73
36	Men who have sex with men more often chose daily than eventâ€driven use of preâ€exposure prophylaxis: baseline analysis of a demonstration study in Amsterdam. Journal of the International AIDS Society, 2018, 21, e25105.	3.0	72

3

#	Article	IF	CITATIONS
37	Acquisition of wild-type HIV-1 infection in a patient on pre-exposure prophylaxis with high intracellular concentrations of tenofovir diphosphate: a case report. Lancet HIV,the, 2017, 4, e522-e528.	4.7	69
38	The increasing incidence of anal cancer: can it be explained by trends in risk groups?. Netherlands Journal of Medicine, 2013, 71, 401-11.	0.5	69
39	High Prevalence of Sexually Transmitted Infections in HIV-Infected Men During Routine Outpatient Visits in the Netherlands. Sexually Transmitted Diseases, 2012, 39, 8-15.	1.7	68
40	Molecular assessment of bacterial vaginosis by Lactobacillus abundance and species diversity. BMC Infectious Diseases, 2016, 16, 180.	2.9	68
41	Miltefosine Treatment of <i>Leishmania major &lt;  i&gt;Infection: An Observational Study Involving Dutch Military Personnel Returning from Northern Afghanistan. Clinical Infectious Diseases, 2010, 50, 80-83.</i>	5 <b>.</b> 8	67
42	2019 European guideline on the management of lymphogranuloma venereum. Journal of the European Academy of Dermatology and Venereology, 2019, 33, 1821-1828.	2.4	67
43	The Cervicovaginal Microbiota in Women Notified for <i>Chlamydia trachomatis</i> Infection: A Case-Control Study at the Sexually Transmitted Infection Outpatient Clinic in Amsterdam, The Netherlands. Clinical Infectious Diseases, 2017, 64, 24-31.	5.8	66
44	Dermal Organization in Scleroderma: The Fast Fourier Transform and the Laser Scatter Method Objectify Fibrosis in Nonlesional as well as Lesional Skin. Laboratory Investigation, 2000, 80, 1281-1289.	3.7	65
45	Delayed Microbial Cure of Lymphogranuloma Venereum Proctitis with Doxycycline Treatment. Clinical Infectious Diseases, 2009, 48, e53-e56.	5.8	63
46	Change in sexual risk behaviour after 6 months of pre-exposure prophylaxis use. Aids, 2018, 32, 1527-1532.	2.2	62
47	Dermal substitutes for full-thickness wounds in a one-stage grafting model. Wound Repair and Regeneration, 1993, 1, 244-252.	3.0	57
48	Oral human papillomavirus infection in HIV-negative and HIV-infected MSM. Aids, 2013, 27, 2117-2128.	2.2	56
49	2013 European Guideline on the management of proctitis, proctocolitis and enteritis caused by sexually transmissible pathogens. International Journal of STD and AIDS, 2014, 25, 465-474.	1.1	56
50	Adherence, proliferation and collagen turnover by human fibroblasts seeded into different types of collagen sponges. Cell and Tissue Research, 1995, 280, 447-453.	2.9	55
51	Lichen planus is associated with human herpesvirus type 7 replication and infiltration of plasmacytoid dendritic cells. British Journal of Dermatology, 2006, 154, 361-364.	1.5	55
52	Spontaneous pharyngealChlamydia trachomatisRNA clearance. A cross-sectional study followed by a cohort study of untreated STI clinic patients in Amsterdam, The Netherlands. Sexually Transmitted Infections, 2015, 91, 157-164.	1.9	54
53	Decreased Azithromycin Susceptibility of <i>Neisseria gonorrhoeae &lt; /i&gt;Isolates in Patients Recently Treated with Azithromycin. Clinical Infectious Diseases, 2017, 65, 37-45.</i>	5.8	52
54	The effect of HIV infection on anal and penile human papillomavirus incidence and clearance. Aids, 2016, 30, 121-132.	2.2	51

#	Article	IF	Citations
55	Sexual Transmission of Hepatitis C Virus in Human Immunodeficiency Virus-Negative Men Who Have Sex With Men: A Series of Case Reports. Sexually Transmitted Diseases, 2011, 38, 102-104.	1.7	49
56	Borrelia miyamotoi in vectors and hosts in The Netherlands. Ticks and Tick-borne Diseases, 2017, 8, 370-374.	2.7	48
57	High incidence of HCV in HIV-negative men who have sex with men using pre-exposure prophylaxis. Journal of Hepatology, 2020, 72, 855-864.	3.7	48
58	Imported leishmaniasis in the Netherlands from 2005 to 2012: epidemiology, diagnostic techniques and sequence-based species typing from 195 patients. Eurosurveillance, 2013, 18, 20544.	7.0	46
59	Cutaneous Leishmaniasis (Leishmania major Infection) in Dutch Troops Deployed in Northern Afghanistan: Epidemiology, Clinical Aspects, and Treatment. American Journal of Tropical Medicine and Hygiene, 2010, 83, 1295-1300.	1.4	45
60	Treatment Effectiveness of Azithromycin and Doxycycline in Uncomplicated Rectal and Vaginal Chlamydia trachomatis Infections in Women: A Multicenter Observational Study (FemCure). Clinical Infectious Diseases, 2019, 69, 1946-1954.	5 <b>.</b> 8	45
61	Anal, Penile, and Oral High-Risk HPV Infections and HPV Seropositivity in HIV-Positive and HIV-Negative Men Who Have Sex with Men. PLoS ONE, 2014, 9, e92208.	2.5	45
62	Effectiveness of a Risk-Based Visitor-Prioritizing System at a Sexually Transmitted Infection Outpatient Clinic. Sexually Transmitted Diseases, 2007, 34, 508-512.	1.7	44
63	Point-of-Care Test for Detection of Urogenital Chlamydia in Women Shows Low Sensitivity. A Performance Evaluation Study in Two Clinics in Suriname. PLoS ONE, 2012, 7, e32122.	2.5	44
64	Typing of Lymphogranuloma Venereum <i>Chlamydia trachomatis</i> Strains. Emerging Infectious Diseases, 2010, 16, 1777-1779.	4.3	43
65	High prevalence of Chlamydia trachomatis and Neisseria gonorrhoeae infections among HIV-1 negative men who have sex with men in coastal Kenya. Sexually Transmitted Infections, 2010, 86, 440-441.	1.9	42
66	Motives for choosing, switching and stopping daily or eventâ€driven preâ€exposure prophylaxis – a qualitative analysis. Journal of the International AIDS Society, 2019, 22, e25389.	3.0	42
67	Distinct Transmission Networks of Chlamydia trachomatis in Men Who Have Sex with Men and Heterosexual Adults in Amsterdam, The Netherlands. PLoS ONE, 2013, 8, e53869.	2.5	41
68	Anal infections with concomitant Chlamydia trachomatisgenotypes among men who have sex with men in Amsterdam, the Netherlands. BMC Infectious Diseases, 2011, 11, 63.	2.9	40
69	Prevalence of and Factors Associated with Rectal-Only Chlamydia and Gonorrhoea in Women and in Men Who Have Sex with Men. PLoS ONE, 2015, 10, e0140297.	2.5	40
70	Determination of in vitro synergy for dual antimicrobial therapy against resistant Neisseria gonorrhoeae using Etest and agar dilution. International Journal of Antimicrobial Agents, 2015, 45, 305-308.	2.5	38
71	Cancer Risk Stratification of Anal Intraepithelial Neoplasia in Human Immunodeficiency Virus–Positive Men by Validated Methylation Markers Associated With Progression to Cancer. Clinical Infectious Diseases, 2021, 72, 2154-2163.	<b>5.</b> 8	36
72	A comparison of twice-daily calcipotriol ointment with once-daily short-contact dithranol cream therapy: a randomized controlled trial of supervised treatment of psoriasis vulgaris in a day-care setting. British Journal of Dermatology, 2006, 155, 800-807.	1.5	35

#	Article	IF	CITATIONS
73	What do Dutch MSM think of preexposure prophylaxis to prevent HIV-infection? A cross-sectional study. Aids, 2015, 29, 955-964.	2.2	35
74	2021 European Guideline on the management of proctitis, proctocolitis and enteritis caused by sexually transmissible pathogens. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 1434-1443.	2.4	35
75	High-Resolution Anoscopy. Diseases of the Colon and Rectum, 2013, 56, 1237-1242.	1.3	34
76	Screening for anal cancer precursors. Aids, 2014, 28, 1376-1377.	2.2	33
77	Botryomycosis in an HIV-positive subject. Journal of the European Academy of Dermatology and Venereology, 2003, 17, 87-90.	2.4	32
78	Lichen planus remission is associated with a decrease of human herpes virus type 7 protein expression in plasmacytoid dendritic cells. Archives of Dermatological Research, 2007, 299, 213-219.	1.9	32
79	European guideline for the management of lymphogranuloma venereum, 2010. International Journal of STD and AIDS, 2010, 21, 533-536.	1.1	31
80	Comparison of three genotyping methods to identify Chlamydia trachomatis genotypes in positive men and women. Molecular and Cellular Probes, 2010, 24, 266-270.	2.1	31
81	Seroepidemiology of High-Risk HPV in HIV-Negative and HIV-Infected MSM: The H2M Study. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 1698-1708.	2.5	31
82	High-resolution typing of Chlamydia trachomatis. Current Opinion in Infectious Diseases, 2015, 28, 61-71.	3.1	31
83	Where to go to in chlamydia control? From infection control towards infectious disease control. Sexually Transmitted Infections, 2021, 97, 501-506.	1.9	31
84	Genotyping of Chlamydia trachomatis strains from culture and clinical samples using an ompA-based DNA microarray assay. Molecular and Cellular Probes, 2011, 25, 19-27.	2.1	30
85	Brief Report. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 69, 602-605.	2.1	30
86	The 2007 European Guideline (International Union against Sexually Transmitted Infections/World) Tj ETQq0 0 0 rg transmissible pathogens. International Journal of STD and AIDS, 2007, 18, 514-520.	gBT /Overlo 1.1	ock 10 Tf 50 29
87	Urethral Lymphogranuloma Venereum Infections in Men With Anorectal Lymphogranuloma Venereum and Their Partners. Sexually Transmitted Diseases, 2013, 40, 607-608.	1.7	29
88	Condom Use Rather Than Serosorting Explains Differences in HIV Incidence Among Men Who Have Sex With Men. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 45, 574-580.	2.1	28
89	Accuracy of a commercial multiplex PCR for the diagnosis of bacterial vaginosis. Journal of Medical Microbiology, 2018, 67, 1265-1270.	1.8	28
90	Multidrug-resistant Neisseria gonorrhoeae with reduced cefotaxime susceptibility is increasingly common in men who have sex with men, Amsterdam, the Netherlands. Eurosurveillance, 2009, 14, .	7.0	28

#	Article	IF	CITATIONS
91	Anal Lymphogranuloma Venereum Infection Screening With IgA Anti-Chlamydia trachomatis-Specific Major Outer Membrane Protein Serology. Sexually Transmitted Diseases, 2010, 37, 789-795.	1.7	27
92	Distinct Neisseria gonorrhoeae Transmission Networks Among Men Who Have Sex With Men in Amsterdam, the Netherlands. Journal of Infectious Diseases, 2012, 206, 596-605.	4.0	27
93	Clonally Related Neisseria gonorrhoeae Isolates with Decreased Susceptibility to the Extended-Spectrum Cephalosporin Cefotaxime in Amsterdam, the Netherlands. Antimicrobial Agents and Chemotherapy, 2012, 56, 1516-1522.	3.2	27
94	Modelling the impact of chlamydia screening on the transmission of HIV among men who have sex with men. BMC Infectious Diseases, 2013, 13, 436.	2.9	27
95	Test of Cure for Anogenital Gonorrhoea Using Modern RNA-Based and DNA-Based Nucleic Acid Amplification Tests: A Prospective Cohort Study. Clinical Infectious Diseases, 2016, 62, 1348-1355.	5.8	27
96	Low―and highâ€risk human papillomavirus genotype infections in intraâ€anal warts in <scp>HIV</scp> â€positive men who have sex with men. British Journal of Dermatology, 2016, 175, 735-743.	1.5	27
97	Identification and characterization of latent classes based on drug use among men who have sex with men at risk of sexually transmitted infections in Amsterdam, the Netherlands. Addiction, 2020, 115, 121-133.	3.3	27
98	Ticking the right boxes: classification of patients suspected of Lyme borreliosis at an academic referral center in the Netherlands. Clinical Microbiology and Infection, 2015, 21, 368.e11-368.e20.	6.0	26
99	Trichomonas vaginalisandMycoplasma genitalium:age-specific prevalence and disease burden in men attending a sexually transmitted infections clinic in Amsterdam, the Netherlands: TableÂ1. Sexually Transmitted Infections, 2016, 92, 83-85.	1.9	26
100	Risk factors for anal high-grade squamous intraepithelial lesions in HIV-positive MSM. Aids, 2017, 31, 2295-2301.	2.2	26
101	Lymphogranuloma venereum diagnostics: from culture to real-time quadriplex polymerase chain reaction. Sexually Transmitted Infections, 2008, 84, 252-253.	1.9	25
102	Effect of HIV and Chlamydia Infection on Rectal Inflammation and Cytokine Concentrations in Men Who Have Sex with Men. Vaccine Journal, 2013, 20, 1517-1523.	3.1	25
103	HIV-Infected Men Who Have Sex with Men Who Identify Themselves as Belonging to Subcultures Are at Increased Risk for Hepatitis C Infection. PLoS ONE, 2013, 8, e57740.	2.5	25
104	Host Cell Deoxyribonucleic Acid Methylation Markers for the Detection of High-grade Anal Intraepithelial Neoplasia and Anal Cancer. Clinical Infectious Diseases, 2019, 68, 1110-1117.	5.8	25
105	One Lesion, One Virus: Individual Components of High-Grade Anal Intraepithelial Neoplasia in HIV-Positive Men Contain a Single HPV Type. Journal of Infectious Diseases, 2014, 210, 111-120.	4.0	24
106	Sex, drugs, and sexually transmitted infections: A latent class analysis among men who have sex with men in Amsterdam and surrounding urban regions, the Netherlands. Drug and Alcohol Dependence, 2020, 206, 107526.	3.2	24
107	Understanding pre-exposure prophylaxis (PrEP) regimen use: Switching and discontinuing daily and event-driven PrEP among men who have sex with men. EClinicalMedicine, 2020, 29-30, 100650.	7.1	24
108	Efficacy of ertapenem, gentamicin, fosfomycin, and ceftriaxone for the treatment of anogenital gonorrhoea (NABOGO): a randomised, non-inferiority trial. Lancet Infectious Diseases, The, 2022, 22, 706-717.	9.1	24

#	Article	IF	CITATIONS
109	Pitfalls in the diagnosis and management of inguinal lymphogranuloma venereum: important lessons from a case series. Sexually Transmitted Infections, 2014, 90, 279-282.	1.9	23
110	Sexually transmitted infections in men who have sex with men. Clinics in Dermatology, 2014, 32, 181-188.	1.6	23
111	Successful Combination of Nucleic Acid Amplification Test Diagnostics and Targeted Deferred Neisseria gonorrhoeae Culture. Journal of Clinical Microbiology, 2015, 53, 1884-1890.	3.9	23
112	Chlamydia trachomatis Strain Types Have Diversified Regionally and Globally with Evidence for Recombination across Geographic Divides. Frontiers in Microbiology, 2017, 8, 2195.	3.5	23
113	Sexual consent and chemsex: a quantitative study on sexualised drug use and non-consensual sex among men who have sex with men in Amsterdam, the Netherlands. Sexually Transmitted Infections, 2021, 97, 268-275.	1.9	23
114	HPV vaccination to prevent recurrence of anal intraepithelial neoplasia in HIV+ MSM. Aids, 2021, 35, 1753-1764.	2.2	23
115	Transient Changes in Preexposure Prophylaxis Use and Daily Sexual Behavior After the Implementation of COVID-19 Restrictions Among Men Who Have Sex With Men. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 87, 1111-1118.	2.1	23
116	Six-Month Incidence and Persistence of Oral HPV Infection in HIV-Negative and HIV-Infected Men Who Have Sex with Men. PLoS ONE, 2014, 9, e98955.	2.5	23
117	No indication for tissue tropism in urogenital and anorectal Chlamydia trachomatis infections using high-resolution multilocus sequence typing. BMC Infectious Diseases, 2014, 14, 464.	2.9	22
118	Cross-sectional study of genital carcinogenic HPV infections in Paramaribo, Suriname: prevalence and determinants in an ethnically diverse population of women in a pre-vaccination era. Sexually Transmitted Infections, 2014, 90, 627-633.	1.9	21
119	Evaluation of a hepatitis C virus (HCV) antigen assay for routine HCV screening among men who have sex with men infected with HIV. Journal of Virological Methods, 2015, 213, 147-150.	2.1	21
120	Time to clearance of Chlamydia trachomatis RNA and DNA after treatment in patients coinfected with Neisseria gonorrhoeae – a prospective cohort study. BMC Infectious Diseases, 2016, 16, 554.	2.9	21
121	Substance Use and Sexual Risk Behavior Among Male and Transgender Women Sex Workers at the Prostitution Outreach Center in Amsterdam, the Netherlands. Sexually Transmitted Diseases, 2020, 47, 114-121.	1.7	21
122	Treatment assessment by monitoring parasite load in skin biopsies from patients with cutaneous leishmaniasis, using quantitative nucleic acid sequence-based amplification. Clinical and Experimental Dermatology, 2008, 33, 394-399.	1.3	20
123	Skin as an indicator for sexually transmitted infections. Clinics in Dermatology, 2014, 32, 196-208.	1.6	20
124	A Case-Control Study of Molecular Epidemiology in Relation to Azithromycin Resistance in Neisseria gonorrhoeae Isolates Collected in Amsterdam, the Netherlands, between 2008 and 2015. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	19
125	A Mobile Application to Collect Daily Data on Preexposure Prophylaxis Adherence and Sexual Behavior Among Men Who Have Sex With Men: Use Over Time and Comparability With Conventional Data Collection. Sexually Transmitted Diseases, 2019, 46, 400-406.	1.7	19
126	Adherence to eventâ€driven HIV PrEP among men who have sex with men in Amsterdam, the Netherlands: analysis based on online diary data, 3â€monthly questionnaires and intracellular TFVâ€DP. Journal of the International AIDS Society, 2021, 24, e25708.	3.0	19

#	Article	IF	CITATIONS
127	Solar urticaria induced by infrared radiation. Clinical and Experimental Dermatology, 2003, 28, 222-223.	1.3	18
128	Molecular Diagnosis of Lymphogranuloma Venereum: PCR-Based Restriction Fragment Length Polymorphism and Real-Time PCR. Journal of Clinical Microbiology, 2005, 43, 5412-5413.	3.9	18
129	Blood concentrations of pimecrolimus in adult patients with atopic dermatitis following intermittent administration of pimecrolimus cream 1% (Elidel <sup>®</sup> ) for up to 1 year. Journal of Dermatological Treatment, 2007, 18, 19-22.	2.2	18
130	First Case of Cutaneous Leishmaniasis Caused by Leishmania (Viannia) braziliensis in Suriname. American Journal of Tropical Medicine and Hygiene, 2012, 86, 825-827.	1.4	18
131	Low Prevalence of Urethral Lymphogranuloma Venereum Infections Among Men Who Have Sex With Men: A Prospective Observational Study, Sexually Transmitted Infection Clinic in Amsterdam, the Netherlands. Sexually Transmitted Diseases, 2017, 44, 547-550.	1.7	18
132	Anal Squamous Intraepithelial Lesions (SILs) in Human Immunodeficiency Virus–Positive Men Who Have Sex With Men: Incidence and Risk Factors of SIL and of Progression and Clearance of Low-Grade SILs. Journal of Infectious Diseases, 2020, 222, 62-73.	4.0	18
133	Integrating hepatitis B, hepatitis C and HIV screening into tuberculosis entry screening for migrants in the Netherlands, 2013 to 2015. Eurosurveillance, 2018, 23, .	7.0	18
134	The Enigma of Lymphogranuloma Venereum Spread in Men Who Have Sex With Men: Does Ano-Oral Transmission Plays a Role?. Sexually Transmitted Diseases, 2016, 43, 420-422.	1.7	17
135	Is rectal douching and sharing douching equipment associated with anorectal chlamydia and gonorrhoea? A cross-sectional study among men who have sex with men. Sexually Transmitted Infections, 2017, 93, 431-437.	1.9	17
136	Detection of Incident Anal High-Risk Human Papillomavirus DNA in Men Who Have Sex With Men: Incidence or Reactivation?. Journal of Infectious Diseases, 2018, 218, 1018-1026.	4.0	17
137	Effects of an over-the-counter lactic-acid containing intra-vaginal douching product on the vaginal microbiota. BMC Microbiology, 2019, 19, 168.	3.3	17
138	The Accuracy of Anal Swab–Based Tests to Detect High-Grade Anal Intraepithelial Neoplasia in HIV-Infected Patients: A Systematic Review and Meta-analysis. Open Forum Infectious Diseases, 2019, 6, ofz191.	0.9	17
139	Lymphoganuloma venereum in the Western world, 15 years after its re-emergence. Current Opinion in Infectious Diseases, 2019, 32, 43-50.	3.1	17
140	Emergence of a <i>Neisseria gonorrhoeae</i> clone with reduced cephalosporin susceptibility between 2014 and 2019 in Amsterdam, The Netherlands, revealed by genomic population analysis. Journal of Antimicrobial Chemotherapy, 2021, 76, 1759-1768.	3.0	17
141	TaqMan Assay for Swedish <i>Chlamydiatrachomatis</i> Variant. Emerging Infectious Diseases, 2007, 13, 1432-1434.	4.3	16
142	Route of Sexual Exposure Is Independently Associated With Seropositivity to HPV-16 and HPV-18 Among Clients of an STI Clinic in the Netherlands. Journal of Infectious Diseases, 2013, 208, 1081-1085.	4.0	16
143	Comparison of two Gram stain point-of-care systems for urogenital gonorrhoea among high-risk patients: diagnostic accuracy and cost-effectiveness before and after changing the screening algorithm at an STI clinic in Amsterdam. Sexually Transmitted Infections, 2014, 90, 358-362.	1.9	16
144	Perceived HIV Status is a Key Determinant of Unprotected Anal Intercourse Within Partnerships of Men Who Have Sex With Men in Amsterdam. AIDS and Behavior, 2014, 18, 2442-2456.	2.7	16

#	Article	IF	CITATIONS
145	Gonorrhea in Indonesia: High Prevalence of Asymptomatic Urogenital Gonorrhea but No Circulating Extended Spectrum Cephalosporins-Resistant Neisseria gonorrhoeae Strains in Jakarta, Yogyakarta, and Denpasar, Indonesia. Sexually Transmitted Diseases, 2016, 43, 608-616.	1.7	16
146	Persistence after treatment of pharyngeal gonococcal infections in patients of the STI clinic, Amsterdam, the Netherlands, 2012–2015: a retrospective cohort study. Sexually Transmitted Infections, 2017, 93, 467-471.	1.9	16
147	Decision-making regarding condom use among daily and event-driven users of preexposure prophylaxis in the Netherlands. Aids, 2020, 34, 2295-2304.	2.2	16
148	Trends in antimicrobial susceptibility for azithromycin and ceftriaxone in Neisseria gonorrhoeae isolates in Amsterdam, the Netherlands, between 2012 and 2015. Eurosurveillance, 2017, 22, .	7.0	16
149	Social implications of leprosy in the Netherlands - stigma among ex-leprosy patients in a non-endemic setting. Leprosy Review, 2011, 82, 168-177.	0.3	16
150	Ofuji papuloerythroderma associated with Hodgkin's lymphoma. British Journal of Dermatology, 2002, 147, 180-195.	1.5	15
151	Repeated STI and HIV testing among HIV-negative men who have sex with men attending a large STI clinic in Amsterdam: a longitudinal study. Sexually Transmitted Infections, 2015, 91, 294-299.	1.9	15
152	Tuberculids: cutaneous indicator diseases of <i>Mycobacterium tuberculosis</i> infection in young patients. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 1590-1593.	2.4	15
153	Detection Rate of High-Grade Squamous Intraepithelial Lesions as a Quality Assurance Metric for High-Resolution Anoscopy in HIV-Positive Men. Diseases of the Colon and Rectum, 2018, 61, 780-786.	1.3	15
154	The Acceptability of Pre-Exposure Prophylaxis: Beliefs of Health-Care Professionals Working in Sexually Transmitted Infections Clinics and HIV Treatment Centers. Frontiers in Public Health, 2018, 6, 5.	2.7	15
155	Risk Factors for the Presence of Anal Intraepithelial Neoplasia in HIV+ Men Who Have Sex with Men. PLoS ONE, 2013, 8, e84030.	2.5	15
156	Increasing trends of lymphogranuloma venereum among HIV-negative and asymptomatic men who have sex with men, the Netherlands, 2011 to 2017. Eurosurveillance, 2020, 25, .	7.0	15
157	Sexual transmission of infections across Europe: appraising the present, scoping the future. Sexually Transmitted Infections, 2022, 98, 451-457.	1.9	15
158	Leishmania (Leishmania) amazonenisInfection, Suriname. Emerging Infectious Diseases, 2008, 14, 857-859.	4.3	14
159	Sexually transmitted infections screening at HIV treatment centers for MSM can be cost-effective. Aids, 2013, 27, 2281-2290.	2.2	14
160	Serovar D and E of serogroup B induce highest serological responses in urogenital Chlamydia trachomatisinfections. BMC Infectious Diseases, 2014, 14, 3.	2.9	14
161	Verified clinical failure with cefotaxime $1g$ for treatment of gonorrhoea in the Netherlands: a case report. Sexually Transmitted Infections, 2014, 90, 513-514.	1.9	14
162	No evidence for LGV transmission among heterosexuals in Amsterdam, the Netherlands. BMC Research Notes, 2014, 7, 355.	1.4	14

#	Article	IF	CITATIONS
163	Spontaneous Clearance of Pharyngeal Gonococcal Infections: A Retrospective Study in Patients of the Sexually Transmitted Infections Clinic; Amsterdam, the Netherlands; 2012 to 2015. Sexually Transmitted Diseases, 2018, 45, 594-599.	1.7	14
164	<scp>HIV</scp> and sexually transmitted infections: responding to the "newest normalâ€, Journal of the International AIDS Society, 2018, 21, e25164.	3.0	14
165	Controversies and evidence on Chlamydia testing and treatment in asymptomatic women and men who have sex with men: a narrative review. BMC Infectious Diseases, 2022, 22, 255.	2.9	14
166	Design of a syndemic based intervention to facilitate care for men who have sex with men with high risk behaviour: the syn.bas.in randomized controlled trial. BMC Infectious Diseases, 2017, 17, 398.	2.9	13
167	Spontaneous clearance of <i>Chlamydia trachomatis</i> accounting for bacterial viability in vaginally or rectally infected women (FemCure). Sexually Transmitted Infections, 2020, 96, 541-548.	1.9	13
168	Enhancing help-seeking behaviour among men who have sex with men at risk for sexually transmitted infections: the syn.bas.in randomised controlled trial. Sexually Transmitted Infections, 2021, 97, 11-17.	1.9	13
169	DNA methylation markers have universal prognostic value for anal cancer risk in HIVâ€negative and HIVâ€positive individuals. Molecular Oncology, 2021, 15, 3024-3036.	4.6	13
170	Choosing eventâ€driven and daily HIV preâ€exposure prophylaxis – data from two European PrEP demonstration projects among men who have sex with men. Journal of the International AIDS Society, 2021, 24, e25768.	3.0	13
171	Lymphogranuloma venereum: the Italian experience. Sexually Transmitted Infections, 2009, 85, 171-172.	1.9	12
172	Multilocus Sequence Typing of Chlamydia trachomatis Among Men Who Have Sex With Men Reveals Cocirculating Strains Not Associated With Specific Subpopulations. Journal of Infectious Diseases, 2013, 208, 969-977.	4.0	12
173	Young Low-Risk Heterosexual Clients Prefer a Chlamydia Home Collection Test to a Sexually Transmitted Infection Clinic Visit in Amsterdam, the Netherlands, A Cross-Sectional Study. Sexually Transmitted Diseases, 2016, 43, 710-716.	1.7	12
174	<i>TLR2</i> , <i>TLR4</i> and <i>TLR9</i> genotypes and haplotypes in the susceptibility to and clinical course of <i>Chlamydia trachomatis</i> ii>infections in Dutch women. Pathogens and Disease, 2016, 74, ftv107.	2.0	12
175	Differences in Chlamydia trachomatis seroprevalence between ethnic groups cannot be fully explained by socioeconomic status, sexual healthcare seeking behavior or sexual risk behavior: a cross-sectional analysis in the HEalthy LIfe in an Urban Setting (HELIUS) study. BMC Infectious Diseases. 2018, 18, 612.	2.9	12
176	Monitoring therapy success of urogenital Chlamydia trachomatis infections in women: A prospective observational cohort study. PLoS ONE, 2017, 12, e0185295.	2.5	12
177	Detection of <i>Treponema pallidum</i> DNA During Early Syphilis Stages in Peripheral Blood, Oropharynx, Ano-Rectum and Urine as a Proxy for Transmissibility. Clinical Infectious Diseases, 2022, 75, 1054-1062.	5.8	12
178	A lethal case of the dapsone hypersensitivity syndrome involving the myocardium. Netherlands Journal of Medicine, 2016, 74, 89-92.	0.5	12
179	The Potential of Molecular Diagnosis of Cutaneous Ectopic Schistosomiasis. American Journal of Tropical Medicine and Hygiene, 2010, 83, 958-959.	1.4	11
180	Colorectal Mucus Binds DC-SIGN and Inhibits HIV-1 Trans-Infection of CD4+ T-Lymphocytes. PLoS ONE, 2015, 10, e0122020.	2.5	11

#	Article	IF	Citations
181	Outbreaks of syphilis among men who have sex with men attending STI clinics between 2007 and 2015 in the Netherlands: a space–time clustering study. Sexually Transmitted Infections, 2017, 93, 390-395.	1.9	11
182	Sexually Transmitted Infection Positivity Rate and Treatment Uptake Among Female and Male Sexual Assault Victims Attending The Amsterdam STI Clinic Between 2005 and 2016. Sexually Transmitted Diseases, 2018, 45, 534-541.	1.7	11
183	Ceftriaxone Reduced Susceptible Neisseria gonorrhoeae in the Netherlands, 2009 to 2017: From PenA Mosaicism to A501T/V Nonmosaicism. Sexually Transmitted Diseases, 2019, 46, 594-601.	1.7	11
184	Virological and Serological Predictors of Anal High-grade Squamous Intraepithelial Lesions Among Human Immunodeficiency Virus–positive Men Who Have Sex With Men. Clinical Infectious Diseases, 2019, 68, 1377-1387.	5.8	11
185	Grading immunohistochemical markers p16 <sup>INK4a</sup> and HPV E4 identifies productive and transforming lesions caused by low―and high―isk HPV within high―grade anal squamous intraepithelial lesions. British Journal of Dermatology, 2020, 182, 1026-1033.	1.5	11
186	Ongoing evolution of Chlamydia trachomatis lymphogranuloma venereum: exploring the genomic diversity of circulating strains. Microbial Genomics, 2021, 7, .	2.0	11
187	No indication of Swedish Chlamydia trachomatis variant among STI clinic visitors in Amsterdam. , 2007, 12, E070208.3.		11
188	"Stopping the itch†mass drug administration for scabies outbreak control covered for over nine million people in Ethiopia. Journal of Infection in Developing Countries, 2020, 14, 28S-35S.	1.2	11
189	Social implications of leprosy in the Netherlandsstigma among ex-leprosy patients in a non-endemic setting. Leprosy Review, 2011, 82, 168-77.	0.3	11
190	Cutaneous Leishmaniasis Acquired in Jura, France. Emerging Infectious Diseases, 2012, 18, 183-184.	4.3	10
191	HPV vaccination intention among male clients of a large STI outpatient clinic in Amsterdam, the Netherlands. Papillomavirus Research (Amsterdam, Netherlands), 2016, 2, 178-184.	4.5	10
192	What Is the Optimal Time to Retest Patients With a Urogenital Chlamydia Infection? A Randomized Controlled Trial. Sexually Transmitted Diseases, 2018, 45, 132-137.	1.7	10
193	Pregnancies and Time to Pregnancy in Women With and Without a Previous Chlamydia trachomatis Infection. Sexually Transmitted Diseases, 2020, 47, 739-747.	1.7	10
194	Effect of the COVID-19 Pandemic Preparation and Response on Essential Health Services in Primary and Tertiary Healthcare Settings of Amhara Region, Ethiopia. American Journal of Tropical Medicine and Hygiene, 2021, 105, 1240-1246.	1.4	10
195	Adherence, proliferation and collagen turnover by human fibroblasts seeded into different types of collagen sponges. Cell and Tissue Research, 1995, 280, 447-453.	2.9	10
196	Multilocus Sequence Typing of Urogenital Chlamydia trachomatis From Patients With Different Degrees of Clinical Symptoms. Sexually Transmitted Diseases, 2011, 38, 490-494.	1.7	10
197	Syphilitic condylomata lata mimicking anogenital warts. BMJ, The, 2015, 350, h1259-h1259.	6.0	9
198	Health-Related Quality of Life and Sexual Functioning of HIV-Positive Men Who Have Sex With Men Who Are Treated for Anal Intraepithelial Neoplasia. Diseases of the Colon and Rectum, 2016, 59, 42-47.	1.3	9

#	ARTICLE	IF	CITATIONS
199	Changes in mental health and drug use among men who have sex with men using daily and event-driven pre-exposure prophylaxis: Results from a prospective demonstration project in Amsterdam, the Netherlands. EClinicalMedicine, 2020, 26, 100505.	7.1	9
200	Oropharyngeal Chlamydia trachomatis in women; spontaneous clearance and cure after treatment (FemCure). Sexually Transmitted Infections, 2021, 97, 147-151.	1.9	9
201	The Impact of Pre-exposure Prophylaxis on Sexual Well-Being Among Men Who Have Sex with Men. Archives of Sexual Behavior, 2021, 50, 1829-1841.	1.9	9
202	Safety and efficacy of allylamines in the treatment of cutaneous and mucocutaneous leishmaniasis: A systematic review. PLoS ONE, 2021, 16, e0249628.	2.5	9
203	Body location of "New World―cutaneous leishmaniasis lesions and its impact on the quality of life of patients in Suriname. PLoS Neglected Tropical Diseases, 2020, 14, e0008759.	3.0	9
204	Eligibility for HIV Preexposure Prophylaxis, Intention to Use Preexposure Prophylaxis, and Informal Use of Preexposure Prophylaxis Among Men Who Have Sex With Men in Amsterdam, the Netherlands. Sexually Transmitted Diseases, 2021, 48, 86-93.	1.7	9
205	Low prevalence of asymptomatic sexually transmitted infections in HIV-infected heterosexuals visiting an HIV clinic in the Netherlands. Aids, 2012, 26, 646-649.	2.2	8
206	Urogenital Chlamydia trachomatis Infections among Ethnic Groups in Paramaribo, Suriname; Determinants and Ethnic Sexual Mixing Patterns. PLoS ONE, 2013, 8, e68698.	2.5	8
207	The Role of Surinamese Migrants in the Transmission of Chlamydia trachomatis between Paramaribo, Suriname and Amsterdam, The Netherlands. PLoS ONE, 2013, 8, e77977.	2.5	8
208	Randomized Single-Blinded Non-inferiority Trial Of 7 mg/kg Pentamidine Isethionate Versus 4 mg/kg Pentamidine Isethionate for Cutaneous Leishmaniaisis in Suriname. PLoS Neglected Tropical Diseases, 2015, 9, e0003592.	3.0	8
209	Monitoring the response of patients with cutaneous leishmaniasis to treatment with pentamidine isethionate by quantitative real-time PCR, and identification of Leishmania parasites not responding to therapy. Clinical and Experimental Dermatology, 2016, 41, 610-615.	1.3	8
210	Earlier Detection of Hepatitis C Virus Infection Through Routine Hepatitis C Virus Antibody Screening of Human Immunodeficiency Virus-Positive Men Who Have Sex With Men Attending A Sexually Transmitted Infection Outpatient Clinic: A Longitudinal Study. Sexually Transmitted Diseases, 2016, 43, 560-565.	1.7	8
211	Cryotherapy for Intra- and Perianal High-Grade Squamous Intraepithelial Lesions in HIV-Positive Men who have Sex with Men. American Journal of Clinical Dermatology, 2018, 19, 127-132.	6.7	8
212	Rectal lymphogranuloma venereum. Colorectal Disease, 2012, 14, e792-3.	1.4	7
213	Low prevalence of methicillin-resistant <i>Staphylococcus aureus</i> among men who have sex with men attending an STI clinic in Amsterdam: a cross-sectional study. BMJ Open, 2013, 3, e002505.	1.9	7
214	Buruli Ulcer in Traveler from Suriname, South America, to the Netherlands. Emerging Infectious Diseases, 2015, 21, 497-499.	4.3	7
215	Point-of-care management of urogenitalChlamydia trachomatisvia Gram-stained smear analysis in male high-risk patients. Diagnostic accuracy and cost-effectiveness before and after changing the screening indication at the STI Clinic in Amsterdam. Sexually Transmitted Infections, 2015, 91, 479-484.	1.9	7
216	False-negative type-specific glycoprotein G antibody responses in STI clinic patients with recurrent HSV-1 or HSV-2 DNA positive genital herpes, The Netherlands. Sexually Transmitted Infections, 2016, 92, 257-260.	1.9	7

#	Article	IF	Citations
217	Concern regarding the alleged spread of hypervirulent lymphogranuloma venereum Chlamydia trachomatis strain in Europe. Eurosurveillance, 2017, 22, .	7.0	7
218	Clinical outcomes of syphilis in HIV-negative and HIV-positive MSM: occurrence of repeat syphilis episodes and non-treponemal serology responses. Sexually Transmitted Infections, 2022, 98, 95-100.	1.9	7
219	Improving adherence to daily preexposure prophylaxis among MSM in Amsterdam by providing feedback via a mobile application. Aids, 2021, 35, 1823-1834.	2.2	7
220	The social meanings of PrEP use – A mixedâ€method study of PrEP use disclosure in Antwerp and Amsterdam. Sociology of Health and Illness, 2021, 43, 1311-1327.	2.1	7
221	An ongoing outbreak of lymphogranuloma venereum in the Netherlands, 2006-2007., 2007, 12, E070419.2.		7
222	Factors Associated With the Intention to Use HIV Preexposure Prophylaxis for Young and Older Men Who Have Sex With Men. Sexually Transmitted Diseases, 2022, 49, 343-352.	1.7	7
223	Leucocyte esterase dip-stick test as a point-of-care diagnostic for urogenital chlamydia in male patients: A multi-center evaluation in two STI outpatient clinics in Paramaribo and Amsterdam. BMC Infectious Diseases, 2016, 16, 625.	2.9	6
224	The effect of ART on cervical cancer precursor lesions. Lancet HIV, the, 2018, 5, e6-e8.	4.7	6
225	A longitudinal study to investigate previous <i>Chlamydia trachomatis</i> infection as a risk factor for subsequent anorectal infection in men who have sex with men (MSM) and women visiting STI clinics in the Netherlands. Epidemiology and Infection, 2019, 147, e214.	2.1	6
226	HIV and sexually transmitted infections: reconciling estranged bedfellows in the UÂ=ÂU and Pr EP era. Journal of the International AIDS Society, 2019, 22, e25357.	3.0	6
227	Microscopic examination of Gram-stained smears for anogenital gonorrhoea in men who have sex with men is cost-effective: evidence from a modelling study. Sexually Transmitted Infections, 2019, 95, 13-20.	1.9	6
228	Characterisation of anal intraepithelial neoplasia and anal cancer in <scp>HIV</scp> â€positive men by immunohistochemical markers p16, Kiâ€67, <scp>HPVâ€E4</scp> and <scp>DNA</scp> methylation markers. International Journal of Cancer, 2021, 149, 1833-1844.	5.1	6
229	Vaginal high-risk human papillomavirus infection in a cross-sectional study among women of six different ethnicities in Amsterdam, the Netherlands: the HELIUS study. Sexually Transmitted Infections, 2016, 92, 611-618.	1.9	6
230	Monitoring the potential introduction of the Swedish Chlamydia trachomatis variant (swCT) in the Netherlands. Eurosurveillance, 2007, 12, 9-10.	7.0	6
231	<i>Shigella</i> is common in symptomatic and asymptomatic men who have sex with men visiting a sexual health clinic in Amsterdam. Sexually Transmitted Infections, 2022, 98, 564-569.	1.9	6
232	Patients' Preferences regarding the Timing of Highly Active Antiretroviral Therapy Initiation for Chronic Asymptomatic HIV-1 Infection. Antiviral Therapy, 2006, 11, 335-341.	1.0	6
233	Microcirculatory changes in travelers to a tropical country. International Journal of Dermatology, 2002, 41, 93-95.	1.0	5
234	Lymphogranuloma venereum among men having sex with men; what have we learned so far?. Sexually Transmitted Infections, 2006, 82, 344-344.	1.9	5

#	Article	IF	Citations
235	Reply to Richardson et al Journal of Infectious Diseases, 2008, 197, 1214-1215.	4.0	5
236	Sexually transmitted penile amoebiasis in Iran: a case series. Sexually Transmitted Infections, 2012, 88, 585-588.	1.9	5
237	HPV infections and flat penile lesions of the penis in men who have sex with men. Papillomavirus Research (Amsterdam, Netherlands), 2019, 8, 100173.	4.5	5
238	Erroneous treatment of syphilis with benzyl penicillin in an era with benzathine benzylpenicillin shortages. Sexually Transmitted Infections, 2020, 96, 552-552.	1.9	5
239	Does mass drug administration for community-based scabies control works? The experience in Ethiopia. Journal of Infection in Developing Countries, 2020, 14, 78S-85S.	1.2	5
240	Call for consensus in Chlamydia trachomatis nomenclature: moving from biovars, serovars, and serotypes to genovariants and genotypes. Clinical Microbiology and Infection, 2022, 28, 761-763.	6.0	5
241	High-Resolution Typing Reveals Distinct Chlamydia trachomatis Strains in an At-Risk Population in Nanjing, China. Sexually Transmitted Diseases, 2013, 40, 647-649.	1.7	4
242	S16.4â€Lymphogranuloma Venereum in Men Who Have Sex with Men. An Ongoing Epidemic Since 10 Years, But Still Not Tackled. Sexually Transmitted Infections, 2013, 89, A24.2-A24.	1.9	4
243	Social Participation of Diabetes and Ex-Leprosy Patients in the Netherlands and Patient Preference for Combined Self-Care Groups. Frontiers in Medicine, 2014, 1, 21.	2.6	4
244	Additional Gonorrhea and Chlamydia Infections Found With Rapid Follow-Up Screening in Men Who Have Sex With Men With an Indication for HIV Postexposure Prophylaxis. Sexually Transmitted Diseases, 2014, 41, 515-517.	1.7	4
245	Cost-Effectiveness of Dual Antimicrobial Therapy for Gonococcal Infections Among Men Who Have Sex With Men in the Netherlands. Sexually Transmitted Diseases, 2016, 43, 542-548.	1.7	4
246	Determinants of Human Papillomavirus Vaccination Intention Among Female Sex Workers in Amsterdam, the Netherlands. Sexually Transmitted Diseases, 2017, 44, 756-762.	1.7	4
247	O09.3â€Changes in sexual risk behaviour among daily prep users after 6 months of use in the amsterdam prep project. , 2017, , .		4
248	Current challenges in the clinical management of sexually transmitted infections. Journal of the International AIDS Society, 2019, 22, e25347.	3.0	4
249	Solithromycin for the treatment of drug-resistant gonorrhoea. Lancet Infectious Diseases, The, 2019, 19, 791-792.	9.1	4
250	Delayed diagnosis of lymphogranuloma venereum in a hospital setting – a retrospective observational study. International Journal of STD and AIDS, 2021, 32, 517-522.	1.1	4
251	Chlamydia trachomatis serovar distributions in Russian men and women: a comparison with Dutch serovar distributions. Drugs of Today, 2009, 45 Suppl B, 33-8.	1.1	4
252	Macrolide-resistant Mycoplasma genitalium impairs clinical improvement of male urethritis after empirical treatment. Sexually Transmitted Diseases, 2021, Publish Ahead of Print, .	1.7	4

#	Article	IF	CITATIONS
253	Evaluation of a Novel Chlamydia trachomatis Microsphere Suspension Assay for Detection and Genotyping of the Different Serovars in Clinical Samples. Journal of Molecular Diagnostics, 2011, 13, 152-159.	2.8	3
254	Impact of point-of-care management on the transmission of anogenital gonococcal infections among men who have sex with men in Amsterdam: a mathematical modelling and cost-effectiveness study. Sexually Transmitted Infections, 2018, 94, 174-179.	1.9	3
255	Haemophilus ducreyi cutaneous ulcer contracted at Seram Island, Indonesia, presented in the Netherlands. PLoS Neglected Tropical Diseases, 2018, 12, e0006273.	3.0	3
256	Can we screen less frequently for STI among PrEP users? Assessing the effect of biannual STI screening on timing of diagnosis and transmission risk in the AMPrEP Study. Sexually Transmitted Infections, 2022, , sextrans-2022-055439.	1.9	3
257	Treponema pallidum Subspecies <i>Pallidum</i> Intrapatient Homogeneity at Various Body Locations in Men with Infectious Syphilis. Microbiology Spectrum, 2022, 10, .	3.0	3
258	S15.4 Re-emergence of lymphogranuloma venereum in Europe and the public health response. Sexually Transmitted Infections, 2011, 87, A19-A20.	1.9	2
259	Increased HIV-1 Activity in Anal High-Grade Squamous Intraepithelial Lesions Compared With Unaffected Anal Mucosa in Men Who Have Sex With Men. Clinical Infectious Diseases, 2014, 58, 1634-1637.	5 <b>.</b> 8	2
260	Assessing the health and well-being of gay, bisexual and other men who have sex with men around the world. Sexually Transmitted Infections, 2017, 93, 303-304.	1.9	2
261	O04.2â€Effects of over-the-counter lactic acid-containing vaginal douching products on the vaginal microbiota., 2017,,.		2
262	Value of light microscopy to diagnose urogenital gonorrhoea: a diagnostic test study in Indonesian clinic-based and outreach sexually transmitted infections services. BMJ Open, 2017, 7, e016202.	1.9	2
263	P4.92â€Start of a syndemic based intervention to facilitate care for men who have sex with men with high risk behaviour: the syn.bas.in randomised controlled trial. , 2017, , .		2
264	Sinecatechins ointment 10% (Veregen®) for genital warts: percutaneous penetration of epigallocatechin gallate concentrations in the stratum corneum collected by adhesive tape stripping method. Journal of the European Academy of Dermatology and Venereology, 2018, 32, e357-e358.	2.4	2
265	An Organotypic Reconstructed Human Urethra to Study <i>Chlamydia trachomatis</i> li>Infection. Tissue Engineering - Part A, 2018, 24, 1663-1671.	3.1	2
266	Molecular epidemiology of Neisseria gonorrhoeae strains circulating in Indonesia using multi-locus variable number tandem repeat analysis (MLVA) and Neisseria gonorrhoeae multi-antigen sequence typing (NG-MAST) techniques. BMC Infectious Diseases, 2018, 18, 7.	2.9	2
267	Vaginal herb use andChlamydia trachomatisinfection: cross-sectional study among women of various ethnic groups in Suriname. BMJ Open, 2019, 9, e025417.	1.9	2
268	Antiseptic mouthwashes against sexually transmitted infections. Lancet Infectious Diseases, The, 2021, 21, 583-584.	9.1	2
269	Can Previous Associations of Single Nucleotide Polymorphisms in the TLR2, NOD1, CXCR5, and IL10 Genes in the Susceptibility to and Severity of Chlamydia trachomatis Infections Be Confirmed?. Pathogens, 2021, 10, 48.	2.8	2
270	Incident urogenital and anorectal Chlamydia trachomatis in women: the role of sexual exposure and autoinoculation: a multicentre observational study (FemCure). Sexually Transmitted Infections, 2022, , sextrans-2021-055032.	1.9	2

#	Article	IF	CITATIONS
271	Within-Host Genetic Variation in Neisseria gonorrhoeae over the Course of Infection. Microbiology Spectrum, 2022, 10, e0031322.	3.0	2
272	P5.077â€Nucleic Acid Amplification Test (NAAT) Diagnostics Combined with DelayedNeisseria GonorrhoeaeCultivation of NAAT Positive Samples Using the ESwabâ"¢ System - the Solution For Future Gonococcal Antimicrobial Susceptibility Surveillance?. Sexually Transmitted Infections, 2013, 89, A358.3-A359.	1.9	1
273	P3.139 Early Incubating Gonorrhoea and Chlamydia Infections in MSM with an Indication For HIV Post Exposure Prophylaxis (PEP). Sexually Transmitted Infections, 2013, 89, A191.1-A191.	1.9	1
274	P5.078â€False-PositiveNeisseria GonorrhoeaeResults in Urine Samples Using a Highly Sensitive NAAT Tests: The Sampling Site as a Source of Contamination?. Sexually Transmitted Infections, 2013, 89, A359.1-A359.	1.9	1
275	P5.022â€Earlier HCV Diagnosis by the Introduction of Routine HCV Testing For HIV Positive MSM and MSM Opting Out For HIV in a Large STI Outpatient Clinic. Sexually Transmitted Infections, 2013, 89, A341.2-A341.	1.9	1
276	P05.05â€ <b>Neisseria gonorrhoeae in indonesia: prevalenceand antimicrobial susceptibility among sti clinics patients in jakarta, yogyakarta and denpasar</b> . Sexually Transmitted Infections, 2015, 91, A109.2-A110.	1.9	1
277	LB1.67â€Reduced susceptibility to ceftriaxone in⟨i⟩neisseria gonorrhoeae⟨/i⟩in the netherlands recently predominantly found in association with an a501v/t mutation in the pena gene., 2017,,.		1
278	A33 The cervico-vaginale microbiota in chlamydia trachomtais notified women: a case–control study at the sexually transmitted infection outpatient clinic in Amsterdam. Virus Evolution, 2017, 3, .	4.9	1
279	O01.4â€High prevalence of hepatitis c virus among hiv negative msm in amsterdam prep project. , 2017, , .		1
280	Pathway-Wide Genetic Risks in Chlamydial Infections Overlap between Tissue Tropisms: A Genome-Wide Association Scan. Mediators of Inflammation, 2018, 2018, 1-9.	3.0	1
281	Spontaneous resolution of multidrugâ€resistant <i>Mycobacterium abscessus ⟨i⟩ infection in tattoo. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e328-e330.</i>	2.4	1
282	Surgical debulking of podoconiosis nodules and its impact on quality of life in Ethiopia. PLoS Neglected Tropical Diseases, 2021, 15, e0009053.	3.0	1
283	Symptomatic primary HIV infection in a 49-year-old man who has sex with men: beware of the window phase. Eurosurveillance, 2009, 14, .	7.0	1
284	34. One lesion, one virus: individual components of high-grade anal intraepithelial neoplasia in HIV+ men contain a single HPV type. Sexual Health, 2013, 10, 586.	0.9	1
285	HIV-1-infection in a man who has sex with men despite self-reported excellent adherence to pre-exposure prophylaxis, the Netherlands, August 2021: be alert to emtricitabine/tenofovir-resistant strain transmission. Eurosurveillance, 2022, 27, .	7.0	1
286	O21.4â€ <i>In Vitro</i> Synergy Determination For Dual Antibiotic Therapy Against Resistant <i>Neisseria Gonorrhoeae</i> Using Etest <sup>®</sup> and Agar Dilution. Sexually Transmitted Infections, 2013, 89, A67.3-A68.	1.9	0
287	O16.5â€Concordance of Anal, Penile, and Oral Human Papillomavirus Hr-HPV Infections and HPV Seropositivity in HIV-Infected and HIV-Negative Men Who Have Sex with Men: The HIV & HPV in MSM (H <sub>2</sub> M) Study. Sexually Transmitted Infections, 2013, 89, A58.1-A58.	1.9	0
288	P3.257â€Distinct But Also Highly SimilarChlamydia TrachomatisStrains in Nanjing, China and in Amsterdam, the Netherlands. Sexually Transmitted Infections, 2013, 89, A228.4-A229.	1.9	0

#	Article	IF	Citations
289	O05.1â€High Grade Anal Intraepithelial Neoplasia: One Virus, One Lesion. Sexually Transmitted Infections, 2013, 89, A34.3-A34.	1.9	O
290	O18.6â€Persistence of Pharyngeal <i>Chlamydia Trachomatis</i> For 1–2 Weeks is Common Among Clients at the Amsterdam STI Clinic. Sexually Transmitted Infections, 2013, 89, A62.2-A62.	1.9	0
291	P1.004â€Serovar D and E of Serogroup B Induce Highest Serological Responses in Urogenital Chlamydia Trachomatis Infections. Sexually Transmitted Infections, 2013, 89, A74.4-A75.	1.9	O
292	P3.271â€Identical Multilocus Sequence Typing (MLST) Analysis in Sequential Samples from Patients with Pharyngeal Chlamydia Infections. Sexually Transmitted Infections, 2013, 89, A233.2-A233.	1.9	0
293	P5.014â€What is the Optimal Time to Rescreen STI Clinic Visitors with a Urogenital Chlamydia Infection?. Sexually Transmitted Infections, 2013, 89, A339.1-A339.	1.9	O
294	Lymphogranuloma Venereum: A Concise Outline of an Emerging Infection among Men Who Have Sex with Men. Issues in Infectious Diseases, 2013, , 151-157.	0.1	0
295	PL04.3â€Sexually transmitted infections in men who have sex with men. Sexually Transmitted Infections, 2015, 91, A4.2-A4.	1.9	O
296	001.4â€Recent rise in reduced susceptibility to ceftriaxone in ⟨i⟩neisseria gonorrhoeae ⟨/i⟩is not caused by strains with a⟨i⟩pena⟨/i⟩mosaic gene. Sexually Transmitted Infections, 2015, 91, A26.1-A26.	1.9	0
297	003.6â€Timing of test of cure for anogenital <i>neisseria gonorrhoeae</i> i>infections - a prospective cohort study using nucleic acid amplification tests. Sexually Transmitted Infections, 2015, 91, A32.1-A32.	1.9	O
298	S17.3â€Novel therapies for hpv-related anal disease. Sexually Transmitted Infections, 2015, 91, A24.2-A24.	1.9	0
299	P05.06â€Prolonged infection of pharyngeal gonorrhoea after treatment with ceftriaxone. Sexually Transmitted Infections, 2015, 91, A110.1-A110.	1.9	0
300	Lymphogranuloma Venereum., 2015,, 567-575.		0
301	P2.18â€The value of light microscopy to diagnose urogenital gonorrhoea in indonesian clinic-based and outreach sexually transmitted infections services. , 2017, , .		O
302	O05.2â€Pharyngeal gonococcal infection: spontaneous clearance and persistence after treatment. , 2017,		0
303	P4.93â€Are rectal douching and sharing douching equipment associated with anorectal chlamydia and gonorrhoea? a cross-sectional study among men who have sex with men. , 2017, , .		O
304	P3.18â€Monitoring <i>chlamydia trachomatis</i> i>infections after treatment for test of cure purposes. , 2017, , .		0
305	P3.229â€Sti prevalence and follow-up among female victims of a sexual assault tested at the sti clinic in amsterdam, the netherlands. , 2017, , .		O
306	O13.2â€Molecular epidemiology in relation to azithromycin resistance inneisseria gonorrhoeaeisolates from amsterdam, the netherlands, between 2008 and 2015 – a case-control study. , 2017, , .		0

#	Article	IF	CITATIONS
307	P3.201â€Disparities inchlamydia trachomatisseroprevalence across ethnic groups in amsterdam: the role of sexual healthcare seeking behaviour. , 2017, , .		O
308	An HIV-negative Same-sex Male Couple Both Infected with Hepatitis C Virus. Acta Dermato-Venereologica, 2017, 97, 1255-1257.	1.3	0
309	O06.5â€Development of a human urethral equivalent to studychlamydia trachomatisinvasion., 2017,,.		0
310	P3.228â€Sti prevalence among male victims of a sexual assualt: data from 12 year period, sti clinic amsterdam, the netherlands. , 2017, , .		0
311	P5.20â€Hpv vaccination intention among female sex workers in amsterdam, the netherlands. , 2017, , .		0
312	Fever and a rapidly progressive skin ulcer after a visit to Morocco: A diagnostic challenge. Travel Medicine and Infectious Disease, 2019, 31, 101429.	3.0	0
313	P241â€Detection of Y-chromosomal DNA correlates with last unsafe sexual exposure. , 2019, , .		0
314	P464â€Treatment failure in rectal <i>Chlamydia trachomatis</i> li>azithromycin treated women driven by high viable bacterial load (FemCure)., 2019,,.		0
315	P468â€The association of symptoms with viable vaginal or rectal <i>Chlamydia trachomatis</i> load: multicenter cohort study (FemCure). , 2019, , .		0
316	P469â€Spontaneous resolution to negative and non-viable status of vaginal and rectal∢i>Chlamydia trachomatis∢/i>infection (FemCure)., 2019,,.		0
317	P520â€HPV infections and flat penile lesions of the penis in men who have sex with men. , 2019, , .		0
318	P615â€Clinical improvement after standard treatment for urethritis: the role of <i>mycoplasma genitalium </i> , 2019, , .		0
319	Factors associated with rectal pH among men who have sex with men. Sexual Health, 2021, 18, 140-146.	0.9	0
320	33. Gradually decreasing anal cancer incidence in the HIV+ population in the Netherlands after a decade of cART. Sexual Health, 2013, 10, 586.	0.9	0
321	Seksueel overdraagbare infecties. , 2016, , 233-260.		0
322	Pharyngeal screening for Chlamydia trachomatis, more harm than good?. Lancet Infectious Diseases, The, 2022, 22, 437-438.	9.1	0
323	Podoconiosis: Clinical spectrum and microscopic presentations. PLoS Neglected Tropical Diseases, 2022, 16, e0010057.	3.0	0
324	Spontaneous clearance of asymptomatic anogenital and pharyngeal <i>Neisseria gonorrhoeae</i> secondary analysis from the NABOGO trial. Sexually Transmitted Infections, 0, , sextrans-2022-055488.	1.9	0