

Henry de Vries

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2291164/publications.pdf>

Version: 2024-02-01

324
papers

9,456
citations

34105

52
h-index

58581

82
g-index

331
all docs

331
docs citations

331
times ranked

8215
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Clinical outcomes of syphilis in HIV-negative and HIV-positive MSM: occurrence of repeat syphilis episodes and non-treponemal serology responses. <i>Sexually Transmitted Infections</i> , 2022, 98, 95-100. | 1.9 | 7 |
| 2 | Incident urogenital and anorectal <i>Chlamydia trachomatis</i> in women: the role of sexual exposure and autoinoculation: a multicentre observational study (FemCure). <i>Sexually Transmitted Infections</i> , 2022, , sextrans-2021-055032. | 1.9 | 2 |
| 3 | Factors Associated With the Intention to Use HIV Preexposure Prophylaxis for Young and Older Men Who Have Sex With Men. <i>Sexually Transmitted Diseases</i> , 2022, 49, 343-352. | 1.7 | 7 |
| 4 | Detection of <i>Treponema pallidum</i> DNA During Early Syphilis Stages in Peripheral Blood, Oropharynx, Ano-Rectum and Urine as a Proxy for Transmissibility. <i>Clinical Infectious Diseases</i> , 2022, 75, 1054-1062. | 5.8 | 12 |
| 5 | Efficacy of ertapenem, gentamicin, fosfomycin, and ceftriaxone for the treatment of anogenital gonorrhoea (NABOGO): a randomised, non-inferiority trial. <i>Lancet Infectious Diseases</i> , The, 2022, 22, 706-717. | 9.1 | 24 |
| 6 | <i>Shigella</i> is common in symptomatic and asymptomatic men who have sex with men visiting a sexual health clinic in Amsterdam. <i>Sexually Transmitted Infections</i> , 2022, 98, 564-569. | 1.9 | 6 |
| 7 | Call for consensus in <i>Chlamydia trachomatis</i> nomenclature: moving from biovars, serovars, and serotypes to genovariants and genotypes. <i>Clinical Microbiology and Infection</i> , 2022, 28, 761-763. | 6.0 | 5 |
| 8 | Controversies and evidence on <i>Chlamydia</i> testing and treatment in asymptomatic women and men who have sex with men: a narrative review. <i>BMC Infectious Diseases</i> , 2022, 22, 255. | 2.9 | 14 |
| 9 | Pharyngeal screening for <i>Chlamydia trachomatis</i> , more harm than good?. <i>Lancet Infectious Diseases</i> , The, 2022, 22, 437-438. | 9.1 | 0 |
| 10 | HIV-1-infection in a man who has sex with men despite self-reported excellent adherence to pre-exposure prophylaxis, the Netherlands, August 2021: be alert to emtricitabine/tenofovir-resistant strain transmission. <i>Eurosurveillance</i> , 2022, 27, . | 7.0 | 1 |
| 11 | Within-Host Genetic Variation in <i>Neisseria gonorrhoeae</i> over the Course of Infection. <i>Microbiology Spectrum</i> , 2022, 10, e0031322. | 3.0 | 2 |
| 12 | Can we screen less frequently for STI among PrEP users? Assessing the effect of biannual STI screening on timing of diagnosis and transmission risk in the AMPrEP Study. <i>Sexually Transmitted Infections</i> , 2022, , sextrans-2022-055439. | 1.9 | 3 |
| 13 | Sexual transmission of infections across Europe: appraising the present, scoping the future. <i>Sexually Transmitted Infections</i> , 2022, 98, 451-457. | 1.9 | 15 |
| 14 | Podoconiosis: Clinical spectrum and microscopic presentations. <i>PLoS Neglected Tropical Diseases</i> , 2022, 16, e0010057. | 3.0 | 0 |
| 15 | <i>Treponema pallidum</i> Subspecies <i>pallidum</i> Inpatient Homogeneity at Various Body Locations in Men with Infectious Syphilis. <i>Microbiology Spectrum</i> , 2022, 10, . | 3.0 | 3 |
| 16 | Cancer Risk Stratification of Anal Intraepithelial Neoplasia in Human Immunodeficiency Virus-Positive Men by Validated Methylation Markers Associated With Progression to Cancer. <i>Clinical Infectious Diseases</i> , 2021, 72, 2154-2163. | 5.8 | 36 |
| 17 | Enhancing help-seeking behaviour among men who have sex with men at risk for sexually transmitted infections: the syn.bas.in randomised controlled trial. <i>Sexually Transmitted Infections</i> , 2021, 97, 11-17. | 1.9 | 13 |
| 18 | Oropharyngeal <i>Chlamydia trachomatis</i> in women; spontaneous clearance and cure after treatment (FemCure). <i>Sexually Transmitted Infections</i> , 2021, 97, 147-151. | 1.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Spontaneous resolution of multidrug-resistant <i>Mycobacterium abscessus</i> infection in tattoo. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e328-e330. | 2.4 | 1 |
| 20 | Delayed diagnosis of lymphogranuloma venereum in a hospital setting – a retrospective observational study. <i>International Journal of STD and AIDS</i> , 2021, 32, 517-522. | 1.1 | 4 |
| 21 | Factors associated with rectal pH among men who have sex with men. <i>Sexual Health</i> , 2021, 18, 140-146. | 0.9 | 0 |
| 22 | The Impact of Pre-exposure Prophylaxis on Sexual Well-Being Among Men Who Have Sex with Men. <i>Archives of Sexual Behavior</i> , 2021, 50, 1829-1841. | 1.9 | 9 |
| 23 | DNA methylation markers have universal prognostic value for anal cancer risk in HIV-negative and HIV-positive individuals. <i>Molecular Oncology</i> , 2021, 15, 3024-3036. | 4.6 | 13 |
| 24 | Emergence of a <i>Neisseria gonorrhoeae</i> clone with reduced cephalosporin susceptibility between 2014 and 2019 in Amsterdam, The Netherlands, revealed by genomic population analysis. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 1759-1768. | 3.0 | 17 |
| 25 | Sexual consent and chemsex: a quantitative study on sexualised drug use and non-consensual sex among men who have sex with men in Amsterdam, the Netherlands. <i>Sexually Transmitted Infections</i> , 2021, 97, 268-275. | 1.9 | 23 |
| 26 | Safety and efficacy of allylamines in the treatment of cutaneous and mucocutaneous leishmaniasis: A systematic review. <i>PLoS ONE</i> , 2021, 16, e0249628. | 2.5 | 9 |
| 27 | Improving adherence to daily preexposure prophylaxis among MSM in Amsterdam by providing feedback via a mobile application. <i>Aids</i> , 2021, 35, 1823-1834. | 2.2 | 7 |
| 28 | Adherence to event-driven HIV PrEP among men who have sex with men in Amsterdam, the Netherlands: analysis based on online diary data, 3-monthly questionnaires and intracellular TFV-DP. <i>Journal of the International AIDS Society</i> , 2021, 24, e25708. | 3.0 | 19 |
| 29 | Antiseptic mouthwashes against sexually transmitted infections. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 583-584. | 9.1 | 2 |
| 30 | Where to go to in chlamydia control? From infection control towards infectious disease control. <i>Sexually Transmitted Infections</i> , 2021, 97, 501-506. | 1.9 | 31 |
| 31 | HPV vaccination to prevent recurrence of anal intraepithelial neoplasia in HIV+ MSM. <i>Aids</i> , 2021, 35, 1753-1764. | 2.2 | 23 |
| 32 | 2021 European Guideline on the management of proctitis, proctocolitis and enteritis caused by sexually transmissible pathogens. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 1434-1443. | 2.4 | 35 |
| 33 | The social meanings of PrEP use – A mixed-method study of PrEP use disclosure in Antwerp and Amsterdam. <i>Sociology of Health and Illness</i> , 2021, 43, 1311-1327. | 2.1 | 7 |
| 34 | Ongoing evolution of <i>Chlamydia trachomatis</i> lymphogranuloma venereum: exploring the genomic diversity of circulating strains. <i>Microbial Genomics</i> , 2021, 7, . | 2.0 | 11 |
| 35 | Characterisation of anal intraepithelial neoplasia and anal cancer in HIV-positive men by immunohistochemical markers p16, Ki67, HPV4 and DNA methylation markers. <i>International Journal of Cancer</i> , 2021, 149, 1833-1844. | 5.1 | 6 |
| 36 | Choosing event-driven and daily HIV pre-exposure prophylaxis – data from two European PrEP demonstration projects among men who have sex with men. <i>Journal of the International AIDS Society</i> , 2021, 24, e25768. | 3.0 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Transient Changes in Preexposure Prophylaxis Use and Daily Sexual Behavior After the Implementation of COVID-19 Restrictions Among Men Who Have Sex With Men. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2021, 87, 1111-1118. | 2.1 | 23 |
| 38 | Effect of the COVID-19 Pandemic Preparation and Response on Essential Health Services in Primary and Tertiary Healthcare Settings of Amhara Region, Ethiopia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021, 105, 1240-1246. | 1.4 | 10 |
| 39 | Can Previous Associations of Single Nucleotide Polymorphisms in the TLR2, NOD1, CXCR5, and IL10 Genes in the Susceptibility to and Severity of Chlamydia trachomatis Infections Be Confirmed?. <i>Pathogens</i> , 2021, 10, 48. | 2.8 | 2 |
| 40 | Surgical debulking of podoconiosis nodules and its impact on quality of life in Ethiopia. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009053. | 3.0 | 1 |
| 41 | Eligibility for HIV Preexposure Prophylaxis, Intention to Use Preexposure Prophylaxis, and Informal Use of Preexposure Prophylaxis Among Men Who Have Sex With Men in Amsterdam, the Netherlands. <i>Sexually Transmitted Diseases</i> , 2021, 48, 86-93. | 1.7 | 9 |
| 42 | Macrolide-resistant Mycoplasma genitalium impairs clinical improvement of male urethritis after empirical treatment. <i>Sexually Transmitted Diseases</i> , 2021, Publish Ahead of Print, . | 1.7 | 4 |
| 43 | Identification and characterization of latent classes based on drug use among men who have sex with men at risk of sexually transmitted infections in Amsterdam, the Netherlands. <i>Addiction</i> , 2020, 115, 121-133. | 3.3 | 27 |
| 44 | Grading immunohistochemical markers p16 ^{INK4a} and HPV E4 identifies productive and transforming lesions caused by low- and high-risk HPV within high-grade anal squamous intraepithelial lesions. <i>British Journal of Dermatology</i> , 2020, 182, 1026-1033. | 1.5 | 11 |
| 45 | Sex, drugs, and sexually transmitted infections: A latent class analysis among men who have sex with men in Amsterdam and surrounding urban regions, the Netherlands. <i>Drug and Alcohol Dependence</i> , 2020, 206, 107526. | 3.2 | 24 |
| 46 | Anal Squamous Intraepithelial Lesions (SILs) in Human Immunodeficiency Virus-Positive Men Who Have Sex With Men: Incidence and Risk Factors of SIL and of Progression and Clearance of Low-Grade SILs. <i>Journal of Infectious Diseases</i> , 2020, 222, 62-73. | 4.0 | 18 |
| 47 | High incidence of HCV in HIV-negative men who have sex with men using pre-exposure prophylaxis. <i>Journal of Hepatology</i> , 2020, 72, 855-864. | 3.7 | 48 |
| 48 | Substance Use and Sexual Risk Behavior Among Male and Transgender Women Sex Workers at the Prostitution Outreach Center in Amsterdam, the Netherlands. <i>Sexually Transmitted Diseases</i> , 2020, 47, 114-121. | 1.7 | 21 |
| 49 | Erroneous treatment of syphilis with benzyl penicillin in an era with benzathine benzylpenicillin shortages. <i>Sexually Transmitted Infections</i> , 2020, 96, 552-552. | 1.9 | 5 |
| 50 | Understanding pre-exposure prophylaxis (PrEP) regimen use: Switching and discontinuing daily and event-driven PrEP among men who have sex with men. <i>EclinicalMedicine</i> , 2020, 29-30, 100650. | 7.1 | 24 |
| 51 | Pregnancies and Time to Pregnancy in Women With and Without a Previous Chlamydia trachomatis Infection. <i>Sexually Transmitted Diseases</i> , 2020, 47, 739-747. | 1.7 | 10 |
| 52 | Changes in mental health and drug use among men who have sex with men using daily and event-driven pre-exposure prophylaxis: Results from a prospective demonstration project in Amsterdam, the Netherlands. <i>EclinicalMedicine</i> , 2020, 26, 100505. | 7.1 | 9 |
| 53 | Spontaneous clearance of <i>Chlamydia trachomatis</i> accounting for bacterial viability in vaginally or rectally infected women (FemCure). <i>Sexually Transmitted Infections</i> , 2020, 96, 541-548. | 1.9 | 13 |
| 54 | Decision-making regarding condom use among daily and event-driven users of preexposure prophylaxis in the Netherlands. <i>Aids</i> , 2020, 34, 2295-2304. | 2.2 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Increasing trends of lymphogranuloma venereum among HIV-negative and asymptomatic men who have sex with men, the Netherlands, 2011 to 2017. <i>Eurosurveillance</i> , 2020, 25, . | 7.0 | 15 |
| 56 | “Stopping the itch” mass drug administration for scabies outbreak control covered for over nine million people in Ethiopia. <i>Journal of Infection in Developing Countries</i> , 2020, 14, 28S-35S. | 1.2 | 11 |
| 57 | Does mass drug administration for community-based scabies control works? The experience in Ethiopia. <i>Journal of Infection in Developing Countries</i> , 2020, 14, 78S-85S. | 1.2 | 5 |
| 58 | Body location of “New World” cutaneous leishmaniasis lesions and its impact on the quality of life of patients in Suriname. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008759. | 3.0 | 9 |
| 59 | Host Cell Deoxyribonucleic Acid Methylation Markers for the Detection of High-grade Anal Intraepithelial Neoplasia and Anal Cancer. <i>Clinical Infectious Diseases</i> , 2019, 68, 1110-1117. | 5.8 | 25 |
| 60 | Effects of an over-the-counter lactic-acid containing intra-vaginal douching product on the vaginal microbiota. <i>BMC Microbiology</i> , 2019, 19, 168. | 3.3 | 17 |
| 61 | A longitudinal study to investigate previous <i>Chlamydia trachomatis</i> infection as a risk factor for subsequent anorectal infection in men who have sex with men (MSM) and women visiting STI clinics in the Netherlands. <i>Epidemiology and Infection</i> , 2019, 147, e214. | 2.1 | 6 |
| 62 | 2019 European guideline on the management of lymphogranuloma venereum. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 1821-1828. | 2.4 | 67 |
| 63 | HPV infections and flat penile lesions of the penis in men who have sex with men. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2019, 8, 100173. | 4.5 | 5 |
| 64 | Current challenges in the clinical management of sexually transmitted infections. <i>Journal of the International AIDS Society</i> , 2019, 22, e25347. | 3.0 | 4 |
| 65 | HIV and sexually transmitted infections: reconciling estranged bedfellows in the U=U and PrEP era. <i>Journal of the International AIDS Society</i> , 2019, 22, e25357. | 3.0 | 6 |
| 66 | Motives for choosing, switching and stopping daily or event-driven pre-exposure prophylaxis “ a qualitative analysis. <i>Journal of the International AIDS Society</i> , 2019, 22, e25389. | 3.0 | 42 |
| 67 | Treatment Effectiveness of Azithromycin and Doxycycline in Uncomplicated Rectal and Vaginal <i>Chlamydia trachomatis</i> Infections in Women: A Multicenter Observational Study (FemCure). <i>Clinical Infectious Diseases</i> , 2019, 69, 1946-1954. | 5.8 | 45 |
| 68 | The Accuracy of Anal Swab-Based Tests to Detect High-Grade Anal Intraepithelial Neoplasia in HIV-Infected Patients: A Systematic Review and Meta-analysis. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz191. | 0.9 | 17 |
| 69 | Solithromycin for the treatment of drug-resistant gonorrhoea. <i>Lancet Infectious Diseases</i> , The, 2019, 19, 791-792. | 9.1 | 4 |
| 70 | Sexual behaviour and incidence of HIV and sexually transmitted infections among men who have sex with men using daily and event-driven pre-exposure prophylaxis in AMPPrEP: 2 year results from a demonstration study. <i>Lancet HIV</i> , the, 2019, 6, e447-e455. | 4.7 | 114 |
| 71 | Fever and a rapidly progressive skin ulcer after a visit to Morocco: A diagnostic challenge. <i>Travel Medicine and Infectious Disease</i> , 2019, 31, 101429. | 3.0 | 0 |
| 72 | Vaginal herb use and <i>Chlamydia trachomatis</i> infection: cross-sectional study among women of various ethnic groups in Suriname. <i>BMJ Open</i> , 2019, 9, e025417. | 1.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Comparative genomics of human <i>Lactobacillus crispatus</i> isolates reveals genes for glycosylation and glycogen degradation: implications for in vivo dominance of the vaginal microbiota. <i>Microbiome</i> , 2019, 7, 49. | 11.1 | 84 |
| 74 | P241â€¦Detection of Y-chromosomal DNA correlates with last unsafe sexual exposure. , 2019, , . | | 0 |
| 75 | P464â€¦Treatment failure in rectal <i>Chlamydia trachomatis</i> azithromycin treated women driven by high viable bacterial load (FemCure). , 2019, , . | | 0 |
| 76 | P468â€¦The association of symptoms with viable vaginal or rectal <i>Chlamydia trachomatis</i> load: multicenter cohort study (FemCure). , 2019, , . | | 0 |
| 77 | P469â€¦Spontaneous resolution to negative and non-viable status of vaginal and rectal <i>Chlamydia trachomatis</i> infection (FemCure). , 2019, , . | | 0 |
| 78 | P520â€¦HPV infections and flat penile lesions of the penis in men who have sex with men. , 2019, , . | | 0 |
| 79 | P615â€¦Clinical improvement after standard treatment for urethritis: the role of <i>Mycoplasma genitalium</i> . , 2019, , . | | 0 |
| 80 | Ceftriaxone Reduced Susceptible <i>Neisseria gonorrhoeae</i> in the Netherlands, 2009 to 2017: From PenA Mosaicism to A501T/V Nonmosaicism. <i>Sexually Transmitted Diseases</i> , 2019, 46, 594-601. | 1.7 | 11 |
| 81 | A Mobile Application to Collect Daily Data on Preexposure Prophylaxis Adherence and Sexual Behavior Among Men Who Have Sex With Men: Use Over Time and Comparability With Conventional Data Collection. <i>Sexually Transmitted Diseases</i> , 2019, 46, 400-406. | 1.7 | 19 |
| 82 | Lymphogranuloma venereum in the Western world, 15 years after its re-emergence. <i>Current Opinion in Infectious Diseases</i> , 2019, 32, 43-50. | 3.1 | 17 |
| 83 | Virological and Serological Predictors of Anal High-grade Squamous Intraepithelial Lesions Among Human Immunodeficiency Virusâ€“positive Men Who Have Sex With Men. <i>Clinical Infectious Diseases</i> , 2019, 68, 1377-1387. | 5.8 | 11 |
| 84 | Microscopic examination of Gram-stained smears for anogenital gonorrhoea in men who have sex with men is cost-effective: evidence from a modelling study. <i>Sexually Transmitted Infections</i> , 2019, 95, 13-20. | 1.9 | 6 |
| 85 | Sexually Transmitted Infection Positivity Rate and Treatment Uptake Among Female and Male Sexual Assault Victims Attending The Amsterdam STI Clinic Between 2005 and 2016. <i>Sexually Transmitted Diseases</i> , 2018, 45, 534-541. | 1.7 | 11 |
| 86 | Spontaneous Clearance of Pharyngeal Gonococcal Infections: A Retrospective Study in Patients of the Sexually Transmitted Infections Clinic; Amsterdam, the Netherlands; 2012 to 2015. <i>Sexually Transmitted Diseases</i> , 2018, 45, 594-599. | 1.7 | 14 |
| 87 | Men who have sex with men more often chose daily than eventâ€“driven use of preâ€“exposure prophylaxis: baseline analysis of a demonstration study in Amsterdam. <i>Journal of the International AIDS Society</i> , 2018, 21, e25105. | 3.0 | 72 |
| 88 | What Is the Optimal Time to Retest Patients With a Urogenital <i>Chlamydia</i> Infection? A Randomized Controlled Trial. <i>Sexually Transmitted Diseases</i> , 2018, 45, 132-137. | 1.7 | 10 |
| 89 | Sinecatechins ointment 10% (Veregen®) for genital warts: percutaneous penetration of epigallocatechin gallate concentrations in the stratum corneum collected by adhesive tape stripping method. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e357-e358. | 2.4 | 2 |
| 90 | Cryotherapy for Intra- and Perianal High-Grade Squamous Intraepithelial Lesions in HIV-Positive Men who have Sex with Men. <i>American Journal of Clinical Dermatology</i> , 2018, 19, 127-132. | 6.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | <i>Lactobacillus iners</i> -dominated vaginal microbiota is associated with increased susceptibility to <i>Chlamydia trachomatis</i> infection in Dutch women: a case-control study. <i>Sexually Transmitted Infections</i> , 2018, 94, 117-123. | 1.9 | 89 |
| 92 | Impact of point-of-care management on the transmission of anogenital gonococcal infections among men who have sex with men in Amsterdam: a mathematical modelling and cost-effectiveness study. <i>Sexually Transmitted Infections</i> , 2018, 94, 174-179. | 1.9 | 3 |
| 93 | Chemsex Among Men Who Have Sex With Men: a Sexualized Drug Use Survey Among Clients of the Sexually Transmitted Infection Outpatient Clinic and Users of a Gay Dating App in Amsterdam, the Netherlands. <i>Sexually Transmitted Diseases</i> , 2018, 45, 325-331. | 1.7 | 76 |
| 94 | The effect of ART on cervical cancer precursor lesions. <i>Lancet HIV</i> , 2018, 5, e6-e8. | 4.7 | 6 |
| 95 | Differences in <i>Chlamydia trachomatis</i> seroprevalence between ethnic groups cannot be fully explained by socioeconomic status, sexual healthcare seeking behavior or sexual risk behavior: a cross-sectional analysis in the HEalthy Life in an Urban Setting (HELIUS) study. <i>BMC Infectious Diseases</i> , 2018, 18, 612. | 2.9 | 12 |
| 96 | Pathway-Wide Genetic Risks in Chlamydial Infections Overlap between Tissue Tropisms: A Genome-Wide Association Scan. <i>Mediators of Inflammation</i> , 2018, 2018, 1-9. | 3.0 | 1 |
| 97 | An Organotypic Reconstructed Human Urethra to Study <i>Chlamydia trachomatis</i> Infection. <i>Tissue Engineering - Part A</i> , 2018, 24, 1663-1671. | 3.1 | 2 |
| 98 | Detection of Incident Anal High-Risk Human Papillomavirus DNA in Men Who Have Sex With Men: Incidence or Reactivation?. <i>Journal of Infectious Diseases</i> , 2018, 218, 1018-1026. | 4.0 | 17 |
| 99 | Detection Rate of High-Grade Squamous Intraepithelial Lesions as a Quality Assurance Metric for High-Resolution Anoscopy in HIV-Positive Men. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 780-786. | 1.3 | 15 |
| 100 | Change in sexual risk behaviour after 6 months of pre-exposure prophylaxis use. <i>Aids</i> , 2018, 32, 1527-1532. | 2.2 | 62 |
| 101 | The Acceptability of Pre-Exposure Prophylaxis: Beliefs of Health-Care Professionals Working in Sexually Transmitted Infections Clinics and HIV Treatment Centers. <i>Frontiers in Public Health</i> , 2018, 6, 5. | 2.7 | 15 |
| 102 | <i>Haemophilus ducreyi</i> cutaneous ulcer contracted at Seram Island, Indonesia, presented in the Netherlands. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006273. | 3.0 | 3 |
| 103 | HIV and sexually transmitted infections: responding to the 'newest normal'. <i>Journal of the International AIDS Society</i> , 2018, 21, e25164. | 3.0 | 14 |
| 104 | Molecular epidemiology of <i>Neisseria gonorrhoeae</i> strains circulating in Indonesia using multi-locus variable number tandem repeat analysis (MLVA) and <i>Neisseria gonorrhoeae</i> multi-antigen sequence typing (NG-MAST) techniques. <i>BMC Infectious Diseases</i> , 2018, 18, 7. | 2.9 | 2 |
| 105 | Accuracy of a commercial multiplex PCR for the diagnosis of bacterial vaginosis. <i>Journal of Medical Microbiology</i> , 2018, 67, 1265-1270. | 1.8 | 28 |
| 106 | Integrating hepatitis B, hepatitis C and HIV screening into tuberculosis entry screening for migrants in the Netherlands, 2013 to 2015. <i>Eurosurveillance</i> , 2018, 23, . | 7.0 | 18 |
| 107 | <i>Borrelia miyamotoi</i> in vectors and hosts in The Netherlands. <i>Ticks and Tick-borne Diseases</i> , 2017, 8, 370-374. | 2.7 | 48 |
| 108 | <i>Neisseria gonorrhoeae</i> Sequence Typing for Antimicrobial Resistance, a Novel Antimicrobial Resistance Multilocus Typing Scheme for Tracking Global Dissemination of <i>N. gonorrhoeae</i> Strains. <i>Journal of Clinical Microbiology</i> , 2017, 55, 1454-1468. | 3.9 | 147 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Is rectal douching and sharing douching equipment associated with anorectal chlamydia and gonorrhoea? A cross-sectional study among men who have sex with men. <i>Sexually Transmitted Infections</i> , 2017, 93, 431-437. | 1.9 | 17 |
| 110 | A Case-Control Study of Molecular Epidemiology in Relation to Azithromycin Resistance in <i>Neisseria gonorrhoeae</i> Isolates Collected in Amsterdam, the Netherlands, between 2008 and 2015. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, . | 3.2 | 19 |
| 111 | MSM starting preexposure prophylaxis are at risk of hepatitis C virus infection. <i>Aids</i> , 2017, 31, 1603-1610. | 2.2 | 119 |
| 112 | Decreased Azithromycin Susceptibility of <i>Neisseria gonorrhoeae</i> Isolates in Patients Recently Treated with Azithromycin. <i>Clinical Infectious Diseases</i> , 2017, 65, 37-45. | 5.8 | 52 |
| 113 | Outbreaks of syphilis among men who have sex with men attending STI clinics between 2007 and 2015 in the Netherlands: a space-time clustering study. <i>Sexually Transmitted Infections</i> , 2017, 93, 390-395. | 1.9 | 11 |
| 114 | Risk factors for anal high-grade squamous intraepithelial lesions in HIV-positive MSM. <i>Aids</i> , 2017, 31, 2295-2301. | 2.2 | 26 |
| 115 | Persistence after treatment of pharyngeal gonococcal infections in patients of the STI clinic, Amsterdam, the Netherlands, 2012-2015: a retrospective cohort study. <i>Sexually Transmitted Infections</i> , 2017, 93, 467-471. | 1.9 | 16 |
| 116 | Acquisition of wild-type HIV-1 infection in a patient on pre-exposure prophylaxis with high intracellular concentrations of tenofovir diphosphate: a case report. <i>Lancet HIV</i> , 2017, 4, e522-e528. | 4.7 | 69 |
| 117 | P2.18...The value of light microscopy to diagnose urogenital gonorrhoea in Indonesian clinic-based and outreach sexually transmitted infections services. , 2017, , . | | 0 |
| 118 | O05.2...Pharyngeal gonococcal infection: spontaneous clearance and persistence after treatment. , 2017, , . | | 0 |
| 119 | Assessing the health and well-being of gay, bisexual and other men who have sex with men around the world. <i>Sexually Transmitted Infections</i> , 2017, 93, 303-304. | 1.9 | 2 |
| 120 | Determinants of Human Papillomavirus Vaccination Intention Among Female Sex Workers in Amsterdam, the Netherlands. <i>Sexually Transmitted Diseases</i> , 2017, 44, 756-762. | 1.7 | 4 |
| 121 | Low Prevalence of Urethral Lymphogranuloma Venereum Infections Among Men Who Have Sex With Men: A Prospective Observational Study, Sexually Transmitted Infection Clinic in Amsterdam, the Netherlands. <i>Sexually Transmitted Diseases</i> , 2017, 44, 547-550. | 1.7 | 18 |
| 122 | O04.2...Effects of over-the-counter lactic acid-containing vaginal douching products on the vaginal microbiota. , 2017, , . | | 2 |
| 123 | Value of light microscopy to diagnose urogenital gonorrhoea: a diagnostic test study in Indonesian clinic-based and outreach sexually transmitted infections services. <i>BMJ Open</i> , 2017, 7, e016202. | 1.9 | 2 |
| 124 | O09.3...Changes in sexual risk behaviour among daily prep users after 6 months of use in the Amsterdam prep project. , 2017, , . | | 4 |
| 125 | Sexually transmitted infections: challenges ahead. <i>Lancet Infectious Diseases</i> , The, 2017, 17, e235-e279. | 9.1 | 510 |
| 126 | Design of a syndemic based intervention to facilitate care for men who have sex with men with high risk behaviour: the syn.bas.in randomized controlled trial. <i>BMC Infectious Diseases</i> , 2017, 17, 398. | 2.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | The Cervicovaginal Microbiota in Women Notified for <i>Chlamydia trachomatis</i> Infection: A Case-Control Study at the Sexually Transmitted Infection Outpatient Clinic in Amsterdam, The Netherlands. <i>Clinical Infectious Diseases</i> , 2017, 64, 24-31. | 5.8 | 66 |
| 128 | P4.93â€¦Are rectal douching and sharing douching equipment associated with anorectal chlamydia and gonorrhoea? a cross-sectional study among men who have sex with men. , 2017, , . | | 0 |
| 129 | P3.18â€¦Monitoring <i>chlamydia trachomatis</i> infections after treatment for test of cure purposes. , 2017, , . | | 0 |
| 130 | P3.229â€¦Sti prevalence and follow-up among female victims of a sexual assault tested at the sti clinic in amsterdam, the netherlands. , 2017, , . | | 0 |
| 131 | LB1.67â€¦Reduced susceptibility to ceftriaxone in <i>neisseria gonorrhoeae</i> in the netherlands recently predominantly found in association with an a501v/t mutation in the penA gene. , 2017, , . | | 1 |
| 132 | P4.92â€¦Start of a syndemic based intervention to facilitate care for men who have sex with men with high risk behaviour: the syn.bas.in randomised controlled trial. , 2017, , . | | 2 |
| 133 | O13.2â€¦Molecular epidemiology in relation to azithromycin resistance in <i>neisseria gonorrhoeae</i> isolates from amsterdam, the netherlands, between 2008 and 2015 â€” a case-control study. , 2017, , . | | 0 |
| 134 | P3.201â€¦Disparities in <i>chlamydia trachomatis</i> seroprevalence across ethnic groups in amsterdam: the role of sexual healthcare seeking behaviour. , 2017, , . | | 0 |
| 135 | A33â€¦The cervico-vaginale microbiota in <i>chlamydia trachomatis</i> notified women: a caseâ€”control study at the sexually transmitted infection outpatient clinic in Amsterdam. <i>Virus Evolution</i> , 2017, 3, . | 4.9 | 1 |
| 136 | An HIV-negative Same-sex Male Couple Both Infected with Hepatitis C Virus. <i>Acta Dermato-Venereologica</i> , 2017, 97, 1255-1257. | 1.3 | 0 |
| 137 | <i>Chlamydia trachomatis</i> Strain Types Have Diversified Regionally and Globally with Evidence for Recombination across Geographic Divides. <i>Frontiers in Microbiology</i> , 2017, 8, 2195. | 3.5 | 23 |
| 138 | O06.5â€¦Development of a human urethral equivalent to study <i>chlamydia trachomatis</i> invasion. , 2017, , . | | 0 |
| 139 | P3.228â€¦Sti prevalence among male victims of a sexual assault: data from 12 year period, sti clinic amsterdam, the netherlands. , 2017, , . | | 0 |
| 140 | P5.20â€¦Hpv vaccination intention among female sex workers in amsterdam, the netherlands. , 2017, , . | | 0 |
| 141 | O01.4â€¦High prevalence of hepatitis c virus among hiv negative msm in amsterdam prep project. , 2017, , . | | 1 |
| 142 | Concern regarding the alleged spread of hypervirulent lymphogranuloma venereum <i>Chlamydia trachomatis</i> strain in Europe. <i>Eurosurveillance</i> , 2017, 22, . | 7.0 | 7 |
| 143 | The association between ethnicity and vaginal microbiota composition in Amsterdam, the Netherlands. <i>PLoS ONE</i> , 2017, 12, e0181135. | 2.5 | 138 |
| 144 | Monitoring therapy success of urogenital <i>Chlamydia trachomatis</i> infections in women: A prospective observational cohort study. <i>PLoS ONE</i> , 2017, 12, e0185295. | 2.5 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Trends in antimicrobial susceptibility for azithromycin and ceftriaxone in <i>Neisseria gonorrhoeae</i> isolates in Amsterdam, the Netherlands, between 2012 and 2015. <i>Eurosurveillance</i> , 2017, 22, . | 7.0 | 16 |
| 146 | The effect of HIV infection on anal and penile human papillomavirus incidence and clearance. <i>Aids</i> , 2016, 30, 121-132. | 2.2 | 51 |
| 147 | Health-Related Quality of Life and Sexual Functioning of HIV-Positive Men Who Have Sex With Men Who Are Treated for Anal Intraepithelial Neoplasia. <i>Diseases of the Colon and Rectum</i> , 2016, 59, 42-47. | 1.3 | 9 |
| 148 | HPV vaccination intention among male clients of a large STI outpatient clinic in Amsterdam, the Netherlands. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2016, 2, 178-184. | 4.5 | 10 |
| 149 | Test of Cure for Anogenital Gonorrhoea Using Modern RNA-Based and DNA-Based Nucleic Acid Amplification Tests: A Prospective Cohort Study. <i>Clinical Infectious Diseases</i> , 2016, 62, 1348-1355. | 5.8 | 27 |
| 150 | Molecular assessment of bacterial vaginosis by <i>Lactobacillus</i> abundance and species diversity. <i>BMC Infectious Diseases</i> , 2016, 16, 180. | 2.9 | 68 |
| 151 | Monitoring the response of patients with cutaneous leishmaniasis to treatment with pentamidine isethionate by quantitative real-time PCR, and identification of <i>Leishmani</i> a parasites not responding to therapy. <i>Clinical and Experimental Dermatology</i> , 2016, 41, 610-615. | 1.3 | 8 |
| 152 | Time to clearance of <i>Chlamydia trachomatis</i> RNA and DNA after treatment in patients coinfectd with <i>Neisseria gonorrhoeae</i> – a prospective cohort study. <i>BMC Infectious Diseases</i> , 2016, 16, 554. | 2.9 | 21 |
| 153 | Leucocyte esterase dip-stick test as a point-of-care diagnostic for urogenital chlamydia in male patients: A multi-center evaluation in two STI outpatient clinics in Paramaribo and Amsterdam. <i>BMC Infectious Diseases</i> , 2016, 16, 625. | 2.9 | 6 |
| 154 | The Enigma of Lymphogranuloma Venereum Spread in Men Who Have Sex With Men: Does Ano-Oral Transmission Plays a Role?. <i>Sexually Transmitted Diseases</i> , 2016, 43, 420-422. | 1.7 | 17 |
| 155 | Cost-Effectiveness of Dual Antimicrobial Therapy for Gonococcal Infections Among Men Who Have Sex With Men in the Netherlands. <i>Sexually Transmitted Diseases</i> , 2016, 43, 542-548. | 1.7 | 4 |
| 156 | Earlier Detection of Hepatitis C Virus Infection Through Routine Hepatitis C Virus Antibody Screening of Human Immunodeficiency Virus-Positive Men Who Have Sex With Men Attending A Sexually Transmitted Infection Outpatient Clinic: A Longitudinal Study. <i>Sexually Transmitted Diseases</i> , 2016, 43, 560-565. | 1.7 | 8 |
| 157 | Gonorrhoea in Indonesia: High Prevalence of Asymptomatic Urogenital Gonorrhoea but No Circulating Extended Spectrum Cephalosporins-Resistant <i>Neisseria gonorrhoeae</i> Strains in Jakarta, Yogyakarta, and Denpasar, Indonesia. <i>Sexually Transmitted Diseases</i> , 2016, 43, 608-616. | 1.7 | 16 |
| 158 | Young Low-Risk Heterosexual Clients Prefer a Chlamydia Home Collection Test to a Sexually Transmitted Infection Clinic Visit in Amsterdam, the Netherlands, A Cross-Sectional Study. <i>Sexually Transmitted Diseases</i> , 2016, 43, 710-716. | 1.7 | 12 |
| 159 | Tuberculids: cutaneous indicator diseases of <i>Mycobacterium tuberculosis</i> infection in young patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1590-1593. | 2.4 | 15 |
| 160 | Low- and high-risk human papillomavirus genotype infections in intra-anal warts in HIV-positive men who have sex with men. <i>British Journal of Dermatology</i> , 2016, 175, 735-743. | 1.5 | 27 |
| 161 | False-negative type-specific glycoprotein G antibody responses in STI clinic patients with recurrent HSV-1 or HSV-2 DNA positive genital herpes, The Netherlands. <i>Sexually Transmitted Infections</i> , 2016, 92, 257-260. | 1.9 | 7 |
| 162 | 2015 European guideline on the management of <i>Chlamydia trachomatis</i> infections. <i>International Journal of STD and AIDS</i> , 2016, 27, 333-348. | 1.1 | 239 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | <i>TLR2</i> , <i>TLR4</i> and <i>TLR9</i> genotypes and haplotypes in the susceptibility to and clinical course of <i>Chlamydia trachomatis</i> infections in Dutch women. <i>Pathogens and Disease</i> , 2016, 74, ftv107. | 2.0 | 12 |
| 164 | <i>Trichomonas vaginalis</i> and <i>Mycoplasma genitalium</i> : age-specific prevalence and disease burden in men attending a sexually transmitted infections clinic in Amsterdam, the Netherlands: Table 1. <i>Sexually Transmitted Infections</i> , 2016, 92, 83-85. | 1.9 | 26 |
| 165 | Vaginal high-risk human papillomavirus infection in a cross-sectional study among women of six different ethnicities in Amsterdam, the Netherlands: the HELIUS study. <i>Sexually Transmitted Infections</i> , 2016, 92, 611-618. | 1.9 | 6 |
| 166 | Seksueel overdraagbare infecties. , 2016, , 233-260. | | 0 |
| 167 | A lethal case of the dapsone hypersensitivity syndrome involving the myocardium. <i>Netherlands Journal of Medicine</i> , 2016, 74, 89-92. | 0.5 | 12 |
| 168 | P05.05... <i>Neisseria gonorrhoeae</i> in indonesia: prevalence and antimicrobial susceptibility among sti clinics patients in jakarta, yogyakarta and denpasar. <i>Sexually Transmitted Infections</i> , 2015, 91, A109.2-A110. | 1.9 | 1 |
| 169 | PL04.3... Sexually transmitted infections in men who have sex with men. <i>Sexually Transmitted Infections</i> , 2015, 91, A4.2-A4. | 1.9 | 0 |
| 170 | 001.4... Recent rise in reduced susceptibility to ceftriaxone in <i>neisseria gonorrhoeae</i> is not caused by strains with a <i>pena</i> mosaic gene. <i>Sexually Transmitted Infections</i> , 2015, 91, A26.1-A26. | 1.9 | 0 |
| 171 | 003.6... Timing of test of cure for anogenital <i>neisseria gonorrhoeae</i> infections - a prospective cohort study using nucleic acid amplification tests. <i>Sexually Transmitted Infections</i> , 2015, 91, A32.1-A32. | 1.9 | 0 |
| 172 | S17.3... Novel therapies for hpv-related anal disease. <i>Sexually Transmitted Infections</i> , 2015, 91, A24.2-A24. | 1.9 | 0 |
| 173 | P05.06... Prolonged infection of pharyngeal gonorrhoea after treatment with ceftriaxone. <i>Sexually Transmitted Infections</i> , 2015, 91, A110.1-A110. | 1.9 | 0 |
| 174 | What do Dutch MSM think of preexposure prophylaxis to prevent HIV-infection? A cross-sectional study. <i>Aids</i> , 2015, 29, 955-964. | 2.2 | 35 |
| 175 | Brief Report. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 69, 602-605. | 2.1 | 30 |
| 176 | Buruli Ulcer in Traveler from Suriname, South America, to the Netherlands. <i>Emerging Infectious Diseases</i> , 2015, 21, 497-499. | 4.3 | 7 |
| 177 | Colorectal Mucus Binds DC-SIGN and Inhibits HIV-1 Trans-Infection of CD4+ T-Lymphocytes. <i>PLoS ONE</i> , 2015, 10, e0122020. | 2.5 | 11 |
| 178 | Successful Combination of Nucleic Acid Amplification Test Diagnostics and Targeted Deferred <i>Neisseria gonorrhoeae</i> Culture. <i>Journal of Clinical Microbiology</i> , 2015, 53, 1884-1890. | 3.9 | 23 |
| 179 | Point-of-care management of urogenital <i>Chlamydia trachomatis</i> via Gram-stained smear analysis in male high-risk patients. Diagnostic accuracy and cost-effectiveness before and after changing the screening indication at the STI Clinic in Amsterdam. <i>Sexually Transmitted Infections</i> , 2015, 91, 479-484. | 1.9 | 7 |
| 180 | Evaluation of a hepatitis C virus (HCV) antigen assay for routine HCV screening among men who have sex with men infected with HIV. <i>Journal of Virological Methods</i> , 2015, 213, 147-150. | 2.1 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Cutaneous Leishmaniasis: Recent Developments in Diagnosis and Management. American Journal of Clinical Dermatology, 2015, 16, 99-109. | 6.7 | 299 |
| 182 | Syphilitic condylomata lata mimicking anogenital warts. BMJ, The, 2015, 350, h1259-h1259. | 6.0 | 9 |
| 183 | Repeated STI and HIV testing among HIV-negative men who have sex with men attending a large STI clinic in Amsterdam: a longitudinal study. Sexually Transmitted Infections, 2015, 91, 294-299. | 1.9 | 15 |
| 184 | Randomized Single-Blinded Non-inferiority Trial Of 7 mg/kg Pentamidine Isethionate Versus 4 mg/kg Pentamidine Isethionate for Cutaneous Leishmaniasis in Suriname. PLoS Neglected Tropical Diseases, 2015, 9, e0003592. | 3.0 | 8 |
| 185 | Determination of in vitro synergy for dual antimicrobial therapy against resistant Neisseria gonorrhoeae using Etest and agar dilution. International Journal of Antimicrobial Agents, 2015, 45, 305-308. | 2.5 | 38 |
| 186 | Lymphogranuloma Venereum. , 2015, , 567-575. | | 0 |
| 187 | High-resolution typing of Chlamydia trachomatis. Current Opinion in Infectious Diseases, 2015, 28, 61-71. | 3.1 | 31 |
| 188 | Ticking the right boxes: classification of patients suspected of Lyme borreliosis at an academic referral center in the Netherlands. Clinical Microbiology and Infection, 2015, 21, 368.e11-368.e20. | 6.0 | 26 |
| 189 | 2013 European guideline on the management of lymphogranuloma venereum. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 1-6. | 2.4 | 152 |
| 190 | Spontaneous pharyngeal Chlamydia trachomatis RNA clearance. A cross-sectional study followed by a cohort study of untreated STI clinic patients in Amsterdam, The Netherlands. Sexually Transmitted Infections, 2015, 91, 157-164. | 1.9 | 54 |
| 191 | Prevalence of and Factors Associated with Rectal-Only Chlamydia and Gonorrhoea in Women and in Men Who Have Sex with Men. PLoS ONE, 2015, 10, e0140297. | 2.5 | 40 |
| 192 | Social Participation of Diabetes and Ex-Leprosy Patients in the Netherlands and Patient Preference for Combined Self-Care Groups. Frontiers in Medicine, 2014, 1, 21. | 2.6 | 4 |
| 193 | Increased HIV-1 Activity in Anal High-Grade Squamous Intraepithelial Lesions Compared With Unaffected Anal Mucosa in Men Who Have Sex With Men. Clinical Infectious Diseases, 2014, 58, 1634-1637. | 5.8 | 2 |
| 194 | Species-Directed Therapy for Leishmaniasis in Returning Travellers: A Comprehensive Guide. PLoS Neglected Tropical Diseases, 2014, 8, e2832. | 3.0 | 74 |
| 195 | Cross-sectional study of genital carcinogenic HPV infections in Paramaribo, Suriname: prevalence and determinants in an ethnically diverse population of women in a pre-vaccination era. Sexually Transmitted Infections, 2014, 90, 627-633. | 1.9 | 21 |
| 196 | 2013 European Guideline on the management of proctitis, proctocolitis and enteritis caused by sexually transmissible pathogens. International Journal of STD and AIDS, 2014, 25, 465-474. | 1.1 | 56 |
| 197 | Additional Gonorrhoea and Chlamydia Infections Found With Rapid Follow-Up Screening in Men Who Have Sex With Men With an Indication for HIV Postexposure Prophylaxis. Sexually Transmitted Diseases, 2014, 41, 515-517. | 1.7 | 4 |
| 198 | Screening for anal cancer precursors. Aids, 2014, 28, 1376-1377. | 2.2 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 199 | One Lesion, One Virus: Individual Components of High-Grade Anal Intraepithelial Neoplasia in HIV-Positive Men Contain a Single HPV Type. <i>Journal of Infectious Diseases</i> , 2014, 210, 111-120. | 4.0 | 24 |
| 200 | Pitfalls in the diagnosis and management of inguinal lymphogranuloma venereum: important lessons from a case series. <i>Sexually Transmitted Infections</i> , 2014, 90, 279-282. | 1.9 | 23 |
| 201 | Sexually transmitted infections in men who have sex with men. <i>Clinics in Dermatology</i> , 2014, 32, 181-188. | 1.6 | 23 |
| 202 | Serovar D and E of serogroup B induce highest serological responses in urogenital Chlamydia trachomatis infections. <i>BMC Infectious Diseases</i> , 2014, 14, 3. | 2.9 | 14 |
| 203 | Comparison of two Gram stain point-of-care systems for urogenital gonorrhoea among high-risk patients: diagnostic accuracy and cost-effectiveness before and after changing the screening algorithm at an STI clinic in Amsterdam. <i>Sexually Transmitted Infections</i> , 2014, 90, 358-362. | 1.9 | 16 |
| 204 | Verified clinical failure with cefotaxime 1g for treatment of gonorrhoea in the Netherlands: a case report. <i>Sexually Transmitted Infections</i> , 2014, 90, 513-514. | 1.9 | 14 |
| 205 | No indication for tissue tropism in urogenital and anorectal Chlamydia trachomatis infections using high-resolution multilocus sequence typing. <i>BMC Infectious Diseases</i> , 2014, 14, 464. | 2.9 | 22 |
| 206 | No evidence for LGV transmission among heterosexuals in Amsterdam, the Netherlands. <i>BMC Research Notes</i> , 2014, 7, 355. | 1.4 | 14 |
| 207 | Perceived HIV Status is a Key Determinant of Unprotected Anal Intercourse Within Partnerships of Men Who Have Sex With Men in Amsterdam. <i>AIDS and Behavior</i> , 2014, 18, 2442-2456. | 2.7 | 16 |
| 208 | HPV and Anal Cancer in HIV-Infected Individuals: A Review. <i>Current HIV/AIDS Reports</i> , 2014, 11, 250-262. | 3.1 | 77 |
| 209 | Lymphogranuloma venereum among men who have sex with men. An epidemiological and clinical review. <i>Expert Review of Anti-Infective Therapy</i> , 2014, 12, 697-704. | 4.4 | 125 |
| 210 | Skin as an indicator for sexually transmitted infections. <i>Clinics in Dermatology</i> , 2014, 32, 196-208. | 1.6 | 20 |
| 211 | Anal, Penile, and Oral High-Risk HPV Infections and HPV Seropositivity in HIV-Positive and HIV-Negative Men Who Have Sex with Men. <i>PLoS ONE</i> , 2014, 9, e92208. | 2.5 | 45 |
| 212 | Six-Month Incidence and Persistence of Oral HPV Infection in HIV-Negative and HIV-Infected Men Who Have Sex with Men. <i>PLoS ONE</i> , 2014, 9, e98955. | 2.5 | 23 |
| 213 | Modelling the impact of chlamydia screening on the transmission of HIV among men who have sex with men. <i>BMC Infectious Diseases</i> , 2013, 13, 436. | 2.9 | 27 |
| 214 | Comparison of imiquimod, topical fluorouracil, and electrocautery for the treatment of anal intraepithelial neoplasia in HIV-positive men who have sex with men: an open-label, randomised controlled trial. <i>Lancet Oncology</i> , The, 2013, 14, 346-353. | 10.7 | 147 |
| 215 | High-Resolution Typing Reveals Distinct Chlamydia trachomatis Strains in an At-Risk Population in Nanjing, China. <i>Sexually Transmitted Diseases</i> , 2013, 40, 647-649. | 1.7 | 4 |
| 216 | Urethral Lymphogranuloma Venereum Infections in Men With Anorectal Lymphogranuloma Venereum and Their Partners. <i>Sexually Transmitted Diseases</i> , 2013, 40, 607-608. | 1.7 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Low prevalence of methicillin-resistant <i>Staphylococcus aureus</i> among men who have sex with men attending an STI clinic in Amsterdam: a cross-sectional study. <i>BMJ Open</i> , 2013, 3, e002505. | 1.9 | 7 |
| 218 | Route of Sexual Exposure Is Independently Associated With Seropositivity to HPV-16 and HPV-18 Among Clients of an STI Clinic in the Netherlands. <i>Journal of Infectious Diseases</i> , 2013, 208, 1081-1085. | 4.0 | 16 |
| 219 | O21.4 In Vitro Synergy Determination For Dual Antibiotic Therapy Against Resistant <i>Neisseria Gonorrhoeae</i> Using Etest [®] and Agar Dilution. <i>Sexually Transmitted Infections</i> , 2013, 89, A67.3-A68. | 1.9 | 0 |
| 220 | Multilocus Sequence Typing of <i>Chlamydia trachomatis</i> Among Men Who Have Sex With Men Reveals Cocirculating Strains Not Associated With Specific Subpopulations. <i>Journal of Infectious Diseases</i> , 2013, 208, 969-977. | 4.0 | 12 |
| 221 | High-Resolution Anoscopy. <i>Diseases of the Colon and Rectum</i> , 2013, 56, 1237-1242. | 1.3 | 34 |
| 222 | Anorectal and inguinal lymphogranuloma venereum among men who have sex with men in Amsterdam, the Netherlands: trends over time, symptomatology and concurrent infections. <i>Sexually Transmitted Infections</i> , 2013, 89, 548-552. | 1.9 | 87 |
| 223 | Seroepidemiology of High-Risk HPV in HIV-Negative and HIV-Infected MSM: The H2M Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1698-1708. | 2.5 | 31 |
| 224 | Effect of HIV and Chlamydia Infection on Rectal Inflammation and Cytokine Concentrations in Men Who Have Sex with Men. <i>Vaccine Journal</i> , 2013, 20, 1517-1523. | 3.1 | 25 |
| 225 | O16.5 Concordance of Anal, Penile, and Oral Human Papillomavirus Hr-HPV Infections and HPV Seropositivity in HIV-Infected and HIV-Negative Men Who Have Sex with Men: The HIV & HPV in MSM (H ₂ M) Study. <i>Sexually Transmitted Infections</i> , 2013, 89, A58.1-A58. | 1.9 | 0 |
| 226 | P3.257 Distinct But Also Highly Similar <i>Chlamydia Trachomatis</i> Strains in Nanjing, China and in Amsterdam, the Netherlands. <i>Sexually Transmitted Infections</i> , 2013, 89, A228.4-A229. | 1.9 | 0 |
| 227 | S16.4 Lymphogranuloma Venereum in Men Who Have Sex with Men. An Ongoing Epidemic Since 10 Years, But Still Not Tackled. <i>Sexually Transmitted Infections</i> , 2013, 89, A24.2-A24. | 1.9 | 4 |
| 228 | O05.1 High Grade Anal Intraepithelial Neoplasia: One Virus, One Lesion. <i>Sexually Transmitted Infections</i> , 2013, 89, A34.3-A34. | 1.9 | 0 |
| 229 | O18.6 Persistence of Pharyngeal <i>Chlamydia Trachomatis</i> For 1-2 Weeks is Common Among Clients at the Amsterdam STI Clinic. <i>Sexually Transmitted Infections</i> , 2013, 89, A62.2-A62. | 1.9 | 0 |
| 230 | P1.004 Serovar D and E of Serogroup B Induce Highest Serological Responses in Urogenital <i>Chlamydia Trachomatis</i> Infections. <i>Sexually Transmitted Infections</i> , 2013, 89, A74.4-A75. | 1.9 | 0 |
| 231 | P3.271 Identical Multilocus Sequence Typing (MLST) Analysis in Sequential Samples from Patients with Pharyngeal <i>Chlamydia</i> Infections. <i>Sexually Transmitted Infections</i> , 2013, 89, A233.2-A233. | 1.9 | 0 |
| 232 | P5.077 Nucleic Acid Amplification Test (NAAT) Diagnostics Combined with Delayed <i>Neisseria Gonorrhoeae</i> Cultivation of NAAT Positive Samples Using the ESwab [®] , [†] System - the Solution For Future Gonococcal Antimicrobial Susceptibility Surveillance?. <i>Sexually Transmitted Infections</i> , 2013, 89, A358.3-A359. | 1.9 | 1 |
| 233 | P3.139 Early Incubating Gonorrhoea and <i>Chlamydia</i> Infections in MSM with an Indication For HIV Post Exposure Prophylaxis (PEP). <i>Sexually Transmitted Infections</i> , 2013, 89, A191.1-A191. | 1.9 | 1 |
| 234 | P5.014 What is the Optimal Time to Rescreen STI Clinic Visitors with a Urogenital <i>Chlamydia</i> Infection?. <i>Sexually Transmitted Infections</i> , 2013, 89, A339.1-A339. | 1.9 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | P5.078â€¦False-PositiveNeisseria GonorrhoeaeResults in Urine Samples Using a Highly Sensitive NAAT Tests: The Sampling Site as a Source of Contamination?. Sexually Transmitted Infections, 2013, 89, A359.1-A359. | 1.9 | 1 |
| 236 | Anal and penile high-risk human papillomavirus prevalence in HIV-negative and HIV-infected MSM. Aids, 2013, 27, 2921-2931. | 2.2 | 80 |
| 237 | Oral human papillomavirus infection in HIV-negative and HIV-infected MSM. Aids, 2013, 27, 2117-2128. | 2.2 | 56 |
| 238 | Sexually transmitted infections screening at HIV treatment centers for MSM can be cost-effective. Aids, 2013, 27, 2281-2290. | 2.2 | 14 |
| 239 | Urogenital Chlamydia trachomatis Infections among Ethnic Groups in Paramaribo, Suriname; Determinants and Ethnic Sexual Mixing Patterns. PLoS ONE, 2013, 8, e68698. | 2.5 | 8 |
| 240 | The Role of Surinamese Migrants in the Transmission of Chlamydia trachomatis between Paramaribo, Suriname and Amsterdam, The Netherlands. PLoS ONE, 2013, 8, e77977. | 2.5 | 8 |
| 241 | HIV-Infected Men Who Have Sex with Men Who Identify Themselves as Belonging to Subcultures Are at Increased Risk for Hepatitis C Infection. PLoS ONE, 2013, 8, e57740. | 2.5 | 25 |
| 242 | Lymphogranuloma Venereum: A Concise Outline of an Emerging Infection among Men Who Have Sex with Men. Issues in Infectious Diseases, 2013, , 151-157. | 0.1 | 0 |
| 243 | P5.022â€¦Earlier HCV Diagnosis by the Introduction of Routine HCV Testing For HIV Positive MSM and MSM Opting Out For HIV in a Large STI Outpatient Clinic. Sexually Transmitted Infections, 2013, 89, A341.2-A341. | 1.9 | 1 |
| 244 | Distinct Transmission Networks of Chlamydia trachomatis in Men Who Have Sex with Men and Heterosexual Adults in Amsterdam, The Netherlands. PLoS ONE, 2013, 8, e53869. | 2.5 | 41 |
| 245 | Risk Factors for the Presence of Anal Intraepithelial Neoplasia in HIV+ Men Who Have Sex with Men. PLoS ONE, 2013, 8, e84030. | 2.5 | 15 |
| 246 | Imported leishmaniasis in the Netherlands from 2005 to 2012: epidemiology, diagnostic techniques and sequence-based species typing from 195 patients. Eurosurveillance, 2013, 18, 20544. | 7.0 | 46 |
| 247 | 33. Gradually decreasing anal cancer incidence in the HIV+ population in the Netherlands after a decade of cART. Sexual Health, 2013, 10, 586. | 0.9 | 0 |
| 248 | 34. One lesion, one virus: individual components of high-grade anal intraepithelial neoplasia in HIV+ men contain a single HPV type. Sexual Health, 2013, 10, 586. | 0.9 | 1 |
| 249 | The increasing incidence of anal cancer: can it be explained by trends in risk groups?. Netherlands Journal of Medicine, 2013, 71, 401-11. | 0.5 | 69 |
| 250 | Distinct Neisseria gonorrhoeae Transmission Networks Among Men Who Have Sex With Men in Amsterdam, the Netherlands. Journal of Infectious Diseases, 2012, 206, 596-605. | 4.0 | 27 |
| 251 | Sexually transmitted penile amoebiasis in Iran: a case series. Sexually Transmitted Infections, 2012, 88, 585-588. | 1.9 | 5 |
| 252 | First Case of Cutaneous Leishmaniasis Caused by Leishmania (Viannia) braziliensis in Suriname. American Journal of Tropical Medicine and Hygiene, 2012, 86, 825-827. | 1.4 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 253 | Clonally Related <i>Neisseria gonorrhoeae</i> Isolates with Decreased Susceptibility to the Extended-Spectrum Cephalosporin Cefotaxime in Amsterdam, the Netherlands. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 1516-1522. | 3.2 | 27 |
| 254 | Low prevalence of asymptomatic sexually transmitted infections in HIV-infected heterosexuals visiting an HIV clinic in the Netherlands. <i>Aids</i> , 2012, 26, 646-649. | 2.2 | 8 |
| 255 | High Prevalence of Sexually Transmitted Infections in HIV-Infected Men During Routine Outpatient Visits in the Netherlands. <i>Sexually Transmitted Diseases</i> , 2012, 39, 8-15. | 1.7 | 68 |
| 256 | Population Genomics of <i>Chlamydia trachomatis</i> : Insights on Drift, Selection, Recombination, and Population Structure. <i>Molecular Biology and Evolution</i> , 2012, 29, 3933-3946. | 8.9 | 94 |
| 257 | Rectal lymphogranuloma venereum. <i>Colorectal Disease</i> , 2012, 14, e792-3. | 1.4 | 7 |
| 258 | Whole-genome analysis of diverse <i>Chlamydia trachomatis</i> strains identifies phylogenetic relationships masked by current clinical typing. <i>Nature Genetics</i> , 2012, 44, 413-419. | 21.4 | 279 |
| 259 | Cutaneous Leishmaniasis Acquired in Jura, France. <i>Emerging Infectious Diseases</i> , 2012, 18, 183-184. | 4.3 | 10 |
| 260 | Point-of-Care Test for Detection of Urogenital <i>Chlamydia</i> in Women Shows Low Sensitivity. A Performance Evaluation Study in Two Clinics in Suriname. <i>PLoS ONE</i> , 2012, 7, e32122. | 2.5 | 44 |
| 261 | Evaluation of a Novel <i>Chlamydia trachomatis</i> Microsphere Suspension Assay for Detection and Genotyping of the Different Serovars in Clinical Samples. <i>Journal of Molecular Diagnostics</i> , 2011, 13, 152-159. | 2.8 | 3 |
| 262 | Genotyping of <i>Chlamydia trachomatis</i> strains from culture and clinical samples using an ompA-based DNA microarray assay. <i>Molecular and Cellular Probes</i> , 2011, 25, 19-27. | 2.1 | 30 |
| 263 | S15.4 Re-emergence of lymphogranuloma venereum in Europe and the public health response. <i>Sexually Transmitted Infections</i> , 2011, 87, A19-A20. | 1.9 | 2 |
| 264 | Sexual Transmission of Hepatitis C Virus in Human Immunodeficiency Virus-Negative Men Who Have Sex With Men: A Series of Case Reports. <i>Sexually Transmitted Diseases</i> , 2011, 38, 102-104. | 1.7 | 49 |
| 265 | Anal infections with concomitant <i>Chlamydia trachomatis</i> genotypes among men who have sex with men in Amsterdam, the Netherlands. <i>BMC Infectious Diseases</i> , 2011, 11, 63. | 2.9 | 40 |
| 266 | Multilocus Sequence Typing of Urogenital <i>Chlamydia trachomatis</i> From Patients With Different Degrees of Clinical Symptoms. <i>Sexually Transmitted Diseases</i> , 2011, 38, 490-494. | 1.7 | 10 |
| 267 | Social implications of leprosy in the Netherlands - stigma among ex-leprosy patients in a non-endemic setting. <i>Leprosy Review</i> , 2011, 82, 168-177. | 0.3 | 16 |
| 268 | Social implications of leprosy in the Netherlands--stigma among ex-leprosy patients in a non-endemic setting. <i>Leprosy Review</i> , 2011, 82, 168-77. | 0.3 | 11 |
| 269 | Anal Lymphogranuloma Venereum Infection Screening With IgA Anti- <i>Chlamydia trachomatis</i> -Specific Major Outer Membrane Protein Serology. <i>Sexually Transmitted Diseases</i> , 2010, 37, 789-795. | 1.7 | 27 |
| 270 | Topical 5-fluorouracil treatment of anal intraepithelial neoplasia in human immunodeficiency virus-positive men. <i>British Journal of Dermatology</i> , 2010, 163, 1301-1307. | 1.5 | 75 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Typing of Lymphogranuloma Venereum <i>Chlamydia trachomatis</i> Strains. <i>Emerging Infectious Diseases</i> , 2010, 16, 1777-1779. | 4.3 | 43 |
| 272 | The Potential of Molecular Diagnosis of Cutaneous Ectopic Schistosomiasis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 83, 958-959. | 1.4 | 11 |
| 273 | Clinical Value of <i>Treponema pallidum</i> Real-Time PCR for Diagnosis of Syphilis. <i>Journal of Clinical Microbiology</i> , 2010, 48, 497-502. | 3.9 | 116 |
| 274 | High prevalence of <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> infections among HIV-1 negative men who have sex with men in coastal Kenya. <i>Sexually Transmitted Infections</i> , 2010, 86, 440-441. | 1.9 | 42 |
| 275 | Cutaneous Leishmaniasis (<i>Leishmania major</i> Infection) in Dutch Troops Deployed in Northern Afghanistan: Epidemiology, Clinical Aspects, and Treatment. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 83, 1295-1300. | 1.4 | 45 |
| 276 | European guideline for the management of lymphogranuloma venereum, 2010. <i>International Journal of STD and AIDS</i> , 2010, 21, 533-536. | 1.1 | 31 |
| 277 | Miltefosine Treatment of <i>Leishmania major</i> Infection: An Observational Study Involving Dutch Military Personnel Returning from Northern Afghanistan. <i>Clinical Infectious Diseases</i> , 2010, 50, 80-83. | 5.8 | 67 |
| 278 | Comparison of three genotyping methods to identify <i>Chlamydia trachomatis</i> genotypes in positive men and women. <i>Molecular and Cellular Probes</i> , 2010, 24, 266-270. | 2.1 | 31 |
| 279 | Lymphogranuloma venereum: the Italian experience. <i>Sexually Transmitted Infections</i> , 2009, 85, 171-172. | 1.9 | 12 |
| 280 | Predicting Phenotype and Emerging Strains among <i>Chlamydia trachomatis</i> Infections. <i>Emerging Infectious Diseases</i> , 2009, 15, 1385-1394. | 4.3 | 87 |
| 281 | Delayed Microbial Cure of Lymphogranuloma Venereum Proctitis with Doxycycline Treatment. <i>Clinical Infectious Diseases</i> , 2009, 48, e53-e56. | 5.8 | 63 |
| 282 | Multidrug-resistant <i>Neisseria gonorrhoeae</i> with reduced cefotaxime susceptibility is increasingly common in men who have sex with men, Amsterdam, the Netherlands. <i>Eurosurveillance</i> , 2009, 14, . | 7.0 | 28 |
| 283 | Symptomatic primary HIV infection in a 49-year-old man who has sex with men: beware of the window phase. <i>Eurosurveillance</i> , 2009, 14, . | 7.0 | 1 |
| 284 | <i>Chlamydia trachomatis</i> serovar distributions in Russian men and women: a comparison with Dutch serovar distributions. <i>Drugs of Today</i> , 2009, 45 Suppl B, 33-8. | 1.1 | 4 |
| 285 | Treatment assessment by monitoring parasite load in skin biopsies from patients with cutaneous leishmaniasis, using quantitative nucleic acid sequence-based amplification. <i>Clinical and Experimental Dermatology</i> , 2008, 33, 394-399. | 1.3 | 20 |
| 286 | Lymphogranuloma venereum diagnostics: from culture to real-time quadriplex polymerase chain reaction. <i>Sexually Transmitted Infections</i> , 2008, 84, 252-253. | 1.9 | 25 |
| 287 | Pharmacokinetics of Miltefosine in Old World Cutaneous Leishmaniasis Patients. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 2855-2860. | 3.2 | 141 |
| 288 | Lymphogranuloma Venereum Proctitis in Men Who Have Sex With Men Is Associated With Anal Enema Use and High-Risk Behavior. <i>Sexually Transmitted Diseases</i> , 2008, 35, 203-208. | 1.7 | 73 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Reply to Richardson et al.. Journal of Infectious Diseases, 2008, 197, 1214-1215. | 4.0 | 5 |
| 290 | Leishmania (Leishmania) amazonensis Infection, Suriname. Emerging Infectious Diseases, 2008, 14, 857-859. | 4.3 | 14 |
| 291 | Increase in HCV Incidence among Men Who Have Sex with Men in Amsterdam Most Likely Caused by Sexual Transmission. Journal of Infectious Diseases, 2007, 196, 230-238. | 4.0 | 261 |
| 292 | Condom Use Rather Than Serosorting Explains Differences in HIV Incidence Among Men Who Have Sex With Men. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 45, 574-580. | 2.1 | 28 |
| 293 | The 2007 European Guideline (International Union against Sexually Transmitted Infections/World) Tj ETQq1 1 0.784314 rgBT /Overlook transmissible pathogens. International Journal of STD and AIDS, 2007, 18, 514-520. | 1.1 | 29 |
| 294 | Blood concentrations of pimecrolimus in adult patients with atopic dermatitis following intermittent administration of pimecrolimus cream 1% (Elidel [®]) for up to 1 year. Journal of Dermatological Treatment, 2007, 18, 19-22. | 2.2 | 18 |
| 295 | Effectiveness of a Risk-Based Visitor-Prioritizing System at a Sexually Transmitted Infection Outpatient Clinic. Sexually Transmitted Diseases, 2007, 34, 508-512. | 1.7 | 44 |
| 296 | TaqMan Assay for Swedish <i>Chlamydia trachomatis</i> Variant. Emerging Infectious Diseases, 2007, 13, 1432-1434. | 4.3 | 16 |
| 297 | Lichen planus remission is associated with a decrease of human herpes virus type 7 protein expression in plasmacytoid dendritic cells. Archives of Dermatological Research, 2007, 299, 213-219. | 1.9 | 32 |
| 298 | Monitoring the potential introduction of the Swedish <i>Chlamydia trachomatis</i> variant (swCT) in the Netherlands. Eurosurveillance, 2007, 12, 9-10. | 7.0 | 6 |
| 299 | No indication of Swedish <i>Chlamydia trachomatis</i> variant among STI clinic visitors in Amsterdam. , 2007, 12, E070208.3. | | 11 |
| 300 | An ongoing outbreak of lymphogranuloma venereum in the Netherlands, 2006-2007. , 2007, 12, E070419.2. | | 7 |
| 301 | Lichen planus is associated with human herpesvirus type 7 replication and infiltration of plasmacytoid dendritic cells. British Journal of Dermatology, 2006, 154, 361-364. | 1.5 | 55 |
| 302 | A comparison of twice-daily calcipotriol ointment with once-daily short-contact dithranol cream therapy: a randomized controlled trial of supervised treatment of psoriasis vulgaris in a day-care setting. British Journal of Dermatology, 2006, 155, 800-807. | 1.5 | 35 |
| 303 | Diagnostic and Clinical Implications of Anorectal Lymphogranuloma Venereum in Men Who Have Sex with Men: A Retrospective Case-Control Study. Clinical Infectious Diseases, 2006, 42, 186-194. | 5.8 | 163 |
| 304 | Lymphogranuloma venereum among men having sex with men; what have we learned so far?. Sexually Transmitted Infections, 2006, 82, 344-344. | 1.9 | 5 |
| 305 | Patients' Preferences regarding the Timing of Highly Active Antiretroviral Therapy Initiation for Chronic Asymptomatic HIV-1 Infection. Antiviral Therapy, 2006, 11, 335-341. | 1.0 | 6 |
| 306 | SARS Coronavirus Detection Methods. Emerging Infectious Diseases, 2005, 11, 1090-1092. | 4.3 | 86 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Slow Epidemic of Lymphogranuloma Venereum L2b Strain. <i>Emerging Infectious Diseases</i> , 2005, 11, 1787-1788. | 4.3 | 93 |
| 308 | Real-time Polymerase Chain Reaction To Diagnose Lymphogranuloma Venereum. <i>Emerging Infectious Diseases</i> , 2005, 11, 1311-1312. | 4.3 | 128 |
| 309 | Quantitative Nucleic Acid Sequence-Based Assay as a New Molecular Tool for Detection and Quantification of <i>Leishmania</i> Parasites in Skin Biopsy Samples. <i>Journal of Clinical Microbiology</i> , 2005, 43, 5560-5566. | 3.9 | 86 |
| 310 | Molecular Diagnosis of Lymphogranuloma Venereum: PCR-Based Restriction Fragment Length Polymorphism and Real-Time PCR. <i>Journal of Clinical Microbiology</i> , 2005, 43, 5412-5413. | 3.9 | 18 |
| 311 | Botryomycosis in an HIV-positive subject. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2003, 17, 87-90. | 2.4 | 32 |
| 312 | Solar urticaria induced by infrared radiation. <i>Clinical and Experimental Dermatology</i> , 2003, 28, 222-223. | 1.3 | 18 |
| 313 | Evaluation of Medium-Dose UVA1 Phototherapy in Localized Scleroderma with the Cutometer and Fast Fourier Transform Method. <i>Dermatology</i> , 2003, 207, 298-301. | 2.1 | 75 |
| 314 | Ofuji papuloerythroderma associated with Hodgkin's lymphoma. <i>British Journal of Dermatology</i> , 2002, 147, 180-195. | 1.5 | 15 |
| 315 | Microcirculatory changes in travelers to a tropical country. <i>International Journal of Dermatology</i> , 2002, 41, 93-95. | 1.0 | 5 |
| 316 | Morphometry of dermal collagen orientation by Fourier analysis is superior to multi-observer assessment. <i>Journal of Pathology</i> , 2002, 198, 284-291. | 4.5 | 91 |
| 317 | Dermal Organization in Scleroderma: The Fast Fourier Transform and the Laser Scatter Method Objectify Fibrosis in Nonlesional as well as Lesional Skin. <i>Laboratory Investigation</i> , 2000, 80, 1281-1289. | 3.7 | 65 |
| 318 | Extracellular matrix characterization during healing of full-thickness wounds treated with a collagen/elastin dermal substitute shows improved skin regeneration in pigs. <i>Journal of Histochemistry and Cytochemistry</i> , 1996, 44, 1311-1322. | 2.5 | 135 |
| 319 | Adherence, proliferation and collagen turnover by human fibroblasts seeded into different types of collagen sponges. <i>Cell and Tissue Research</i> , 1995, 280, 447-453. | 2.9 | 55 |
| 320 | Reduced wound contraction and scar formation in punch biopsy wounds. Native collagen dermal substitutes. A clinical study. <i>British Journal of Dermatology</i> , 1995, 132, 690-697. | 1.5 | 91 |
| 321 | Adherence, proliferation and collagen turnover by human fibroblasts seeded into different types of collagen sponges. <i>Cell and Tissue Research</i> , 1995, 280, 447-453. | 2.9 | 10 |
| 322 | Dermal regeneration in native non-cross-linked collagen sponges with different extracellular matrix molecules. <i>Wound Repair and Regeneration</i> , 1994, 2, 37-47. | 3.0 | 85 |
| 323 | Dermal substitutes for full-thickness wounds in a one-stage grafting model. <i>Wound Repair and Regeneration</i> , 1993, 1, 244-252. | 3.0 | 57 |
| 324 | Spontaneous clearance of asymptomatic anogenital and pharyngeal <i>Neisseria gonorrhoeae</i> : a secondary analysis from the NABOGO trial. <i>Sexually Transmitted Infections</i> , 0, , sextrans-2022-055488. | 1.9 | 0 |