

# Felix Naughton

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2293876/publications.pdf>

Version: 2024-02-01

100  
papers

3,298  
citations

257450

24  
h-index

197818

49  
g-index

114  
all docs

114  
docs citations

114  
times ranked

4517  
citing authors

#	ARTICLE	IF	CITATIONS
1	Medication decision-making and adherence in lupus: patient-physician discordance and the impact of previous adverse medical experiences™. <i>Rheumatology</i> , 2022, 61, 1417-1429.	1.9	7
2	Technology-mediated just-in-time adaptive interventions (JITAs) to reduce harmful substance use: a systematic review. <i>Addiction</i> , 2022, 117, 1220-1241.	3.3	42
3	Comparison of saliva cotinine and exhaled carbon monoxide concentrations when smoking and after being offered dual nicotine replacement therapy in pregnancy. <i>Addiction</i> , 2022, 117, 751-759.	3.3	7
4	Effectiveness of offering tailored text message, self-help smoking cessation support to pregnant women who want information on stopping smoking: MiQuit3 randomised controlled trial and meta-analysis. <i>Addiction</i> , 2022, 117, 1079-1094.	3.3	8
5	Telemedicine in rheumatology: a mixed methods study exploring acceptability, preferences and experiences among patients and clinicians. <i>Rheumatology</i> , 2022, 61, 2262-2274.	1.9	45
6	Accessing specialist support to stop smoking in pregnancy: A qualitative study exploring engagement with UK-based stop smoking services. <i>British Journal of Health Psychology</i> , 2022, 27, 802-821.	3.5	6
7	Smoking Cessation Support for Pregnant Women Provided by English Stop Smoking Services and National Health Service Trusts: A Survey. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1634.	2.6	3
8	Patient and practitioner views on a combined face-to-face and digital intervention to support medication adherence in hypertension: a qualitative study within primary care. <i>BMJ Open</i> , 2022, 12, e053183.	1.9	2
9	The development and acceptability testing of an app-based smart survey system to record smoking behaviour, use of nicotine replacement therapy (NRT) and e-cigarettes. <i>BMC Research Notes</i> , 2022, 15, 100.	1.4	5
10	Development of a Smoke-Free Home Intervention for Families of Babies Admitted to Neonatal Intensive Care. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3670.	2.6	0
11	The old and familiar meets the new and unknown: patient and clinician perceptions on e-cigarettes for smoking reduction in UK general practice, a qualitative interview study. <i>Addiction</i> , 2022, 117, 1427-1437.	3.3	6
12	Disruption and adaptation in response to the coronavirus pandemic – Assets as contextual moderators of enactment of health behaviours. <i>British Journal of Health Psychology</i> , 2022, , .	3.5	1
13	Electronic cigarettes versus nicotine patches for smoking cessation in pregnancy: a randomized controlled trial. <i>Nature Medicine</i> , 2022, 28, 958-964.	30.7	19
14	Understanding pregnant women's adherence-related beliefs about Nicotine Replacement Therapy for smoking cessation: A qualitative study. <i>British Journal of Health Psychology</i> , 2021, 26, 179-197.	3.5	10
15	“But you don't look sick™: a qualitative analysis of the LUPUS UK online forum. <i>Rheumatology International</i> , 2021, 41, 721-732.	3.0	12
16	A Qualitative Study of Factors Influencing Adherence among Pregnant Women Taking Part in a Trial of E-Cigarettes for Smoking Cessation. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 430.	2.6	8
17	COVID-19 and shielding: experiences of UK patients with lupus and related diseases. <i>Rheumatology Advances in Practice</i> , 2021, 5, rtab003.	0.7	18
18	Regulation and accreditation of addictive behaviour applications™ navigating the landscape. <i>Addiction</i> , 2021, 116, 3276-3283.	3.3	13

#	ARTICLE	IF	CITATIONS
19	Randomised controlled trial of a just-in-time adaptive intervention (JITAI) smoking cessation smartphone app: the Quit Sense feasibility trial protocol. <i>BMJ Open</i> , 2021, 11, e048204.	1.9	6
20	Agreement and Disparities between Women and Stop-Smoking Specialists about How to Promote Adherence to Nicotine Replacement Therapy in Pregnancy. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4673.	2.6	3
21	Influences on the Uptake of Health and Well-being Apps and Curated App Portals: Think-Aloud and Interview Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e27173.	3.7	16
22	A digital behaviour change intervention to increase booking and attendance at Stop Smoking Services: the MyWay feasibility RCT. <i>Public Health Research</i> , 2021, 9, 1-62.	1.3	0
23	The feasibility of theÂPAM intervention to support treatment-adherence in people with hypertension in primary care: a randomised clinical controlled trial. <i>Scientific Reports</i> , 2021, 11, 8897.	3.3	1
24	Impact of COVID-19 pandemic social restriction measures on people with rheumatic and musculoskeletal diseases in the UK: a mixed-methods study. <i>BMJ Open</i> , 2021, 11, e048772.	1.9	18
25	Understanding Uptake of Digital Health Products: Methodology Tutorial for a Discrete Choice Experiment Using the Bayesian Efficient Design. <i>Journal of Medical Internet Research</i> , 2021, 23, e32365.	4.3	13
26	Systematic review of ecological momentary assessment (EMA) studies of five public health-related behaviours: review protocol. <i>BMJ Open</i> , 2021, 11, e046435.	1.9	13
27	Smoking and vaping patterns during pregnancy and the postpartum: A longitudinal UK cohort survey. <i>Addictive Behaviors</i> , 2021, 123, 107050.	3.0	3
28	Health behaviour change during the UK COVID-19 lockdown: Findings from the first wave of the C-19 health behaviour and well-being daily tracker study. <i>British Journal of Health Psychology</i> , 2021, 26, 624-643.	3.5	95
29	Future smoking prevalence by socioeconomic status in England: a computational modelling study. <i>Tobacco Control</i> , 2021, 30, 380-385.	3.2	8
30	What is the role of stress cardiovascular reactivity in health behaviour change? A systematic review, meta-analysis and research agenda. <i>Psychology and Health</i> , 2021, 36, 1021-1040.	2.2	3
31	Perceptions of Factors Influencing Engagement With Health and Well-being Apps in the United Kingdom: Qualitative Interview Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e29098.	3.7	20
32	Preventing Alcohol Use Among Adolescents by Targeting Parents: A Qualitative Study of the Views of Facilitators, Parents, and Teachers on a Universal Prevention Program "Effekt". <i>Journal of Studies on Alcohol and Drugs</i> , 2021, 82, 330-338.	1.0	0
33	Impact of the NHS Stop Smoking Services on smoking prevalence in England: a simulation modelling evaluation. <i>Tobacco Control</i> , 2020, 29, tobaccocontrol-2018-054879.	3.2	8
34	Interest in and Use of Smoking Cessation Support Across Pregnancy and Postpartum. <i>Nicotine and Tobacco Research</i> , 2020, 22, 1178-1186.	2.6	18
35	N-of-1 methods: A practical guide to exploring trajectories of behaviour change and designing precision behaviour change interventions. <i>Psychology of Sport and Exercise</i> , 2020, 47, 101570.	2.1	30
36	Accessing health services for musculoskeletal diseases during early COVID-19 lockdown: Results from a UK population survey. <i>Rheumatology Advances in Practice</i> , 2020, 4, rkaa047.	0.7	2

#	ARTICLE	IF	CITATIONS
37	Is it me? The impact of patient-physician interactions on lupus patients' psychological well-being, cognition and health-care-seeking behaviour. <i>Rheumatology Advances in Practice</i> , 2020, 4, rkaa037.	0.7	28
38	Theory-based digital intervention to promote weight loss and weight loss maintenance (Choosing) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	1.9	10
39	Systematic Review of Behaviour Change Techniques within Interventions to Reduce Environmental Tobacco Smoke Exposure for Children. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7731.	2.6	10
40	Assessing the acceptability of a text messaging service and smartphone app to support patient adherence to medications prescribed for high blood pressure: a pilot study. <i>Pilot and Feasibility Studies</i> , 2020, 6, 134.	1.2	7
41	Investigating the Temporal Relationships between Symptoms and Nebuliser Adherence in People with Cystic Fibrosis: A Series of N-of-1 Observations. <i>Healthcare (Switzerland)</i> , 2020, 8, 22.	2.0	2
42	Assessment of the Effectiveness and Cost-Effectiveness of Tailored Web- and Text-Based Smoking Cessation Support in Primary Care (iQuit in Practice II): Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e17160.	1.0	3
43	Influences on the Uptake of and Engagement With Health and Well-Being Smartphone Apps: Systematic Review. <i>Journal of Medical Internet Research</i> , 2020, 22, e17572.	4.3	126
44	Development of a Complex Intervention for the Maintenance of Postpartum Smoking Abstinence: Process for Defining Evidence-Based Intervention. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1968.	2.6	4
45	Re-Configuring Identity Postpartum and Sustained Abstinence or Relapse to Tobacco Smoking. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3139.	2.6	4
46	A systematic review of behaviour change techniques within interventions to prevent return to smoking postpartum. <i>Addictive Behaviors</i> , 2019, 92, 236-243.	3.0	35
47	A parent-oriented alcohol prevention program "Effekt" had no impact on adolescents' alcohol use: Findings from a cluster-randomized controlled trial in Estonia. <i>Drug and Alcohol Dependence</i> , 2019, 194, 279-287.	3.2	3
48	Knowledge and Education as Barriers and Facilitators to Nicotine Replacement Therapy Use for Smoking Cessation in Pregnancy: A Qualitative Study with Health Care Professionals. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1814.	2.6	12
49	The relationship between parental attitudes and children's alcohol use: a systematic review and meta-analysis. <i>Addiction</i> , 2019, 114, 1527-1546.	3.3	21
50	Effectiveness and cost-effectiveness of a tailored text-message programme (MiQuit) for smoking cessation in pregnancy: study protocol for a randomised controlled trial (RCT) and meta-analysis. <i>Trials</i> , 2019, 20, 280.	1.6	10
51	Tailored digital behaviour change intervention with e-referral system to increase attendance at NHS stop smoking services (the MyWay project): study protocol for a randomised controlled feasibility trial. <i>BMJ Open</i> , 2019, 9, e028721.	1.9	6
52	A systematic review of just-in-time adaptive interventions (JITAs) to promote physical activity. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 31.	4.6	183
53	Interventions to increase adherence to medications for tobacco dependence. <i>The Cochrane Library</i> , 2019, 8, CD009164.	2.8	30
54	Examining the effectiveness of general practitioner and nurse promotion of electronic cigarettes versus standard care for smoking reduction and abstinence in hardcore smokers with smoking-related chronic disease: protocol for a randomised controlled trial. <i>Trials</i> , 2019, 20, 659.	1.6	9

#	ARTICLE	IF	CITATIONS
55	Practitionersâ€™ Views on Nicotine Replacement Therapy in Pregnancy during Lapse and for Harm Reduction: A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4791.	2.6	6
56	Attitudes to E-Cigarettes and Cessation Support for Pregnant Women from English Stop Smoking Services: A Mixed Methods Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 110.	2.6	18
57	Challenges and solutions for N-of-1 design studies in health psychology. <i>Health Psychology Review</i> , 2019, 13, 163-178.	8.6	95
58	Do Daily Fluctuations in Psychological and App-Related Variables Predict Engagement With an Alcohol Reduction App? A Series of N-Of-1 Studies. <i>JMIR MHealth and UHealth</i> , 2019, 7, e14098.	3.7	15
59	Predictors of smoking cessation during pregnancy: a systematic review and meta-analysis. <i>Addiction</i> , 2018, 113, 610-622.	3.3	107
60	Barriers and facilitators to smoking cessation in pregnancy and in the postpartum period: The health care professionalsâ€™ perspective. <i>British Journal of Health Psychology</i> , 2018, 23, 741-757.	3.5	24
61	Views on and experiences of electronic cigarettes: a qualitative study of women who are pregnant or have recently given birth. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 233.	2.4	51
62	Are digital interventions for smoking cessation in pregnancy effective? A systematic review and meta-analysis. <i>Health Psychology Review</i> , 2018, 12, 333-356.	8.6	55
63	Uptake of Tailored Text Message Smoking Cessation Support in Pregnancy When Advertised on the Internet (MiQuit): Observational Study. <i>Journal of Medical Internet Research</i> , 2018, 20, e146.	4.3	11
64	Impact of the NHS stop smoking services on smoking prevalence in England: a simulation modelling evaluation. <i>Tobacco Control</i> , 2018, , tobaccocontrol-2018-054586.	3.2	2
65	Delivering â€œJust-In-Timeâ€ Smoking Cessation Support Via Mobile Phones: Current Knowledge and Future Directions: Table 1.. <i>Nicotine and Tobacco Research</i> , 2017, 19, ntw143.	2.6	45
66	Large multi-centre pilot randomized controlled trial testing a low-cost, tailored, self-help smoking cessation text message intervention for pregnant smokers (MiQuit). <i>Addiction</i> , 2017, 112, 1238-1249.	3.3	66
67	Smoking Cessation Support by Text Message During Pregnancy: A Qualitative Study of Views and Experiences of the MiQuit Intervention. <i>Nicotine and Tobacco Research</i> , 2017, 19, 572-577.	2.6	22
68	Cognitive and Behavioral Predictors of Quit Attempts and Biochemically-Validated Abstinence During Pregnancy. <i>Nicotine and Tobacco Research</i> , 2017, 19, 547-554.	2.6	13
69	Commentary on Hoepfner <i>et al</i> . (2017): Have we overlooked the importance of feeling cared for in digital smoking cessation interventions?. <i>Addiction</i> , 2017, 112, 683-684.	3.3	3
70	Smoking and quit attempts during pregnancy and postpartum: a longitudinal UK cohort. <i>BMJ Open</i> , 2017, 7, e018746.	1.9	58
71	Barriers to and facilitators of smoking cessation in pregnancy and following childbirth: literature review and qualitative study. <i>Health Technology Assessment</i> , 2017, 21, 1-158.	2.8	52
72	Antenatal Clinic and Stop Smoking Services Staff Views on â€œOpt-Outâ€ Referrals for Smoking Cessation in Pregnancy: A Framework Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 1004.	2.6	20

#	ARTICLE	IF	CITATIONS
73	Pregnant Women's Experiences and Views on an "Opt-Out" Referral Pathway to Specialist Smoking Cessation Support: A Qualitative Evaluation: Table 1.. Nicotine and Tobacco Research, 2016, 18, 900-905.	2.6	19
74	Which measures of cigarette dependence are predictors of smoking cessation during pregnancy? Analysis of data from a randomized controlled trial. Addiction, 2016, 111, 1656-1665.	3.3	30
75	Understanding and Promoting Effective Engagement With Digital Behavior Change Interventions. American Journal of Preventive Medicine, 2016, 51, 833-842.	3.0	799
76	Daily e-cigarette use increases quit attempts and reduces smoking with no effect on cessation. Evidence-based Nursing, 2016, 19, 18-18.	0.2	0
77	Are digital interventions for smoking cessation in pregnancy effective? A systematic review protocol. Systematic Reviews, 2016, 5, 207.	5.3	8
78	Understanding Pregnant Smokers' Adherence to Nicotine Replacement Therapy During a Quit Attempt: A Qualitative Study. Nicotine and Tobacco Research, 2016, 18, 906-912.	2.6	38
79	Response Parameters for SMS Text Message Assessments Among Pregnant and General Smokers Participating in SMS Cessation Trials. Nicotine and Tobacco Research, 2016, 18, 1210-1214.	2.6	18
80	Are Nurses and Auxiliary Healthcare Workers Equally Effective in Delivering Smoking Cessation Support in Primary Care?. Nicotine and Tobacco Research, 2016, 18, 1054-1060.	2.6	12
81	A Context-Sensing Mobile Phone App (Q Sense) for Smoking Cessation: A Mixed-Methods Study. JMIR MHealth and UHealth, 2016, 4, e106.	3.7	143
82	Adaptation and uptake evaluation of an SMS text message smoking cessation programme (MiQuit) for use in antenatal care. BMJ Open, 2015, 5, e008871.	1.9	16
83	Use and effectiveness of lapse prevention strategies among pregnant smokers. Journal of Health Psychology, 2015, 20, 1427-1433.	2.3	11
84	Pilot study to evaluate a tailored text message intervention for pregnant smokers (MiQuit): study protocol for a randomised controlled trial. Trials, 2015, 16, 29.	1.6	17
85	Longitudinal cohort survey of women's smoking behaviour and attitudes in pregnancy: study methods and baseline data. BMJ Open, 2014, 4, e004915.	1.9	23
86	Randomized controlled trial to assess the short-term effectiveness of tailored web- and text-based facilitation of smoking cessation in primary care (iQuit in Practice). Addiction, 2014, 109, 1184-1193.	3.3	80
87	Provision of smoking cessation support for pregnant women in England: results from an online survey of NHS stop smoking services for pregnant women. BMC Health Services Research, 2014, 14, 107.	2.2	32
88	Study protocol for iQuit in Practice: a randomised controlled trial to assess the feasibility, acceptability and effectiveness of tailored web- and text-based facilitation of smoking cessation in primary care. BMC Public Health, 2013, 13, 324.	2.9	19
89	Delivering Smoking Cessation Support by Mobile Phone Text Message: What Information do Smokers Want? A Focus Group Study. Journal of Applied Biobehavioral Research, 2013, 18, 1-23.	2.0	18
90	Attitudes towards SMS text message smoking cessation support: a qualitative study of pregnant smokers. Health Education Research, 2013, 28, 911-922.	1.9	68

#	ARTICLE	IF	CITATIONS
91	Dissonance and disengagement in pregnant smokers: a qualitative study. <i>Journal of Smoking Cessation</i> , 2013, 8, 24-32.	1.0	20
92	Understanding treatment delay among problem drinkers: What inhibits and facilitates help-seeking?. <i>Drugs: Education, Prevention and Policy</i> , 2013, 20, 297-303.	1.3	8
93	Randomized Controlled Trial Evaluation of a Tailored Leaflet and SMS Text Message Self-help Intervention for Pregnant Smokers (MiQuit). <i>Nicotine and Tobacco Research</i> , 2012, 14, 569-577.	2.6	126
94	Self-help smoking cessation interventions in pregnancy: a systematic review and meta-analysis. <i>Addiction</i> , 2008, 103, 566-579.	3.3	57
95	Antipsychotic-Induced Weight Gain in Patients With Schizophrenia. <i>JAMA - Journal of the American Medical Association</i> , 2008, 299, 1898.	7.4	2
96	Does sleep quality predict pain-related disability in chronic pain patients? The mediating roles of depression and pain severity. <i>Pain</i> , 2007, 127, 243-252.	4.2	78
97	Text messages to support e-cigarette use for smoking cessation: a tool for researchers. <i>Qeios</i> , 0, , .	0.0	1
98	Tailored interventions to assist smokers to stop smoking using e-cigarettes (TASSE): Study protocol. <i>Qeios</i> , 0, , .	0.0	2
99	Tailored interventions to assist smokers to stop smoking using e-cigarettes (TASSE): Study protocol. <i>Qeios</i> , 0, , .	0.0	0
100	An Intervention Mapping Study: Developing the Choosing Health digital weight loss and maintenance intervention (Preprint). <i>Journal of Medical Internet Research</i> , 0, , .	4.3	0