

Pablo Escriba

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2296209/publications.pdf>

Version: 2024-02-01

108
papers

5,272
citations

87723

38
h-index

91712

69
g-index

115
all docs

115
docs citations

115
times ranked

6071
citing authors

#	ARTICLE	IF	CITATIONS
1	Multifaceted Analyses of Isolated Mitochondria Establish the Anticancer Drug 2-Hydroxyoleic Acid as an Inhibitor of Substrate Oxidation and an Activator of Complex IV-Dependent State 3 Respiration. <i>Cells</i> , 2022, 11, 578.	1.8	2
2	The Novel Antitumor Compound HCA Promotes Glioma Cell Death by Inducing Endoplasmic Reticulum Stress and Autophagy. <i>Cancers</i> , 2021, 13, 4290.	1.7	6
3	Fundamentals of Membrane Lipid Replacement: A Natural Medicine Approach to Repairing Cellular Membranes and Reducing Fatigue, Pain, and Other Symptoms While Restoring Function in Chronic Illnesses and Aging. <i>Membranes</i> , 2021, 11, 944.	1.4	9
4	Lipids in Pathophysiology and Development of the Membrane Lipid Therapy: New Bioactive Lipids. <i>Membranes</i> , 2021, 11, 919.	1.4	12
5	Tri-2-Hydroxyarachidonein Induces Cytocidal Autophagy in Pancreatic Ductal Adenocarcinoma Cancer Cell Models. <i>Frontiers in Physiology</i> , 2021, 12, 782525.	1.3	1
6	Editorial: Using Small Molecules to Treat Macromolecule Storage Disorders. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 623613.	1.8	2
7	The Implications for Cells of the Lipid Switches Driven by Protein-Membrane Interactions and the Development of Membrane Lipid Therapy. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2322.	1.8	16
8	2-Hydroxy-Docosahexaenoic Acid Is Converted Into Heneicosapentaenoic Acid via ω -Oxidation: Implications for Alzheimer's Disease Therapy. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 164.	1.8	6
9	Membrane Lipid Composition: Effect on Membrane and Organelle Structure, Function and Compartmentalization and Therapeutic Avenues. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2167.	1.8	472
10	The Opposing Contribution of SMS1 and SMS2 to Glioma Progression and Their Value in the Therapeutic Response to 2OHOA. <i>Cancers</i> , 2019, 11, 88.	1.7	21
11	Minerval (2-hydroxyoleic acid) causes cancer cell selective toxicity by uncoupling oxidative phosphorylation and compromising bioenergetic compensation capacity. <i>Bioscience Reports</i> , 2019, 39, .	1.1	15
12	The triacylglycerol, hydroxytriolein, inhibits triple negative mammary breast cancer cell proliferation through a mechanism dependent on dihydroceramide and Akt. <i>Oncotarget</i> , 2019, 10, 2486-2507.	0.8	15
13	Guaiacol as a drug candidate for treating adult polyglucosan body disease. <i>JCI Insight</i> , 2018, 3, .	2.3	33
14	Role of the C-terminal basic amino acids and the lipid anchor of the G β 2 protein in membrane interactions and cell localization. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017, 1859, 1536-1547.	1.4	15
15	G protein-membrane interactions II: Effect of G protein-linked lipids on membrane structure and G protein-membrane interactions. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017, 1859, 1526-1535.	1.4	23
16	Membrane-lipid therapy: A historical perspective of membrane-targeted therapies "From lipid bilayer structure to the pathophysiological regulation of cells. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017, 1859, 1493-1506.	1.4	65
17	The hydroxylated form of docosahexaenoic acid (DHA-H) modifies the brain lipid composition in a model of Alzheimer's disease, improving behavioral motor function and survival. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017, 1859, 1596-1603.	1.4	16
18	Triacylglycerol mimetics regulate membrane interactions of glycogen branching enzyme: implications for therapy. <i>Journal of Lipid Research</i> , 2017, 58, 1598-1612.	2.0	10

#	ARTICLE	IF	CITATIONS
19	Final report of a phase I study of 2-hydroxyoleic acid (2OHOA) a novel sphingomyelin synthase activator in patients (pt) with advanced solid tumors (AST) including recurrent high grade gliomas (rHGG).. Journal of Clinical Oncology, 2017, 35, 2554-2554.	0.8	7
20	Treatment with albumin-hydroxyoleic acid complex restores sensorimotor function in rats with spinal cord injury: Efficacy and gene expression regulation. PLoS ONE, 2017, 12, e0189151.	1.1	7
21	2-Hydroxyoleic Acid. , 2017, , 2173-2175.		0
22	Brain Lipids in the Pathophysiology and Treatment of Alzheimer's Disease. , 2016, , .		4
23	Optimized Protocol To Analyze Changes in the Lipidome of Xenografts after Treatment with 2-Hydroxyoleic Acid. Analytical Chemistry, 2016, 88, 1022-1029.	3.2	9
24	Identification of Biomarkers of Necrosis in Xenografts Using Imaging Mass Spectrometry. Journal of the American Society for Mass Spectrometry, 2016, 27, 244-254.	1.2	26
25	Polyunsaturated Fatty Acids. , 2016, , 3665-3671.		0
26	Structural basis of glycogen branching enzyme deficiency and pharmacologic rescue by rational peptide design. Human Molecular Genetics, 2015, 24, 5667-5676.	1.4	58
27	The Novel Anticancer Drug Hydroxytriolein Inhibits Lung Cancer Cell Proliferation via a Protein Kinase C α and Extracellular Signal-Regulated Kinase 1/2-Dependent Mechanism. Journal of Pharmacology and Experimental Therapeutics, 2015, 354, 213-224.	1.3	15
28	Membrane lipid therapy: Modulation of the cell membrane composition and structure as a molecular base for drug discovery and new disease treatment. Progress in Lipid Research, 2015, 59, 38-53.	5.3	181
29	The unfolded protein response in the therapeutic effect of hydroxy-DHA against Alzheimer's disease. Apoptosis: an International Journal on Programmed Cell Death, 2015, 20, 712-724.	2.2	17
30	G protein-membrane interactions I: G β 1 myristoyl and palmitoyl modifications in protein-lipid interactions and its implications in membrane microdomain localization. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2015, 1851, 1511-1520.	1.2	24
31	Membrane-Lipid Therapy. , 2015, , 2733-2739.		0
32	Regulation of the cancer cell membrane lipid composition by NaChOleate. Biochimica Et Biophysica Acta - Biomembranes, 2014, 1838, 1619-1627.	1.4	73
33	Membrane lipid modifications and therapeutic effects mediated by hydroxydocosahexaenoic acid on Alzheimer's disease. Biochimica Et Biophysica Acta - Biomembranes, 2014, 1838, 1680-1692.	1.4	50
34	The effect of natural and synthetic fatty acids on membrane structure, microdomain organization, cellular functions and human health. Biochimica Et Biophysica Acta - Biomembranes, 2014, 1838, 1518-1528.	1.4	246
35	Changes in Membrane Organization upon Spontaneous Insertion of 2-Hydroxylated Unsaturated Fatty Acids in the Lipid Bilayer. Langmuir, 2014, 30, 2117-2128.	1.6	26
36	Differential effect of 2-hydroxyoleic acid enantiomers on protein (sphingomyelin synthase) and lipid (membrane) targets. Biochimica Et Biophysica Acta - Biomembranes, 2014, 1838, 1628-1637.	1.4	29

#	ARTICLE	IF	CITATIONS
37	Analysis of the Lipidome of Xenografts Using MALDI-IMS and UHPLC-ESI-QTOF. <i>Journal of the American Society for Mass Spectrometry</i> , 2014, 25, 1237-1246.	1.2	20
38	Membrane structure and function: Relevance of lipid and protein structures in cellular physiology, pathology and therapy. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2014, 1838, 1449-1450.	1.4	24
39	2-Hydroxyoleic Acid. , 2014, , 1-3.		0
40	Partitioning of liquid-ordered/liquid-disordered membrane microdomains induced by the fluidifying effect of 2-hydroxylated fatty acid derivatives. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2013, 1828, 2553-2563.	1.4	43
41	Cognitive recovery and restoration of cell proliferation in the dentate gyrus in the 5XFAD transgenic mice model of Alzheimer's disease following 2-hydroxy-DHA treatment. <i>Biogerontology</i> , 2013, 14, 763-775.	2.0	47
42	The role of membrane fatty acid remodeling in the antitumor mechanism of action of 2-hydroxyoleic acid. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2013, 1828, 1405-1413.	1.4	39
43	Sustained activation of sphingomyelin synthase by 2-hydroxyoleic acid induces sphingolipidosis in tumor cells. <i>Journal of Lipid Research</i> , 2013, 54, 1457-1465.	2.0	14
44	2-Hydroxy Arachidonic Acid: A New Non-Steroidal Anti-Inflammatory Drug. <i>PLoS ONE</i> , 2013, 8, e72052.	1.1	30
45	2-Hydroxyoleate, a nontoxic membrane binding anticancer drug, induces glioma cell differentiation and autophagy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 8489-8494.	3.3	95
46	Normalization of sphingomyelin levels by 2-hydroxyoleic acid induces autophagic cell death of SF767 cancer cells. <i>Autophagy</i> , 2012, 8, 1542-1544.	4.3	14
47	2-Hydroxyoleic Acid Induces ER Stress and Autophagy in Various Human Glioma Cell Lines. <i>PLoS ONE</i> , 2012, 7, e48235.	1.1	37
48	Sphingomyelin and sphingomyelin synthase (SMS) in the malignant transformation of glioma cells and in 2-hydroxyoleic acid therapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 19569-19574.	3.3	142
49	Membrane-Lipid Therapy. , 2011, , 2229-2233.		0
50	Minerval induces apoptosis in Jurkat and other cancer cells. <i>Journal of Cellular and Molecular Medicine</i> , 2010, 14, 659-670.	1.6	47
51	Interactions of fatty acids with phosphatidylethanolamine membranes: X-ray diffraction and molecular dynamics studies. <i>Journal of Lipid Research</i> , 2010, 51, 1113-1124.	2.0	22
52	Pivotal role of dihydrofolate reductase knockdown in the anticancer activity of 2-hydroxyoleic acid. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 13754-13758.	3.3	40
53	Ternary copper(II) complexes with hippurate derivatives and 1,10-phenanthroline: Synthesis and biological activity. <i>Inorganica Chimica Acta</i> , 2009, 362, 4744-4753.	1.2	10
54	Interaction of transmembrane-spanning segments of the β_2 -adrenergic receptor with model membranes. <i>Molecular Membrane Biology</i> , 2009, 26, 265-278.	2.0	4

#	ARTICLE	IF	CITATIONS
55	Membranes: a meeting point for lipids, proteins and therapies. <i>Journal of Cellular and Molecular Medicine</i> , 2008, 12, 829-875.	1.6	348
56	Effects of 2-hydroxyoleic acid on the structural properties of biological and model plasma membranes. <i>Molecular Membrane Biology</i> , 2008, 25, 46-57.	2.0	21
57	Membrane interactions of G proteins and other related proteins. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2008, 1778, 1640-1652.	1.4	101
58	2-Hydroxyoleic acid affects cardiomyocyte $[Ca^{2+}]_i$ transient and contractility in a region-dependent manner. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 294, H1948-H1955.	1.5	12
59	Consumption of Virgin Olive Oil Influences Membrane Lipid Composition and Regulates Intracellular Signaling in Elderly Adults With Type 2 Diabetes Mellitus. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007, 62, 256-263.	1.7	32
60	Lipid-protein interactions in GPCR-associated signaling. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007, 1768, 836-852.	1.4	157
61	G protein-coupled receptor systems and their lipid environment in health disorders during aging. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007, 1768, 964-975.	1.4	78
62	Interaction of the C-Terminal Region of the $G\beta_3$ Protein with Model Membranes. <i>Biophysical Journal</i> , 2007, 93, 2530-2541.	0.2	18
63	Synthesis and mass spectroscopy kinetics of a novel ternary copper(II) complex with cytotoxic activity against cancer cells. <i>Journal of Inorganic Biochemistry</i> , 2007, 101, 649-659.	1.5	69
64	Effects of fatty acids on the structural properties of biological and model membranes. <i>Chemistry and Physics of Lipids</i> , 2007, 149, S39.	1.5	0
65	Membrane-lipid therapy: a new approach in molecular medicine. <i>Trends in Molecular Medicine</i> , 2006, 12, 34-43.	3.5	188
66	Antihypertensive action of 2-hydroxyoleic acid in SHR via modulation of the protein kinase A pathway and Rho kinase. <i>Journal of Lipid Research</i> , 2006, 47, 1762-1770.	2.0	36
67	The Repression of E2F-1 Is Critical for the Activity of Minerval against Cancer. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 315, 466-474.	1.3	38
68	Membrane Structure Modulation, Protein Kinase $C\delta$ Activation, and Anticancer Activity of Minerval. <i>Molecular Pharmacology</i> , 2005, 67, 531-540.	1.0	74
69	Influence of the Membrane Lipid Structure on Signal Processing via G Protein-Coupled Receptors. <i>Molecular Pharmacology</i> , 2005, 68, 210-217.	1.0	80
70	The significance of lipid composition for membrane activity: New concepts and ways of assessing function. <i>Progress in Lipid Research</i> , 2005, 44, 303-344.	5.3	201
71	Farnesol and geranylgeraniol modulate the structural properties of phosphatidylethanolamine model membranes. <i>Molecular Membrane Biology</i> , 2005, 22, 303-311.	2.0	19
72	The $G\beta_3$ Dimer Drives the Interaction of Heterotrimeric Gi Proteins with Nonlamellar Membrane Structures. <i>Journal of Biological Chemistry</i> , 2004, 279, 36540-36545.	1.6	73

#	ARTICLE	IF	CITATIONS
73	2-Hydroxyoleic Acid. Hypertension, 2004, 43, 249-254.	1.3	52
74	Increased mRNA Expression of α 2A-Adrenoceptors, Serotonin Receptors and μ 4-Opioid Receptors in the Brains of Suicide Victims. Neuropsychopharmacology, 2004, 29, 1512-1521.	2.8	116
75	The hypotensive drug 2-hydroxyoleic acid modifies the structural properties of model membranes. Molecular Membrane Biology, 2004, 21, 261-268.	2.0	47
76	Effects of unsaturated fatty acids and triacylglycerols on phosphatidylethanolamine membrane structure. Journal of Lipid Research, 2003, 44, 1720-1727.	2.0	62
77	Effects of oleic acid and its congeners, elaidic and stearic acids, on the structural properties of phosphatidylethanolamine membranes. Journal of Lipid Research, 2003, 44, 567-575.	2.0	128
78	Alteration of Lipids, G Proteins, and PKC in Cell Membranes of Elderly Hypertensives. Hypertension, 2003, 41, 176-182.	1.3	74
79	Membrane Phospholipid Reorganization Differentially Regulates Metallothionein and Heme Oxygenase by Heme "Hemopexin. DNA and Cell Biology, 2002, 21, 355-364.	0.9	19
80	Loss of Protein Kinase C- β 2 in Brain of Heroin Addicts and Morphine-Dependent Rats. Journal of Neurochemistry, 2002, 64, 247-252.	2.1	44
81	Basic principles underlying the emerging field of lipid therapy. American Clinical Laboratory, 2002, 21, 29-31.	0.1	6
82	Chronic Clorgyline Induces Selective Down-Regulation of α 2-Adrenoceptor Agonist Binding Sites in Rat Brain. Basic and Clinical Pharmacology and Toxicology, 2000, 87, 269-275.	0.0	6
83	Up-Regulation of Immunolabeled α 2A-Adrenoceptors, GiCoupling Proteins, and Regulatory Receptor Kinases in the Prefrontal Cortex of Depressed Suicides. Journal of Neurochemistry, 1999, 72, 282-291.	2.1	139
84	Pharmacologic Characterization of Imidazoline Receptor Proteins Identified by Immunologic Techniques and Other Methods. Annals of the New York Academy of Sciences, 1999, 881, 8-25.	1.8	30
85	Imidazoline Receptors and Human Brain Disorders. Annals of the New York Academy of Sciences, 1999, 881, 392-409.	1.8	70
86	Parallel modulation of receptor for activated Ca^{2+} kinase β 1 and protein kinase $\text{C}\beta$ 1 and β 2 isoforms in brains of morphine-treated rats. British Journal of Pharmacology, 1999, 127, 343-348.	2.7	22
87	The alkylating agent EEDQ facilitates protease-mediated degradation of the human brain α 2A-adrenoceptor as revealed by a sequence-specific antibody. Neuroscience Letters, 1999, 263, 105-108.	1.0	6
88	Imidazoline receptor proteins in brains of patients with Alzheimer's disease. Neuroscience Letters, 1998, 247, 95-98.	1.0	55
89	Density of Imidazoline Receptors in Platelets of Euthymic Patients with Bipolar Affective Disorder and in Brains of Lithium-Treated Rats. Biological Psychiatry, 1998, 43, 616-618.	0.7	13
90	Effects of the alkylating agent EEDQ on regulatory G proteins and recovery of agonist and antagonist α 2-adrenoceptor binding sites in rat brain. European Journal of Pharmacology, 1998, 351, 145-154.	1.7	11

#	ARTICLE	IF	CITATIONS
91	Regulation of G Protein-Coupled Receptor Kinase 2 in Brains of Opiate-Treated Rats and Human Opiate Addicts. <i>Journal of Neurochemistry</i> , 1998, 70, 1249-1257.	2.1	67
92	Density of Guanine Nucleotide-Binding Proteins in Platelets of Patients with Major Depression: Increased Abundance of the G α 12 Subunit and Down-Regulation by Antidepressant Drug Treatment. <i>Biological Psychiatry</i> , 1997, 42, 704-712.	0.7	35
93	Pharmacological modulation of immunoreactive imidazoline receptor proteins in rat brain: relationship with non-adrenoceptor [³ H]idazoxan binding sites. <i>British Journal of Pharmacology</i> , 1996, 118, 2029-2036.	2.7	35
94	Platelet imidazoline receptors and regulatory G proteins in patients with major depression. <i>NeuroReport</i> , 1996, 8, 169-172.	0.6	22
95	Molecular characterization and isolation of a 45-kilodalton imidazoline receptor protein from the rat brain. <i>Molecular Brain Research</i> , 1995, 32, 187-196.	2.5	27
96	LSL 60101, a selective ligand for imidazoline I2 receptors, on glial fibrillary acidic protein concentration. <i>European Journal of Pharmacology</i> , 1995, 280, 205-210.	1.7	33
97	Pharmacological and Immunological Characterization of Solubilized 130?140- and 66-kD Imidazoline Receptors in the Rat Brain. <i>Annals of the New York Academy of Sciences</i> , 1995, 763, 169-171.	1.8	1
98	I2-Imidazoline Receptors in the Healthy and Pathologic Human Brain. <i>Annals of the New York Academy of Sciences</i> , 1995, 763, 178-193.	1.8	10
99	Decreased Number and Immunoreactivity of I2-Imidazoline Receptors in the Frontal Cortex of Suicide Victims. <i>Annals of the New York Academy of Sciences</i> , 1995, 763, 520-522.	1.8	19
100	Age-dependent increases of immunoreactive imidazoline receptors in the human brain: possible association of a protein with the I2-imidazoline receptor identified by [³ H]idazoxan. <i>Neuroscience Letters</i> , 1995, 184, 133-136.	1.0	26
101	Increased Density of Guanine Nucleotide-Binding Proteins in the Postmortem Brains of Heroin Addicts. <i>Archives of General Psychiatry</i> , 1994, 51, 494.	13.8	88
102	A novel plasmid series for in vitro production of phoA translational fusions and its use in the construction of <i>Escherichia coli</i> PhoE:PhoA hybrid proteins. <i>Gene</i> , 1994, 151, 125-130.	1.0	10
103	The effects of chronic imidazoline drug treatment on glial fibrillary acidic protein concentrations in rat brain. <i>British Journal of Pharmacology</i> , 1994, 111, 997-1002.	2.7	65
104	Immunodetection of putative imidazoline receptor proteins in the human and rat brain and other tissues. <i>Neuroscience Letters</i> , 1994, 178, 81-84.	1.0	49
105	Chronic treatment with the monoamine oxidase inhibitors clorgyline and pargyline down-regulates non-adrenoceptor [³ H]idazoxan binding sites in the rat brain. <i>British Journal of Pharmacology</i> , 1993, 108, 597-603.	2.7	72
106	A scanning calorimetric study of natural DNA and antitumoral anthracycline antibiotic-DNA complexes. <i>Chemico-Biological Interactions</i> , 1990, 74, 315-324.	1.7	3
107	Role of membrane lipids in the interaction of daunomycin with plasma membranes from tumor cells: implications in drug-resistance phenomena. <i>Biochemistry</i> , 1990, 29, 7275-7282.	1.2	105
108	Ultrastructural alterations in plasma membranes from drug-resistant P388 murine leukemia cells. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1990, 1029, 191-195.	1.4	18