

Eva Monroy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/230077/publications.pdf>

Version: 2024-02-01

386
papers

10,548
citations

38660
50
h-index

49773
87
g-index

388
all docs

388
docs citations

388
times ranked

6859
citing authors

#	ARTICLE	IF	CITATIONS
1	Wide-bandgap semiconductor ultraviolet photodetectors. Semiconductor Science and Technology, 2003, 18, R33-R51.	1.0	1,196
2	The effect of the III/V ratio and substrate temperature on the morphology and properties of GaN- and AlN-layers grown by molecular beam epitaxy on Si(1 1 1). Journal of Crystal Growth, 1998, 183, 23-30.	0.7	303
3	Systematic experimental and theoretical investigation of intersubband absorption in GaN ^x AlN quantum wells. Physical Review B, 2006, 73, .	1.1	239
4	III nitrides and UV detection. Journal of Physics Condensed Matter, 2001, 13, 7115-7137.	0.7	229
5	High-performance GaN p-n junction photodetectors for solar ultraviolet applications. Semiconductor Science and Technology, 1998, 13, 1042-1046.	1.0	205
6	High-speed, low-noise metal-semiconductor-metal ultraviolet photodetectors based on GaN. Applied Physics Letters, 1999, 74, 762-764.	1.5	175
7	Photoconductive gain modelling of GaN photodetectors. Semiconductor Science and Technology, 1998, 13, 563-568.	1.0	167
8	GaN/AlN short-period superlattices for intersubband optoelectronics: A systematic study of their epitaxial growth, design, and performance. Journal of Applied Physics, 2008, 104, 093501.	1.1	165
9	Photoconductor gain mechanisms in GaN ultraviolet detectors. Applied Physics Letters, 1997, 71, 870-872.	1.5	163
10	III-nitride semiconductors for intersubband optoelectronics: a review. Semiconductor Science and Technology, 2013, 28, 074022.	1.0	159
11	AlGaIn-based UV photodetectors. Journal of Crystal Growth, 2001, 230, 537-543.	0.7	153
12	High-quality visible-blind AlGaIn p-i-n photodiodes. Applied Physics Letters, 1999, 74, 1171-1173.	1.5	145
13	Room-Temperature Photodetection Dynamics of Single GaN Nanowires. Nano Letters, 2012, 12, 172-176.	4.5	139
14	AlGaIn metal-semiconductor-metal photodiodes. Applied Physics Letters, 1999, 74, 3401-3403.	1.5	126
15	Wet etching of GaN grown by molecular beam epitaxy on Si(111). Semiconductor Science and Technology, 2000, 15, 996-1000.	1.0	120
16	Near infrared quantum cascade detector in GaN ^x AlGaIn ^{1-x} AlN heterostructures. Applied Physics Letters, 2008, 92, .	1.5	116
17	Intrinsic ferromagnetism in wurtzite (Ga,Mn)N semiconductor. Physical Review B, 2006, 74, .	1.1	107
18	Structure of GaN quantum dots grown under "modified Stranski-Krastanow" conditions on AlN. Journal of Applied Physics, 2003, 94, 2254-2261.	1.1	102

#	ARTICLE	IF	CITATIONS
19	Analysis and modeling of $\text{Al}_x\text{Ga}_{1-x}\text{N}$ -based Schottky barrier photodiodes. Journal of Applied Physics, 2000, 88, 2081-2091.	1.1	97
20	Metalorganic vapor-phase epitaxy-grown AlGaIn materials for visible-blind ultraviolet photodetector applications. Journal of Applied Physics, 1999, 86, 5286-5292.	1.1	92
21	Terahertz intersubband absorption in GaN/AlGaIn step quantum wells. Applied Physics Letters, 2010, 97, .	1.5	87
22	Assessment of GaN metal-semiconductor-metal photodiodes for high-energy ultraviolet photodetection. Applied Physics Letters, 2002, 80, 3198-3200.	1.5	86
23	Intersubband spectroscopy of doped and undoped GaN/AlN quantum wells grown by molecular-beam epitaxy. Applied Physics Letters, 2003, 83, 5196-5198.	1.5	85
24	GaN/AlGaIn intersubband optoelectronic devices. New Journal of Physics, 2009, 11, 125023.	1.2	84
25	Surfactant effect of In for AlGaIn growth by plasma-assisted molecular beam epitaxy. Journal of Applied Physics, 2003, 93, 1550-1556.	1.1	77
26	Si-doped GaN/AlN quantum dot superlattices for optoelectronics at telecommunication wavelengths. Journal of Applied Physics, 2006, 100, 044326.	1.1	77
27	$\text{Al}_x\text{Ga}_{1-x}\text{N}:\text{Si}$ Schottky barrier photodiodes with fast response and high detectivity. Applied Physics Letters, 1998, 73, 2146-2148.	1.5	73
28	Correlation of Polarity and Crystal Structure with Optoelectronic and Transport Properties of GaN/AlN/GaN Nanowire Sensors. Nano Letters, 2012, 12, 5691-5696.	4.5	73
29	Room temperature demonstration of GaN/AlN quantum dot intraband infrared photodetector at fiber-optics communication wavelength. Applied Physics Letters, 2006, 88, 143101.	1.5	71
30	Quantum Transport in GaN/AlN Double-Barrier Heterostructure Nanowires. Nano Letters, 2010, 10, 3545-3550.	4.5	71
31	Strain distribution in GaN/AlN quantum-dot superlattices. Applied Physics Letters, 2005, 87, 203112.	1.5	70
32	Wide bandgap UV photodetectors: a short review of devices and applications. , 2007, , .		68
33	Plastic strain relaxation of nitride heterostructures. Journal of Applied Physics, 2004, 95, 1127-1133.	1.1	66
34	Nanoindentation on AlGaIn thin films. Journal of Applied Physics, 1999, 86, 6773-6778.	1.1	65
35	Growth kinetics of N-face polarity GaN by plasma-assisted molecular-beam epitaxy. Applied Physics Letters, 2004, 84, 3684-3686.	1.5	65
36	Engineering of an insulating buffer and use of AlN interlayers: two optimisations for AlGaIn/GaN HEMT-like structures. Physica Status Solidi A, 2003, 195, 93-100.	1.7	64

#	ARTICLE	IF	CITATIONS
37	Internal quantum efficiency of III-nitride quantum dot superlattices grown by plasma-assisted molecular-beam epitaxy. Journal of Applied Physics, 2011, 109, 103501.	1.1	63
38	Growth kinetics and morphology of high quality AlN grown on Si(111) by plasma-assisted molecular beam epitaxy. Journal of Applied Physics, 1997, 82, 4681-4683.	1.1	62
39	Molecular-beam epitaxial growth and characterization of quaternary III-nitride compounds. Journal of Applied Physics, 2003, 94, 3121-3127.	1.1	60
40	High-quality AlN/GaN-superlattice structures for the fabrication of narrow-band 1.4- μ m photovoltaic intersubband detectors. Applied Physics Letters, 2006, 88, 121112.	1.5	60
41	Effect of the quantum well thickness on the performance of InGaN photovoltaic cells. Applied Physics Letters, 2014, 105, .	1.5	60
42	Influence of AlN overgrowth on structural properties of GaN quantum wells and quantum dots grown by plasma-assisted molecular beam epitaxy. Journal of Applied Physics, 2004, 96, 1104-1110.	1.1	57
43	Identification of III-N nanowire growth kinetics via a marker technique. Nanotechnology, 2010, 21, 295605.	1.3	57
44	Short wavelength ($\lambda=2.13\mu$ m) intersubband luminescence from GaN/AlN quantum wells at room temperature. Applied Physics Letters, 2007, 90, 121106.	1.5	56
45	Plasma-assisted molecular-beam epitaxy of AlN(112 $\bar{2}$) on m sapphire. Applied Physics Letters, 2007, 90, 131909.	1.5	56
46	Strain relaxation in short-period polar GaN/AlN superlattices. Journal of Applied Physics, 2009, 106, 013526.	1.1	56
47	GaN/AlGaIn waveguide quantum cascade photodetectors at $\lambda=1.55\mu$ m with enhanced responsivity and ~ 40 GHz frequency bandwidth. Applied Physics Letters, 2013, 102, .	1.5	55
48	Short-wavelength intersubband electroabsorption modulation based on electron tunneling between GaN/AlN coupled quantum wells. Applied Physics Letters, 2007, 90, 223511.	1.5	54
49	UV Photosensing Characteristics of Nanowire-Based GaN/AlN Superlattices. Nano Letters, 2016, 16, 3260-3267.	4.5	53
50	High-speed operation of GaN/AlGaIn quantum cascade detectors at $\lambda=1.55\mu$ m. Applied Physics Letters, 2008, 93, .	1.5	52
51	All-dielectric GaN microcavity: Strong coupling and lasing at room temperature. Applied Physics Letters, 2013, 102, 101113.	1.5	52
52	GaN quantum dots doped with Eu. Applied Physics Letters, 2004, 84, 206-208.	1.5	51
53	High-responsivity submicron metal-semiconductor-metal ultraviolet detectors. Applied Physics Letters, 2002, 81, 1902-1904.	1.5	49
54	Vertical transport in group III-nitride heterostructures and application in AlN/GaN resonant tunneling diodes. Physica Status Solidi C: Current Topics in Solid State Physics, 2004, 1, 2210-2227.	0.8	49

#	ARTICLE	IF	CITATIONS
55	Electron confinement in strongly coupled GaN δ -AlN quantum wells. Applied Physics Letters, 2006, 88, 153113.	1.5	48
56	Visible-blindness in photoconductive and photovoltaic AlGaIn ultraviolet detectors. Journal of Electronic Materials, 1999, 28, 240-245.	1.0	46
57	Bias-Controlled Spectral Response in GaN/AlN Single-Nanowire Ultraviolet Photodetectors. Nano Letters, 2017, 17, 4231-4239.	4.5	45
58	Midinfrared intersubband absorption in GaN/AlGaIn superlattices on Si(111) templates. Applied Physics Letters, 2009, 95, .	1.5	44
59	Design of broadband high-efficiency superconducting-nanowire single photon detectors. Superconductor Science and Technology, 2016, 29, 065016.	1.8	43
60	High visible rejection AlGaIn photodetectors on Si(111) substrates. Applied Physics Letters, 2000, 76, 2785-2787.	1.5	42
61	Effect of doping on the mid-infrared intersubband absorption in GaN/AlGaIn superlattices grown on Si(111) templates. Applied Physics Letters, 2010, 96, .	1.5	42
62	Si-doped Al _x Ga _{1-x} N photoconductive detectors. Semiconductor Science and Technology, 1999, 14, 685-689.	1.0	40
63	Thermal stability of Pt- and Ni-based Schottky contacts on GaN and Al _{0.31} Ga _{0.69} N. Semiconductor Science and Technology, 2002, 17, L47-L54.	1.0	40
64	Intersubband Transition-Based Processes and Devices in AlN/GaN-Based Heterostructures. Proceedings of the IEEE, 2010, 98, 1234-1248.	16.4	40
65	Time response analysis of ZnSe-based Schottky barrier photodetectors. Applied Physics Letters, 2000, 77, 2761-2763.	1.5	39
66	AlGaIn ultraviolet photodetectors grown by molecular beam epitaxy on Si(111) substrates. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2002, 93, 159-162.	1.7	39
67	GaN-based quantum dot infrared photodetector operating at 1.38 μ m. Electronics Letters, 2005, 41, 1077.	0.5	39
68	Intraband absorption of doped GaN δ -AlN quantum dots at telecommunication wavelengths. Applied Physics Letters, 2005, 87, 101912.	1.5	39
69	Suppression of nonradiative processes in long-lived polar GaN/AlN quantum dots. Applied Physics Letters, 2009, 95, 131903.	1.5	39
70	Properties of a hole trap inn-type hexagonal GaN. Journal of Applied Physics, 2002, 91, 2998-3001.	1.1	38
71	Modification of GaN(0001) growth kinetics by Mg doping. Applied Physics Letters, 2004, 84, 2554-2556.	1.5	38
72	Optically nonlinear effects in intersubband transitions of GaN δ -AlN-based superlattice structures. Applied Physics Letters, 2007, 91, 131115.	1.5	38

#	ARTICLE	IF	CITATIONS
73	Growth optimization and doping with Si and Be of high quality GaN on Si(111) by molecular beam epitaxy. Journal of Electronic Materials, 1998, 27, 276-281.	1.0	37
74	Diamond UV detectors for future solar physics missions. Diamond and Related Materials, 2001, 10, 673-680.	1.8	37
75	Intersubband resonant enhancement of second-harmonic generation in GaN/AlN quantum wells. Applied Physics Letters, 2006, 89, 151101.	1.5	37
76	Electrically adjustable intersubband absorption of a GaN/AlN superlattice grown on a transistorlike structure. Applied Physics Letters, 2006, 89, 101121.	1.5	37
77	Luminescence properties of highly Si-doped AlN. Applied Physics Letters, 2006, 88, 071906.	1.5	36
78	High In-content InGaN layers synthesized by plasma-assisted molecular-beam epitaxy: Growth conditions, strain relaxation, and In incorporation kinetics. Journal of Applied Physics, 2014, 116, .	1.1	36
79	Ge doping of GaN beyond the Mott transition. Journal Physics D: Applied Physics, 2016, 49, 445301.	1.3	36
80	Nanotechnology for SAW devices on AlN epilayers. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2002, 93, 154-158.	1.7	34
81	Investigation of the negative differential resistance reproducibility in AlN/GaN double-barrier resonant tunnelling diodes. Applied Physics Letters, 2011, 99, 182109.	1.5	34
82	Alloy inhomogeneity and carrier localization in AlGaN sections and AlGaN/AlN nanodisks in nanowires with 240-350 nm emission. Applied Physics Letters, 2014, 105, .	1.5	34
83	GaN-based solar-ultraviolet detection instrument. Applied Optics, 1998, 37, 5058.	2.1	33
84	Comparison of the structural quality in Ga-face and N-face polarity GaN/AlN multiple-quantum-well structures. Semiconductor Science and Technology, 2006, 21, 612-618.	1.0	33
85	Intraband Absorption in Self-Assembled Ge-Doped GaN/AlN Nanowire Heterostructures. Nano Letters, 2014, 14, 1665-1673.	4.5	33
86	Near-Infrared Intersubband Photodetection in GaN/AlN Nanowires. Nano Letters, 2017, 17, 6954-6960.	4.5	33
87	Interband and intersubband optical characterization of semipolar (112̂2)-oriented GaN/AlN multiple-quantum-well structures. Applied Physics Letters, 2008, 93, 111906.	1.5	32
88	Femto-second electron transit time characterization in GaN/AlGaN quantum cascade detector at 1.5 micron. Applied Physics Letters, 2011, 99, .	1.5	32
89	In incorporation during the growth of quaternary III-nitride compounds by plasma-assisted molecular beam epitaxy. Applied Physics Letters, 2003, 82, 2242-2244.	1.5	31
90	Electrooptical Modulator at Telecommunication Wavelengths Based on GaN/AlN Coupled Quantum Wells. IEEE Photonics Technology Letters, 2008, 20, 724-726.	1.3	31

#	ARTICLE	IF	CITATIONS
91	Effect of Bias on the Response of GaN Axial p-n Junction Single-Nanowire Photodetectors. Nano Letters, 2019, 19, 5506-5514.	4.5	31
92	Analysis of the Visible and UV Electroluminescence in Homo Junction GaN LED's. MRS Internet Journal of Nitride Semiconductor Research, 1998, 3, 1.	1.0	30
93	Effects of stacking on the structural and optical properties of self-organized GaN/AlN quantum dots. Applied Physics Letters, 2004, 84, 4224-4226.	1.5	30
94	Ga kinetics in plasma-assisted molecular-beam epitaxy of GaN(112 $\bar{2}$): Effect on the structural and optical properties. Journal of Applied Physics, 2008, 103, .	1.1	30
95	Visible-blind ultraviolet photodetectors based on ZnMgBeSe Schottky barrier diodes. Applied Physics Letters, 2001, 78, 4190-4192.	1.5	29
96	High frequency ($f=2.37\text{--}10\text{ GHz}$) room temperature operation of $1.55\text{--}10\text{ }\mu\text{m}$ AlN-GaN-based intersubband detector. Electronics Letters, 2007, 43, 185.	0.5	29
97	Strain relaxation in GaN/Al _x Ga _{1-x} N superlattices grown by plasma-assisted molecular-beam epitaxy. Journal of Applied Physics, 2011, 110, .	1.1	29
98	Photodetectors based on intersubband transitions using III-nitride superlattice structures. Journal of Physics Condensed Matter, 2009, 21, 174208.	0.7	27
99	Indium kinetics during the plasma-assisted molecular beam epitaxy of semipolar (11 $\bar{2}$ 2) InGa _N layers. Applied Physics Letters, 2010, 96, 181907.	1.5	27
100	Nonlinear absorption of InN/InGa _N multiple-quantum-well structures at optical telecommunication wavelengths. Applied Physics Letters, 2011, 98, .	1.5	27
101	Terahertz absorbing AlGa _N /Ga _N multi-quantum-wells: Demonstration of a robust 4-layer design. Applied Physics Letters, 2013, 103, 091108.	1.5	27
102	Correlation of optical and structural properties of GaN/AlN multi-quantum wells and experimental study. Journal of Applied Physics, 2016, 119, 015703.	1.1	27
103	Effects of Bias on the Responsivity of GaN Metal-Semiconductor-Metal Photodiodes. Physica Status Solidi A, 1999, 176, 157-161.	1.7	26
104	Submicron technology for III-nitride semiconductors. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2002, 20, 2071.	1.6	26
105	Nonpolar m -plane GaN/AlGa _N heterostructures with intersubband transitions in the 5–10 THz band. Nanotechnology, 2015, 26, 435201.	1.3	26
106	Intersubband transitions in nonpolar GaN/Al(Ga) _N heterostructures in the short- and mid-wavelength infrared regions. Journal of Applied Physics, 2015, 118, 014309.	1.1	26
107	Optical and morphological properties of Ga _N quantum dots doped with Tm. Physical Review B, 2005, 71, .	1.1	25
108	Pseudo-square AlGa _N /Ga _N quantum wells for terahertz absorption. Applied Physics Letters, 2014, 105, 131106.	1.5	25

#	ARTICLE	IF	CITATIONS
109	Surfactant effect of gallium during the growth of GaN on AlN(0001 \hat{A}) by plasma-assisted molecular beam epitaxy. Applied Physics Letters, 2004, 85, 1421-1423.	1.5	24
110	Dependence of the photovoltaic performance of pseudomorphic InGa \hat{N} /GaN multiple-quantum-well solar cells on the active region thickness. Applied Physics Letters, 2016, 108, .	1.5	24
111	Effect of doping on the intersubband absorption in Si- and Ge-doped GaN/AlN heterostructures. Nanotechnology, 2017, 28, 405204.	1.3	24
112	Nanowire photodetectors based on wurtzite semiconductor heterostructures. Semiconductor Science and Technology, 2019, 34, 053002.	1.0	24
113	AlGa \hat{N} Photodiodes For Monitoring Solar UV Radiation. Journal of Geophysical Research, 2000, 105, 4865-4871.	3.3	23
114	Intraband emission at $\lambda = 1.48 \mu\text{m}$ from GaN $\hat{\bullet}$ AlN quantum dots at room temperature. Applied Physics Letters, 2008, 92, 161105.	1.5	23
115	Ab initio and experimental studies of polarization and polarization related fields in nitrides and nitride structures. AIP Advances, 2017, 7, .	0.6	23
116	Ultra-low threshold polariton lasing at room temperature in a GaN membrane microcavity with a zero-dimensional trap. Scientific Reports, 2017, 7, 5542.	1.6	23
117	High UV/visible contrast photodiodes based on epitaxial lateral overgrown GaN layers. Electronics Letters, 1999, 35, 1488.	0.5	22
118	Application and Performance of GaN Based UV Detectors. Physica Status Solidi A, 2001, 185, 91-97.	1.7	22
119	Investigation of metal $\hat{\text{--}}$ GaN and metal $\hat{\text{--}}$ AlGa \hat{N} contacts by XPS depth profiles and by electrical measurements. Journal of Crystal Growth, 2001, 230, 558-563.	0.7	22
120	Morphological properties of GaN quantum dots doped with Eu. Applied Physics Letters, 2004, 84, 2247-2249.	1.5	22
121	Room-temperature intersubband emission of GaN/AlN quantum wells at $\lambda = 2.3 \mu\text{m}$. Electronics Letters, 2006, 42, 1308.	0.5	22
122	Third order nonlinear susceptibility of InN at near band-gap wavelengths. Applied Physics Letters, 2007, 90, 091903.	1.5	22
123	Thermal stability of the deep ultraviolet emission from AlGa \hat{N} /AlN Stranski-Krastanov quantum dots. Applied Physics Letters, 2012, 101, .	1.5	22
124	Systematic study of near-infrared intersubband absorption of polar and semipolar GaN/AlN quantum wells. Journal of Applied Physics, 2013, 113, .	1.1	22
125	Photovoltaic Response of InGa \hat{N} /GaN Multiple-Quantum Well Solar Cells. Japanese Journal of Applied Physics, 2013, 52, 08JH05.	0.8	22
126	Impact of recess etching and surface treatments on ohmic contacts regrown by molecular-beam epitaxy for AlGa \hat{N} /GaN high electron mobility transistors. Applied Physics Letters, 2016, 109, .	1.5	22

#	ARTICLE	IF	CITATIONS
127	Electrical and optical properties of heavily Ge-doped AlGaIn. Journal Physics D: Applied Physics, 2019, 52, 125101.	1.3	22
128	High detectivity ZnSe-based Schottky barrier photodetectors for blue and near-ultraviolet spectral range. Electronics Letters, 2000, 36, 826.	0.5	21
129	Resonant Raman scattering in self-assembled GaN/AlN quantum dots. Physical Review B, 2006, 74, .	1.1	21
130	Defect structure in heteroepitaxial semipolar (111 $\bar{2}$) (Ga, Al)N. Journal of Physics Condensed Matter, 2010, 22, 355802.	0.7	21
131	Environmental sensitivity of $\text{In}_x\text{N}_{1-x}$ and undoped single GaN nanowire photodetectors. Applied Physics Letters, 2013, 102, .	1.5	21
132	AlGaIn photodetectors grown on Si(111) by molecular beam epitaxy. Journal of Crystal Growth, 2001, 230, 544-548.	0.7	20
133	GaN quantum dots doped with Tb. Applied Physics Letters, 2006, 88, 053102.	1.5	20
134	Mg doping and its effect on the semipolar GaN(111 $\bar{2}$) growth kinetics. Applied Physics Letters, 2009, 95, 171908.	1.5	20
135	Morphology and strain of self-assembled semipolar GaN quantum dots in (111 $\bar{2}$) AlN. Journal of Applied Physics, 2010, 108, .	1.1	20
136	Strong suppression of internal electric field in GaN/AlGaIn multi-layer quantum dots in nanowires. Applied Physics Letters, 2011, 99, .	1.5	20
137	Carrier localization in InN/InGaIn multiple-quantum wells with high In-content. Applied Physics Letters, 2012, 101, 062109.	1.5	20
138	Low-noise metal-insulator-semiconductor UV photodiodes based on GaN. Electronics Letters, 2000, 36, 2096.	0.5	19
139	Recent progresses of the BOLD investigation towards UV detectors for the ESA Solar Orbiter. Diamond and Related Materials, 2002, 11, 427-432.	1.8	19
140	Eu locations in Eu-doped InGaIn/GaN quantum dots. Applied Physics Letters, 2005, 87, 021906.	1.5	19
141	Improved luminescence and thermal stability of semipolar (11-22) InGaIn quantum dots. Applied Physics Letters, 2011, 98, 201911.	1.5	19
142	Effect of the barrier thickness on the performance of multiple-quantum-well InGaIn photovoltaic cells. Japanese Journal of Applied Physics, 2015, 54, 072302.	0.8	19
143	Schottky Barrier Ultraviolet Photodetectors on Epitaxial Lateral Overgrown GaN. Physica Status Solidi A, 1999, 176, 141-145.	1.7	18
144	Deep levels in MOCVD n-type hexagonal gallium nitride studied by high resolution deep level transient spectroscopy. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2001, 82, 91-94.	1.7	18

#	ARTICLE	IF	CITATIONS
145	Reliability of Schottky Contacts on AlGaIn. <i>Physica Status Solidi A</i> , 2001, 188, 367-370.	1.7	18
146	Polytype transition of N-face GaN:Mg from wurtzite to zinc-blende. <i>Journal of Applied Physics</i> , 2004, 96, 3709-3715.	1.1	18
147	Ultrafast relaxation and optical saturation of intraband absorption of GaN/AlN quantum dots. <i>Applied Physics Letters</i> , 2009, 94, .	1.5	18
148	Improved conversion efficiency of as-grown InGaIn/GaN quantum-well solar cells for hybrid integration. <i>Applied Physics Express</i> , 2014, 7, 032301.	1.1	18
149	Ultraviolet Photodetectors Based on Al _x Ga _{1-x} N Schottky Barriers. <i>MRS Internet Journal of Nitride Semiconductor Research</i> , 1998, 3, 1.	1.0	17
150	Bistable behaviour in GaN-based resonant tunnelling diode structures. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2008, 5, 431-434.	0.8	17
151	GaN quantum dots as optical transducers for chemical sensors. <i>Applied Physics Letters</i> , 2009, 94, 113108.	1.5	17
152	Resonant Tunneling Transport in a GaN/AlN Multiple-Quantum-Well Structure. <i>Applied Physics Express</i> , 2012, 5, 052203.	1.1	17
153	Two-step method for the deposition of AlN by radio frequency sputtering. <i>Thin Solid Films</i> , 2013, 545, 149-153.	0.8	17
154	Long-lived excitons in GaN/AlN nanowire heterostructures. <i>Physical Review B</i> , 2015, 91, .	1.1	17
155	Composition Analysis of III-Nitrides at the Nanometer Scale: Comparison of Energy Dispersive X-ray Spectroscopy and Atom Probe Tomography. <i>Nanoscale Research Letters</i> , 2016, 11, 461.	3.1	17
156	Characterization of the Resonant Third-Order Nonlinear Susceptibility of Si-Doped GaN/AlN Quantum Wells and Quantum Dots at 1.5 μm . <i>IEEE Photonics Technology Letters</i> , 2008, 20, 1366-1368.	1.3	16
157	High frequency measurements on an AlN/GaN-based intersubband detector at 1550 and 780nm. <i>Applied Physics Letters</i> , 2008, 92, 231104.	1.5	16
158	GaN-based quantum cascade photodetector with 1.5 μm peak detection wavelength. <i>Electronics Letters</i> , 2010, 46, 1685.	0.5	16
159	Improvement of InN layers deposited on Si(111) by RF sputtering using a low-growth-rate InN buffer layer. <i>Thin Solid Films</i> , 2012, 520, 2805-2809.	0.8	16
160	Waveguide saturable absorbers at 155 μm based on intraband transitions in GaN/AlN QDs. <i>Optics Express</i> , 2013, 21, 27578.	1.7	16
161	Study of high In-content AlInN deposition on p-Si(111) by RF-sputtering. <i>Japanese Journal of Applied Physics</i> , 2016, 55, 05FB07.	0.8	16
162	Effect of doping on the far-infrared intersubband transitions in nonpolar m -plane GaN/AlGaIn heterostructures. <i>Nanotechnology</i> , 2016, 27, 145201.	1.3	16

#	ARTICLE	IF	CITATIONS
163	Design of polarization-insensitive superconducting single photon detectors with high-index dielectrics. Superconductor Science and Technology, 2017, 30, 035005.	1.8	16
164	Intersubband absorption in Si δ - and Ge δ -doped GaN/AlN heterostructures in self-assembled nanowire and 2D layers. Physica Status Solidi (B): Basic Research, 2017, 254, 1600734.	0.7	16
165	Switching of exciton character in double InGaN/GaN quantum wells. Physical Review B, 2018, 98, .	1.1	16
166	UV Emission from GaN Wires with m -Plane Core-Shell GaN/AlGaN Multiple Quantum Wells. ACS Applied Materials & Interfaces, 2020, 12, 44007-44016.	4.0	16
167	Raman study and theoretical calculations of strain in GaN quantum dot multilayers. Physical Review B, 2006, 73, .	1.1	15
168	Monolithically integrated AlGaIn/GaN/AlN-based solar-blind ultraviolet and near-infrared detectors. Electronics Letters, 2008, 44, 986.	0.5	15
169	Stranski-Krastanow growth of (112 $\bar{2}$)-oriented GaN/AlN quantum dots. Applied Physics Letters, 2009, 94, 111901.	1.5	15
170	In-rich Al x In $1-x$ N grown by RF-sputtering on sapphire: from closely-packed columnar to high-surface quality compact layers. Journal Physics D: Applied Physics, 2017, 50, 065101.	1.3	15
171	Effect of the nanowire diameter on the linearity of the response of GaN-based heterostructured nanowire photodetectors. Nanotechnology, 2018, 29, 255204.	1.3	15
172	Quality improvement of AlInN/p-Si heterojunctions with AlN buffer layer deposited by RF-sputtering. Journal of Alloys and Compounds, 2018, 769, 824-830.	2.8	15
173	Study of high quality AlN layers grown on Si(111) substrates by plasma-assisted molecular beam epitaxy. MRS Internet Journal of Nitride Semiconductor Research, 1997, 2, 1.	1.0	14
174	High frequency SAW devices on AlGaIn: fabrication, characterization and integration with optoelectronics. , 0, , .		14
175	Nitride intersubband devices: prospects and recent developments. Physica Status Solidi (A) Applications and Materials Science, 2007, 204, 1987-1995.	0.8	14
176	Interfacial structure of semipolar AlN grown on m -plane sapphire by MBE. Physica Status Solidi (B): Basic Research, 2010, 247, 1637-1640.	0.7	14
177	Enhanced room-temperature mid-ultraviolet emission from AlGaIn/AlN Stranski-Krastanov quantum dots. Journal of Applied Physics, 2014, 116, 023502.	1.1	14
178	High pressure and time resolved studies of optical properties of n-type doped GaN/AlN multi-quantum wells: Experimental and theoretical analysis. Journal of Applied Physics, 2016, 120, .	1.1	14
179	Morphology and arrangement of InN nanocolumns deposited by radio-frequency sputtering: Effect of the buffer layer. Journal of Crystal Growth, 2016, 434, 13-18.	0.7	14
180	P-i-n InGaIn homojunctions (10 δ -40% In) synthesized by plasma-assisted molecular beam epitaxy with extended photoresponse to 600 nm. Solar Energy Materials and Solar Cells, 2017, 160, 355-360.	3.0	14

#	ARTICLE	IF	CITATIONS
181	Carrier Localization in GaN/AlN Quantum Dots As Revealed by Three-Dimensional Multimicroscopy. Nano Letters, 2017, 17, 4261-4269.	4.5	14
182	Polarization-insensitive fiber-coupled superconducting-nanowire single photon detector using a high-index dielectric capping layer. Optics Express, 2018, 26, 17697.	1.7	14
183	Assessment of AlGaIn/AlN superlattices on GaN nanowires as active region of electron-pumped ultraviolet sources. Nanotechnology, 2020, 31, 204001.	1.3	14
184	Characterization and Modeling of Photoconductive GaN Ultraviolet Detectors. MRS Internet Journal of Nitride Semiconductor Research, 1997, 2, 1.	1.0	13
185	Influence of thermal oxidation on the electronic properties of Pt Schottky contacts on GaN grown by molecular-beam epitaxy. Applied Physics Letters, 2005, 86, 083507.	1.5	13
186	Influence of deposition conditions on nanocrystalline InN layers synthesized on Si(111) and GaN templates by RF sputtering. Journal of Crystal Growth, 2010, 312, 2689-2694.	0.7	13
187	Electroabsorption and refractive index modulation induced by intersubband transitions in GaN/AlN multiple quantum wells. Optics Express, 2012, 20, 12541.	1.7	13
188	Low noise AlGaIn metal-semiconductor-metal photodiodes. Electronics Letters, 1999, 35, 240.	0.5	12
189	Recent progress in growth and physics of GaN/AlN quantum dots. Physica Status Solidi C: Current Topics in Solid State Physics, 2004, 1, 1445-1450.	0.8	12
190	Observation of hot luminescence and slow inter-sub-band relaxation in Si-doped GaN _{1-x} Al _x GaN _{1-x} N _x (x=0.11, 0.25) multi-quantum-well structures. Journal of Applied Physics, 2006, 99, 093513.	1.1	12
191	Latest developments in GaN-based quantum devices for infrared optoelectronics. Journal of Materials Science: Materials in Electronics, 2008, 19, 821-827.	1.1	12
192	Photocurrent spectroscopy of bound-to-bound intraband transitions in GaN/AlN quantum dots. Physical Review B, 2009, 80, .	1.1	12
193	Intersubband optics in GaN-based nanostructures - physics and applications. Physica Status Solidi (B): Basic Research, 2010, 247, 1622-1627.	0.7	12
194	Single GaN-Based Nanowires for Photodetection and Sensing Applications. Japanese Journal of Applied Physics, 2013, 52, 11NG01.	0.8	12
195	Short-wave infrared ($\lambda = 3\text{--}4\text{ }\mu\text{m}$) intersubband polaritons in the GaN/AlN system. Applied Physics Letters, 2017, 110, .	1.5	12
196	Widely power-tunable polarization-independent ultrafast mode-locked fiber laser using bulk InN as saturable absorber. Optics Express, 2017, 25, 5366.	1.7	12
197	Low pressure MOVPE grown AlGaIn for UV photodetector applications. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1999, 59, 401-406.	1.7	11
198	(Al,Ga)N Ultraviolet Photodetectors and Applications. Physica Status Solidi A, 2000, 180, 293-300.	1.7	11

#	ARTICLE	IF	CITATIONS
199	Modeling of the spectral response of Al _x Ga _{1-x} N Schottky ultraviolet photodetectors. Journal of Applied Physics, 2000, 87, 8286-8290.	1.1	11
200	New UV detectors for solar observations. , 2003, 4853, 419.		11
201	Growth and characterization of polar (0001) and semipolar (11 $\bar{2}2$) InGa _N /Ga _N quantum dots. Journal of Crystal Growth, 2011, 323, 161-163.	0.7	11
202	AlGa _N /Al _N quantum dots for UV light emitters. Physica Status Solidi C: Current Topics in Solid State Physics, 2013, 10, 285-288.	0.8	11
203	Ultra-smooth Ga _N membranes by photo-electrochemical etching for photonic applications. Journal of Materials Science, 2014, 49, 4018-4024.	1.7	11
204	THz intersubband transitions in AlGa _N /Ga _N multi \bar{a} quantum \bar{a} wells. Physica Status Solidi (A) Applications and Materials Science, 2014, 211, 761-764.	0.8	11
205	High-quality Nb _N nanofilms on a Ga _N /Al _N heterostructure. AIP Advances, 2014, 4, 107123.	0.6	11
206	Gallium kinetics on <i>m</i> -plane Ga _N . Applied Physics Letters, 2017, 111, .	1.5	11
207	Multi-excitonic emission from Stranski-Krastanov Ga _N /Al _N quantum dots inside a nanoscale tip. Applied Physics Letters, 2017, 111, .	1.5	11
208	Ultrafast Fiber Laser Using In _N as Saturable Absorber Mirror. Journal of Lightwave Technology, 2018, 36, 2175-2182.	2.7	11
209	Optical and structural properties of rare earth doped Ga _N quantum dots. Superlattices and Microstructures, 2004, 36, 707-712.	1.4	10
210	Charge distribution and vertical electron transport through Ga _N /Al _N /Ga _N single-barrier structures. Semiconductor Science and Technology, 2007, 22, 107-112.	1.0	10
211	Ga _N /Al _N quantum disc single \bar{a} nanowire \bar{a} photodetectors. Physica Status Solidi (A) Applications and Materials Science, 2010, 207, 1323-1327.	0.8	10
212	The microstructure and properties of In _N layers. Physica Status Solidi C: Current Topics in Solid State Physics, 2010, 7, 1301-1304.	0.8	10
213	Bragg polariton luminescence from a Ga _N membrane embedded in all dielectric microcavity. Applied Physics Letters, 2011, 98, 221101.	1.5	10
214	Morphology and origin of V-defects in semipolar (11 $\bar{2}2$) InGa _N . Journal of Crystal Growth, 2012, 339, 1-7.	0.7	10
215	Bias-Controlled Optical Transitions in Ga _N /Al _N Nanowire Heterostructures. ACS Nano, 2017, 11, 8758-8767.	7.3	10
216	<i>In situ</i> biasing and off-axis electron holography of a ZnO nanowire. Nanotechnology, 2018, 29, 025710.	1.3	10

#	ARTICLE	IF	CITATIONS
217	Design and implementation of bound-to-quasibound GaN/AlGaIn photovoltaic quantum well infrared photodetectors operating in the short wavelength infrared range at room temperature. Journal of Applied Physics, 2019, 125, 174505.	1.1	10
218	Improvement of the critical temperature of NbTiN films on III-nitride substrates. Superconductor Science and Technology, 2019, 32, 035008.	1.8	10
219	Yellow luminescence in Mg-doped GaN. MRS Internet Journal of Nitride Semiconductor Research, 1997, 2, 1.	1.0	9
220	GaN quantum dots by molecular beam epitaxy. Physica E: Low-Dimensional Systems and Nanostructures, 2004, 21, 540-545.	1.3	9
221	New developments for nitride unipolar devices at 1.3–1.5 μ m wavelengths. Superlattices and Microstructures, 2006, 40, 412-417.	1.4	9
222	Molecular beam epitaxy of semipolar AlN ($\text{Al}_{0.2}\text{Ga}_{0.8}\text{N}$) and GaN ($\text{Ga}_{0.2}\text{Al}_{0.8}\text{N}$) on m-sapphire. Journal of Materials Science: Materials in Electronics, 2008, 19, 805-809.	1.1	9
223	Short-wavelength, mid- and far-infrared intersubband absorption in nonpolar GaN/Al(Ga)N heterostructures. Japanese Journal of Applied Physics, 2016, 55, 05FG05.	0.8	9
224	Experimental and theoretical analysis of influence of barrier composition on optical properties of GaN/AlGaIn multi-quantum wells: Temperature- and pressure-dependent photoluminescence studies. Journal of Alloys and Compounds, 2018, 769, 1064-1071.	2.8	9
225	Present Status of III-Nitride Based Photodetectors. Materials Research Society Symposia Proceedings, 2000, 622, 371.	0.1	8
226	UV-B irradiance at Madrid during 1996, 1997, and 1998. Journal of Geophysical Research, 2000, 105, 4903-4906.	3.3	8
227	Novel Approaches for Metal-Semiconductor-Metal GaN UV Photodetectors. Physica Status Solidi A, 2002, 194, 476-479.	1.7	8
228	Optical and theoretical study of strong electron coupling in double GaN/AlN quantum wells. Physica Status Solidi (B): Basic Research, 2006, 243, 1630-1633.	0.7	8
229	Effect of Si doping on GaN/AlN multiple-quantum-well structures for intersubband optoelectronics at telecommunication wavelengths. Superlattices and Microstructures, 2006, 40, 306-312.	1.4	8
230	GaN/AlN quantum dot photodetectors at 1.3–1.5 μ m. Superlattices and Microstructures, 2006, 40, 262-267.	1.4	8
231	Performance Improvement of AlN–GaN-Based Intersubband Detectors by Using Quantum Dots. IEEE Photonics Technology Letters, 2010, 22, 1087-1089.	1.3	8
232	Structural properties of semipolar InGaIn/GaN quantum dot superlattices grown by plasma-assisted MBE. Microelectronic Engineering, 2012, 90, 108-111.	1.1	8
233	Correlated and in-situ electrical transmission electron microscopy studies and related membrane-chip fabrication. Nanotechnology, 2020, 31, 472001.	1.3	8
234	Electron beam induced current microscopy of silicon p-n junctions in a scanning transmission electron microscope. Journal of Applied Physics, 2021, 129, .	1.1	8

#	ARTICLE	IF	CITATIONS
235	Fast AlGaIn metal-semiconductor-metal photodetectors grown on Si(111). Electronics Letters, 2001, 37, 239.	0.5	7
236	Effect of Dielectric Layers on the Performance of AlGaIn-Based UV Schottky Photodiodes. Physica Status Solidi A, 2001, 188, 307-310.	1.7	7
237	Assessment of AlGaIn Growth by Plasma Assisted MBE Using In as a Surfactant. Physica Status Solidi (B): Basic Research, 2002, 234, 726-729.	0.7	7
238	Behavior of phonons in short period GaN-AlN superlattices. Physica Status Solidi C: Current Topics in Solid State Physics, 2004, 1, 2706-2710.	0.8	7
239	MBE growth of nitride-based photovoltaic intersubband detectors. Superlattices and Microstructures, 2006, 40, 418-425.	1.4	7
240	Structure and strain state of polar and semipolar InGaIn quantum dots. Applied Surface Science, 2012, 260, 7-12.	3.1	7
241	InGaIn/GaN multiple-quantum well heterostructures for solar cells grown by MOVPE: case studies. Physica Status Solidi C: Current Topics in Solid State Physics, 2013, 10, 350-354.	0.8	7
242	Experimental and first-principles studies of high-pressure effects on the structural, electronic, and optical properties of semiconductors and lanthanide doped solids. Japanese Journal of Applied Physics, 2017, 56, 05FA02.	0.8	7
243	Solubility Limit of Ge Dopants in AlGaIn: A Chemical and Microstructural Investigation Down to the Nanoscale. ACS Applied Materials & Interfaces, 2021, 13, 4165-4173.	4.0	7
244	Sub-250-fs passively mode-locked ultralong ring fibre oscillators. Optics and Laser Technology, 2021, 138, 106848.	2.2	7
245	Interplay between GaN and AlN sublattices in wurtzite Al _x Ga _{1-x} N alloys revealed by Raman spectroscopy. Journal of Applied Physics, 2002, 92, 223-226.	1.1	6
246	Rare-earth doped GaN and InGaIn quantum dots grown by plasma assisted MBE. Physica Status Solidi C: Current Topics in Solid State Physics, 2005, 2, 2373-2376.	0.8	6
247	Strain effects in GaN/AlN short-period superlattices for intersubband optoelectronics. Physica Status Solidi C: Current Topics in Solid State Physics, 2009, 6, S549-S552.	0.8	6
248	Strain effects in GaN/AlN multi-quantum-well structures for infrared optoelectronics. Microelectronics Journal, 2009, 40, 336-338.	1.1	6
249	Electronic transport through GaN/AlN single barriers: Effect of polarisation and dislocations. Microelectronics Journal, 2009, 40, 339-341.	1.1	6
250	p-type doping of semipolar GaN(111) by plasma-assisted molecular-beam epitaxy. Physica Status Solidi C: Current Topics in Solid State Physics, 2010, 7, 1913-1915.	0.8	6
251	Homogeneous linewidth of the intraband transition at 1.55-μm in GaN/AlN quantum dots. Applied Physics Letters, 2010, 97, 061903.	1.5	6
252	Strain relaxation in GaN/Al _{0.1} Ga _{0.9} N superlattices for mid-infrared intersubband absorption. Journal of Crystal Growth, 2011, 323, 64-67.	0.7	6

#	ARTICLE	IF	CITATIONS
253	High-surface-quality nanocrystalline InN layers deposited on GaN templates by RF sputtering. Physica Status Solidi (A) Applications and Materials Science, 2011, 208, 65-69.	0.8	6
254	Correlated Structural, Electronic, and Optical Properties of AlN/GaN Multiple Quantum Disks in GaN Nanowires. Applied Physics Express, 2012, 5, 025001.	1.1	6
255	Responsivity and photocurrent dynamics in single GaN nanowires. Physica Status Solidi C: Current Topics in Solid State Physics, 2012, 9, 642-645.	0.8	6
256	Measuring the refractive index around intersubband transition resonance in GaN/AlN multi quantum wells. Optics Express, 2013, 21, 3800.	1.7	6
257	Effect of Al incorporation in nonpolar m -plane GaN/AlGaIn multi-quantum-wells using plasma-assisted molecular-beam epitaxy. Physica Status Solidi (A) Applications and Materials Science, 2017, 214, 1600849.	0.8	6
258	Effect of Ge-doping on the short-wave, mid- and far-infrared intersubband transitions in GaN/AlGaIn heterostructures. Semiconductor Science and Technology, 2017, 32, 125002.	1.0	6
259	Multi-microscopy nanoscale characterization of the doping profile in a hybrid Mg/Ge-doped tunnel junction. Nanotechnology, 2020, 31, 465706.	1.3	6
260	Hydrostatic pressure dependence of indirect and direct excitons in InGaIn/GaN quantum wells. Physical Review B, 2020, 101, .	1.1	6
261	Critical Evaluation of Various Spontaneous Polarization Models and Induced Electric Fields in III-Nitride Multi-Quantum Wells. Materials, 2021, 14, 4935.	1.3	6
262	Performance enhancement of an ultrafast all-fiber laser based on an InN saturable absorber using GRIN coupling. Optics Express, 2021, 29, 29357.	1.7	6
263	Internal quantum efficiency of AlGaIn/AlN quantum dot superlattices for electron-pumped ultraviolet sources. Nanotechnology, 2020, 31, 505205.	1.3	6
264	AlGaIn-based photodetectors for solar UV applications. , 1999, 3629, 200.		5
265	Brillouin characterization of the acoustic waves phase-velocity in $\text{Al}_x\text{Ga}_{1-x}\text{N}$ epilayers. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2002, 93, 168-171.	1.7	5
266	Temporal dependence of gallium nitride quantum dot cathodoluminescence under weak electron beam excitation. Journal of Physics Condensed Matter, 2004, 16, S243-S249.	0.7	5
267	Extended Crystallographic Defects in Gallium Nitride. Materials Science Forum, 0, 644, 117-122.	0.3	5
268	Intersubband spectroscopy probing higher order interminiband transitions in AlN-GaN-based superlattices. Applied Physics Letters, 2011, 98, 071104.	1.5	5
269	Intersubband absorption in GaN nanowire heterostructures at mid-infrared wavelengths. Nanotechnology, 2018, 29, 385201.	1.3	5
270	Improved GaN Quantum Well Microcavities for Robust Room Temperature Polaritonics. Physica Status Solidi (B): Basic Research, 2019, 256, 1800716.	0.7	5

#	ARTICLE	IF	CITATIONS
271	Near- and mid-infrared intersubband absorption in top-down GaN/AlN nano- and micro-pillars. Nanotechnology, 2019, 30, 054002.	1.3	5
272	InGaN Quantum Dots Studied by Correlative Microscopy Techniques for Enhanced Light-Emitting Diodes. ACS Applied Nano Materials, 2020, 3, 10133-10143.	2.4	5
273	Instantaneous decay rate analysis of time resolved photoluminescence (TRPL): Application to nitrides and nitride structures. Journal of Alloys and Compounds, 2020, 823, 153791.	2.8	5
274	AlGaIn/GaN asymmetric graded-index separate confinement heterostructures designed for electron-beam pumped UV lasers. Optics Express, 2021, 29, 13084.	1.7	5
275	Electron beam pumped light emitting devices. Journal Physics D: Applied Physics, 2022, 55, 273003.	1.3	5
276	Modeling of the spectral response of Al _x Ga _{1-x} N p-n junction photodetectors. EPJ Applied Physics, 2000, 11, 29-34.	0.3	4
277	AlGaIn/GaN HEMTs: material, processing, and characterization. Journal of Materials Science: Materials in Electronics, 2003, 14, 271-277.	1.1	4
278	Vertical electron transport study in GaN/AlN/GaN heterostructures. Superlattices and Microstructures, 2006, 40, 507-512.	1.4	4
279	Near-infrared intersubband emission from GaN/AlN quantum dots and quantum wells. Physica Status Solidi C: Current Topics in Solid State Physics, 2008, 5, 2120-2122.	0.8	4
280	Non-linear properties of nitride-based nanostructures for optically controlling the speed of light at 1.514μm. Microelectronics Journal, 2009, 40, 349-352.	1.1	4
281	Polar and semipolar III-nitrides for long wavelength intersubband devices. Proceedings of SPIE, 2010, , .	0.8	4
282	GaN/AlGaIn nanostructures for intersubband optoelectronics. Physica Status Solidi (A) Applications and Materials Science, 2010, 207, 1421-1424.	0.8	4
283	Negative photoconductivity due to intraband transitions in GaN/AlN quantum dots. Journal of Applied Physics, 2010, 108, 104512.	1.1	4
284	Si-interdiffusion in heavily doped AlN-GaN-based quantum well intersubband photodetectors. Applied Physics Letters, 2011, 98, 241101.	1.5	4
285	Coupling of intersubband transitions to zone-folded acoustic phonons in a GaN/AlN superlattice. Physical Review B, 2012, 85, .	1.1	4
286	Infrared photoluminescence of high In content InN/InGaIn multiple quantum wells. Physica Status Solidi (A) Applications and Materials Science, 2012, 209, 17-20.	0.8	4
287	III-nitride nanostructures for optical gas detection and pH sensing. Proceedings of SPIE, 2013, , .	0.8	4
288	Polarization fields in GaN/AlN nanowire heterostructures studied by off-axis holography. Journal of Physics: Conference Series, 2013, 471, 012019.	0.3	4

#	ARTICLE	IF	CITATIONS
289	InGaN/GaN quantum dots as optical probes for the electric field at the GaN/electrolyte interface. Journal of Applied Physics, 2013, 114, 074313.	1.1	4
290	Infrared emitters made from III-nitride semiconductors. , 2014, , 533-565.		4
291	High Precision, Electrochemical Detection of Reversible Binding of Recombinant Proteins on Wide Bandgap GaN Electrodes Functionalized with Biomembrane Models. Advanced Functional Materials, 2014, 24, 4927-4934.	7.8	4
292	Design of AlGaIn/GaN Nanowire Heterostructures for Electron-Pumped UV Emitters. Physica Status Solidi (A) Applications and Materials Science, 2020, 217, 1900714.	0.8	4
293	High-Quality, InN-Based, Saturable Absorbers for Ultrafast Laser Development. Applied Sciences (Switzerland), 2020, 10, 7832.	1.3	4
294	Wurtzite quantum well structures under high pressure. Journal of Applied Physics, 2020, 128, .	1.1	4
295	Improvement of critical temperature of niobium nitride deposited on 8-inch silicon wafers thanks to an AlN buffer layer. Superconductor Science and Technology, 2021, 34, 045002.	1.8	4
296	III-Nitride Nanostructures for Infrared Optoelectronics. Acta Physica Polonica A, 2006, 110, 295-301.	0.2	4
297	Visible red light emission from Eu-doped GaN quantum dots grown by plasma-assisted MBE. Physica Status Solidi C: Current Topics in Solid State Physics, 2003, 0, 2695-2698.	0.8	3
298	Comprehensive overview on elastic strain relaxation mechanisms in nitride heterostructures: Stranski-Krastanov versus Frank-Van der Merwe growth mode. Physica Status Solidi C: Current Topics in Solid State Physics, 2003, 0, 2525-2528.	0.8	3
299	Structural and optical properties of rare-earth doped quantum dots grown by plasma-assisted MBE. Physica Status Solidi (B): Basic Research, 2004, 241, 2787-2790.	0.7	3
300	Spectroscopy of the electron states in self-organized GaN/AlN quantum dots. Physica Status Solidi C: Current Topics in Solid State Physics, 2004, 1, 1456-1460.	0.8	3
301	Raman study of strain in GaN/AlN quantum dot multilayered structures. Physica Status Solidi C: Current Topics in Solid State Physics, 2005, 2, 2328-2331.	0.8	3
302	Quantitative strain analysis of GaN/AlN quantum dot multilayers. Physica Status Solidi C: Current Topics in Solid State Physics, 2006, 3, 1667-1670.	0.8	3
303	Si-doped GaN/AlN quantum dot superlattices for optoelectronics at telecommunication wavelengths. Physica Status Solidi (A) Applications and Materials Science, 2006, 203, 1754-1758.	0.8	3
304	Infrared emitters using III-nitride semiconductors. , 2018, , 587-617.		3
305	Correlated Electro-Optical and Structural Study of Electrically Tunable Nanowire Quantum Dot Emitters. Nano Letters, 2020, 20, 314-319.	4.5	3
306	Detection of Si doping in the AlN/GaN MQW using Super X-ray EDS measurements. Micron, 2020, 134, 102864.	1.1	3

#	ARTICLE	IF	CITATIONS
307	Novel Sensor Applications of group-III nitrides. Materials Research Society Symposia Proceedings, 2001, 693, 253.	0.1	2
308	Direct Growth of High Quality GaN by Plasma Assisted Molecular Beam Epitaxy on 4H-SiC Substrates. Materials Science Forum, 2004, 457-460, 1577-1580.	0.3	2
309	Properties of self-assembled Ga-polar and N-polar GaN/AlN quantum dots. Physica Status Solidi C: Current Topics in Solid State Physics, 2004, 1, 2504-2507.	0.8	2
310	Phase transition by Mg doping of N-face polarity GaN. Physica Status Solidi C: Current Topics in Solid State Physics, 2005, 2, 2216-2219.	0.8	2
311	Plasma-assisted molecular beam epitaxy of wurtzite GaMnN displaying ferromagnetism assessed by means of X-ray magnetic circular dichroism. Superlattices and Microstructures, 2006, 40, 239-245.	1.4	2
312	PAMBE growth of (112 $\bar{2}$)-oriented GaN/AlN nanostructures on m-sapphire. Microelectronics Journal, 2009, 40, 325-327.	1.1	2
313	Review of nitride infrared intersubband devices. Proceedings of SPIE, 2010, , .	0.8	2
314	GaN-based nanowire photodetectors. Proceedings of SPIE, 2012, , .	0.8	2
315	Highly spatially resolved Cathodoluminescence of Single GaN Quantum Dots directly performed in a Scanning Transmission Electron Microscope. Microscopy and Microanalysis, 2012, 18, 1878-1879.	0.2	2
316	III-nitride-based waveguides for ultrafast all-optical signal processing at 1.55 μ m. Physica Status Solidi (A) Applications and Materials Science, 2016, 213, 1269-1275.	0.8	2
317	Absorption in ultrathin GaN-based membranes: The role of standing wave effects. Journal of Applied Physics, 2019, 126, 083109.	1.1	2
318	Transferrable dielectric DBR membranes for versatile GaN-based polariton and VCSEL technology. Microelectronic Engineering, 2020, 228, 111276.	1.1	2
319	Non-polar GaN/AlGaIn quantum-well polariton laser at room temperature. Physical Review B, 2021, 104, .	1.1	2
320	Effect of the residual doping on the performance of InN epilayers as saturable absorbers for ultrafast lasers at 155 μ m. Optical Materials Express, 2019, 9, 2785.	1.6	2
321	Decorrelation of internal quantum efficiency and lasing threshold in AlGaIn-based separate confinement heterostructures for UV emission. Applied Physics Letters, 2021, 119, 151103.	1.5	2
322	Reduction of the lasing threshold in optically pumped AlGaIn/GaN lasers with two-step etched facets. Semiconductor Science and Technology, 2022, 37, 075013.	1.0	2
323	Blue-U.V. Homojunction GaN LEDs Fabricated by MOVPE. Materials Science Forum, 1998, 264-268, 1425-1428.	0.3	1
324	Metal/GaN Contacts Studied by Electron Spectroscopies. Materials Research Society Symposia Proceedings, 1999, 595, 1.	0.1	1

#	ARTICLE	IF	CITATIONS
325	Intraband photodetection at 1.3–1.5 μm in self-organized GaN/AlN quantum dots. Physica Status Solidi (B): Basic Research, 2006, 243, 3993-3997.	0.7	1
326	Hard X-ray Linear Dichroism Using a Quarter Wave Plate for Structural Characterization of Diluted Magnetic Semiconductors. AIP Conference Proceedings, 2007, , .	0.3	1
327	Intrinsic ferromagnetism in wurtzite (Ga,Mn)N grown by plasma-assisted molecular-beam epitaxy. AIP Conference Proceedings, 2007, , .	0.3	1
328	Plasma-assisted MBE growth of nitride-based intersubband detectors. AIP Conference Proceedings, 2007, , .	0.3	1
329	GaN/AlN electro-optical modulator prototype at telecommunication wavelengths. Physica Status Solidi C: Current Topics in Solid State Physics, 2007, 4, 1621-1624.	0.8	1
330	Electro-optical intersubband modulators at telecommunication wavelengths based on GaN/AlN quantum wells. Physica Status Solidi (A) Applications and Materials Science, 2008, 205, 1093-1095.	0.8	1
331	AlN/GaN-superlattice structures for the fabrication of intersubband detectors in the telecom wavelength range. Proceedings of SPIE, 2008, , .	0.8	1
332	Monolithically integrated UV/IR-photodetectors based on an AlN/GaN-based superlattice grown on an AlGaIn buffer layer. Physica Status Solidi C: Current Topics in Solid State Physics, 2009, 6, S818-S821.	0.8	1
333	GaN/AlGaIn intersubband optoelectronic devices at telecommunication wavelengths. Proceedings of SPIE, 2009, , .	0.8	1
334	Novel InN/InGaIn multiple quantum well structures for slow-light generation at telecommunication wavelengths. Physica Status Solidi C: Current Topics in Solid State Physics, 2010, 7, 100-103.	0.8	1
335	III-nitride semiconductors for intersubband devices. , 2011, , .		1
336	Sub-250 fs, 650 kW Peak Power Harmonic Mode-Locked Fiber Laser with InN-based SESAM. , 2017, , .		1
337	Sub-200 fs mode-locked fiber laser with InN-based SESAM. , 2017, , .		1
338	On intrinsic Stokes shift in wide GaN/AlGaIn polar quantum wells. Semiconductor Science and Technology, 2019, 34, 075021.	1.0	1
339	Megawatt Peak-Power Femtosecond Ultralong Ring Fibre Laser with InN SESAM. , 2019, , .		1
340	Study of Al _x Ga _{1-x} N/AlN (0 \leq x \leq 0.1) quantum dots for the fabrication of E-beam pumped UV emitters. , 2021, , .		1
341	Development of AlGaIn/GaN heterostructures for e-beam pumped UV lasers. , 2021, , .		1
342	Intersubband Optoelectronics Using III-Nitride Semiconductors. Series in Optics and Optoelectronics, 2017, , 615-644.	0.0	1

#	ARTICLE	IF	CITATIONS
343	Nitride-Based Devices at Telecom Wavelengths. , 2017, , .		1
344	The Role of the Built-In Electric Field in Recombination Processes of GaN/AlGaIn Quantum Wells: Temperature- and Pressure-Dependent Study of Polar and Non-Polar Structures. Materials, 2022, 15, 2756.	1.3	1
345	AlGaIn-based structures on sapphire for visible blind Schottky-barrier UV photodetectors: toward high-performance device applications. , 2000, , .		0
346	Growth of Quaternary AlInGaIn/GaN Heterostructures by Plasma Assisted MBE. Materials Research Society Symposia Proceedings, 2002, 743, L4.5.1.	0.1	0
347	In as a Surfactant for the Growth of AlGaIn/GaN Heterostructures by Plasma Assisted MBE. Materials Research Society Symposia Proceedings, 2002, 743, L6.1.1.	0.1	0
348	Formation of quantum dots by self-rearrangement of metastable 2D GaN. Materials Research Society Symposia Proceedings, 2002, 743, L8.8.1.	0.1	0
349	Controlling the Morphology of GaN Layers Grown on AlN in Ga Self-Surfactant Conditions: from Quantum Wells to Quantum Dots. Physica Status Solidi (B): Basic Research, 2002, 234, 931-934.	0.7	0
350	Influence of AlN Overgrowth on GaN Nanostructures Grown by Molecular Beam Epitaxy. Materials Research Society Symposia Proceedings, 2003, 798, 412.	0.1	0
351	Intersubband Absorptions in Doped and Undoped GaN/AlN Quantum Wells at Telecommunication Wavelengths Grown on Sapphire and 6H-SiC Substrates. Materials Research Society Symposia Proceedings, 2003, 798, 418.	0.1	0
352	Structural and Optical Properties of GaN Quantum Dots. Materials Research Society Symposia Proceedings, 2003, 798, 34.	0.1	0
353	Photoluminescence of GaN/AlN Quantum Dots Grown on SiC Substrates. Materials Science Forum, 2004, 457-460, 1593-1596.	0.3	0
354	Growth of GaN/AlN Quantum Dots on SiC (000-1) by Plasma-Assisted MBE. Materials Science Forum, 2004, 457-460, 1557-1560.	0.3	0
355	Growth of N-Face Polarity III-Nitride Heterostructures on C-Face 4H-SiC by Plasma-Assisted MBE. Materials Science Forum, 2004, 457-460, 1573-1576.	0.3	0
356	Intersubband absorptions in doped and undoped GaN/AlN quantum wells at telecommunication wavelengths. Physica Status Solidi C: Current Topics in Solid State Physics, 2004, 1, 1451-1455.	0.8	0
357	Raman Study of Strain Relaxation in GaN/AlN Quantum Dots. AIP Conference Proceedings, 2005, , .	0.3	0
358	Effect of growth temperature on AlGaInN layers: a TEM analysis. Physica Status Solidi C: Current Topics in Solid State Physics, 2006, 3, 1400-1403.	0.8	0
359	GaN/AlGaIn superlattices for optoelectronics in the mid-infrared. Physica Status Solidi (B): Basic Research, 2006, 243, 1669-1673.	0.7	0
360	Photovoltaic Detectors in the GaN/AlN Intersubbandsystem operating at 1.55 μm . , 2007, , .		0

#	ARTICLE	IF	CITATIONS
361	GaN Quantum Dots as Optical Transducers in Field Effect Chemical Sensors. , 2007, , .		0
362	GaN/AlN Quantum Wells and Quantum Dots for Unipolar Devices at Telecommunication Wavelengths. AIP Conference Proceedings, 2007, , .	0.3	0
363	Intersubband resonant enhancement of second-harmonic generation in GaN/AlN quantum wells. AIP Conference Proceedings, 2007, , .	0.3	0
364	Observation of hot luminescence and slow intersubband relaxation in GaN/AlGaIn multi-quantum-well structures. AIP Conference Proceedings, 2007, , .	0.3	0
365	MBE growth of AlN/GaN-based photovoltaic intersubband photodetectors. Physica Status Solidi (A) Applications and Materials Science, 2008, 205, 1060-1063.	0.8	0
366	Plasma-assisted MBE growth of (112)-oriented GaN/AlN quantum wells on m-sapphire. Physica Status Solidi (B): Basic Research, 2008, 245, 884-886.	0.7	0
367	Room temperature intraband Raman emission and ultrafast carrier relaxation in GaN/AlN quantum dots. Physica Status Solidi C: Current Topics in Solid State Physics, 2009, 6, S650-S653.	0.8	0
368	Photocurrent characterization of intraband transition in GaN/AlN quantum dots. Journal of Physics: Conference Series, 2010, 245, 012068.	0.3	0
369	Performance improvement of AlN/GaN-based intersubband detectors thanks to quantum dot active regions. Proceedings of SPIE, 2010, , .	0.8	0
370	Extended defects in nitride layers, influence on the quantum wells and quantum dots. Proceedings of SPIE, 2010, , .	0.8	0
371	III-nitride intersubband photonics. Proceedings of SPIE, 2012, , .	0.8	0
372	Electroabsorption and refractive index modulation induced by intersubband transitions in GaN/AlN heterostructure waveguides. , 2013, , .		0
373	Photocurrent Phenomena in Nanoribbon InAlN/GaN High Electron Mobility Transistors. Japanese Journal of Applied Physics, 2013, 52, 08JE19.	0.8	0
374	Development of AlInN photoconductors deposited by sputtering. Physica Status Solidi (A) Applications and Materials Science, 2017, 214, 1600780.	0.8	0
375	High absorption efficiency and polarization-insensitivity in superconducting-nanowire single-photon detectors. Proceedings of SPIE, 2017, , .	0.8	0
376	Advanced Superconducting Nanowire Single Photon Detectors for Photonic Quantum Technologies. Proceedings (mdpi), 2018, 2, .	0.2	0
377	GaN/AlGaIn Photovoltaic Quantum Well Infrared Photodetector at 2.3 μ m. , 2018, , .		0
378	Novel InN-Based SESAMs with Ultra-Short Time Response. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
379	Intersubband transitions in GaN-based heterostructures. , 2020, , 539-565.		0
380	Thermally propagated Al contacts on SiGe nanowires characterized by electron beam induced current in a scanning transmission electron microscope. Nanotechnology, 2022, 33, 035712.	1.3	0
381	Imageur diamant et nitrures pour l'observation UV du soleil. European Physical Journal Special Topics, 2003, 108, 227-231.	0.2	0
382	Physical Properties of InN for Optically Controlling the Speed of Light. , 2007, , .		0
383	Characterization of the resonant third-order nonlinear susceptibility of Si-doped GaN/AlN quantum wells and quantum dots at 1.5 Åµm. , 2008, , .		0
384	A New Ultrafast and High Peak Power Fiber Laser operating at 1.5 Åµm using InN as Saturable Absorber. , 2017, , .		0
385	Study of Absorption Saturation in InN Thin Films through the Z-Scan Technique at 1.55 Åµm. , 2018, , .		0
386	High energy ultrafast all-fiber laser based on InN-GRIN saturable absorber. , 2021, , .		0