

# Richard J Temkin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2304798/publications.pdf>

Version: 2024-02-01

289  
papers

10,778  
citations

47409

49  
h-index

40945

97  
g-index

293  
all docs

293  
docs citations

293  
times ranked

4472  
citing authors

#	ARTICLE	IF	CITATIONS
1	Generation of 565ÅMW of $X$ -band power using a metamaterial power extractor for structure-based wakefield acceleration. Physical Review Accelerators and Beams, 2022, 25, .	0.6	0
2	Phase Measurements of a 140-GHz Confocal Gyro-Amplifier. Journal of Infrared, Millimeter, and Terahertz Waves, 2021, 42, 29-39.	1.2	1
3	Study of the Effect of Reflections on High-Power, 110-GHz Pulsed Gyrotron Operation. Journal of Infrared, Millimeter, and Terahertz Waves, 2021, 42, 547-556.	1.2	5
4	Second Harmonic 527-GHz Gyrotron for DNP-NMR: Design and Experimental Results. IEEE Transactions on Electron Devices, 2020, 67, 328-334.	1.6	41
5	Experimental demonstration of externally driven millimeter-wave particle accelerator structure. Applied Physics Letters, 2020, 117, .	1.5	53
6	Coherent high-power RF wakefield generation by electron bunch trains in a metamaterial structure. Applied Physics Letters, 2020, 116, .	1.5	10
7	Measurement of internal dark current in a 17ÅGHz accelerator structure with an elliptical sidewall. Physical Review Accelerators and Beams, 2020, 23, .	0.6	0
8	Phase Measurements of a 140 GHz Confocal Gyro-Amplifier. , 2020, , .		0
9	High Gradient and rf Breakdown Measurements in a Millimeter-Wave Accelerating Cavity. , 2020, , .		2
10	Modular, triple-resonance, transmission line DNP MAS probe for 500ÅMHz/330ÅGHz. Journal of Magnetic Resonance, 2019, 307, 106573.	1.2	2
11	High frequency dynamic nuclear polarization: New directions for the 21st century. Journal of Magnetic Resonance, 2019, 306, 128-133.	1.2	33
12	Measurement of Dielectric Multipactor Thresholds at 110ÅGHz. Physical Review Letters, 2019, 123, 175001.	2.9	14
13	High-Gradient Test Results of W-Band Accelerator Structures. , 2019, , .		4
14	Second Harmonic 527 GHz Gyrotron for DNP-NMR. , 2019, , .		0
15	Laser-driven semiconductor switch for generating nanosecond pulses from a megawatt gyrotron. Applied Physics Letters, 2019, 114, 164102.	1.5	32
16	Linear theory of instabilities generated by an electron beam in a metamaterial-loaded waveguide. Physics of Plasmas, 2019, 26, 033104.	0.7	1
17	Subterahertz Photonic Crystal Klystron Amplifier. Physical Review Letters, 2019, 123, 244801.	2.9	8
18	Metamaterial-Inspired Vacuum Electron Devices and Accelerators. IEEE Transactions on Electron Devices, 2019, 66, 207-218.	1.6	48

#	ARTICLE	IF	CITATIONS
19	Generation of High-Power, Reversed-Cherenkov Wakefield Radiation in a Metamaterial Structure. Physical Review Letters, 2019, 122, 014801.	2.9	38
20	Measurement of internal dark current in a 17ÅGHz, high gradient accelerator structure. Physical Review Accelerators and Beams, 2019, 22, .	0.6	3
21	High power long pulse microwave generation from a metamaterial structure with reverse symmetry. Physics of Plasmas, 2018, 25, .	0.7	14
22	Results from mm-Wave Accelerating Structure High-Gradient Tests. , 2018, , .		4
23	Review of metamaterial-inspired vacuum electron devices. , 2018, , .		4
24	Grating Polarizers at 170 GHz for ECRH Systems: Low Power Tests and Simulations. IEEE Transactions on Antennas and Propagation, 2018, 66, 4719-4728.	3.1	2
25	High power microwave generation by Cherenkov-cyclotron instability in a metamaterial structure with negative group velocity. , 2018, , .		0
26	Design and test of a W-band photonic bandgap extended interaction Klystron amplifier. , 2018, , .		1
27	Design of a 250 GHz disk-loaded waveguide TWT amplifier. , 2018, , .		0
28	Design and High-Power Test of an Internal Coupler to HE <sub>11</sub> Mode in Corrugated Waveguide for High-Power Gyrotrons. IEEE Transactions on Electron Devices, 2018, 65, 2316-2320.	1.6	9
29	Operation of a 140-GHz Gyro-Amplifier Using a Dielectric-Loaded, Severless Confocal Waveguide. IEEE Transactions on Plasma Science, 2017, 45, 2835-2840.	0.6	32
30	Photonic-band-gap gyrotron amplifier with picosecond pulses. Applied Physics Letters, 2017, 111, 233504.	1.5	35
31	Prototyping high-gradient mm-wave accelerating structures. Journal of Physics: Conference Series, 2017, 874, 012039.	0.3	11
32	Design Of Oversized Twts With Photonic Band-Gap Structures. , 2017, , .		0
33	Long pulse operation of a high power microwave source with a metamaterial loaded waveguide. , 2017, , .		2
34	Design of a 94 GHz photonic bandgap based extended interaction klystron amplifier. , 2017, , .		2
35	A 140 GHz gyro-amplifier using a dielectric-loaded, sever-less confocal waveguide. , 2017, , .		1
36	Theory of Linear and Nonlinear Gain in a Gyroamplifier Using a Confocal Waveguide. IEEE Transactions on Plasma Science, 2017, 45, 2438-2449.	0.6	13

#	ARTICLE	IF	CITATIONS
37	Cryogenic testing of the 2.1GHz five-cell superconducting RF cavity with a photonic band gap coupler cell. Applied Physics Letters, 2016, 108, 222603.	1.5	1
38	Coherent Cherenkov-Cyclotron Radiation Excited by an Electron Beam in a Metamaterial Waveguide. Physical Review Letters, 2016, 117, 237701.	2.9	47
39	Electron density and gas density measurements in a millimeter-wave discharge. Physics of Plasmas, 2016, 23, .	0.7	37
40	Novel linear analysis for a gyrotron oscillator based on a spectral approach. Physics of Plasmas, 2016, 23, .	0.7	10
41	Controllability Study of Propagating Mode Content by an Angle-Adjustable Mirror of a Miter-Bend in EC H&CD Transmission Line. IEEE Transactions on Plasma Science, 2016, 44, 3392-3397.	0.6	1
42	Amplification of picosecond pulses with a photonic-band-gap gyro-TWT. , 2016, , .		3
43	A 140 GHz gyro-amplifier using a sever-less confocal waveguide. , 2016, , .		5
44	Designs of W-band TWT amplifiers with large beam tunnels. , 2016, , .		1
45	Mode Conversion Losses in Expansion Units for ITER ECH Transmission Lines. Journal of Infrared, Millimeter, and Terahertz Waves, 2016, 37, 72-86.	1.2	5
46	Simple Expressions for the Design of Linear Tapers in Overmoded Corrugated Waveguides. Journal of Infrared, Millimeter, and Terahertz Waves, 2016, 37, 100-110.	1.2	3
47	Experimental high gradient testing of a 17.1GHz photonic band-gap accelerator structure. Physical Review Accelerators and Beams, 2016, 19, .	0.6	8
48	High power experimental studies of hybrid photonic band gap accelerator structures. Physical Review Accelerators and Beams, 2016, 19, .	0.6	5
49	Higher order mode damping in a five-cell superconducting rf cavity with a photonic band gap coupler cell. Physical Review Accelerators and Beams, 2016, 19, .	0.6	0
50	Overmoded traveling wave tubes for MM and THz applications. , 2015, , .		1
51	Modeling of the interaction of a volumetric metallic metamaterial structure with a relativistic electron beam. Physical Review Special Topics: Accelerators and Beams, 2015, 18, .	1.8	11
52	An Overmoded W-Band Coupled-Cavity TWT. IEEE Transactions on Electron Devices, 2015, 62, 1609-1616.	1.6	83
53	Overmoded W-band traveling wave tube (TWT) design and test. , 2015, , .		1
54	THz gyrotrons and their applications. , 2014, , .		7

#	ARTICLE	IF	CITATIONS
55	Sub-wavelength waveguide loaded by a complementary electric metamaterial for vacuum electron devices. <i>Physics of Plasmas</i> , 2014, 21, .	0.7	61
56	Design of a high power S-Band backward-wave oscillator with a metamaterial interaction circuit. , 2014, , .		0
57	High power test of an internal coupler to corrugated waveguide for high power gyrotrons. , 2014, , .		3
58	Direct Machining of Low-Loss THz Waveguide Components With an RF Choke. <i>IEEE Microwave and Wireless Components Letters</i> , 2014, 24, 842-844.	2.0	15
59	Design of a volume mode W-band TWT amplifier. , 2014, , .		3
60	Determination of waveguide mode content using irradiance moments. , 2014, , .		0
61	Cold test of gyrotron cavity modes using a 3D CFDTD method. , 2014, , .		1
62	Design and experimental results from a 527 GHz gyrotron for DNP-NMR spectroscopy. , 2014, , .		5
63	Design of a Metamaterial-Based Backward-Wave Oscillator. <i>IEEE Transactions on Plasma Science</i> , 2014, 42, 930-936.	0.6	65
64	Experimental Results for a Pulsed 110/124.5-GHz Megawatt Gyrotron. <i>IEEE Transactions on Plasma Science</i> , 2014, 42, 1128-1134.	0.6	16
65	Progress of a 140 GHz gyro-amplifier using a confocal waveguide. , 2014, , .		4
66	Cold test of gyrotron cavity modes using a 3D CFDTD method. , 2014, , .		5
67	Hot test of gyrotron cavity interaction using a 3D CFDTD PIC method. , 2014, , .		5
68	Simple Correctors for Elimination of High-Order Modes in Corrugated Waveguide Transmission Lines. <i>IEEE Transactions on Plasma Science</i> , 2014, 42, 29-37.	0.6	14
69	A 94 GHz overmoded coupled cavity TWT experiment. , 2014, , .		3
70	Corrugated Waveguide Mode Content Analysis Using Irradiance Moments. <i>IEEE Transactions on Plasma Science</i> , 2014, 42, 3358-3364.	0.6	1
71	Hot test of gyrotron cavity interaction using a 3D CFDTD PIC method. , 2014, , .		0
72	94 GHz overmoded TWT experiment. , 2014, , .		0

#	ARTICLE	IF	CITATIONS
73	Experimental Study of the Start-Up Scenario of a 1.5-MW, 110-GHz Gyrotron. IEEE Transactions on Plasma Science, 2013, 41, 862-871.	0.6	16
74	A high gain photonic band gap gyrotron amplifier. , 2013, , .		4
75	Photonic-Band-Gap Traveling-Wave Gyrotron Amplifier. Physical Review Letters, 2013, 111, 235101.	2.9	100
76	Continuously Tunable 250GHz Gyrotron with a Double Disk Window for DNP-NMR Spectroscopy. Journal of Infrared, Millimeter, and Terahertz Waves, 2013, 34, 42-52.	1.2	45
77	High Frequency Dynamic Nuclear Polarization. Accounts of Chemical Research, 2013, 46, 1933-1941.	7.6	480
78	Millimeter wave scattering and diffraction in 110GHz air breakdown plasma. Physics of Plasmas, 2013, 20, 043507.	0.7	20
79	Calculation of wakefields in a 17GHz beam-driven photonic band-gap accelerator structure. Physical Review Special Topics: Accelerators and Beams, 2013, 16, .	1.8	4
80	High power breakdown testing of a photonic band-gap accelerator structure with elliptical rods. Physical Review Special Topics: Accelerators and Beams, 2013, 16, .	1.8	14
81	Active negative-index metamaterial powered by an electron beam. Physical Review B, 2012, 86, .	1.1	64
82	Spectroscopic temperature measurements of air breakdown plasma using a 110 GHz megawatt gyrotron beam. Physics of Plasmas, 2012, 19, .	0.7	28
83	Mode Content Determination of Terahertz Corrugated Waveguides Using Experimentally Measured Radiated Field Patterns. IEEE Transactions on Plasma Science, 2012, 40, 1530-1537.	0.6	12
84	Mode excitation during the voltage rise in megawatt gyrotrons. , 2012, , .		1
85	A 250 GHz gyrotron with a 3 GHz tuning bandwidth for dynamic nuclear polarization. Journal of Magnetic Resonance, 2012, 221, 147-153.	1.2	87
86	A novel high power 3 GHz tunable 250 GHz gyrotron for Dynamic Nuclear Polarization. , 2012, , .		1
87	Operation of a 140GHz gyro-amplifier using a confocal waveguide. , 2012, , .		1
88	Over-moded W-band Traveling Wave Tube design. , 2012, , .		2
89	A 250 GHz photonic band gap gyrotron traveling wave amplifier. , 2012, , .		2
90	A 140GHz pulsed EPR/212MHz NMR spectrometer for DNP studies. Journal of Magnetic Resonance, 2012, 223, 170-179.	1.2	37

#	ARTICLE	IF	CITATIONS
91	Dynamic nuclear polarization at 700MHz/460GHz. Journal of Magnetic Resonance, 2012, 224, 1-7.	1.2	85
92	Low-loss Transmission Lines for High-power Terahertz Radiation. Journal of Infrared, Millimeter, and Terahertz Waves, 2012, 33, 695-714.	1.2	58
93	Real-time, T-ray imaging using a sub-terahertz gyrotron. Journal of the Korean Physical Society, 2012, 60, 1857-1861.	0.3	12
94	330 GHz helically corrugated waveguide. , 2011, , .		4
95	Recent progress at MIT on THz gyrotron oscillators for DNP/NMR. , 2011, , .		3
96	Mode excitation during start-Up of a 1.5 MW, 110 GHz gyrotron. , 2011, , .		1
97	Progress on a 250 GHz photonic band gap gyrotron traveling wave tube. , 2011, , .		3
98	Design of an over-moded 94 GHz coupled-cavity TWT. , 2011, , .		1
99	Overview of the ITER EC H&CD system and its capabilities. Fusion Engineering and Design, 2011, 86, 951-954.	1.0	82
100	An overview of control system for the ITER electron cyclotron system. Fusion Engineering and Design, 2011, 86, 959-962.	1.0	2
101	Vacuum Electronic High Power Terahertz Sources. IEEE Transactions on Terahertz Science and Technology, 2011, 1, 54-75.	2.0	841
102	THz Dynamic Nuclear Polarization NMR. IEEE Transactions on Terahertz Science and Technology, 2011, 1, 145-163.	2.0	161
103	The EC H&CD Transmission Line for ITER. Fusion Science and Technology, 2011, 59, 709-717.	0.6	42
104	Dynamic nuclear polarization at 9 T using a novel 250 GHz gyrotron microwave source. Journal of Magnetic Resonance, 2011, 213, 404-409.	1.2	12
105	Operation of a Continuously Frequency-Tunable Second-Harmonic CW 330-GHz Gyrotron for Dynamic Nuclear Polarization. IEEE Transactions on Electron Devices, 2011, 58, 2777-2783.	1.6	157
106	Calculation of a Hyperbolic Corrugated Horn Converting the TEM <sub>00</sub> Mode to the HE <sub>11</sub> Mode. Journal of Infrared, Millimeter, and Terahertz Waves, 2011, 32, 283-294.	1.2	10
107	Experimental Results on a 1.5MW, 110GHz Gyrotron with a Smooth Mirror Mode Converter. Journal of Infrared, Millimeter, and Terahertz Waves, 2011, 32, 358-370.	1.2	25
108	Microwave field distribution in a magic angle spinning dynamic nuclear polarization NMR probe. Journal of Magnetic Resonance, 2011, 210, 16-23.	1.2	73

#	ARTICLE	IF	CITATIONS
109	$\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"} \rangle \langle \text{mml:mi} \rangle X \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle$ -band photonic band-gap accelerator structure breakdown experiment. <i>Physical Review Special Topics: Accelerators and Beams</i> , 2011, 14, .	1.8	20
110	Measurements of electron avalanche formation time in W-band microwave air breakdown. <i>Physics of Plasmas</i> , 2011, 18, 080707.	0.7	20
111	Observation of plasma array dynamics in 110 GHz millimeter-wave air breakdown. <i>Physics of Plasmas</i> , 2011, 18, 100704.	0.7	29
112	Loss Estimate for ITER ECH Transmission Line Including Multimode Propagation. <i>Fusion Science and Technology</i> , 2010, 57, 196-207.	0.6	46
113	Measurement of RF Transmission Mode in ITER Relevant EC H&CD Transmission Line. <i>Journal of Infrared, Millimeter, and Terahertz Waves</i> , 2010, 31, 949.	1.2	19
114	Measurement of wakefields in a 17GHz photonic bandgap accelerator structure. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2010, 618, 16-21.	0.7	9
115	Amplification of picosecond pulses in a 140 GHz gyro-TWT. , 2010, , .		1
116	14.4: Design of a 250 GHz photonic band gap gyrotron amplifier. , 2010, , .		7
117	Continuous-Wave Operation of a Frequency-Tunable 460-GHz Second-Harmonic Gyrotron for Enhanced Nuclear Magnetic Resonance. <i>IEEE Transactions on Plasma Science</i> , 2010, 38, 1150-1159.	0.6	216
118	Linearly Polarized Modes of a Corrugated Metallic Waveguide. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2010, 58, 2772-2780.	2.9	69
119	10.3: Experimental measurement of picosecond pulse amplification in a 140 GHz Gyro-TWT. , 2010, , .		2
120	14.2: Operation of a 1.5 MW, 110 GHz gyrotron with an advanced internal mode converter. , 2010, , .		1
121	P3-3: Measurement of loss in high power 170 GHz gyrotron transmission lines. , 2010, , .		0
122	Resolution and polarization distribution in cryogenic DNP/MAS experiments. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 5861.	1.3	87
123	Amplification of Picosecond Pulses in a 140-GHz Gyrotron-Traveling Wave Tube. <i>Physical Review Letters</i> , 2010, 105, 135101.	2.9	50
124	Optimization of THz wave coupling into samples in DNP/NMR spectroscopy. , 2010, , .		1
125	10.6: Operation of a tunable second-harmonic 330 GHz CW gyrotron. , 2010, , .		1
126	Solid-state dynamic nuclear polarization at 263 GHz: spectrometer design and experimental results. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 5850.	1.3	315



#	ARTICLE	IF	CITATIONS
127	Mode-Content Analysis and Field Reconstruction of Propagating Waves in Corrugated Waveguides of an ECH System. Plasma and Fusion Research, 2010, 5, S1029-S1029.	0.3	6
128	Continuous-Wave Operation of a Frequency-Tunable 460-GHz Second-Harmonic Gyrotron for Enhanced Nuclear Magnetic Resonance. IEEE Transactions on Electron Devices, 2010, 38, 1150-1159.	1.6	10
129	Design and testing of an internal mode converter for a 1.5 MW, 110 GHz gyrotron with a depressed collector. , 2009, , .		1
130	Mode retrieval from intensity profile measurements using irradiant waveguide-modes. , 2009, , .		4
131	Calculation and measurement of higher order mode losses in ITER ECH transmission lines. , 2009, , .		1
132	Activities on Realization of High-Power and Steady-State ECRH System and Achievement of High Performance Plasmas in LHD. , 2009, , .		1
133	Demonstration of a 140-GHz 1-kW Confocal Gyro-Traveling-Wave Amplifier. IEEE Transactions on Electron Devices, 2009, 56, 818-827.	1.6	55
134	Cryogenic sample exchange NMR probe for magic angle spinning dynamic nuclear polarization. Journal of Magnetic Resonance, 2009, 198, 261-270.	1.2	108
135	Calculation of Radiation from a Helically Cut Waveguide for a Gyrotron Mode Converter in the Quasi-Optical Approximation. Journal of Infrared, Millimeter, and Terahertz Waves, 2009, 30, 8-25.	1.2	15
136	Plasma structures observed in gas breakdown using a 1.5 MW, 110 GHz pulsed gyrotron. Physics of Plasmas, 2009, 16, .	0.7	113
137	Design of an overmoded W-band TWT. , 2009, , .		10
138	Active real-time imaging system employed with a CW 460-GHz gyrotron and a pyroelectric array camera. , 2009, , .		7
139	Observation and Study of Low-Frequency Oscillations in a 1.5-MW 110-GHz Gyrotron. IEEE Transactions on Plasma Science, 2009, 37, 1219-1224.	0.6	19
140	A tunable continuous-wave 330 GHz gyrotron for enhanced nuclear magnetic resonance. , 2009, , .		2
141	An overmoded 140 GHz, 1 kW quasioptical gyro-twt with an internal mode converter. , 2009, , .		2
142	Low-Power Testing of Losses in Millimeter-Wave Transmission Lines for High-Power Applications. Journal of Infrared, Millimeter and Terahertz Waves, 2008, 29, 1011-1018.	0.6	7
143	High-Field Dynamic Nuclear Polarization for Solid and Solution Biological NMR. Applied Magnetic Resonance, 2008, 34, 237-263.	0.6	296
144	Dynamic nuclear polarization at high magnetic fields. Journal of Chemical Physics, 2008, 128, 052211.	1.2	734

#	ARTICLE	IF	CITATIONS
145	Simulation of the bulk and surface modes supported by a diamond lattice of metal wires. Journal of Applied Physics, 2008, 104, 103107.	1.1	2
146	Observation of Large Arrays of Plasma Filaments in Air Breakdown by 1.5-MW 110-GHz Gyrotron Pulses. Physical Review Letters, 2008, 100, 035003.	2.9	145
147	Study of after cavity interaction in a high efficiency 1.5 MW, 110 GHz gyrotron. , 2008, , .		1
148	Operation of a wideband 140 GHz, 1 kW confocal gyro-traveling wave amplifier. , 2008, , .		2
149	Mode conversion losses in ITER transmission lines. , 2008, , .		8
150	A wideband 140 GHz, 1 kW confocal gyro-traveling wave amplifier. , 2008, , .		2
151	Propagating mode analysis and field reconstruction in the corrugated waveguides of a high power electron cyclotron heating system. , 2008, , .		1
152	Imaging of Atmospheric Air Breakdown Caused by a High-Power 110-GHz Pulsed Gaussian Beam. IEEE Transactions on Plasma Science, 2008, 36, 936-937.	0.6	14
153	Effects of after cavity interaction in a 1.5 MW, 110 GHz gyrotron with a depressed collector. , 2008, , .		1
154	CW operation of a tunable 330/460 GHz gyrotron for enhanced nuclear magnetic resonance. , 2008, , .		18
155	Handling Technology of Mega-Watt Millimeter-Waves For Optimized Heating of Fusion Plasmas. Journal of Microwave Power and Electromagnetic Energy, 2008, 43, 60-70.	0.4	12
156	Mode content analysis in circular corrugated waveguide using radiated field. , 2007, , .		2
157	Design of Electron Cyclotron Heating and Current Drive System of ITER. AIP Conference Proceedings, 2007, , .	0.3	4
158	Low power testing of losses in components for the ITER ECH transmission lines. , 2007, , .		1
159	Photonic bandgap (PBG) accelerator structure design. , 2007, , .		1
160	Absolute scale power measurements of frequency-locked coherent transition radiation. Physical Review Special Topics: Accelerators and Beams, 2007, 10, .	1.8	5
161	Design of a 460 GHz Continuous-Wave Gyrotron Operating at TE <sub>11,2</sub> Mode. , 2007, , .		3
162	Observation of wakefields in a 17 Ghz metallic photonic bandgap (PBG) structure. , 2007, , .		0

#	ARTICLE	IF	CITATIONS
163	Surface waves on interface of 3D metal-wire diamond lattice for accelerator applications. , 2007, , .		0
164	Efficiency Enhancement of a 1.5-MW, 110-GHz Gyrotron with a Single-Stage Depressed Collector. Fusion Science and Technology, 2007, 52, 334-339.	0.6	17
165	Experimental Investigation of Filamentary Arrays in a Breakdown Plasma Generated by a 1.5 MW, 110 GHz Gyrotron. , 2007, , .		0
166	Progress of a 140 GHz, 1 kW Confocal Gyro-TWT Amplifier. , 2007, 2007, 1-2.		4
167	Experimental observation of the effect of aftercavity interaction in a depressed collector gyrotron oscillator. Physics of Plasmas, 2007, 14, .	0.7	30
168	250GHz CW gyrotron oscillator for dynamic nuclear polarization in biological solid state NMR. Journal of Magnetic Resonance, 2007, 189, 251-279.	1.2	158
169	Efficient Low-Voltage Operation of a CW Gyrotron Oscillator at 233 GHz. IEEE Transactions on Plasma Science, 2007, 35, 27-30.	0.6	63
170	Spectral Characteristics of a 140-GHz Long-Pulsed Gyrotron. IEEE Transactions on Plasma Science, 2007, 35, 559-564.	0.6	28
171	Continuous-wave operation of a 460-GHz second harmonic gyrotron oscillator. IEEE Transactions on Plasma Science, 2006, 34, 524-533.	0.6	128
172	Operational characteristics of a 14-W 140-GHz gyrotron for dynamic nuclear polarization. IEEE Transactions on Plasma Science, 2006, 34, 518-523.	0.6	64
173	Continuous-wave submillimeter-wave gyrotrons. , 2006, 6373, 63730C.		15
174	Spatial dispersion in metamaterials with negative dielectric permittivity and its effect on surface waves. Optics Letters, 2006, 31, 2051.	1.7	42
175	Experimental Verification of Phase Retrieval of Quasi-Optical Millimeter-Wave Beams. IEEE Transactions on Microwave Theory and Techniques, 2006, 54, 3899-3905.	2.9	18
176	Coherent Transition and Smith Purcell Radiation Experiments. AIP Conference Proceedings, 2006, , .	0.3	0
177	Power measurement of frequency-locked Smith-Purcell radiation. Physical Review Special Topics: Accelerators and Beams, 2006, 9, .	1.8	26
178	Single-Stage Depressed Collector Experimental Results from a 110 GHz 1.5 MW Gyrotron at MIT. , 2006, , .		1
179	Measurement of subpicosecond bunch lengths using coherent Smith-Purcell radiation. Physical Review Special Topics: Accelerators and Beams, 2006, 9, .	1.8	17
180	Experimental results for a 1.5MW, 110GHz gyrotron oscillator with reduced mode competition. Physics of Plasmas, 2006, 13, 023103.	0.7	26

#	ARTICLE	IF	CITATIONS
181	Evaluation of phase correcting mirrors for an 84GHz gyrotron based on direct phase measurements at low-power level. Fusion Engineering and Design, 2005, 73, 9-18.	1.0	4
182	Synthesis of gyrotron phase-correcting mirrors using irradiance moments. IEEE Transactions on Microwave Theory and Techniques, 2005, 53, 2610-2615.	2.9	5
183	Experimental Studies of Local and Global Emission Uniformity for a Magnetron Injection Gun. IEEE Transactions on Electron Devices, 2005, 52, 825-828.	1.6	18
184	Second Harmonic Operation at 460 GHz and Broadband Continuous Frequency Tuning of a Gyrotron Oscillator. IEEE Transactions on Electron Devices, 2005, 52, 798-807.	1.6	182
185	Megawatt Power Level 120 GHz Gyrotrons for ITER Start-Up. Journal of Physics: Conference Series, 2005, 25, 1-7.	0.3	17
186	Time- and frequency-domain models for Smith-Purcell radiation from a two-dimensional charge moving above a finite length grating. Physical Review E, 2005, 71, 016501.	0.8	30
187	Observation of Frequency-Locked Coherent Terahertz Smith-Purcell Radiation. Physical Review Letters, 2005, 94, 054803.	2.9	206
188	Corrugated waveguide and directional coupler for CW 250-GHz gyrotron DNP experiments. IEEE Transactions on Microwave Theory and Techniques, 2005, 53, 1863-1869.	2.9	73
189	Demonstration of a 17-GHz, High-Gradient Accelerator with a Photonic-Band-Gap Structure. Physical Review Letters, 2005, 95, 074801.	2.9	99
190	Fabrication and cold test of photonic band gap resonators and accelerator structures. Physical Review Special Topics: Accelerators and Beams, 2005, 8, .	1.8	35
191	Studies of the 1.5-MW 110-GHz Gyrotron Experiment. IEEE Transactions on Plasma Science, 2004, 32, 877-883.	0.6	19
192	Dynamic nuclear polarization at 9T using a novel 250GHz gyrotron microwave source. Journal of Magnetic Resonance, 2003, 160, 85-90.	1.2	209
193	High-Frequency Dynamic Nuclear Polarization in MAS Spectra of Membrane and Soluble Proteins. Journal of the American Chemical Society, 2003, 125, 13626-13627.	6.6	107
194	High-Power 140-GHz Quasioptical Gyrotron Traveling-Wave Amplifier. Physical Review Letters, 2003, 90, 258302.	2.9	131
195	Maturing ECRF technology for plasma control. Nuclear Fusion, 2003, 43, 1501-1504.	1.6	25
196	Two-Dimensional $^{13}\text{C}$ - $^{13}\text{C}$ Correlation Spectroscopy with Magic Angle Spinning and Dynamic Nuclear Polarization. Journal of the American Chemical Society, 2002, 124, 3214-3215.	6.6	59
197	Simulation of photonic band gaps in metal rod lattices for microwave applications. Journal of Applied Physics, 2002, 91, 960-968.	1.1	110
198	New opportunities in vacuum electronics using photonic band gap structures. AIP Conference Proceedings, 2002, , .	0.3	0

#	ARTICLE	IF	CITATIONS
199	Photonic Band Gap Structures for Accelerator Applications. AIP Conference Proceedings, 2002, , .	0.3	4
200	Phase retrieval of gyrotron beams based on irradiance moments. IEEE Transactions on Microwave Theory and Techniques, 2002, 50, 1526-1535.	2.9	25
201	Design and emission uniformity studies of a 1.5-MW gyrotron electron gun. IEEE Transactions on Plasma Science, 2002, 30, 2117-2123.	0.6	31
202	17 GHz photonic band gap cavity with improved input coupling. Physical Review Special Topics: Accelerators and Beams, 2001, 4, .	1.8	50
203	Design of correcting mirrors for a gyrotron used at Large Helical Device. Fusion Engineering and Design, 2001, 53, 537-544.	1.0	19
204	Experimental investigation of a 140-GHz coaxial gyrotron oscillator. IEEE Transactions on Plasma Science, 2001, 29, 943-950.	0.6	27
205	Low emittance electron beam formation with a 17 GHz RF gun. Physical Review Special Topics: Accelerators and Beams, 2001, 4, .	1.8	5
206	Photonic-Band-Gap Resonator Gyrotron. Physical Review Letters, 2001, 86, 5628-5631.	2.9	131
207	Kiloampere and microsecond electron beams from ferroelectric cathodes. IEEE Transactions on Plasma Science, 1998, 26, 1347-1352.	0.6	28
208	RADIATION SOURCES: Scanning with Ease Through the Far Infrared. Science, 1998, 280, 854-854.	6.0	9
209	High-power operation of a 170 GHz megawatt gyrotron. Physics of Plasmas, 1997, 4, 1907-1914.	0.7	16
210	Theoretical and experimental investigation of a quasi-optical mode converter for a 110-GHz gyrotron. IEEE Transactions on Plasma Science, 1996, 24, 1058-1066.	0.6	59
211	A Spectrometer for Dynamic Nuclear Polarization and Electron Paramagnetic Resonance at High Frequencies. Journal of Magnetic Resonance Series A, 1995, 117, 28-40.	1.6	163
212	High frequency (140 GHz) dynamic nuclear polarization: Polarization transfer to a solute in frozen aqueous solution. Journal of Chemical Physics, 1995, 102, 9494-9497.	1.2	174
213	Single-mode operation of a Bragg free-electron maser oscillator. Physical Review Letters, 1994, 72, 2391-2394.	2.9	45
214	Velocity spread measurements on a magnetron injection gun beam. Journal of Applied Physics, 1994, 76, 3237-3243.	1.1	7
215	Influence of sideband oscillations on gyrotron efficiency. IEEE Transactions on Plasma Science, 1994, 22, 871-877.	0.6	6
216	Study of rotating modes in high frequency whispering gallery mode gyrotrons. IEEE Transactions on Plasma Science, 1994, 22, 883-888.	0.6	8

#	ARTICLE	IF	CITATIONS
217	High Power Gyrotrons. Materials Research Society Symposia Proceedings, 1994, 347, 91.	0.1	1
218	Excitation of an atom by a train of short pulses. Journal of the Optical Society of America B: Optical Physics, 1993, 10, 830.	0.9	31
219	Experimental study of a megawatt 200-300 GHz gyrotron oscillator. Physics of Fluids B, 1993, 5, 4135-4143.	1.7	35
220	Dynamic nuclear polarization with a cyclotron resonance maser at 5 T. Physical Review Letters, 1993, 71, 3561-3564.	2.9	417
221	Experimental study of a 28 GHz high-power long-pulse cyclotron autoresonance maser oscillator. Physical Review Letters, 1993, 71, 2018-2021.	2.9	37
222	Sideband mode competition in a gyrotron oscillator. Physical Review Letters, 1992, 69, 3727-3730.	2.9	23
223	Autophase cyclotron autoresonance maser amplifiers. Physics of Fluids B, 1992, 4, 1077-1080.	1.7	2
224	Emission of microwave and millimeter wavelength radiation during hollow cathode discharge operation of the back lighted thyratron. Applied Physics Letters, 1992, 61, 2779-2781.	1.5	11
225	A photoacoustic joulemeter for millimeter wave radiation. Review of Scientific Instruments, 1992, 63, 166-171.	0.6	2
226	A long-pulse, CARM oscillator experiment. International Journal of Electronics, 1992, 72, 983-1004.	0.9	13
227	Experimental study of a high efficiency quasi-optical mode converter for whispering gallery mode gyrotrons. International Journal of Electronics, 1992, 72, 1093-1102.	0.9	15
228	Experimental Study of a Megawatt 200-300 GHz Gyrotron Oscillator. Fusion Science and Technology, 1992, 21, 1648-1653.	0.6	3
229	Multi-Megawatt Gyrotron Design Study. Fusion Science and Technology, 1992, 21, 1654-1657.	0.6	0
230	Long-pulse millimeter-wave free-electron laser and cyclotron autoresonance maser experiments. Physics of Fluids B, 1992, 4, 2307-2314.	1.7	16
231	An improved design for quasi-optical mode conversion of whispering gallery mode gyrotron radiation. Journal of Infrared, Millimeter and Terahertz Waves, 1992, 13, 1033-1063.	0.6	15
232	A high-voltage modulator for high-power RF source research. IEEE Transactions on Electron Devices, 1991, 38, 817-821.	1.6	16
233	Slotted-resonator gyrotron experiments. IEEE Transactions on Electron Devices, 1991, 38, 1544-1552.	1.6	3
234	Velocity ratio measurements of a gyrotron electron beam. Journal of Applied Physics, 1991, 69, 3789-3795.	1.1	29

#	ARTICLE	IF	CITATIONS
235	Direct spectral measurements of a quasi-cw free-electron laser oscillator. Physical Review Letters, 1990, 65, 2251-2254.	2.9	18
236	Nonlinear theory of quasi-optical gyrotron with an electron beam at an oblique angle. IEEE Transactions on Electron Devices, 1990, 37, 833-839.	1.6	2
237	Experimental study of a high-frequency megawatt gyrotron oscillator. Physics of Fluids B, 1990, 2, 640-646.	1.7	43
238	Submillimeter-wave harmonic gyrotron experiment. IEEE Transactions on Plasma Science, 1990, 18, 334-342.	0.6	74
239	Tunable microwigglers for free-electron lasers. Applied Physics Letters, 1989, 54, 1299-1301.	1.5	19
240	High-Frequency Cyclotron Autoresonance Maser Amplifier Experiments At MIT. Proceedings of SPIE, 1989, 1061, 243.	0.8	8
241	Quasi-optical gyrotron with arbitrary beam injection angle. IEEE Transactions on Electron Devices, 1988, 35, 1166-1171.	1.6	6
242	Self-consistent simulation of cyclotron autoresonance maser amplifiers. IEEE Transactions on Plasma Science, 1988, 16, 122-128.	0.6	47
243	Narrow bandwidth emission from a mirrorless, far infrared, $\lambda = 13/\text{CH}/\text{sub } 3/\text{F}$ laser. IEEE Journal of Quantum Electronics, 1988, 24, 99-104.	1.0	1
244	Gyrotron collective Thomson scattering from plasma fluctuations in a Tara axicell. Review of Scientific Instruments, 1988, 59, 1562-1564.	0.6	6
245	Submillimeter Gyrotron For Space Based Radar. Proceedings of SPIE, 1988, , .	0.8	0
246	The Design Of Megawatt Gyrotrons For The Compact Ignition Tokamak. Proceedings of SPIE, 1988, 1039, 179.	0.8	7
247	Millimeter Wave CARM Amplifier Experiment. Proceedings of SPIE, 1988, 1039, 316.	0.8	1
248	Nonlinear Theory Of Quasi-Optical Gyrotron With An Electron Beam At An Oblique Angle. Proceedings of SPIE, 1988, , .	0.8	0
249	Theory And Design Of A High-Power, 140 Ghz CARM Amplifier. Proceedings of SPIE, 1988, 0873, 143.	0.8	7
250	Operation Of Harmonic Gyrotrons In The Submillimeter Region. , 1988, , .		3
251	Single-mode operation of a high-power, step-tunable gyrotron. Physical Review Letters, 1987, 59, 547-550.	2.9	135
252	Free-electron lasers and their application to biomedicine. IEEE Journal of Quantum Electronics, 1987, 23, 1739-1750.	1.0	9

#	ARTICLE	IF	CITATIONS
253	Tuning behavior of a $\chi^3$ amplified spontaneous emission laser. , 1987, , .		0
254	Generalized nonlinear harmonic gyrotron theory. Physics of Fluids, 1986, 29, 561.	1.4	220
255	137 GHz gyrotron diagnostic for instability studies in Tara. Review of Scientific Instruments, 1986, 57, 1983-1985.	0.6	11
256	A gyrotron with a minimum Q cavity. International Journal of Electronics, 1986, 61, 757-770.	0.9	8
257	Analytical treatment of linearized self-consistent theory of a gyrotron with a non-fixed structure. International Journal of Electronics, 1986, 61, 895-903.	0.9	13
258	Prospects for high power gyrotrons. Plasma Physics and Controlled Fusion, 1985, 27, 1449-1459.	0.9	7
259	High power second harmonic emission and frequency locking in a 28 GHz gyrotron. Applied Physics Letters, 1985, 46, 728-730.	1.5	14
260	High frequency gyrotron scattering diagnostic for instability studies on TARA. Review of Scientific Instruments, 1985, 56, 914-916.	0.6	16
261	The Design of Megawatt Gyrotrons. IEEE Transactions on Plasma Science, 1985, 13, 364-373.	0.6	82
262	Whispering-Gallery-Mode Gyrotron Operation with a Quasi-Optical Antenna. IEEE Transactions on Plasma Science, 1985, 13, 383-388.	0.6	14
263	A Gyrotron with a High Q Cavity for Plasma Scattering Diagnostics. IEEE Transactions on Plasma Science, 1985, 13, 393-397.	0.6	6
264	High efficiency operation of a 140 GHz pulsed gyrotron. International Journal of Electronics, 1984, 57, 835-850.	0.9	55
265	A tunable far infrared laser. IEEE Journal of Quantum Electronics, 1984, 20, 834-837.	1.0	32
266	Harmonic emission from high-power high-frequency gyrotrons. International Journal of Electronics, 1984, 57, 1033-1047.	0.9	27
267	Frequency pulling and bandwidth measurements of a 140 GHz pulsed gyrotron. International Journal of Electronics, 1984, 57, 851-862.	0.9	39
268	Application of advanced millimeter/far-infrared sources to collective Thomson scattering plasma diagnostics. Journal of Infrared, Millimeter and Terahertz Waves, 1983, 4, 205-229.	0.6	26
269	A 100 kW, 140 GHz pulsed gyrotron. Journal of Infrared, Millimeter and Terahertz Waves, 1982, 3, 427-437.	0.6	35
270	Mode excitation in a gyrotron operating at the fundamental. Journal of Infrared, Millimeter and Terahertz Waves, 1981, 2, 175-196.	0.6	28



#	ARTICLE	IF	CITATIONS
271	Analytic theory of a tapered gyrotron resonator. Journal of Infrared, Millimeter and Terahertz Waves, 1981, 2, 629-650.	0.6	39
272	<title>Operation Of A Gyrotron At The Fundamental And Second Harmonic</title>. , 1981, , .		0
273	Linear theory of an electron cyclotron maser operating at the fundamental. Journal of Infrared, Millimeter and Terahertz Waves, 1980, 1, 195-223.	0.6	44
274	Cyclotron resonant gas breakdown with a 1.22â€mm <sup>13</sup> CH <sub>3</sub> F laser. Journal of Applied Physics, 1979, 50, 121-126.	1.1	1
275	High-intensity CO <sub>2</sub> laser pumping of a CH <sub>3</sub> F Raman FIR laser. Optics Letters, 1979, 4, 381.	1.7	26
276	High frequency gyrotrons and their application to tokamak plasma heating. Journal of Magnetism and Magnetic Materials, 1979, 11, 368-371.	1.0	20
277	Laser-induced gas breakdown at cyclotron resonance: Low pressure results. Journal of Magnetism and Magnetic Materials, 1979, 11, 47-50.	1.0	12
278	Gain spectrum of a pulsed laserâ€pumped submillimeter laser. Applied Physics Letters, 1978, 33, 154-156.	1.5	13
279	<title>An Introduction To Optically Pumped Lasers</title>. , 1977, , .		0
280	Cyclotron resonant laser induced gas breakdown at 496 microm. Optics Communications, 1976, 18, 226-227.	1.0	3
281	Development of high power ch <sub>3</sub> f laser systems for plasma diagnosticsâ€—. Infrared Physics, 1976, 16, 429-434.	0.5	7
282	A high power, 1.22 mm <sup>13</sup> C H <sub>3</sub> laser. Physics Letters, Section A: General, Atomic and Solid State Physics, 1976, 57, 328-330.	0.9	16
283	A high power, narrow linewidth D <sub>2</sub> O laser at 384.6 $\frac{1}{4}$ m. Physics Letters, Section A: General, Atomic and Solid State Physics, 1976, 59, 264-266.	0.9	11
284	Rate equations for an optically-pumped, far infrared laser. Optics Communications, 1976, 16, 213-217.	1.0	46
285	Efficient highâ€power CH <sub>3</sub> F amplifier for a 496â€ $\frac{1}{4}$ m cavity laser. Applied Physics Letters, 1976, 28, 328-330.	1.5	12
286	Gas breakdown at cyclotron resonance with a submillimeter laser. Applied Physics Letters, 1976, 29, 146-148.	1.5	5
287	Pumping and emission characteristics of a 4 kW, submillimeter CH <sub>3</sub> F laser. Optics Communications, 1975, 14, 314-317.	1.0	19
288	Modeling the structure of amorphous tetrahedrally coordinated semiconductors. I. Physical Review B, 1974, 9, 5323-5326.	1.1	176

#	ARTICLE	IF	CITATIONS
289	Experimental Charge Density of Copper. Physical Review B, 1972, 6, 3572-3581.	1.1	14