

John Dt Norrie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2310011/publications.pdf>

Version: 2024-02-01

88
papers

3,139
citations

361413

20
h-index

175258

52
g-index

92
all docs

92
docs citations

92
times ranked

4359
citing authors

#	ARTICLE	IF	CITATIONS
1	Randomised controlled trial of intravenous nafamostat mesylate in COVID pneumonitis: Phase 1b/2a experimental study to investigate safety, Pharmacokinetics and Pharmacodynamics. <i>EBioMedicine</i> , 2022, 76, 103856.	6.1	38
2	Digital auscultation as a novel childhood pneumonia diagnostic tool for community clinics in Sylhet, Bangladesh: protocol for a cross-sectional study. <i>BMJ Open</i> , 2022, 12, e059630.	1.9	6
3	Single-Incision Mini-Slings for Stress Urinary Incontinence in Women. <i>New England Journal of Medicine</i> , 2022, 386, 1230-1243.	27.0	29
4	Shockwave lithotripsy compared with ureteroscopic stone treatment for adults with ureteric stones: the TISU non-inferiority RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-70.	2.8	2
5	The EMPOWER blended digital intervention for relapse prevention in schizophrenia: a feasibility cluster randomised controlled trial in Scotland and Australia. <i>Lancet Psychiatry</i> , 2022, 9, 477-486.	7.4	13
6	Digital smartphone intervention to recognise and manage early warning signs in schizophrenia to prevent relapse: the EMPOWER feasibility cluster RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-174.	2.8	16
7	Treatment guided by fractional exhaled nitric oxide in addition to standard care in 6- to 15-year-olds with asthma: the RAACENO RCT. <i>Efficacy and Mechanism Evaluation</i> , 2022, 9, 1-154.	0.7	1
8	Duration of External Neck Stabilisation (DENS) following odontoid fracture in older or frail adults: protocol for a randomised controlled trial of collar versus no collar. <i>BMJ Open</i> , 2022, 12, e057753.	1.9	3
9	Emergency contraception from the pharmacy 20 years on: a mystery shopper study. <i>BMJ Sexual and Reproductive Health</i> , 2021, 47, 55-60.	1.7	10
10	Combined individual and family therapy in comparison to treatment as usual for people at risk of psychosis: A feasibility study (IF CBT): Trial rationale, methodology and baseline characteristics. <i>Microbial Biotechnology</i> , 2021, 15, 140-148.	1.7	7
11	Examining the impact of oral hygiene advice and/or scale and polish on periodontal disease: the IQuaD cluster factorial randomised controlled trial. <i>British Dental Journal</i> , 2021, 230, 229-235.	0.6	4
12	Evaluation of the Arabin cervical pessary for prevention of preterm birth in women with a twin pregnancy and short cervix (STOPPIT-2): An open-label randomised trial and updated meta-analysis. <i>PLoS Medicine</i> , 2021, 18, e1003506.	8.4	21
13	Study protocol for a multicentre, randomised controlled trial to compare the use of the decellularised dermis allograft in addition to standard care versus standard care alone for the treatment of venous leg ulceration: DAVE trial. <i>BMJ Open</i> , 2021, 11, e041748.	1.9	1
14	Provision of the progestogen-only pill by community pharmacies as bridging contraception for women receiving emergency contraception: the Bridge-it RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-92.	2.8	2
15	Tibial nerve stimulation compared with sham to reduce incontinence in care home residents: ELECTRIC RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-110.	2.8	5
16	Realising the full potential of data-enabled trials in the UK: a call for action. <i>BMJ Open</i> , 2021, 11, e043906.	1.9	23
17	Development and validation of a risk prediction model of preterm birth for women with preterm labour symptoms (the QUIDS study): A prospective cohort study and individual participant data meta-analysis. <i>PLoS Medicine</i> , 2021, 18, e1003686.	8.4	18
18	Shockwave Lithotripsy Versus Ureteroscopic Treatment as Therapeutic Interventions for Stones of the Ureter (TISU): A Multicentre Randomised Controlled Non-inferiority Trial. <i>European Urology</i> , 2021, 80, 46-54.	1.9	18

#	ARTICLE	IF	CITATIONS
19	Development of an educational intervention to reduce the burden of adult chronic lung disease in rural India: Inputs from a qualitative study. PLoS ONE, 2021, 16, e0254534.	2.5	2
20	The Arabin pessary to prevent preterm birth in women with a twin pregnancy and a short cervix: the STOPPIT 2 RCT. Health Technology Assessment, 2021, 25, 1-66.	2.8	1
21	A prognostic model, including quantitative fetal fibronectin, to predict preterm labour: the QUIDS meta-analysis and prospective cohort study. Health Technology Assessment, 2021, 25, 1-168.	2.8	1
22	Psychological intervention, antipsychotic medication or a combined treatment for adolescents with a first episode of psychosis: the MAPS feasibility three-arm RCT. Health Technology Assessment, 2021, 25, 1-124.	2.8	7
23	Feasibility and design of a trial regarding the optimal mode of delivery for preterm birth: the CASSAVA multiple methods study. Health Technology Assessment, 2021, 25, 1-102.	2.8	1
24	Primary trabeculectomy versus primary glaucoma eye drops for newly diagnosed advanced glaucoma: TAGS RCT. Health Technology Assessment, 2021, 25, 1-158.	2.8	10
25	Effectiveness of pelvic floor muscle training with and without electromyographic biofeedback for urinary incontinence in women: multicentre randomised controlled trial. BMJ, The, 2020, 371, m3719.	6.0	50
26	The TOPSY pessary self-management intervention for pelvic organ prolapse: a study protocol for the process evaluation. Trials, 2020, 21, 836.	1.6	3
27	Use of effective contraception following provision of the progestogen-only pill for women presenting to community pharmacies for emergency contraception (Bridge-It): a pragmatic cluster-randomised crossover trial. Lancet, The, 2020, 396, 1585-1594.	13.7	24
28	Antipsychotic medication versus psychological intervention versus a combination of both in adolescents with first-episode psychosis (MAPS): a multicentre, three-arm, randomised controlled pilot and feasibility study. Lancet Psychiatry, the, 2020, 7, 788-800.	7.4	51
29	Effect of hands-on interprofessional simulation training for local emergencies in Scotland: the THISTLE stepped-wedge design randomised controlled trial. BMJ Quality and Safety, 2020, 29, 122-134.	3.7	23
30	How to deal with a temporary suspension and restarting your trial: our experiences and lessons learnt. Trials, 2020, 21, 765.	1.6	21
31	Some challenges of sparse data necessitating strong assumptions in investigating early COVID-19 disease. EClinicalMedicine, 2020, 26, 100499.	7.1	1
32	Clinical and cost-effectiveness of vaginal pessary self-management compared to clinic-based care for pelvic organ prolapse: protocol for the TOPSY randomised controlled trial. Trials, 2020, 21, 837.	1.6	7
33	Graduated compression stockings as adjuvant to pharmaco-thromboprophylaxis in elective surgical patients (GAPS study): randomised controlled trial. BMJ, The, 2020, 369, m1309.	6.0	39
34	Surgical Treatment for Recurrent Bulbar Urethral Stricture: A Randomised Open-label Superiority Trial of Open Urethroplasty Versus Endoscopic Urethrotomy (the OPEN Trial). European Urology, 2020, 78, 572-580.	1.9	20
35	Foolâ€™s gold? Why blinded trials are not always best. BMJ, The, 2020, 368, l6228.	6.0	29
36	Early Signs Monitoring to Prevent Relapse in Psychosis and Promote Well-Being, Engagement, and Recovery: Protocol for a Feasibility Cluster Randomized Controlled Trial Harnessing Mobile Phone Technology Blended With Peer Support. JMIR Research Protocols, 2020, 9, e15058.	1.0	24

#	ARTICLE	IF	CITATIONS
37	Surgical interventions for uterine prolapse and for vault prolapse: the two VUE RCTs. Health Technology Assessment, 2020, 24, 1-220.	2.8	16
38	Risk-based, 6-monthly and 24-monthly dental check-ups for adults: the INTERVAL three-arm RCT. Health Technology Assessment, 2020, 24, 1-138.	2.8	18
39	Open urethroplasty versus endoscopic urethrotomy for recurrent urethral stricture in men: the OPEN RCT. Health Technology Assessment, 2020, 24, 1-110.	2.8	7
40	Compression stockings in addition to low-molecular-weight heparin to prevent venous thromboembolism in surgical inpatients requiring pharmacoprophylaxis: the GAPS non-inferiority RCT. Health Technology Assessment, 2020, 24, 1-80.	2.8	7
41	Basic versus biofeedback-mediated intensive pelvic floor muscle training for women with urinary incontinence: the OPAL RCT. Health Technology Assessment, 2020, 24, 1-144.	2.8	19
42	Study protocol for a randomised controlled trial of CBT vs antipsychotics vs both in 14-18-year-olds: Managing Adolescent first episode Psychosis: a feasibility study (MAPS). Trials, 2019, 20, 395.	1.6	11
43	Laparoscopic supracervical hysterectomy versus endometrial ablation for women with heavy menstrual bleeding (HEALTH): a parallel-group, open-label, randomised controlled trial. Lancet, The, 2019, 394, 1425-1436.	13.7	33
44	Effectiveness and cost-effectiveness of basic versus biofeedback-mediated intensive pelvic floor muscle training for female stress or mixed urinary incontinence: protocol for the OPAL randomised trial. BMJ Open, 2019, 9, e024153.	1.9	14
45	Protocol for a multicentre randomised controlled parallel-group trial to compare the effectiveness of remotely delivered cognitive-behavioural and graded exercise interventions with usual care alone to lessen the impact of fatigue in inflammatory rheumatic diseases (LIFT). BMJ Open, 2019, 9, e026793.	1.9	9
46	Pragmatic cluster randomised cohort cross-over trial to determine the effectiveness of bridging from emergency to regular contraception: the Bridge-It study protocol. BMJ Open, 2019, 9, e029978.	1.9	8
47	Nitroglycerin for treatment of retained placenta: A randomised, placebo-controlled, multicentre, double-blind trial in the UK. PLoS Medicine, 2019, 16, e1003001.	8.4	0
48	Cognitive-behavioural therapy for clozapine-resistant schizophrenia: the FOCUS RCT. Health Technology Assessment, 2019, 23, 1-144.	2.8	16
49	Low-dose oral theophylline combined with inhaled corticosteroids for people with chronic obstructive pulmonary disease and high risk of exacerbations: a RCT. Health Technology Assessment, 2019, 23, 1-146.	2.8	7
50	Laparoscopic supracervical hysterectomy compared with second-generation endometrial ablation for heavy menstrual bleeding: the HEALTH RCT. Health Technology Assessment, 2019, 23, 1-108.	2.8	7
51	Glyceryl trinitrate to reduce the need for manual removal of retained placenta following vaginal delivery: the GOT-IT RCT. Health Technology Assessment, 2019, 23, 1-72.	2.8	92
52	Title is missing!. , 2019, 16, e1003001.		0
53	Title is missing!. , 2019, 16, e1003001.		0
54	Title is missing!. , 2019, 16, e1003001.		0

#	ARTICLE	IF	CITATIONS
55	Title is missing!. , 2019, 16, e1003001.		0
56	Quantitative fibronectin to help decision-making in women with symptoms of preterm labour (QUIDS) part 1: Individual participant data meta-analysis and health economic analysis. <i>BMJ Open</i> , 2018, 8, e020796.	1.9	5
57	Treatment of Advanced Glaucoma Study: a multicentre randomised controlled trial comparing primary medical treatment with primary trabeculectomy for people with newly diagnosed advanced glaucoma study protocol. <i>British Journal of Ophthalmology</i> , 2018, 102, 922-928.	3.9	42
58	Study protocol: quantitative fibronectin to help decision-making in women with symptoms of preterm labour (QUIDS) part 2, UK Prospective Cohort Study. <i>BMJ Open</i> , 2018, 8, e020795.	1.9	4
59	TISU: Extracorporeal shockwave lithotripsy, as first treatment option, compared with direct progression to ureteroscopic treatment, for ureteric stones: study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 286.	1.6	14
60	Cognitive behavioural therapy in clozapine-resistant schizophrenia (FOCUS): an assessor-blinded, randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 633-643.	7.4	71
61	HEALTH: laparoscopic supracervical hysterectomy versus second-generation endometrial ablation for the treatment of heavy menstrual bleeding: study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 63.	1.6	5
62	Texting to Reduce Alcohol Misuse (TRAM): main findings from a randomized controlled trial of a text message intervention to reduce binge drinking among disadvantaged men. <i>Addiction</i> , 2018, 113, 1609-1618.	3.3	21
63	Open randomised trial of the (Arabin) pessary to prevent preterm birth in twin pregnancy with health economics and acceptability: STOPPIT-2 study protocol. <i>BMJ Open</i> , 2018, 8, e026430.	1.9	8
64	Does progesterone prophylaxis to prevent preterm labour improve outcome? A randomised double-blind placebo-controlled trial (OPPTIMUM). <i>Health Technology Assessment</i> , 2018, 22, 1-304.	2.8	21
65	Improving the Quality of Dentistry (IQuaD): a cluster factorial randomised controlled trial comparing the effectiveness and cost-benefit of oral hygiene advice and/or periodontal instrumentation with routine care for the prevention and management of periodontal disease in dentate adults attending dental primary care. <i>Health Technology Assessment</i> , 2018, 22, 1-144.	2.8	37
66	Abdominal massage plus advice, compared with advice only, for neurogenic bowel dysfunction in MS: a RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-134.	2.8	20
67	Text message intervention to reduce frequency of binge drinking among disadvantaged men: the TRAM RCT. <i>Public Health Research</i> , 2018, 6, 1-156.	1.3	7
68	Early lens extraction with intraocular lens implantation for the treatment of primary angle closure glaucoma: an economic evaluation based on data from the EAGLE trial. <i>BMJ Open</i> , 2017, 7, e013254.	1.9	22
69	Abdominal massage for neurogenic bowel dysfunction in people with multiple sclerosis (AMBER) study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 150.	1.6	13
70	Comparative costs and activity from a sample of UK clinical trials units. <i>Trials</i> , 2017, 18, 203.	1.6	22
71	Modifying Alcohol Consumption to Reduce Obesity: A Randomized Controlled Feasibility Study of a Complex Community-based Intervention for Men. <i>Alcohol and Alcoholism</i> , 2017, 52, 677-684.	1.6	11
72	THISTLE: trial of hands-on Interprofessional simulation training for local emergencies: a research protocol for a stepped-wedge clustered randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 294.	2.4	12

#	ARTICLE	IF	CITATIONS
73	A pragmatic group sequential, placebo-controlled, randomised trial to determine the effectiveness of glyceryl trinitrate for retained placenta (GOT-IT): a study protocol. <i>BMJ Open</i> , 2017, 7, e017134.	1.9	3
74	Effectiveness of early lens extraction for the treatment of primary angle-closure glaucoma (EAGLE): a randomised controlled trial. <i>Lancet</i> , The, 2016, 388, 1389-1397.	13.7	385
75	Design and protocol for the Focusing on Clozapine Unresponsive Symptoms (FOCUS) trial: a randomised controlled trial. <i>BMC Psychiatry</i> , 2016, 16, 280.	2.6	16
76	Two parallel, pragmatic, UK multicentre, randomised controlled trials comparing surgical options for upper compartment (vault or uterine) pelvic organ prolapse (the VUE Study): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 441.	1.6	3
77	Vaginal progesterone prophylaxis for preterm birth (the OPPTIMUM study): a multicentre, randomised, double-blind trial. <i>Lancet</i> , The, 2016, 387, 2106-2116.	13.7	319
78	Clinical effectiveness and cost-effectiveness of surgical options for the management of anterior and/or posterior vaginal wall prolapse: two randomised controlled trials within a comprehensive cohort study – results from the PROSPECT Study. <i>Health Technology Assessment</i> , 2016, 20, 1-452.	2.8	348
79	Use of low-dose oral theophylline as an adjunct to inhaled corticosteroids in preventing exacerbations of chronic obstructive pulmonary disease: study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 267.	1.6	20
80	Open urethroplasty versus endoscopic urethrotomy - clarifying the management of men with recurrent urethral stricture (the OPEN trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 600.	1.6	13
81	Medical expulsive therapy in adults with ureteric colic: a multicentre, randomised, placebo-controlled trial. <i>Lancet</i> , The, 2015, 386, 341-349.	13.7	289
82	A mobile phone intervention to reduce binge drinking among disadvantaged men: study protocol for a randomised controlled cost-effectiveness trial. <i>Trials</i> , 2014, 15, 494.	1.6	10
83	Individualised pelvic floor muscle training in women with pelvic organ prolapse (POPPY): a multicentre randomised controlled trial. <i>Lancet</i> , The, 2014, 383, 796-806.	13.7	201
84	Risky Single-Occasion Drinking and Disadvantaged Men: Will Recruitment Through Primary Care Miss Hazardous Drinkers?. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 1577-1581.	2.4	5
85	IQuaD dental trial; improving the quality of dentistry: a multicentre randomised controlled trial comparing oral hygiene advice and periodontal instrumentation for the prevention and management of periodontal disease in dentate adults attending dental primary care. <i>BMC Oral Health</i> , 2013, 13, 58.	2.3	18
86	Trial protocol OPPTIMUM – Does progesterone prophylaxis for the prevention of preterm labour improve outcome?. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 79.	2.4	21
87	Power and sample size for cost-effectiveness analysis: fFN neonatal screening. <i>Contemporary Clinical Trials</i> , 2011, 32, 893-901.	1.8	17
88	Progesterone for the prevention of preterm birth in twin pregnancy (STOPPIT): a randomised, double-blind, placebo-controlled study and meta-analysis. <i>Lancet</i> , The, 2009, 373, 2034-2040.	13.7	273