
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2312720/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Intention mutability and translation of rural intention into actual rural medical practice. Medical Education, 2021, 55, 496-504.	2.1	13
2	The effect of regular consumption of lupin-containing foods on glycaemic control and blood pressure in people with type 2 diabetes mellitus. Food and Function, 2020, 11, 741-747.	4.6	12
3	Relationship between pulse pressure and inflammation with left ventricular diastolic dysfunction in chronic kidney disease patients. Internal Medicine Journal, 2019, 49, 240-247.	0.8	2
4	Alcohol and Hypertension—New Insights and Lingering Controversies. Current Hypertension Reports, 2019, 21, 79.	3.5	51
5	Relative progress and academic performance of graduate vs undergraduate entrants to an Australian medical school. BMC Medical Education, 2019, 19, 159.	2.4	6
6	Graduate doctors' rural work increases over time. Medical Teacher, 2019, 41, 1073-1080.	1.8	10
7	Likelihood of rural practice in medical school entrants with prior tertiary experience. Medical Teacher, 2019, 41, 765-772.	1.8	6
8	The Effects of OMEGA-3 Fatty Acid Supplementation Upon Interleukin-12 and Interleukin-18 in Chronic Kidney Disease Patients. , 2019, 29, 377-385.		6
9	Survival analysis of Rural Clinical School of Western Australia graduates: the long-term work of building a long-term rural medical workforce. BMC Health Services Research, 2019, 19, 998.	2.2	5
10	The relative predictive value of undergraduate versus graduate selection tools in two Australian medical schools. Medical Teacher, 2018, 40, 1183-1190.	1.8	8
11	Predicting performance of junior doctors: Association of workplace based assessment with demographic characteristics, emotional intelligence, selection scores, and undergraduate academic performance. Medical Teacher, 2018, 40, 1175-1182.	1.8	13
12	The effects of alcohol on plasma lipid mediators of inflammation resolution in patients with Type 2 diabetes mellitus. Prostaglandins Leukotrienes and Essential Fatty Acids, 2018, 133, 29-34.	2.2	27
13	The effect of n-3 fatty acids and coenzyme Q10 supplementation on neutrophil leukotrienes, mediators of inflammation resolution and myeloperoxidase in chronic kidney disease. Prostaglandins and Other Lipid Mediators, 2018, 136, 1-8.	1.9	41
14	Reply to OM Shannon et al. American Journal of Clinical Nutrition, 2018, 108, 1353-1354.	4.7	1
15	Nitrate-rich vegetables do not lower blood pressure in individuals with mildly elevated blood pressure: a 4-wk randomized controlled crossover trial. American Journal of Clinical Nutrition, 2018, 107, 894-908.	4.7	34
16	Interest in rural clinical school is not enough: Participation is necessary to predict an ultimate rural practice location. Australian Journal of Rural Health, 2017, 25, 210-218.	1.5	22
17	A Randomized Trial of Effects of Alcohol on Cytochrome P450 Eicosanoids, Mediators of Inflammation Resolution, and Blood Pressure in Men. Alcoholism: Clinical and Experimental Research, 2017, 41, 1666-1674.	2.4	14
18	On the validity of repeated assessments in the UMAT, a high-stakes admissions test. Advances in Health Sciences Education, 2017, 22, 1245-1262.	3.3	5

#	Article	IF	CITATIONS
19	Opting for rural practice: the influence of medical student origin, intention and immersion experience. Medical Journal of Australia, 2017, 207, 154-158.	1.7	58
20	Impact of medical student origins on the likelihood of ultimately practicing in areas of low vs high socio-economic status. BMC Medical Education, 2017, 17, 1.	2.4	189
21	n-3 Fatty Acid Supplementation and Leukocyte Telomere Length in Patients with Chronic Kidney Disease. Nutrients, 2016, 8, 175.	4.1	32
22	The effects of alcohol on ambulatory blood pressure and other cardiovascular risk factors in type 2 diabetes. Journal of Hypertension, 2016, 34, 421-428.	0.5	34
23	Acute effects of chlorogenic acids on endothelial function and blood pressure in healthy men and women. Food and Function, 2016, 7, 2197-2203.	4.6	32
24	A randomized controlled trial of the effects of n-3 fatty acids on resolvins in chronic kidney disease. Clinical Nutrition, 2016, 35, 331-336.	5.0	55
25	n-3 fatty acids reduce plasma 20-hydroxyeicosatetraenoic acid and blood pressure in patients with chronic kidney disease. Journal of Hypertension, 2015, 33, 1947-1953.	0.5	23
26	Medical student selection criteria and socio-demographic factors as predictors of ultimately working rurally after graduation. BMC Medical Education, 2015, 15, 74.	2.4	18
27	Randomized Controlled Intervention of the Effects of Alcohol on Blood Pressure in Premenopausal Women. Hypertension, 2015, 66, 517-523.	2.7	33
28	Absence of an effect of high nitrate intake from beetroot juice on blood pressure in treated hypertensive individuals: a randomized controlled trial. American Journal of Clinical Nutrition, 2015, 102, 368-375.	4.7	88
29	Longitudinal rural clerkships: increased likelihood of more remote rural medical practice following graduation. BMC Medical Education, 2015, 15, 55.	2.4	27
30	Short-Term Effects of a High Nitrate Diet on Nitrate Metabolism in Healthy Individuals. Nutrients, 2015, 7, 1906-1915.	4.1	36
31	Antibacterial Mouthwash Blunts Oral Nitrate Reduction and Increases Blood Pressure in Treated Hypertensive Men and Women. American Journal of Hypertension, 2015, 28, 572-575.	2.0	118
32	Effects of vitamin E, vitamin C and polyphenols on the rate of blood pressure variation: results of two randomised controlled trials. British Journal of Nutrition, 2014, 112, 1551-1561.	2.3	32
33	Medical student selection criteria as predictors of intended rural practice following graduation. BMC Medical Education, 2014, 14, 218.	2.4	30
34	Predicting academic outcomes in an Australian graduate entry medical programme. BMC Medical Education, 2014, 14, 31.	2.4	44
35	Effects of black tea on body composition and metabolic outcomes related to cardiovascular disease risk: a randomized controlled trial. Food and Function, 2014, 5, 1613-1620.	4.6	36
36	Relationships between academic performance of medical students and their workplace performance as junior doctors. BMC Medical Education, 2014, 14, 157.	2.4	32

#	Article	IF	CITATIONS
37	Short-term effects of nitrate-rich green leafy vegetables on blood pressure and arterial stiffness in individuals with high-normal blood pressure. Free Radical Biology and Medicine, 2014, 77, 353-362.	2.9	60
38	The acute effect of flavonoid-rich apples and nitrate-rich spinach on cognitive performance and mood in healthy men and women. Food and Function, 2014, 5, 849-858.	4.6	53
39	Practice effects in medical school entrance testing with the undergraduate medicine and health sciences admission test (UMAT). BMC Medical Education, 2014, 14, 48.	2.4	13
40	Relationships of vascular function with measures of ambulatory blood pressure variation. Atherosclerosis, 2014, 233, 48-54.	0.8	12
41	The effect of a single nucleotide polymorphism of the CYP4F2 gene on blood pressure and 20-hydroxyeicosatetraenoic acid excretion after weight loss. Journal of Hypertension, 2014, 32, 1495-1502.	0.5	14
42	Effects of a nitrate-rich meal on arterial stiffness and blood pressure in healthy volunteers. Nitric Oxide - Biology and Chemistry, 2013, 35, 123-130.	2.7	66
43	Dietary quercetin attenuates oxidant-induced endothelial dysfunction and atherosclerosis in apolipoprotein E knockout mice fed a high-fat diet: A critical role for heme oxygenase-1. Free Radical Biology and Medicine, 2013, 65, 908-915.	2.9	111
44	Short-term effects of polyphenol-rich black tea on blood pressure in men and women. Food and Function, 2013, 4, 111-115.	4.6	18
45	Socio-economic predictors of performance in the Undergraduate Medicine and Health Sciences Admission Test (UMAT). BMC Medical Education, 2013, 13, 155.	2.4	29
46	Acute effects of red wine on cytochrome P450 eicosanoids and blood pressure in men. Journal of Hypertension, 2013, 31, 2195-2202.	0.5	20
47	Black tea lowers the rate of blood pressure variation: a randomized controlled trial. American Journal of Clinical Nutrition, 2013, 97, 943-950.	4.7	43
48	Effects of Black Tea on Blood Pressure: A Randomized Controlled Trial. Archives of Internal Medicine, 2012, 172, 186.	3.8	76
49	Nitrate causes a dose-dependent augmentation of nitric oxide status in healthy women. Food and Function, 2012, 3, 522.	4.6	21
50	Systemic arterial inflammation, measured with 18FDG-PET, is common amongst subjects with both recent and prior cerebrovascular disease. Clinical Neurology and Neurosurgery, 2012, 114, 613-616.	1.4	1
51	Birth of a cohort — the first 20 years of the Raine study. Medical Journal of Australia, 2012, 197, 608-610.	1.7	63
52	Flavonoid-rich apples and nitrate-rich spinach augment nitric oxide status and improve endothelial function in healthy men and women: a randomized controlled trial. Free Radical Biology and Medicine, 2012, 52, 95-102.	2.9	226
53	A Randomized Placebo Controlled Trial of Early Treatment of Acute Ischemic Stroke with Atorvastatin and Irbesartan. International Journal of Stroke, 2012, 7, 104-111.	5.9	29
54	Admission selection criteria as predictors of outcomes in an undergraduate medical course: A prospective study. Medical Teacher, 2011, 33, 997-1004.	1.8	67

#	Article	IF	CITATIONS
55	Association of clinical and aetiologic subtype of acute ischaemic stroke with inflammation, oxidative stress and vascular function: A cross-sectional observational study. Medical Science Monitor, 2011, 17, CR467-CR473.	1.1	17
56	Cytochrome P450 metabolites of arachidonic acid are elevated in stroke patients compared with healthy controls. Clinical Science, 2011, 121, 501-507.	4.3	65
57	Potential influence of selection criteria on the demographic composition of students in an Australian medical school. BMC Medical Education, 2011, 11, 97.	2.4	26
58	Lupin and soya reduce glycaemia acutely in type 2 diabetes. British Journal of Nutrition, 2011, 106, 1045-1051.	2.3	37
59	A comparison of the effects of swimming and walking on body weight, fat distribution, lipids, glucose, and insulin in older women—the Sedentary Women Exercise Adherence Trial 2. Metabolism: Clinical and Experimental, 2010, 59, 1562-1573.	3.4	31
60	Systemic vascular function, measured with forearm flow mediated dilatation, in acute and stable cerebrovascular disease: a case-control study. Cardiovascular Ultrasound, 2010, 8, 46.	1.6	1
61	The Effects of a Lupin-Enriched Diet on Oxidative Stress and Factors Influencing Vascular Function in Overweight Subjects. Antioxidants and Redox Signaling, 2010, 13, 1517-1524.	5.4	16
62	Systemic markers of inflammation are independently associated with S100B concentration: results of an observational study in subjects with acute ischaemic stroke. Journal of Neuroinflammation, 2010, 7, 71.	7.2	39
63	The omega-3 fatty acids EPA and DHA decrease plasma F2-isoprostanes: Results from two placebo-controlled interventions. Free Radical Research, 2010, 44, 983-990.	3.3	83
64	Reply to JO Lundberg. American Journal of Clinical Nutrition, 2009, 89, 652-653.	4.7	0
65	Effects of lupin kernel flour–enriched bread on blood pressure: a controlled intervention study. American Journal of Clinical Nutrition, 2009, 89, 766-772.	4.7	104
66	Inhibition of 20-Hydroxyeicosatetraenoic Acid Synthesis Using Specific Plant Lignans. Hypertension, 2009, 54, 1151-1158.	2.7	33
67	Skim milk compared with a fruit drink acutely reduces appetite and energy intake in overweight men and women. American Journal of Clinical Nutrition, 2009, 90, 70-75.	4.7	73
68	HDL is the major lipoprotein carrier of plasma F2-isoprostanes. Journal of Lipid Research, 2009, 50, 716-722.	4.2	93
69	20-HETE and F2-isoprostanes in the metabolic syndrome: the effect of weight reduction. Free Radical Biology and Medicine, 2009, 46, 263-270.	2.9	69
70	Perceptions by medical students of their educational environment for obstetrics and gynaecology in metropolitan and rural teaching sites. Medical Teacher, 2009, 31, e596-e602.	1.8	29
71	The effects of ω3 fatty acids and coenzyme Q10 on blood pressure and heart rate in chronic kidney disease: a randomized controlled trial. Journal of Hypertension, 2009, 27, 1863-1872.	0.5	87
72	Vitamin E Supplementation and Hepatic Drug Metabolism in Humans. Journal of Cardiovascular Pharmacology, 2009, 54, 491-496.	1.9	14

#	Article	IF	CITATIONS
73	PROTEIN, FIBRE AND BLOOD PRESSURE: POTENTIAL BENEFIT OF LEGUMES. Clinical and Experimental Pharmacology and Physiology, 2008, 35, 473-476.	1.9	35
74	Short and long-term adherence to swimming and walking programs in older women — The Sedentary Women Exercise Adherence Trial (SWEAT 2). Preventive Medicine, 2008, 46, 511-517.	3.4	37
75	A Single Nucleotide Polymorphism in the <i>CYP4F2</i> but not <i>CYP4A11</i> Gene Is Associated With Increased 20-HETE Excretion and Blood Pressure. Hypertension, 2008, 51, 1393-1398.	2.7	145
76	Pure dietary flavonoids quercetin and (â^')-epicatechin augment nitric oxide products and reduce endothelin-1 acutely in healthy men. American Journal of Clinical Nutrition, 2008, 88, 1018-1025.	4.7	325
77	Effects of α-Tocopherol and Mixed Tocopherol Supplementation on Markers of Oxidative Stress and Inflammation in Type 2 Diabetes. Clinical Chemistry, 2007, 53, 511-519.	3.2	100
78	Increased Lean Red Meat Intake Does Not Elevate Markers of Oxidative Stress and Inflammation in Humans. Journal of Nutrition, 2007, 137, 363-367.	2.9	69
79	The effect of vitamin E on blood pressure in individuals with type 2 diabetes: a randomized, double-blind, placebo-controlled trial. Journal of Hypertension, 2007, 25, 227-234.	0.5	117
80	Acute effects of tea on fasting and non-fasting plasma total homocysteine concentrations in human subjects. British Journal of Nutrition, 2007, 97, 842-846.	2.3	7
81	Impact of foods enriched with <i>n</i> -3 long-chain polyunsaturated fatty acids on erythrocyte <i>n</i> -3 levels and cardiovascular risk factors. British Journal of Nutrition, 2007, 97, 749-757.	2.3	104
82	Monocyte-derived macrophages from men and women with Type 2 diabetes mellitus differ in fatty acid composition compared with non-diabetic controls. Diabetes Research and Clinical Practice, 2007, 75, 292-300.	2.8	14
83	Predictors of type 2 diabetes and diabetes-related hospitalisation in an Australian Aboriginal cohort. Diabetes Research and Clinical Practice, 2007, 78, 360-368.	2.8	24
84	A reduction in alcohol consumption is associated with reduced plasma F2-isoprostanes and urinary 20-HETE excretion in men. Free Radical Biology and Medicine, 2007, 42, 1730-1735.	2.9	41
85	Alcohol Intake and Blood Pressure. , 2007, , 483-500.		3
86	20-Hydroxyeicosatetraenoic acid is not associated with circulating insulin in lean to overweight humans. Diabetes Research and Clinical Practice, 2006, 74, 197-200.	2.8	17
87	Differential modulation of cell cycle, apoptosis and PPARγ2 gene expression by PPARγ agonists ciglitazone and 9-hydroxyoctadecadienoic acid in monocytic cells. Prostaglandins Leukotrienes and Essential Fatty Acids, 2006, 74, 283-293.	2.2	32
88	Supplementation with mixed tocopherols increases serum and blood cell γ-tocopherol but does not alter biomarkers of platelet activation in subjects with type 2 diabetes. American Journal of Clinical Nutrition, 2006, 83, 95-102.	4.7	37
89	Lupin-enriched bread increases satiety and reduces energy intake acutely. American Journal of Clinical Nutrition, 2006, 84, 975-980.	4.7	151
90	Partial substitution of carbohydrate intake with protein intake from lean red meat lowers blood pressure in hypertensive persons. American Journal of Clinical Nutrition, 2006, 83, 780-787.	4.7	123

#	Article	IF	CITATIONS
91	Is reversal of endothelial dysfunction by tea related to flavonoid metabolism?. British Journal of Nutrition, 2006, 95, 14-17.	2.3	42
92	Blood pressure rise with swimming versus walking in older women: the Sedentary Women Exercise Adherence Trial 2 (SWEAT 2). Journal of Hypertension, 2006, 24, 307-314.	0.5	47
93	EFFECT OF ALCOHOL ON CYTOCHROME P450 ARACHIDONIC ACID METABOLISM AND BLOOD PRESSURE IN RATS AND ITS MODULATION BY RED WINE POLYPHENOLICS. Clinical and Experimental Pharmacology and Physiology, 2006, 33, 183-188.	1.9	20
94	ALCOHOL IS BAD FOR BLOOD PRESSURE. Clinical and Experimental Pharmacology and Physiology, 2006, 33, 847-852.	1.9	120
95	Prevention of Programmed Hyperleptinemia and Hypertension by Postnatal Dietary ω-3 Fatty Acids. Endocrinology, 2006, 147, 599-606.	2.8	112
96	Alcohol and Hypertension. Hypertension, 2006, 47, 1035-1038.	2.7	116
97	Acute effects of tea on fasting and postprandial vascular function and blood pressure in humans. Journal of Hypertension, 2005, 23, 47-54.	0.5	86
98	The combination of vitamin C and grape-seed polyphenols increases blood pressure: a randomized, double-blind, placebo-controlled trial. Journal of Hypertension, 2005, 23, 427-434.	0.5	100
99	The Use of Novel Foods Enriched with Long-Chain n-3 Fatty Acids to Increase Dietary Intake: A Comparison of Methodologies Assessing Nutrient Intake. Journal of the American Dietetic Association, 2005, 105, 1918-1926.	1.1	21
100	Urinary 20-hydroxyeicosatetraenoic acid excretion is associated with oxidative stress in hypertensive subjects. Free Radical Biology and Medicine, 2005, 38, 1032-1036.	2.9	65
101	Nitration of $\hat{I}^3$ -tocopherol prevents its oxidative metabolism by HepG2 cells. Free Radical Biology and Medicine, 2005, 39, 483-494.	2.9	9
102	Red Wine and Beer Elevate Blood Pressure in Normotensive Men. Hypertension, 2005, 45, 874-879.	2.7	143
103	Dietary flavonoids and cardiovascular disease: does the emperor have any clothes?. Journal of Hypertension, 2005, 23, 1461-1463.	0.5	6
104	Alcohol and Hypertension. , 2005, , 475-486.		0
105	Independent and additive effects of energy restriction and exercise on glucose and insulin concentrations in sedentary overweight men. American Journal of Clinical Nutrition, 2004, 80, 308-316.	4.7	82
106	Measurement of 20-Hydroxyeicosatetraenoic Acid in Human Urine by Gas Chromatography–Mass Spectrometry. Clinical Chemistry, 2004, 50, 224-226.	3.2	46
107	Urinary 20-Hydroxyeicosatetraenoic Acid Is Associated With Endothelial Dysfunction in Humans. Circulation, 2004, 110, 438-443.	1.6	136
108	Oxidative stress in human hypertension: association with antihypertensive treatment, gender, nutrition, and lifestyle. Free Radical Biology and Medicine, 2004, 36, 226-232.	2.9	124

#	Article	IF	CITATIONS
109	Supplementation with Grape Seed Polyphenols Results in Increased Urinary Excretion of 3-Hydroxyphenylpropionic Acid, an Important Metabolite of Proanthocyanidins in Humans. Journal of Agricultural and Food Chemistry, 2004, 52, 5545-5549.	5.2	110
110	Sildenafil citrate for erectile dysfunction in men receiving multiple antihypertensive agentsA randomized controlled trial. American Journal of Hypertension, 2004, 17, 1135-1142.	2.0	74
111	Red wine polyphenolic compounds inhibit atherosclerosis in apolipoprotein E–deficient mice independently of effects on lipid peroxidation. American Journal of Clinical Nutrition, 2004, 79, 54-61.	4.7	89
112	Should measurement of coronary calcification be included in the risk stratification of hypertensive patients?. Journal of Hypertension, 2004, 22, 455-458.	0.5	0
113	Phenolic acid metabolites as biomarkers for tea- and coffee-derived polyphenol exposure in human subjects. British Journal of Nutrition, 2004, 91, 301-305.	2.3	66
114	Effect of fish diets and weight loss on serum leptin concentration in overweight, treated-hypertensive subjects. Journal of Hypertension, 2004, 22, 1983-1990.	0.5	47
115	Brachial artery vasomotor function is inversely associated with 24-h ambulatory blood pressure. Journal of Hypertension, 2004, 22, 967-972.	0.5	26
116	Effect of eicosapentaenoic acid and docosahexaenoic acid on oxidative stress and inflammatory markers in treated-hypertensive type 2 diabetic subjects. Free Radical Biology and Medicine, 2003, 35, 772-781.	2.9	285
117	Effects of purified eicosapentaenoic acid and docosahexaenoic acid on platelet, fibrinolytic and vascular function in hypertensive type 2 diabetic patients. Atherosclerosis, 2003, 166, 85-93.	0.8	172
118	Fatty acid oxidation products in human atherosclerotic plaque: an analysis of clinical and histopathological correlates. Atherosclerosis, 2003, 167, 111-120.	0.8	72
119	The independent and combined effects of 16 weeks of vigorous exercise and energy restriction on body mass and composition in free-living overweight men—A randomized controlled trial. Metabolism: Clinical and Experimental, 2003, 52, 107-115.	3.4	41
120	Alcohol and Type 2 Diabetes - Another Paradox?. European Journal of Cardiovascular Prevention and Rehabilitation, 2003, 10, 25-30.	2.8	14
121	Docosahexaenoic Acid But Not Eicosapentaenoic Acid Increases LDL Particle Size in Treated Hypertensive Type 2 Diabetic Patients. Diabetes Care, 2003, 26, 253-253.	8.6	60
122	Angiotensin II Type 1 Receptor Antagonists Inhibit Basal As Well As Low-Density Lipoprotein and Platelet-Activating Factor-Stimulated Human Monocyte Chemoattractant Protein-1. Journal of Pharmacology and Experimental Therapeutics, 2003, 305, 846-853.	2.5	28
123	The Effect of Alcohol Intake on Insulin Sensitivity in Men: A randomized controlled trial. Diabetes Care, 2003, 26, 608-612.	8.6	54
124	Effects of alcohol intake on endothelial function in men. Journal of Hypertension, 2003, 21, 97-103.	0.5	42
125	Title is missing!. European Journal of Cardiovascular Prevention and Rehabilitation, 2003, 10, 25-30.	1.5	31
126	Comparison of nitration and oxidation of tyrosine in advanced human carotid plaque proteins. Biochemical Journal, 2003, 370, 339-344.	3.7	15

#	Article	IF	CITATIONS
127	Can black tea influence plasma total homocysteine concentrations?. American Journal of Clinical Nutrition, 2003, 77, 907-911.	4.7	36
128	Tea Intake Is Inversely Related to Blood Pressure in Older Women. Journal of Nutrition, 2003, 133, 2883-2886.	2.9	62
129	Effects of Exercise and Weight Loss on Hypertension. JAMA - Journal of the American Medical Association, 2003, 290, 887-887.	7.4	5
130	Antioxidant and Pro-Oxidant Effects of Alcoholic Beverages. , 2003, , 19-33.		5
131	Reproducibility of Two Approaches for Assessing Alcohol Consumption Among Older Adults. Addiction Research and Theory, 2002, 10, 373-385.	1.9	5
132	Acute effects of ingestion of black tea on postprandial platelet aggregation in human subjects. British Journal of Nutrition, 2002, 87, 141-145.	2.3	32
133	Evidence for the nitration of γ-tocopherol in vivo: 5-nitro-γ-tocopherol is elevated in the plasma of subjects with coronary heart disease. Biochemical Journal, 2002, 364, 625-628.	3.7	50
134	Regular ingestion of black tea improves brachial artery vasodilator function. Clinical Science, 2002, 102, 195-201.	4.3	105
135	Regular ingestion of black tea improves brachial artery vasodilator function. Clinical Science, 2002, 102, 195.	4.3	92
136	Effects of vitamin C and vitamin E on in vivo lipid peroxidation: results of a randomized controlled trial. American Journal of Clinical Nutrition, 2002, 76, 549-555.	4.7	166
137	Leukocyte count and vascular function in Type 2 diabetic subjects with treated hypertension. Atherosclerosis, 2002, 163, 175-181.	0.8	39
138	Regular Ingestion of Tea Does Not Inhibit In Vivo Lipid Peroxidation in Humans. Journal of Nutrition, 2002, 132, 55-58.	2.9	86
139	Effects of purified eicosapentaenoic and docosahexaenoic acids on glycemic control, blood pressure, and serum lipids in type 2 diabetic patients with treated hypertension,,. American Journal of Clinical Nutrition, 2002, 76, 1007-1015.	4.7	296
140	Nutrition for Life's Stages: The Evidence Base. Asia Pacific Journal of Clinical Nutrition, 2002, 11, S477-S479.	0.4	0
141	Non Pharmacologic Therapy and Lifestyle Factors in Hypertension. Blood Pressure, 2001, 10, 352-365.	1.5	24
142	Long-term effects of exercise on blood pressure and lipids in healthy women aged 40–65 years: The Sedentary Women Exercise Adherence Trial (SWEAT). Journal of Hypertension, 2001, 19, 1733-1743.	0.5	45
143	Recent Developments Concerning Diet And Hypertension. Clinical and Experimental Pharmacology and Physiology, 2001, 28, 1078-1082.	1.9	8
144	Identification and Quantitation of Unique Fatty Acid Oxidation Products in Human Atherosclerotic Plaque Using High-Performance Liquid Chromatography. Analytical Biochemistry, 2001, 292, 234-244.	2.4	69

#	Article	IF	CITATIONS
145	Red wine polyphenols, in the absence of alcohol, reduce lipid peroxidative stress in smoking subjects. Free Radical Biology and Medicine, 2001, 30, 636-642.	2.9	107
146	Dietary Protein and Soluble Fiber Reduce Ambulatory Blood Pressure in Treated Hypertensives. Hypertension, 2001, 38, 821-826.	2.7	176
147	Purified eicosapentaenoic and docosahexaenoic acids have differential effects on serum lipids and lipoproteins, LDL particle size, glucose, and insulin in mildly hyperlipidemic men. American Journal of Clinical Nutrition, 2000, 71, 1085-1094.	4.7	513
148	Ingestion of red wine significantly increases plasma phenolic acid concentrations but does not acutely affect ex vivo lipoprotein oxidizability. American Journal of Clinical Nutrition, 2000, 71, 67-74.	4.7	187
149	Acute effects of ingestion of black and green tea on lipoprotein oxidation. American Journal of Clinical Nutrition, 2000, 71, 1103-1107.	4.7	103
150	Large multicentre hypertension trials. Current Opinion in Nephrology and Hypertension, 2000, 9, 285-292.	2.0	0
151	Chemistry And Biological Effects Of Dietary Phenolic Compounds: Relevance To Cardiovascular Disease. Clinical and Experimental Pharmacology and Physiology, 2000, 27, 152-159.	1.9	294
152	Differential Effects of Eicosapentaenoic Acid and Docosahexaenoic Acid on Vascular Reactivity of the Forearm Microcirculation in Hyperlipidemic, Overweight Men. Circulation, 2000, 102, 1264-1269.	1.6	331
153	Gallic Acid Metabolites Are Markers of Black Tea Intake in Humans. Journal of Agricultural and Food Chemistry, 2000, 48, 2276-2280.	5.2	97
154	COMPARISON OF OSCILLOMETRIC BLOOD PRESSURE MEASUREMENTS AT THE WRIST WITH AN UPPER-ARM AUSCULTATORY MERCURY SPHYGMOMANOMETER. Clinical and Experimental Pharmacology and Physiology, 1999, 26, 477-481.	1.9	20
155	An Improved Method for the Measurement of Urinary and Plasma F2-Isoprostanes Using Gas Chromatography–Mass Spectrometry. Analytical Biochemistry, 1999, 268, 117-125.	2.4	198
156	Comparison of the effects of black and green tea onin vitro lipoprotein oxidation in human serum. Journal of the Science of Food and Agriculture, 1999, 79, 561-566.	3.5	35
157	Effect of dietary fish and exercise training on urinary F2-isoprostane excretion in non—insulin-dependent diabetic patients. Metabolism: Clinical and Experimental, 1999, 48, 1402-1408.	3.4	112
158	Isoflavonoids do not inhibit in vivo lipid peroxidation in subjects with high-normal blood pressure. Atherosclerosis, 1999, 145, 167-172.	0.8	75
159	Docosahexaenoic Acid but Not Eicosapentaenoic Acid Lowers Ambulatory Blood Pressure and Heart Rate in Humans. Hypertension, 1999, 34, 253-260.	2.7	356
160	Dietary fish as a major component of a weight-loss diet: effect on serum lipids, glucose, and insulin metabolism in overweight hypertensive subjects. American Journal of Clinical Nutrition, 1999, 70, 817-825.	4.7	253
161	Effects on blood pressure of drinking green and black tea. Journal of Hypertension, 1999, 17, 457-463.	0.5	142
162	A Randomised, Controlled Study of the Effects of Aerobic Exercise and Dietary Fish on Coagulation and Fibrinolytic Factors in Type 2 Diabetics. Thrombosis and Haemostasis, 1999, 81, 367-372.	3.4	34

#	Article	IF	CITATIONS
163	Carbohydrateâ€Deficient Transferrin as a Marker of Change in Alcohol Intake in Men Drinking 20 to 60 g of Alcohol Per Day. Alcoholism: Clinical and Experimental Research, 1998, 22, 1973-1980.	2.4	31
164	A controlled trial of the effects of pattern of alcohol intake on serum lipid levels in regular drinkers. Atherosclerosis, 1998, 137, 243-252.	0.8	62
165	Effects of Dietary Fish and Weight Reduction on Ambulatory Blood Pressure in Overweight Hypertensives. Hypertension, 1998, 32, 710-717.	2.7	209
166	Influence of pattern of alcohol intake on blood pressure in regular drinkers. Journal of Hypertension, 1998, 16, 165-174.	0.5	73
167	Supplementation with Isoflavonoid Phytoestrogens Does Not Alter Serum Lipid Concentrations: A Randomized Controlled Trial in Humans. Journal of Nutrition, 1998, 128, 728-732.	2.9	195
168	The Role of Copper Reduction by α-Tocopherol in Low-Density Lipoprotein Oxidation. Free Radical Biology and Medicine, 1997, 23, 720-728.	2.9	35
169	Unexpected Dose Response of Copper Concentration on Lipoprotein Oxidation in Serum: Discovery of A Unique Peroxidase-Like Activity of Urate/Albumin in the Presence of High Copper Concentrations. Free Radical Biology and Medicine, 1997, 23, 699-705.	2.9	24
170	Alcoholic beverages and lipid peroxidation: relevance to cardiovascular disease. Addiction Biology, 1997, 2, 269-276.	2.6	17
171	Alcohol, hypertension and the cardiovascular system: a critical appraisal. Addiction Biology, 1997, 2, 159-170.	2.6	36
172	Low serum cholesterol and the risk of cerebral haemorrhage. Atherosclerosis, 1996, 119, 1-6.	0.8	29
173	Exercise and weight control in sedentary overweight men: effects on clinic and ambulatory blood pressure. Journal of Hypertension, 1996, 14, 779-790.	0.5	56
174	Phenolic Content of Various Beverages Determines the Extent of Inhibition of Human Serum and Low-Density Lipoprotein Oxidation in Vitro: Identification and Mechanism of Action of Some Cinnamic Acid Derivatives from Red Wine. Clinical Science, 1996, 91, 449-458.	4.3	175
175	Oxidative Susceptibility of Low-Density Lipoproteins-Influence of Regular Alcohol Use. Alcoholism: Clinical and Experimental Research, 1996, 20, 980-984.	2.4	41
176	Soybean isoflavonoids and their metabolic products inhibit in vitro lipoprotein oxidation in serum. Journal of Nutritional Biochemistry, 1996, 7, 664-669.	4.2	129
177	DETERMINANTS OF CHANGE IN BLOOD PRESSURE DURING S.W.E.A.T.: THE SEDENTARY WOMEN EXERCISE ADHERENCE TRIAL. Clinical and Experimental Pharmacology and Physiology, 1996, 23, 567-569.	1.9	16
178	Exercise in the prevention and treatment of hypertension. Current Opinion in Nephrology and Hypertension, 1995, 4, 245-250.	2.0	6
179	Exercise lowers blood pressure ??? sometimes? Or did Pheidippides have hypertension?. Journal of Hypertension, 1995, 13, 1229-1233.	0.5	16
180	HYPERTENSION MANAGEMENT: A COMPARISON OF URBAN VERSUS RURAL GENERAL PRACTITIONERS IN WESTERN AUSTRALIA. Clinical and Experimental Pharmacology and Physiology, 1995, 22, 447-449.	1.9	8

#	Article	IF	CITATIONS
181	Genetic and environmental covariance of serum cholesterol and blood pressure in female twins. Atherosclerosis, 1993, 100, 19-31.	0.8	45
182	The combined effects of aerobic exercise and alcohol restriction on blood pressure and serum lipids: a two-way factorial study in sedentary men. Journal of Hypertension, 1993, 11, 191-201.	0.5	42
183	Effect of smoking cessation on serum apolipoprotein A-I and A-II concentrations. Pathology, 1991, 23, 98-102.	0.6	19
184	Alcohol consumption, age and personality characteristics as important determinants of within-subject variability in blood pressure. Journal of Hypertension, 1988, 6, S617-619.	0.5	8
185	Lifestyle- and occupation-related changes in blood pressure over a six-year period in a cohort of working men. Journal of Hypertension, 1988, 6, S605-607.	0.5	28