Robert B Gunier

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/232306/publications.pdf

Version: 2024-02-01

88 papers 5,851 citations

43 h-index 76900 74 g-index

88 all docs 88 docs citations

88 times ranked 6253 citing authors

#	Article	IF	CITATIONS
1	Maternal and Neonatal Morbidity and Mortality Among Pregnant Women With and Without COVID-19 Infection. JAMA Pediatrics, 2021, 175, 817.	6.2	910
2	Autism Spectrum Disorders in Relation to Distribution of Hazardous Air Pollutants in the San Francisco Bay Area. Environmental Health Perspectives, 2006, 114, 1438-1444.	6.0	346
3	Prenatal and early childhood bisphenol A concentrations and behavior in school-aged children. Environmental Research, 2013, 126, 43-50.	7.5	251
4	Traffic density in California: Socioeconomic and ethnic differences among potentially exposed children. Journal of Exposure Science and Environmental Epidemiology, 2003, 13, 240-246.	3.9	184
5	Critical windows of exposure to household pesticides and risk of childhood leukemia Environmental Health Perspectives, 2002, 110, 955-960.	6.0	176
6	Preeclampsia and COVID-19: results from the INTERCOVID prospective longitudinal study. American Journal of Obstetrics and Gynecology, 2021, 225, 289.e1-289.e17.	1.3	172
7	Nitrogen dioxide prediction in Southern California using land use regression modeling: potential for environmental health analyses. Journal of Exposure Science and Environmental Epidemiology, 2006, 16, 106-114.	3.9	168
8	Maternal Urinary Bisphenol A during Pregnancy and Maternal and Neonatal Thyroid Function in the CHAMACOS Study. Environmental Health Perspectives, 2013, 121, 138-144.	6.0	153
9	Prenatal Residential Proximity to Agricultural Pesticide Use and IQ in 7-Year-Old Children. Environmental Health Perspectives, 2017, 125, 057002.	6.0	135
10	Residential Exposure to Polychlorinated Biphenyls and Organochlorine Pesticides and Risk of Childhood Leukemia. Environmental Health Perspectives, 2009, 117, 1007-1013.	6.0	121
11	Current-use flame retardants: Maternal exposure and neurodevelopment in children of the CHAMACOS cohort. Chemosphere, 2017, 189, 574-580.	8.2	110
12	Childhood cancer incidence rates and hazardous air pollutants in California: an exploratory analysis Environmental Health Perspectives, 2003, 111, 663-668.	6.0	107
13	Childhood cancer and agricultural pesticide use: an ecologic study in California Environmental Health Perspectives, 2002, 110, 319-324.	6.0	104
14	Determinants of Agricultural Pesticide Concentrations in Carpet Dust. Environmental Health Perspectives, 2011, 119, 970-976.	6.0	101
15	Community exposures to airborne agricultural pesticides in California: ranking of inhalation risks Environmental Health Perspectives, 2002, 110, 1175-1184.	6.0	94
16	Prenatal and childhood polybrominated diphenyl ether (PBDE) exposure and attention and executive function at 9–12years of age. Neurotoxicology and Teratology, 2015, 52, 151-161.	2.4	91
17	Organic diet intervention significantly reduces urinary pesticide levels in U.S. children and adults. Environmental Research, 2019, 171, 568-575.	7.5	88
18	Prenatal and postnatal manganese teeth levels and neurodevelopment at 7, 9, and 10.5 years in the CHAMACOS cohort. Environment International, 2015, 84, 39-54.	10.0	87

#	Article	lF	Citations
19	Residential Exposure to Traffic in California and Childhood Cancer. Epidemiology, 2004, 15, 6-12.	2.7	86
20	Agricultural Pesticide Use and Childhood Cancer in California. Epidemiology, 2005, 16, 93-100.	2.7	82
21	Prenatal Organophosphate Pesticide Exposure and Traits Related to Autism Spectrum Disorders in a Population Living in Proximity to Agriculture. Environmental Health Perspectives, 2018, 126, 047012.	6.0	79
22	Residential proximity to agricultural pesticide applications and childhood acute lymphoblastic leukemia. Environmental Research, 2009, 109, 891-899.	7.5	78
23	Association of Perceived Immigration Policy Vulnerability With Mental and Physical Health Among US-Born Latino Adolescents in California. JAMA Pediatrics, 2019, 173, 744.	6.2	77
24	Correlating Agricultural Use of Organophosphates with Outdoor Air Concentrations: A Particular Concern for Children. Environmental Health Perspectives, 2005, 113, 1184-1189.	6.0	75
25	Residential proximity to organophosphate and carbamate pesticide use during pregnancy, poverty during childhood, and cognitive functioning in 10-year-old children. Environmental Research, 2016, 150, 128-137.	7.5	72
26	Prenatal phthalate exposure and altered patterns of DNA methylation in cord blood. Environmental and Molecular Mutagenesis, 2017, 58, 398-410.	2.2	71
27	Decreased lung function in 7-year-old children with early-life organophosphate exposure. Thorax, 2016, 71, 148-153.	5.6	67
28	Characterizing Workplace Exposures in Vietnamese Women Working in California Nail Salons. American Journal of Public Health, 2011, 101, S271-S276.	2.7	66
29	Manganese in teeth and neurodevelopment in young Mexican–American children. Environmental Research, 2015, 142, 688-695.	7. 5	66
30	Traffic patterns and childhood cancer incidence rates in California, United States. Cancer Causes and Control, 2002, 13, 665-673.	1.8	63
31	Household vacuum cleaners vs. the high-volume surface sampler for collection of carpet dust samples in epidemiologic studies of children. Environmental Health, 2008, 7, 6.	4.0	62
32	Prenatal exposure to organophosphate pesticides and functional neuroimaging in adolescents living in proximity to pesticide application. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 18347-18356.	7.1	61
33	Residential proximity to agricultural pesticide use and incidence of breast cancer in the California Teachers Study cohort. Environmental Research, 2004, 96, 206-218.	7. 5	58
34	Estimating Exposure to Polycyclic Aromatic Hydrocarbons: A Comparison of Survey, Biological Monitoring, and Geographic Information System-Based Methods. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1376-1381.	2.5	58
35	Associations of maternal exposure to triclosan, parabens, and other phenols with prenatal maternal and neonatal thyroid hormone levels. Environmental Research, 2018, 165, 379-386.	7.5	58
36	Residential Proximity to Methyl Bromide Use and Birth Outcomes in an Agricultural Population in California. Environmental Health Perspectives, 2013, 121, 737-743.	6.0	57

#	Article	IF	Citations
37	Biomarkers of Manganese Exposure in Pregnant Women and Children Living in an Agricultural Community in California. Environmental Science & Environment	10.0	52
38	Early childhood adversity potentiates the adverse association between prenatal organophosphate pesticide exposure and child IQ: The CHAMACOS cohort. NeuroToxicology, 2016, 56, 180-187.	3.0	51
39	Determinants of pesticide concentrations in silicone wristbands worn by Latina adolescent girls in a California farmworker community: The COSECHA youth participatory action study. Science of the Total Environment, 2019, 652, 1022-1029.	8.0	50
40	Polycyclic aromatic hydrocarbons in residential dust and risk of childhood acute lymphoblastic leukemia. Environmental Research, 2014, 133, 388-395.	7.5	48
41	Determinants of Manganese in Prenatal Dentin of Shed Teeth from CHAMACOS Children Living in an Agricultural Community. Environmental Science & Eamp; Technology, 2013, 47, 11249-11257.	10.0	47
42	Residential Levels of Polybrominated Diphenyl Ethers and Risk of Childhood Acute Lymphoblastic Leukemia in California. Environmental Health Perspectives, 2014, 122, 1110-1116.	6.0	47
43	Determinants of polycyclic aromatic hydrocarbon levels in house dust. Journal of Exposure Science and Environmental Epidemiology, 2011, 21, 123-132.	3.9	43
44	Determinants and Within-Person Variability of Urinary Cadmium Concentrations among Women in Northern California. Environmental Health Perspectives, 2013, 121, 643-649.	6.0	43
45	Diabetes mellitus, maternal adiposity, and insulin-dependent gestational diabetes are associated with COVID-19 in pregnancy: the INTERCOVID study. American Journal of Obstetrics and Gynecology, 2022, 227, 74.e1-74.e16.	1.3	43
46	Association between Pesticide Profiles Used on Agricultural Fields near Maternal Residences during Pregnancy and IQ at Age 7 Years. International Journal of Environmental Research and Public Health, 2017, 14, 506.	2.6	42
47	Associations between self-reported pest treatments and pesticide concentrations in carpet dust. Environmental Health, 2015, 14, 27.	4.0	40
48	Residential Proximity to Agricultural Pesticide Use and Incidence of Breast Cancer in California, 1988–1997. Environmental Health Perspectives, 2005, 113, 993-1000.	6.0	39
49	Linkage of the California Pesticide Use Reporting Database with Spatial Land Use Data for Exposure Assessment. Environmental Health Perspectives, 2007, 115, 684-689.	6.0	39
50	A task-based assessment of parental occupational exposure to pesticides and childhood acute lymphoblastic leukemia. Environmental Research, 2017, 156, 57-62.	7.5	38
51	Is House-Dust Nicotine a Good Surrogate for Household Smoking?. American Journal of Epidemiology, 2009, 169, 1113-1123.	3.4	37
52	Reducing Chemical Exposures in Nail Salons through Owner and Worker Trainings: An Exploratory Intervention Study. American Journal of Industrial Medicine, 2013, 56, 806-817.	2.1	34
53	Residential Traffic Density and Childhood Leukemia Risk. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 2298-2301.	2.5	33
54	<scp>M</scp> aternal residential pesticide use and risk of childhood leukemia in <scp>C</scp> ostaRica. International Journal of Cancer, 2018, 143, 1295-1304.	5.1	33

#	Article	IF	CITATIONS
55	Effects of prenatal exposure to maternal COVID-19 and perinatal care on neonatal outcome: results from the INTERCOVID Multinational Cohort Study. American Journal of Obstetrics and Gynecology, 2022, 227, 488.e1-488.e17.	1.3	32
56	Temporal Variability of Pesticide Concentrations in Homes and Implications for Attenuation Bias in Epidemiologic Studies. Environmental Health Perspectives, 2013, 121, 565-571.	6.0	30
57	Characterization of Residential Pesticide Use and Chemical Formulations through Self-Report and Household Inventory: The Northern California Childhood Leukemia Study. Environmental Health Perspectives, 2013, 121, 276-282.	6.0	29
58	Metabolomic Markers of Phthalate Exposure in Plasma and Urine of Pregnant Women. Frontiers in Public Health, 2018, 6, 298.	2.7	29
59	DNA methylation and socioeconomic status in a Mexican-American birth cohort. Clinical Epigenetics, 2018, 10, 61.	4.1	26
60	A task-based assessment of parental occupational exposure to organic solvents and other compounds and the risk of childhood leukemia in California. Environmental Research, 2016, 151, 174-183.	7.5	24
61	Elemental Sulfur Use and Associations with Pediatric Lung Function and Respiratory Symptoms in an Agricultural Community (California, USA). Environmental Health Perspectives, 2017, 125, 087007.	6.0	24
62	Persistent Organic Pollutants in Dust From Older Homes: Learning From Lead. American Journal of Public Health, 2014, 104, 1320-1326.	2.7	23
63	Fetal cranial growth trajectories are associated with growth and neurodevelopment at 2 years of age: INTERBIO-21st Fetal Study. Nature Medicine, 2021, 27, 647-652.	30.7	23
64	A cross-sectional analysis of light at night, neighborhood sociodemographics and urinary 6-sulfatoxymelatonin concentrations: implications for the conduct of health studies. International Journal of Health Geographics, 2013, 12, 39.	2.5	22
65	Associations between pesticide mixtures applied near home during pregnancy and early childhood with adolescent behavioral and emotional problems in the CHAMACOS study. Environmental Epidemiology, 2021, 5, e150.	3.0	16
66	Residential exposure to carbamate, organophosphate, and pyrethroid insecticides in house dust and risk of childhood acute lymphoblastic leukemia. Environmental Research, 2021, 201, 111501.	7.5	16
67	Evaluation of the agreement between modeled and monitored ambient hazardous air pollutants in California. International Journal of Environmental Health Research, 2014, 24, 363-377.	2.7	15
68	Will buffer zones around schools in agricultural areas be adequate to protect children from the potential adverse effects of pesticide exposure?. PLoS Biology, 2017, 15, e2004741.	5.6	15
69	Residential proximity to agricultural fumigant use and IQ, attention and hyperactivity in 7-year old children. Environmental Research, 2017, 158, 358-365.	7.5	14
70	Organophosphate pesticide dose estimation from spot and 24-hr urine samples collected from children in an agricultural community. Environment International, 2021, 146, 106226.	10.0	14
71	Increasing Sample Size in Prospective Birth Cohorts: Back-Extrapolating Prenatal Levels of Persistent Organic Pollutants in Newly Enrolled Children. Environmental Science & Environmental Science & 2015, 49, 3940-3948.	10.0	12
72	Residential proximity to agricultural fumigant use and respiratory health in 7-year old children. Environmental Research, 2018, 164, 93-99.	7.5	10

#	Article	IF	CITATIONS
73	Further Observations on Pregnancy Complications and COVID-19 Infection—Reply. JAMA Pediatrics, 2021, 175, 1185.	6.2	10
74	Polybrominated Diphenyl Ethers, Polychlorinated Biphenyls, and 2,2-Bis(4-chlorophenyl)-1,1-dichloroethene in 7- and 9-Year-Old Children and Their Mothers in the Center for the Health Assessment of Mothers and Children of Salinas Cohort. Environmental Science & Environmental Science	10.0	9
75	Preschool-Age Children's Pesticide Exposures in Child Care Centers and at Home in Northern California. Journal of Pediatric Health Care, 2022, 36, 34-45.	1.2	9
76	Agricultural pesticides and lymphoproliferative childhood cancer in California. Scandinavian Journal of Work, Environment and Health, 2005, 31 Suppl 1, 46-54; discussion 5-7.	3.4	9
77	Temporal Trends of Insecticide Concentrations in Carpet Dust in California from 2001 to 2006. Environmental Science & Environm	10.0	7
78	Interactions of agricultural pesticide use near home during pregnancy and adverse childhood experiences on adolescent neurobehavioral development in the CHAMACOS study. Environmental Research, 2022, 204, 111908.	7.5	7
79	Proximity to endocrine-disrupting pesticides and risk of testicular germ cell tumors (TGCT) among adolescents: A population-based case-control study in California. International Journal of Hygiene and Environmental Health, 2022, 239, 113881.	4.3	7
80	Development and evaluation of parental occupational exposure questionnaires for a childhood leukemia study. Scandinavian Journal of Work, Environment and Health, 2004, 30, 450-458.	3.4	6
81	Dust metal loadings and the risk of childhood acute lymphoblastic leukemia. Journal of Exposure Science and Environmental Epidemiology, 2015, 25, 593-598.	3.9	5
82	Latent profiles of children's autonomic nervous system reactivity early in life predict later externalizing problems. Developmental Psychobiology, 2020, 63, 1177.	1.6	5
83	Breastmilk, Stool, and Meconium: Bacterial Communities in South Africa. Microbial Ecology, 2022, 83, 246-251.	2.8	4
84	Prenatal exposure to organophosphate pesticides and risk-taking behaviors in early adulthood. Environmental Health, 2022, 21, 8.	4.0	3
85	The link between COVID-19 and preeclampsia. American Journal of Obstetrics and Gynecology, 2022, 226, 153-154.	1.3	2
86	Contributions of nearby agricultural insecticide applications to indoor residential exposures. ISEE Conference Abstracts, 2021, 2021, .	0.0	1
87	Organophosphates and Outdoor Air: Harnly et al. Respond. Environmental Health Perspectives, 2006, 114, .	6.0	0
88	Residential proximity to agricultural glyphosate use and neurobehavior in the CHAMACOS study. ISEE Conference Abstracts, 2021, 2021, .	0.0	0