

Leila Katz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2324861/publications.pdf>

Version: 2024-02-01

84
papers

1,398
citations

394421

19
h-index

395702

33
g-index

92
all docs

92
docs citations

92
times ranked

1933
citing authors

#	ARTICLE	IF	CITATIONS
1	The tragedy of COVID-19 in Brazil: 124 maternal deaths and counting. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 151, 154-156.	2.3	167
2	The WHO Maternal Near-Miss Approach and the Maternal Severity Index Model (MSI): Tools for Assessing the Management of Severe Maternal Morbidity. <i>PLoS ONE</i> , 2012, 7, e44129.	2.5	134
3	Clinical characteristics and risk factors for mortality in obstetric patients with severe COVID-19 in Brazil: a surveillance database analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 1618-1626.	2.3	75
4	Postpartum dexamethasone for women with hemolysis, elevated liver enzymes, and low platelets (HELLP) syndrome: a double-blind, placebo-controlled, randomized clinical trial. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 283.e1-283.e8.	1.3	65
5	Maternal mortality and COVID-19. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 2355-2361.	1.5	62
6	Uterine Exteriorization Compared With In Situ Repair at Cesarean Delivery. <i>Obstetrics and Gynecology</i> , 2008, 111, 639-647.	2.4	54
7	Risk factors for adverse outcomes among pregnant and postpartum women with acute respiratory distress syndrome due to COVID-19 in Brazil. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 151, 415-423.	2.3	46
8	Disproportionate Impact of Coronavirus Disease 2019 (COVID-19) Among Pregnant and Postpartum Black Women in Brazil Through Structural Racism Lens. <i>Clinical Infectious Diseases</i> , 2021, 72, 2068-2069.	5.8	45
9	Factors associated with severe maternal morbidity and near miss in the São Francisco Valley, Brazil: a retrospective, cohort study. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 91.	2.4	41
10	Neonatal near miss determinants at a maternity hospital for high-risk pregnancy in Northeastern Brazil: a prospective study. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 401.	2.4	41
11	Maternal near miss determinants at a maternity hospital for high-risk pregnancy in northeastern Brazil: a prospective study. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 271.	2.4	39
12	Applying the Maternal Near Miss Approach for the Evaluation of Quality of Obstetric Care: A Worked Example from a Multicenter Surveillance Study. <i>BioMed Research International</i> , 2014, 2014, 1-10.	1.9	30
13	Dengue infection in pregnancy and transplacental transfer of anti-dengue antibodies in Northeast, Brazil. <i>Journal of Clinical Virology</i> , 2014, 60, 16-21.	3.1	27
14	Selective episiotomy vs. implementation of a non episiotomy protocol: a randomized clinical trial. <i>Reproductive Health</i> , 2014, 11, 66.	3.1	24
15	Maternal outcomes according to mode of delivery in women with severe preeclampsia: a cohort study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 654-660.	1.5	24
16	Adverse perinatal outcomes are associated with severe maternal morbidity and mortality: evidence from a national multicentre cross-sectional study. <i>Archives of Gynecology and Obstetrics</i> , 2019, 299, 645-654.	1.7	24
17	Selective episiotomy vs. implementation of a non-episiotomy protocol: a randomized clinical trial. <i>Reproductive Health</i> , 2017, 14, 55.	3.1	21
18	Planned caesarean section versus planned vaginal birth for severe pre-eclampsia. <i>The Cochrane Library</i> , 2017, 2017, CD009430.	2.8	21

#	ARTICLE	IF	CITATIONS
19	Perfil das admissões em uma unidade de terapia intensiva obstétrica de uma maternidade brasileira. Revista Brasileira De Saude Materno Infantil, 2006, 6, s55-s62.	0.5	19
20	Abbreviated (12-hour) versus traditional (24-hour) postpartum magnesium sulfate therapy in severe preeclampsia. International Journal of Gynecology and Obstetrics, 2014, 126, 260-264.	2.3	19
21	Acute pulmonary edema in an obstetric intensive care unit. Medicine (United States), 2018, 97, e11508.	1.0	18
22	COVID-19-related deaths among women of reproductive age in Brazil: The burden of postpartum. International Journal of Gynecology and Obstetrics, 2021, 155, 101-109.	2.3	18
23	Titrated oral misoprostol solution versus vaginal misoprostol for labor induction. International Journal of Gynecology and Obstetrics, 2013, 123, 207-212.	2.3	17
24	A randomized controlled trial on the use of pessary plus progesterone to prevent preterm birth in women with short cervical length (P5 trial). BMC Pregnancy and Childbirth, 2019, 19, 442.	2.4	17
25	Serum magnesium levels during magnesium sulfate infusion at 1-gram/hour versus 2-grams/hour as a maintenance dose to prevent eclampsia in women with severe preeclampsia. Medicine (United States), 2019, 98, e16779.	1.0	17
26	Validation of full PIRS model for prediction of adverse outcomes among women with severe preeclampsia. International Journal of Gynecology and Obstetrics, 2017, 138, 142-147.	2.3	17
27	COHELLP: collaborative randomized controlled trial on corticosteroids in HELLP syndrome. Reproductive Health, 2013, 10, 28.	3.1	15
28	Combined spinal-epidural anesthesia and non-pharmacological methods of pain relief during normal childbirth and maternal satisfaction: a randomized clinical trial. Revista Da Associação Médica Brasileira, 2012, 58, 112-117.	0.7	13
29	Prevalence of Sexual Dysfunctions and their Associated Factors in Pregnant Women in an Outpatient Prenatal Care Clinic. Revista Brasileira De Ginecologia E Obstetricia, 2019, 41, 555-563.	0.8	13
30	Clonidine versus Captopril for Severe Postpartum Hypertension: A Randomized Controlled Trial. PLoS ONE, 2017, 12, e0168124.	2.5	12
31	Posicionamento da Sociedade Brasileira de Cardiologia para Gravidez e Planejamento Familiar na Mulher Portadora de Cardiopatia - 2020. Arquivos Brasileiros De Cardiologia, 2020, 114, 849-942.	0.8	12
32	Uterine Artery Doppler in the Third Trimester of Pregnancy and Postnatal Outcome of Patients with Severe Preeclampsia. Hypertension in Pregnancy, 2010, 29, 135-147.	1.1	11
33	Hypertension, pregnancy and weather: is seasonality involved?. Revista Da Associação Médica Brasileira, 2014, 60, 105-110.	0.7	11
34	Factors Associated With the Persistence/Recurrence of CIN2/3 in Women Submitted to Loop Electrosurgical Excision Procedure in a Teaching Hospital in Northeastern Brazil. Journal of Lower Genital Tract Disease, 2014, 18, 286-290.	1.9	10
35	Perineal Pain Management with Cryotherapy after Vaginal Delivery: A Randomized Clinical Trial. Revista Brasileira De Ginecologia E Obstetricia, 2016, 38, 325-332.	0.8	9
36	Reasons given by pregnant women for participating in a clinical trial aimed at preventing premature delivery: a qualitative analysis. BMC Pregnancy and Childbirth, 2019, 19, 97.	2.4	9

#	ARTICLE	IF	CITATIONS
37	Factors associated with spontaneous perineal lacerations in deliveries without episiotomy in a university maternity hospital in the city of Recife, Brazil: a cohort study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 3062-3067.	1.5	9
38	Effects of an <i>in situ</i> instructional design based postpartum hemorrhage simulation training on patient outcomes: an uncontrolled before-and-after study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 245-252.	1.5	9
39	Who is afraid of obstetric violence?. <i>Revista Brasileira De Saude Materno Infantil</i> , 2020, 20, 623-626.	0.5	9
40	Knowledge, Attitude and Practice of Brazilian Obstetricians Regarding Episiotomy. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2019, 41, 636-646.	0.8	7
41	Re: Pre-eclampsia-like syndrome induced by severe coronavirus disease 2019: a prospective observational study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 1577-1577.	2.3	7
42	General aspects of the COVID-19 pandemic. <i>Revista Brasileira De Saude Materno Infantil</i> , 2021, 21, 29-45.	0.5	7
43	High Incidence of Zika or Chikungunya Infection among Pregnant Women Hospitalized Due to Obstetrical Complications in Northeastern Brazil—Implications for Laboratory Screening in Arbovirus Endemic Area. <i>Viruses</i> , 2021, 13, 744.	3.3	7
44	Perfil epidemiológico e clínico de pacientes admitidas com diagnóstico de sepse puerperal de origem pútrida em uma UTI obstétrica no Nordeste do Brasil. <i>Revista Brasileira De Saude Materno Infantil</i> , 2010, 10, 469-475.	0.5	6
45	12-Hour Compared With 24-Hour Postpartum Magnesium Sulfate Therapy in Preeclampsia. <i>Obstetrics and Gynecology</i> , 2014, 123, 64S.	2.4	5
46	Diuretics vs. placebo for postpartum blood pressure control in preeclampsia (DIUPRE): a randomized clinical trial. <i>Reproductive Health</i> , 2015, 12, 66.	3.1	5
47	Correlation between electromyography and perineometry in evaluating pelvic floor muscle function in nulligravidas: A cross-sectional study. <i>Neurourology and Urodynamics</i> , 2018, 37, 1658-1666.	1.5	5
48	Cross-sectional study of anal intraepithelial lesions in women with cervical neoplasia without <i>HPV</i> . <i>International Journal of Gynecology and Obstetrics</i> , 2018, 140, 233-240.	2.3	5
49	“Preterm birth risk, me? Women risk perception about premature delivery” a qualitative analysis. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 633.	2.4	5
50	Effectiveness of the peanut ball use for women with epidural analgesia in labour: a systematic review and meta-analysis. <i>Journal of Obstetrics and Gynaecology</i> , 2022, 42, 726-733.	0.9	5
51	Mammography in asymptomatic women aged 40-49 years. <i>Revista De Saude Publica</i> , 2014, 48, 931-939.	1.7	4
52	Placental cord drainage in the third stage of labor: Randomized clinical trial. <i>PLoS ONE</i> , 2018, 13, e0195650.	2.5	4
53	COVID-19 and Pregnancy. <i>Revista Brasileira De Saude Materno Infantil</i> , 2021, 21, 337-353.	0.5	4
54	Chronic Aortic Dissection and Pregnancy: Clinical Case Report. <i>Arquivos Brasileiros De Cardiologia</i> , 2019, 112, 321-323.	0.8	4

#	ARTICLE	IF	CITATIONS
55	Transorbital Ultrasonographic Measurement of the Optic Nerve Sheath Diameter in Preeclampsia [24]. <i>Obstetrics and Gynecology</i> , 2016, 127, 87S.	2.4	3
56	Perspectivas sobre o uso das diretrizes de desenho instrucional para a simula�o na sa�de: revis�o da literatura. <i>Scientia Medica</i> , 2018, 28, 28852.	0.3	3
57	Factors associated with severe maternal outcomes in patients with eclampsia in an obstetric intensive care unit. <i>Medicine (United States)</i> , 2021, 100, e27313.	1.0	3
58	Risk factors for death in patients with sepsis admitted to an obstetric intensive care unit. <i>Medicine (United States)</i> , 2020, 99, e23566.	1.0	3
59	Prognostic Value of an Estimate-of-Risk Model in Critically Ill Obstetric Patients in Brazil. <i>Obstetrics and Gynecology</i> , 2022, 139, 83-90.	2.4	3
60	Clonidine versus captopril for treatment of postpartum very high blood pressure: study protocol for a randomized controlled trial (CLONCAP). <i>Reproductive Health</i> , 2013, 10, 37.	3.1	2
61	Skin Color and Severe Maternal Outcomes: Evidence from the Brazilian Network for Surveillance of Severe Maternal Morbidity. <i>BioMed Research International</i> , 2019, 2019, 1-11.	1.9	2
62	Mistreatment during childbirth. <i>Lancet, The</i> , 2020, 396, 816.	13.7	2
63	Obstetric Violence and Medical Education. <i>Revista Brasileira De Saude Materno Infantil</i> , 2021, 21, 965-966.	0.5	2
64	Profile of women admitted at an obstetric ICU due to non-obstetric causes. <i>Revista Da Associa�o M�dica Brasileira (English Edition)</i> , 2012, 58, 160-167.	0.1	1
65	Clonidine Compared With Captopril for Severe Postpartum Hypertension [114]. <i>Obstetrics and Gynecology</i> , 2015, 125, 42S.	2.4	1
66	The use of the Modified Early Obstetric Warning System (MEOWS) in women after pregnancies: a descriptive study. <i>Revista Brasileira De Saude Materno Infantil</i> , 2019, 19, 545-555.	0.5	1
67	Uterine Exteriorization Compared With in Situ Repair at Cesarean Delivery: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , 2008, 112, 183.	2.4	0
68	Elective caesarean section at 38 versus 39 weeks of gestation: neonatal and maternal outcomes in a randomised controlled trial Are we trivialising neonatal intensive care unit admissions?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 1702-1702.	2.3	0
69	Correlation Between Electromyography and Perineometry in Nulligravidas. <i>Obstetrics and Gynecology</i> , 2014, 123, 102S-103S.	2.4	0
70	Seroprevalence of Chagas' Disease in Pregnancy and Congenital Transmission of <i>Trypanosoma cruzi</i> in Macei�, Brazil [28]. <i>Obstetrics and Gynecology</i> , 2016, 127, 80S.	2.4	0
71	Congenital Syphilis Epidemiology in Alagoas, Brazil [22]. <i>Obstetrics and Gynecology</i> , 2016, 127, 87S.	2.4	0
72	Staging Locally Advanced Uterine Cervical Carcinoma With Positron Emission Tomography�Computed Tomography [9P]. <i>Obstetrics and Gynecology</i> , 2016, 127, 133S-134S.	2.4	0

#	ARTICLE	IF	CITATIONS
73	Prevalence and Genotyping of HPV in Women With Cervical and Anal Neoplasia [32E]. <i>Obstetrics and Gynecology</i> , 2017, 129, 60S-60S.	2.4	0
74	Anal Intraepithelial Lesions in HIV-Negative Women With Cervical Neoplasia: A Cross-Sectional Study [12J]. <i>Obstetrics and Gynecology</i> , 2017, 129, 105S-106S.	2.4	0
75	Correlation Between Sexual Function and Strength of the Pelvic Floor Muscles in Women With Dyspareunia [6G]. <i>Obstetrics and Gynecology</i> , 2017, 129, 73S-73S.	2.4	0
76	Concerning the Article by Bodner-Adler et al: "Management of the Perineum during Delivery with the Kiwi Omnicup: Effects of Mediolateral Episiotomy on Anal Sphincter Tears in Nulliparous Women" Gynecologic and Obstetric Investigation, 2018, 83, 415-416.	1.6	0
77	Electromyographic Response of the Pelvic Floor Muscles in Female Sex Workers [23I]. <i>Obstetrics and Gynecology</i> , 2019, 133, 101S-101S.	2.4	0
78	Maternal Near Miss Determinants at a High-Risk Maternity Hospital in Northeastern Brazil: A Prospective Study [26N]. <i>Obstetrics and Gynecology</i> , 2019, 133, 157S-157S.	2.4	0
79	Letter to the editor: Is it time to abandon episiotomy use? A randomized controlled trial (EPITRIAL). <i>International Urogynecology Journal</i> , 2020, 31, 2451-2451.	1.4	0
80	Rates of Maternal and Perinatal Mortality and Vertical Transmission in Pregnancies Complicated by Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-Co-V-2) Infection: A Systematic Review. <i>Obstetrics and Gynecology</i> , 2020, 136, 849-849.	2.4	0
81	Assessment on the measurement properties of the Brazilian Portuguese language version of the International Consultation on Incontinence Questionnaire Female Sexual Matters Associated with Lower Urinary Tract Symptoms Module (ICIQ-FLUTSsex). <i>Revista Brasileira De Saude Materno Infantil</i> , 2020, 20, 555-563.	0.5	0
82	Comparison of the CIPHER prognostic model with the existing scores in predicting severe maternal outcomes during intensive care unit admission. <i>International Journal of Gynecology and Obstetrics</i> , 2022, , .	2.3	0
83	Association of sFlt-1 and C-reactive protein with outcomes in severe preeclampsia. <i>Medicine (United Tj ETQq1 1 0.784314 rgBT /Over</i>	1.0	0
84	Vocalization during the second stage of labor to prevent perineal trauma: A randomized controlled trial. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022, 275, 46-53.	1.1	0