

Leila Katz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2324861/publications.pdf>

Version: 2024-02-01

84
papers

1,398
citations

394421

19
h-index

395702

33
g-index

92
all docs

92
docs citations

92
times ranked

1933
citing authors

#	ARTICLE	IF	CITATIONS
1	Maternal mortality and COVID-19. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 2355-2361.	1.5	62
2	Prognostic Value of an Estimate-of-Risk Model in Critically Ill Obstetric Patients in Brazil. <i>Obstetrics and Gynecology</i> , 2022, 139, 83-90.	2.4	3
3	Effectiveness of the peanut ball use for women with epidural analgesia in labour: a systematic review and meta-analysis. <i>Journal of Obstetrics and Gynaecology</i> , 2022, 42, 726-733.	0.9	5
4	Comparison of the CIPHER prognostic model with the existing scores in predicting severe maternal outcomes during intensive care unit admission. <i>International Journal of Gynecology and Obstetrics</i> , 2022, , .	2.3	0
5	Association of sFlt-1 and C-reactive protein with outcomes in severe preeclampsia. <i>Medicine (United States)</i> , 2021, 100, e27313.	1.0	8
6	Vocalization during the second stage of labor to prevent perineal trauma: A randomized controlled trial. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022, 275, 46-53.	1.1	0
7	Effects of an <i>in situ</i> instructional design based postpartum hemorrhage simulation training on patient outcomes: an uncontrolled before-and-after study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 245-252.	1.5	9
8	Disproportionate Impact of Coronavirus Disease 2019 (COVID-19) Among Pregnant and Postpartum Black Women in Brazil Through Structural Racism Lens. <i>Clinical Infectious Diseases</i> , 2021, 72, 2068-2069.	5.8	45
9	COVID-19 and Pregnancy. <i>Revista Brasileira De Saude Materno Infantil</i> , 2021, 21, 337-353.	0.5	4
10	General aspects of the COVID-19 pandemic. <i>Revista Brasileira De Saude Materno Infantil</i> , 2021, 21, 29-45.	0.5	7
11	High Incidence of Zika or Chikungunya Infection among Pregnant Women Hospitalized Due to Obstetrical Complications in Northeastern Brazil—Implications for Laboratory Screening in Arbovirus Endemic Area. <i>Viruses</i> , 2021, 13, 744.	3.3	7
12	COVID-19-related deaths among women of reproductive age in Brazil: The burden of postpartum. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 155, 101-109.	2.3	18
13	Factors associated with severe maternal outcomes in patients with eclampsia in an obstetric intensive care unit. <i>Medicine (United States)</i> , 2021, 100, e27313.	1.0	3
14	“Preterm birth risk, me? Women risk perception about premature delivery” a qualitative analysis. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 633.	2.4	5
15	Obstetric Violence and Medical Education. <i>Revista Brasileira De Saude Materno Infantil</i> , 2021, 21, 965-966.	0.5	2
16	Risk factors for adverse outcomes among pregnant and postpartum women with acute respiratory distress syndrome due to COVID-19 in Brazil. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 151, 415-423.	2.3	46
17	Letter to the editor: Is it time to abandon episiotomy use? A randomized controlled trial (EPITRIAL). <i>International Urogynecology Journal</i> , 2020, 31, 2451-2451.	1.4	0
18	Re: Preeclampsia-like syndrome induced by severe coronavirus disease 2019: a prospective observational study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 1577-1577.	2.3	7

#	ARTICLE	IF	CITATIONS
19	Clinical characteristics and risk factors for mortality in obstetric patients with severe COVID-19 in Brazil: a surveillance database analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 1618-1626.	2.3	75
20	Rates of Maternal and Perinatal Mortality and Vertical Transmission in Pregnancies Complicated by Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-Co-V-2) Infection: A Systematic Review. <i>Obstetrics and Gynecology</i> , 2020, 136, 849-849.	2.4	0
21	Mistreatment during childbirth. <i>Lancet, The</i> , 2020, 396, 816.	13.7	2
22	The tragedy of COVID-19 in Brazil: 124 maternal deaths and counting. <i>International Journal of Gynecology and Obstetrics</i> , 2020, 151, 154-156.	2.3	167
23	Who is afraid of obstetric violence?. <i>Revista Brasileira De Saude Materno Infantil</i> , 2020, 20, 623-626.	0.5	9
24	Posicionamento da Sociedade Brasileira de Cardiologia para Gravidez e Planejamento Familiar na Mulher Portadora de Cardiopatia " 2020. <i>Arquivos Brasileiros De Cardiologia</i> , 2020, 114, 849-942.	0.8	12
25	Assessment on the measurement properties of the Brazilian Portuguese language version of the International Consultation on Incontinence Questionnaire Female Sexual Matters Associated with Lower Urinary Tract Symptoms Module (ICIQ-FLUTSsex). <i>Revista Brasileira De Saude Materno Infantil</i> , 2020, 20, 555-563.	0.5	0
26	Risk factors for death in patients with sepsis admitted to an obstetric intensive care unit. <i>Medicine (United States)</i> , 2020, 99, e23566.	1.0	3
27	Maternal near miss determinants at a maternity hospital for high-risk pregnancy in northeastern Brazil: a prospective study. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 271.	2.4	39
28	Skin Color and Severe Maternal Outcomes: Evidence from the Brazilian Network for Surveillance of Severe Maternal Morbidity. <i>BioMed Research International</i> , 2019, 2019, 1-11.	1.9	2
29	Prevalence of Sexual Dysfunctions and their Associated Factors in Pregnant Women in an Outpatient Prenatal Care Clinic. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2019, 41, 555-563.	0.8	13
30	Reasons given by pregnant women for participating in a clinical trial aimed at preventing premature delivery: a qualitative analysis. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 97.	2.4	9
31	A randomized controlled trial on the use of pessary plus progesterone to prevent preterm birth in women with short cervical length (P5 trial). <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 442.	2.4	17
32	Electromyographic Response of the Pelvic Floor Muscles in Female Sex Workers [23]. <i>Obstetrics and Gynecology</i> , 2019, 133, 101S-101S.	2.4	0
33	Maternal Near Miss Determinants at a High-Risk Maternity Hospital in Northeastern Brazil: A Prospective Study [26N]. <i>Obstetrics and Gynecology</i> , 2019, 133, 157S-157S.	2.4	0
34	Serum magnesium levels during magnesium sulfate infusion at 1"gram/hour versus 2"grams/hour as a maintenance dose to prevent eclampsia in women with severe preeclampsia. <i>Medicine (United States)</i> , 2019, 98, e16779.	1.0	17
35	Knowledge, Attitude and Practice of Brazilian Obstetricians Regarding Episiotomy. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2019, 41, 636-646.	0.8	7
36	Adverse perinatal outcomes are associated with severe maternal morbidity and mortality: evidence from a national multicentre cross-sectional study. <i>Archives of Gynecology and Obstetrics</i> , 2019, 299, 645-654.	1.7	24

#	ARTICLE	IF	CITATIONS
37	Factors associated with spontaneous perineal lacerations in deliveries without episiotomy in a university maternity hospital in the city of Recife, Brazil: a cohort study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 3062-3067.	1.5	9
38	Chronic Aortic Dissection and Pregnancy: Clinical Case Report. <i>Arquivos Brasileiros De Cardiologia</i> , 2019, 112, 321-323.	0.8	4
39	The use of the Modified Early Obstetric Warning System (MEOWS) in women after pregnancies: a descriptive study. <i>Revista Brasileira De Saude Materno Infantil</i> , 2019, 19, 545-555.	0.5	1
40	Correlation between electromyography and perineometry in evaluating pelvic floor muscle function in nulligravidas: A cross-sectional study. <i>Neurourology and Urodynamics</i> , 2018, 37, 1658-1666.	1.5	5
41	Cross-sectional study of anal intraepithelial lesions in women with cervical neoplasia without HIV. <i>International Journal of Gynecology and Obstetrics</i> , 2018, 140, 233-240.	2.3	5
42	Perspectivas sobre o uso das diretrizes de desenho instrucional para a simulação na saúde: revisão da literatura. <i>Scientia Medica</i> , 2018, 28, 28852.	0.3	3
43	Acute pulmonary edema in an obstetric intensive care unit. <i>Medicine (United States)</i> , 2018, 97, e11508.	1.0	18
44	Neonatal near miss determinants at a maternity hospital for high-risk pregnancy in Northeastern Brazil: a prospective study. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 401.	2.4	41
45	Placental cord drainage in the third stage of labor: Randomized clinical trial. <i>PLoS ONE</i> , 2018, 13, e0195650.	2.5	4
46	Concerning the Article by Bodner-Adler et al: "Management of the Perineum during Delivery with the Kiwi Omnicup: Effects of Mediolateral Episiotomy on Anal Sphincter Tears in Nulliparous Women". <i>Gynecologic and Obstetric Investigation</i> , 2018, 83, 415-416.	1.6	0
47	Selective episiotomy vs. implementation of a non-episiotomy protocol: a randomized clinical trial. <i>Reproductive Health</i> , 2017, 14, 55.	3.1	21
48	Planned caesarean section versus planned vaginal birth for severe pre-eclampsia. <i>The Cochrane Library</i> , 2017, 2017, CD009430.	2.8	21
49	Prevalence and Genotyping of HPV in Women With Cervical and Anal Neoplasia [32E]. <i>Obstetrics and Gynecology</i> , 2017, 129, 60S-60S.	2.4	0
50	Anal Intraepithelial Lesions in HIV-Negative Women With Cervical Neoplasia: A Cross-Sectional Study [12]. <i>Obstetrics and Gynecology</i> , 2017, 129, 105S-106S.	2.4	0
51	Correlation Between Sexual Function and Strength of the Pelvic Floor Muscles in Women With Dyspareunia [6G]. <i>Obstetrics and Gynecology</i> , 2017, 129, 73S-73S.	2.4	0
52	Clonidine versus Captopril for Severe Postpartum Hypertension: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2017, 12, e0168124.	2.5	12
53	Validation of full PIRS model for prediction of adverse outcomes among women with severe pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 138, 142-147.	2.3	17
54	Seroprevalence of Chagas' Disease in Pregnancy and Congenital Transmission of <i>Trypanosoma cruzi</i> in Macaé, Brazil [28]. <i>Obstetrics and Gynecology</i> , 2016, 127, 80S.	2.4	0

#	ARTICLE	IF	CITATIONS
55	Congenital Syphilis Epidemiology in Alagoas—Brazil [22]. <i>Obstetrics and Gynecology</i> , 2016, 127, 87S.	2.4	0
56	Staging Locally Advanced Uterine Cervical Carcinoma With Positron Emission Tomography—Computed Tomography [9P]. <i>Obstetrics and Gynecology</i> , 2016, 127, 133S-134S.	2.4	0
57	Transorbital Ultrasonographic Measurement of the Optic Nerve Sheath Diameter in Preeclampsia [24]. <i>Obstetrics and Gynecology</i> , 2016, 127, 87S.	2.4	3
58	Perineal Pain Management with Cryotherapy after Vaginal Delivery: A Randomized Clinical Trial. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2016, 38, 325-332.	0.8	9
59	Clonidine Compared With Captopril for Severe Postpartum Hypertension [114]. <i>Obstetrics and Gynecology</i> , 2015, 125, 42S.	2.4	1
60	Diuretics vs. placebo for postpartum blood pressure control in preeclampsia (DIUPRE): a randomized clinical trial. <i>Reproductive Health</i> , 2015, 12, 66.	3.1	5
61	Maternal outcomes according to mode of delivery in women with severe preeclampsia: a cohort study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 654-660.	1.5	24
62	Applying the Maternal Near Miss Approach for the Evaluation of Quality of Obstetric Care: A Worked Example from a Multicenter Surveillance Study. <i>BioMed Research International</i> , 2014, 2014, 1-10.	1.9	30
63	Hypertension, pregnancy and weather: is seasonality involved?. <i>Revista Da Associação Médica Brasileira</i> , 2014, 60, 105-110.	0.7	11
64	Mammography in asymptomatic women aged 40-49 years. <i>Revista De Saude Publica</i> , 2014, 48, 931-939.	1.7	4
65	Factors Associated With the Persistence/Recurrence of CIN2/3 in Women Submitted to Loop Electrosurgical Excision Procedure in a Teaching Hospital in Northeastern Brazil. <i>Journal of Lower Genital Tract Disease</i> , 2014, 18, 286-290.	1.9	10
66	Dengue infection in pregnancy and transplacental transfer of anti-dengue antibodies in Northeast, Brazil. <i>Journal of Clinical Virology</i> , 2014, 60, 16-21.	3.1	27
67	Abbreviated (12-hour) versus traditional (24-hour) postpartum magnesium sulfate therapy in severe preeclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2014, 126, 260-264.	2.3	19
68	Selective episiotomy vs. implementation of a non episiotomy protocol: a randomized clinical trial. <i>Reproductive Health</i> , 2014, 11, 66.	3.1	24
69	Factors associated with severe maternal morbidity and near miss in the São Francisco Valley, Brazil: a retrospective, cohort study. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 91.	2.4	41
70	12-Hour Compared With 24-Hour Postpartum Magnesium Sulfate Therapy in Preeclampsia. <i>Obstetrics and Gynecology</i> , 2014, 123, 64S.	2.4	5
71	Correlation Between Electromyography and Perineometry in Nulligravidas. <i>Obstetrics and Gynecology</i> , 2014, 123, 102S-103S.	2.4	0
72	COHELLP: collaborative randomized controlled trial on corticosteroids in HELLP syndrome. <i>Reproductive Health</i> , 2013, 10, 28.	3.1	15

#	ARTICLE	IF	CITATIONS
73	Clonidine versus captopril for treatment of postpartum very high blood pressure: study protocol for a randomized controlled trial (CLONCAP). <i>Reproductive Health</i> , 2013, 10, 37.	3.1	2
74	Titrated oral misoprostol solution versus vaginal misoprostol for labor induction. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 123, 207-212.	2.3	17
75	Elective caesarean section at 38 versus 39 weeks of gestation: neonatal and maternal outcomes in a randomised controlled trial Are we trivialising neonatal intensive care unit admissions?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 1702-1702.	2.3	0
76	Profile of women admitted at an obstetric ICU due to non-obstetric causes. <i>Revista Da Associação Médica Brasileira (English Edition)</i> , 2012, 58, 160-167.	0.1	1
77	Combined spinal-epidural anesthesia and non-pharmacological methods of pain relief during normal childbirth and maternal satisfaction: a randomized clinical trial. <i>Revista Da Associação Médica Brasileira</i> , 2012, 58, 112-117.	0.7	13
78	The WHO Maternal Near-Miss Approach and the Maternal Severity Index Model (MSI): Tools for Assessing the Management of Severe Maternal Morbidity. <i>PLoS ONE</i> , 2012, 7, e44129.	2.5	134
79	Uterine Artery Doppler in the Third Trimester of Pregnancy and Postnatal Outcome of Patients with Severe Preeclampsia. <i>Hypertension in Pregnancy</i> , 2010, 29, 135-147.	1.1	11
80	Perfil epidemiológico e clínico de pacientes admitidas com diagnóstico de sepse puerperal de origem púlvica em uma UTI obstétrica no Nordeste do Brasil. <i>Revista Brasileira De Saude Materno Infantil</i> , 2010, 10, 469-475.	0.5	6
81	Postpartum dexamethasone for women with hemolysis, elevated liver enzymes, and low platelets (HELLP) syndrome: a double-blind, placebo-controlled, randomized clinical trial. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 283.e1-283.e8.	1.3	65
82	Uterine Exteriorization Compared With In Situ Repair at Cesarean Delivery. <i>Obstetrics and Gynecology</i> , 2008, 111, 639-647.	2.4	54
83	Uterine Exteriorization Compared With in Situ Repair at Cesarean Delivery: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , 2008, 112, 183.	2.4	0
84	Perfil das admissões em uma unidade de terapia intensiva obstétrica de uma maternidade brasileira. <i>Revista Brasileira De Saude Materno Infantil</i> , 2006, 6, s55-s62.	0.5	19