

Chris Kenyon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2328180/publications.pdf>

Version: 2024-02-01

113
papers

2,083
citations

394421

19
h-index

302126

39
g-index

136
all docs

136
docs citations

136
times ranked

2608
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnosis and treatment of gonorrhoea: 2019 Belgian National guideline for primary care. Acta Clinica Belgica, 2022, 77, 186-194.	1.2	3
2	Gonococcal bacterial load in PrEP users with Mycoplasma genitalium coinfection. International Journal of STD and AIDS, 2022, 33, 129-135.	1.1	3
3	Antimicrobial susceptibility of commensal Neisseria in a general population and men who have sex with men in Belgium. Scientific Reports, 2022, 12, 9.	3.3	18
4	A Novel Method to Assess Antimicrobial Susceptibility in Commensal Oropharyngeal Neisseria – A Pilot Study. Antibiotics, 2022, 11, 100.	3.7	1
5	Positive association between the use of macrolides in food-producing animals and pneumococcal macrolide resistance: a global ecological analysis. International Journal of Infectious Diseases, 2022, 116, 344-347.	3.3	3
6	Recent insights suggest the need for the STI field to embrace a more eco-social conceptual framework: A viewpoint. International Journal of STD and AIDS, 2022, 33, 404-415.	1.1	7
7	Worryingly high prevalence of resistance-associated mutations to macrolides and fluoroquinolones in Mycoplasma genitalium among men who have sex with men with recurrent sexually transmitted infections. International Journal of STD and AIDS, 2022, 33, 385-390.	1.1	9
8	Country-level association between antimicrobial consumption and resistance in Neisseria meningitidis: An ecological study. Journal of Infection and Public Health, 2022, 15, 293-296.	4.1	3
9	Neisseria mucosa Does Not Inhibit the Growth of Neisseria gonorrhoeae. Sci, 2022, 4, 8.	3.0	1
10	Screening of Anorectal and Oropharyngeal Samples Fails to Detect Bacteriophages Infecting Neisseria gonorrhoeae. Antibiotics, 2022, 11, 268.	3.7	1
11	Concentrations of Ciprofloxacin in the World's Rivers Are Associated with the Prevalence of Fluoroquinolone Resistance in Escherichia coli: A Global Ecological Analysis. Antibiotics, 2022, 11, 417.	3.7	5
12	Global epidemiology of antimicrobial resistance in commensal Neisseria species: A systematic review. International Journal of Medical Microbiology, 2022, 312, 151551.	3.6	15
13	An alarming high prevalence of resistance-associated mutations to macrolides and fluoroquinolones in Mycoplasma genitalium in Belgium: results from samples collected between 2015 and 2018. Sexually Transmitted Infections, 2021, 97, 297-303.	1.9	22
14	Markedly Reduced Azithromycin and Ceftriaxone Susceptibility in Commensal Neisseria Species in Clinical Samples From Belgian Men Who Have Sex With Men. Clinical Infectious Diseases, 2021, 72, 363-364.	5.8	17
15	WGS of Commensal Neisseria Reveals Acquisition of a New Ribosomal Protection Protein (MsrD) as a Possible Explanation for High Level Azithromycin Resistance in Belgium. Pathogens, 2021, 10, 384.	2.8	20
16	Dual Azithromycin/Ceftriaxone Therapy for Gonorrhea in PrEP Cohorts Results in Levels of Macrolide Consumption That Exceed Resistance Thresholds by up to 7-Fold. Journal of Infectious Diseases, 2021, 224, 1623-1624.	4.0	13
17	Antibacterial mouthwash to prevent sexually transmitted infections in men who have sex with men taking HIV pre-exposure prophylaxis (PReGo): a randomised, placebo-controlled, crossover trial. Lancet Infectious Diseases, The, 2021, 21, 657-667.	9.1	29
18	Choosing New Therapies for Gonorrhoea: We Need to Consider the Impact on the Pan-Neisseria Genome. A Viewpoint. Antibiotics, 2021, 10, 515.	3.7	17

#	ARTICLE	IF	CITATIONS
19	Extensive Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Transmission Associated With Low Mortality in Kinshasa, Democratic Republic of the Congo: For How Long?. <i>Clinical Infectious Diseases</i> , 2021, , .	5.8	1
20	The impact of physical restriction measures imposed during the two waves of COVID-19 on chlamydia and gonorrhea diagnoses in Belgium. Results of an sexually transmitted infection clinic. <i>International Journal of STD and AIDS</i> , 2021, 32, 095646242110132.	1.1	5
21	Screening for STIs is one of the main drivers of macrolide consumption in PrEP users. <i>International Journal of STD and AIDS</i> , 2021, 32, 1183-1184.	1.1	11
22	Positive Association between the Use of Quinolones in Food Animals and the Prevalence of Fluoroquinolone Resistance in <i>E. coli</i> and <i>K. pneumoniae</i> , <i>A. baumannii</i> and <i>P. aeruginosa</i> : A Global Ecological Analysis. <i>Antibiotics</i> , 2021, 10, 1193.	3.7	12
23	Population-Level Antimicrobial Consumption Is Associated With Decreased Antimicrobial Susceptibility in <i>Neisseria gonorrhoeae</i> in 24 European Countries: An Ecological Analysis. <i>Journal of Infectious Diseases</i> , 2020, 221, 1107-1116.	4.0	37
24	Take three, test one: a cross-sectional study to evaluate the molecular detection of <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> in pooled pharyngeal, anorectal and urine samples versus single-site testing among men who have sex with men in Belgium. <i>Acta Clinica Belgica</i> , 2020, 75, 91-95.	1.2	20
25	Macrolide consumption and resistance in <i>Mycoplasma genitalium</i> . <i>Lancet Infectious Diseases</i> , The, 2020, 20, 1235-1236.	9.1	12
26	Strong association between adolescent obesity and consumption of macrolides in Europe and the USA: An ecological study. <i>Journal of Infection and Public Health</i> , 2020, 13, 1517-1521.	4.1	2
27	Gonorrhoea treatment combined with population-level general cephalosporin and quinolone consumption may select for <i>Neisseria gonorrhoeae</i> antimicrobial resistance at the levels of NG-MAST genogroup: An ecological study in Europe. <i>Journal of Global Antimicrobial Resistance</i> , 2020, 23, 377-384.	2.2	10
28	A Case of Steroid-Responsive, COVID-19 Immune Reconstitution Inflammatory Syndrome Following the Use of Granulocyte Colony-Stimulating Factor. <i>Open Forum Infectious Diseases</i> , 2020, 7, ofaa326.	0.9	14
29	Screening for STIs in PrEP cohorts results in high levels of antimicrobial consumption. <i>International Journal of STD and AIDS</i> , 2020, 31, 1215-1218.	1.1	28
30	Emergence of zoonoses such as COVID-19 reveals the need for health sciences to embrace an explicit eco-social conceptual framework of health and disease. <i>Epidemics</i> , 2020, 33, 100410.	3.0	9
31	Syndemic responses to COVID-19 should include an ecological dimension. <i>Lancet</i> , The, 2020, 396, 1730-1731.	13.7	10
32	The Forrest Gump approach to preventing severe COVID-19 “reverse the predisposing pro-inflammatory state with exercise. <i>Microbes and Infection</i> , 2020, 22, 151-153.	1.9	11
33	The virulence factor urease and its unexplored role in the metabolism of <i>Cryptococcus neoformans</i> . <i>FEMS Yeast Research</i> , 2020, 20, .	2.3	13
34	The prominence of asymptomatic superspreaders in transmission mean universal face masking should be part of COVID-19 de-escalation strategies. <i>International Journal of Infectious Diseases</i> , 2020, 97, 21-22.	3.3	13
35	COVID-19 Infection Fatality Rate Associated with Incidence—A Population-Level Analysis of 19 Spanish Autonomous Communities. <i>Biology</i> , 2020, 9, 128.	2.8	19
36	Commensal <i>Neisseria</i> Are Shared between Sexual Partners: Implications for Gonococcal and Meningococcal Antimicrobial Resistance. <i>Pathogens</i> , 2020, 9, 228.	2.8	6

#	ARTICLE	IF	CITATIONS
37	Gonococcal resistance can be viewed productively as part of a syndemic of antimicrobial resistance: an ecological analysis of 30 European countries. <i>Antimicrobial Resistance and Infection Control</i> , 2020, 9, 97.	4.1	12
38	To What Extent Should We Rely on Antibiotics to Reduce High Gonococcal Prevalence? Historical Insights from Mass-Meningococcal Campaigns. <i>Pathogens</i> , 2020, 9, 134.	2.8	3
39	The serostatus approach to fighting COVID-19. <i>International Journal of Infectious Diseases</i> , 2020, 94, 53-54.	3.3	3
40	Flattening-the-curve associated with reduced COVID-19 case fatality rates- an ecological analysis of 65 countries. <i>Journal of Infection</i> , 2020, 81, e98-e99.	3.3	87
41	A Color-conscious Diagnosis. <i>Clinical Infectious Diseases</i> , 2019, 69, 1259-1261.	5.8	1
42	Population-level macrolide consumption is associated with clarithromycin resistance in <i>Helicobacter pylori</i> : An ecological analysis. <i>International Journal of Infectious Diseases</i> , 2019, 85, 67-69.	3.3	10
43	Comment on “Effectiveness of a Group B outer membrane vesicle meningococcal vaccine in preventing hospitalization from gonorrhea in New Zealand: a retrospective cohort study, <i>Vaccines</i> , 2019, 1, 5; doi:10.3390/vaccines7010005” <i>Vaccines</i> , 2019, 7, 31.	4.4	2
44	Where have all the susceptible gonococci gone? A historical review of changes in MIC distribution over the past 75 years. <i>BMC Infectious Diseases</i> , 2019, 19, 1085.	2.9	4
45	Differential sexual network connectivity offers a parsimonious explanation for population-level variations in the prevalence of bacterial vaginosis: a data-driven, model-supported hypothesis. <i>BMC Women's Health</i> , 2019, 19, 8.	2.0	11
46	We need to consider collateral damage to resistomes when we decide how frequently to screen for chlamydia/gonorrhoea in preexposure prophylaxis cohorts. <i>Aids</i> , 2019, 33, 155-157.	2.2	32
47	Screening is not associated with reduced incidence of gonorrhoea or chlamydia in men who have sex with men (MSM); an ecological study of 23 European countries. <i>F1000Research</i> , 2019, 8, 160.	1.6	8
48	HIV prevalence correlated with circumcision prevalence and high-risk sexual behavior in India's states: an ecological study. <i>F1000Research</i> , 2019, 8, 60.	1.6	3
49	HIV prevalence correlated with circumcision prevalence and high-risk sexual behavior in India's states: an ecological study. <i>F1000Research</i> , 2019, 8, 60.	1.6	3
50	Screening is not associated with reduced incidence of gonorrhoea or chlamydia in men who have sex with men (MSM); an ecological study of 23 European countries. <i>F1000Research</i> , 2019, 8, 160.	1.6	4
51	Current levels of gonorrhoea screening in MSM in Belgium may have little effect on prevalence: a modelling study. <i>Epidemiology and Infection</i> , 2018, 146, 333-338.	2.1	25
52	Attempted molecular detection of the thermally dimorphic human fungal pathogen <i>Emergomyces africanus</i> in terrestrial small mammals in South Africa. <i>Medical Mycology</i> , 2018, 56, 510-513.	0.7	15
53	Implicit attitudes to sexual partner concurrency vary by sexual orientation but not by gender” A cross sectional study of Belgian students. <i>PLoS ONE</i> , 2018, 13, e0196821.	2.5	6
54	Syphilis reinfection is associated with an attenuated immune profile in the same individual: a prospective observational cohort study. <i>BMC Infectious Diseases</i> , 2018, 18, 479.	2.9	10

#	ARTICLE	IF	CITATIONS
55	The role of sexual networks in studies of how BV and STIs increase the risk of subsequent reinfection. <i>Epidemiology and Infection</i> , 2018, 146, 2003-2009.	2.1	12
56	Repeat Syphilis Is More Likely to Be Asymptomatic in HIV-Infected Individuals: A Retrospective Cohort Analysis With Important Implications for Screening. <i>Open Forum Infectious Diseases</i> , 2018, 5, ofy096.	0.9	29
57	HIV prevalence by ethnic group covaries with prevalence of herpes simplex virus-2 and high-risk sex in Uganda: An ecological study. <i>PLoS ONE</i> , 2018, 13, e0195431.	2.5	6
58	Does gonorrhoea screening intensity play a role in the early selection of antimicrobial resistance in men who have sex with men (MSM)? A comparative study of Belgium and the United Kingdom. <i>F1000Research</i> , 2018, 7, 569.	1.6	1
59	Does gonorrhoea screening intensity play a role in the early selection of antimicrobial resistance in men who have sex with men (MSM)? A comparative study of Belgium and the United Kingdom. <i>F1000Research</i> , 2018, 7, 569.	1.6	12
60	Association between intensity of STI screening and development of antimicrobial resistance in N. gonorrhoeae in 12 cities in the USA: An ecological study. <i>F1000Research</i> , 2018, 7, 1237.	1.6	5
61	Association between intensity of STI screening and development of antimicrobial resistance in N. gonorrhoeae in 12 cities in the USA: An ecological study. <i>F1000Research</i> , 2018, 7, 1237.	1.6	7
62	Strong association between higher-risk sex and HIV prevalence at the regional level: an ecological study of 27 sub-Saharan African countries. <i>F1000Research</i> , 2018, 7, 1879.	1.6	8
63	It's the network, stupid: a population's sexual network connectivity determines its STI prevalence. <i>F1000Research</i> , 2018, 7, 1880.	1.6	10
64	It's the network, stupid: a population's sexual network connectivity determines its STI prevalence. <i>F1000Research</i> , 2018, 7, 1880.	1.6	9
65	Paradoxical worsening of <i>Emergomyces africanus</i> infection in an HIV-infected male on itraconazole and antiretroviral therapy. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006173.	3.0	13
66	Could differences in implicit attitudes to sexual concurrency play a role in generalized HIV epidemics?. <i>F1000Research</i> , 2018, 7, 608.	1.6	0
67	Could differences in implicit attitudes to sexual concurrency play a role in generalized HIV epidemics?. <i>F1000Research</i> , 2018, 7, 608.	1.6	0
68	We should monitor the population-level effects of preexposure prophylaxis. <i>Aids</i> , 2017, 31, 459-460.	2.2	0
69	The immunological response to syphilis differs by HIV status; a prospective observational cohort study. <i>BMC Infectious Diseases</i> , 2017, 17, 111.	2.9	17
70	AIDS-Related Endemic Mycoses in Western Cape, South Africa, and Clinical Mimics: A Cross-Sectional Study of Adults With Advanced HIV and Recent-Onset, Widespread Skin Lesions. <i>Open Forum Infectious Diseases</i> , 2017, 4, ofx186.	0.9	41
71	Strong associations between national prevalence of various STIs suggests sexual network connectivity is a common underpinning risk factor. <i>BMC Infectious Diseases</i> , 2017, 17, 682.	2.9	16
72	Higher risk sexual behaviour is associated with unawareness of HIV-positivity and lack of viral suppression – implications for Treatment as Prevention. <i>Scientific Reports</i> , 2017, 7, 16117.	3.3	26

#	ARTICLE	IF	CITATIONS
73	Pre-Exposure Prophylaxis (PrEP) as an Additional Tool for HIV Prevention Among Men Who Have Sex With Men in Belgium: The Be-PrEP-ared Study Protocol. <i>JMIR Research Protocols</i> , 2017, 6, e11.	1.0	27
74	Strong Country Level Correlation between Syphilis and HSV-2 Prevalence. <i>Journal of Sexually Transmitted Diseases</i> , 2016, 2016, 1-6.	1.0	3
75	Correlation between <i>Trichomonas vaginalis</i> and Concurrency: An Ecological Study. <i>Interdisciplinary Perspectives on Infectious Diseases</i> , 2016, 2016, 1-5.	1.4	7
76	Did AIDS mortality decrease the number of lifetime sexual partners in Kenya: an ecological analysis?. <i>Epidemiology and Infection</i> , 2016, 144, 556-559.	2.1	5
77	A Critical Appraisal of the Ideology of Monogamy's Influence on HIV Epidemiology. <i>World Journal of AIDS</i> , 2016, 06, 16-26.	0.3	1
78	Who Knows Their Partner's HIV Status? Results From a Nationally Representative Survey in Uganda. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 69, 92-97.	2.1	15
79	Clinical Characteristics, Diagnosis, Management, and Outcomes of Disseminated <i>Emmonsiosis</i> : A Retrospective Case Series. <i>Clinical Infectious Diseases</i> , 2015, 61, 1004-1012.	5.8	68
80	Swab2know: An HIV-Testing Strategy Using Oral Fluid Samples and Online Communication of Test Results for Men Who Have Sex With Men in Belgium. <i>Journal of Medical Internet Research</i> , 2015, 17, e213.	4.3	40
81	The Prevalence of Syphilis Is Associated with the Prevalence of Male Point-Concurrency: An Ecological Analysis. <i>World Journal of AIDS</i> , 2015, 05, 131-139.	0.3	8
82	The Prevalence of Sexual Partner Concurrency Is Not Correlated with Markers of Poverty or Gender Inequality: An Ecological Analysis. <i>World Journal of AIDS</i> , 2015, 05, 322-327.	0.3	2
83	An <i>Emmonsia</i> Species Causing Disseminated Infection in South Africa. <i>New England Journal of Medicine</i> , 2014, 370, 283-284.	27.0	29
84	The Prevalence of HIV by Ethnic Group Is Correlated with HSV-2 and Syphilis Prevalence in Kenya, South Africa, the United Kingdom, and the United States. <i>Interdisciplinary Perspectives on Infectious Diseases</i> , 2014, 2014, 1-11.	1.4	20
85	Strong association between the prevalence of bacterial vaginosis and male point-concurrency. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 172, 93-96.	1.1	15
86	Correlation between National Peak HIV Prevalence and Concurrency, STI Treatment Capability, Condom Use and Circumcision: An Ecological Study. <i>World Journal of AIDS</i> , 2014, 04, 249-257.	0.3	6
87	The global epidemiology of bacterial vaginosis: a systematic review. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 209, 505-523.	1.3	326
88	Peak HIV prevalence: a useful outcome variable for ecological studies. <i>International Journal of Infectious Diseases</i> , 2013, 17, e286-e288.	3.3	20
89	Acceptability of HIV self-testing: a systematic literature review. <i>BMC Public Health</i> , 2013, 13, 735.	2.9	246
90	Ecological association between HIV and concurrency point-prevalence in South Africa's ethnic groups. <i>African Journal of AIDS Research</i> , 2013, 12, 79-84.	0.9	5

#	ARTICLE	IF	CITATIONS
91	Performance indicators and clinical excellence. Lancet, The, 2013, 382, 1173-1174.	13.7	2
92	Partner-concurrency associated with herpes simplex virus 2 infection in young South Africans. International Journal of STD and AIDS, 2013, 24, 804-812.	1.1	18
93	A Dimorphic Fungus Causing Disseminated Infection in South Africa. New England Journal of Medicine, 2013, 369, 1416-1424.	27.0	118
94	Have the explosive HIV epidemics in Sub-Saharan Africa been driven by higher community viral load?. Aids, 2013, 27, 2496-2497.	2.2	3
95	Female Genital Cutting and Hepatitis C Spread in Egypt. ISRN Hepatology, 2013, 2013, 1-3.	0.9	1
96	HIV Prevalence by Race Co-Varies Closely with Concurrency and Number of Sex Partners in South Africa. PLoS ONE, 2013, 8, e64080.	2.5	49
97	Association of HIV prevalence and concurrency of sexual partnerships in South Africaâ€™s language groups: An ecological analysis. Southern African Journal of HIV Medicine, 2013, 14, 25-28.	0.9	5
98	What Is the Optimal First Line Antiretroviral Therapy in Resource-Limited Settings?. PLoS Medicine, 2012, 9, e1001291.	8.4	2
99	Strong association between point-concurrency and national peak HIV prevalence. International Journal of Infectious Diseases, 2012, 16, e826-e827.	3.3	28
100	A Tale Of Two Epidemics Within TWO Countries. Journal of Adolescent Health, 2012, 50, 208-209.	2.5	1
101	Severe efavirenzâ€nduced vacuolar axonopathy complicated by fatal aspiration pneumonia. British Journal of Clinical Pharmacology, 2012, 74, 1070-1072.	2.4	9
102	Heart failure and cardiogenic shock associated with the TB-immune reconstitution inflammatory syndrome. Cardiovascular Journal of Africa, 2012, 23, e14-e17.	0.4	3
103	Role of concurrency in generalised HIV epidemics. Lancet, The, 2011, 378, 1844.	13.7	2
104	Bowel "Infarction" in a Postpartum Patient. Clinical Infectious Diseases, 2011, 53, 961-962.	5.8	1
105	Why do some South African ethnic groups have very high HIV rates and others not?. African Journal of AIDS Research, 2011, 10, 51-62.	0.9	17
106	Determinants of self-perceived HIV risk in young south Africans engaged in concurrent sexual relationship. African Journal of Reproductive Health, 2010, 14, 171-81.	1.1	4
107	A network-level explanation for the differences in HIV prevalence in South Africa's racial groups. African Journal of AIDS Research, 2009, 8, 243-254.	0.9	38
108	Castlemanâ€™s disease and retroviral therapy. Transfusion and Apheresis Science, 2007, 37, 81-84.	1.0	1

#	ARTICLE	IF	CITATIONS
109	Ivermectin should not be recommended to treat SARS-CoV-2 infection. Open Forum Infectious Diseases, 0, , .	0.9	0
110	Thank Martin Luther that ciprofloxacin could cure your gonorrhoea? Ecological association between Protestantism and antimicrobial consumption in 30 European countries. F1000Research, 0, 9, 1200.	1.6	1
111	Association between intensity of STI screening and development of antimicrobial resistance in N. gonorrhoeae in 12 cities in the USA: An ecological study. F1000Research, 0, 7, 1237.	1.6	0
112	Variations in sexual network connectivity may explain dramatic variations in sexually transmitted infection prevalence between populations and over time: a four-country analysis. F1000Research, 0, 9, 1009.	1.6	0
113	Could malaria explain the global distribution of the angiotensin converting enzyme I/D polymorphism? A systematic review and ecological study. F1000Research, 0, 9, 1205.	1.6	0