Mitchell E Horwitz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2329165/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Home-Based Hematopoietic Cell Transplantation in the United States. Transplantation and Cellular Therapy, 2022, 28, 207.e1-207.e8.	1.2	3
2	The Use of Allogeneic Hematopoietic Stem Cell Transplantation in Primary Myelofibrosis. Journal of Personalized Medicine, 2022, 12, 571.	2.5	0
3	Phase I dose escalation study of naive T-cell depleted donor lymphocyte infusion following allogeneic stem cell transplantation. Bone Marrow Transplantation, 2021, 56, 137-143.	2.4	15
4	Assessing the Feasibility of a Novel mHealth App in Hematopoietic Stem Cell Transplant Patients. Transplantation and Cellular Therapy, 2021, 27, 181.e1-181.e9.	1.2	18
5	Double unrelated umbilical cord blood vs HLA-haploidentical bone marrow transplantation: the BMT CTN 1101 trial. Blood, 2021, 137, 420-428.	1.4	119
6	Chlorhexidine Gluconate Bathing Reduces the Incidence of Bloodstream Infections in Adults Undergoing Inpatient Hematopoietic Cell Transplantation. Transplantation and Cellular Therapy, 2021, 27, 262.e1-262.e11.	1.2	7
7	Morphologic leukemia-free state in acute myeloid leukemia is sufficient for successful allogeneic hematopoietic stem cell transplant. Blood Cancer Journal, 2021, 11, 92.	6.2	2
8	A phase 2 trial of the somatostatin analog pasireotide to prevent GI toxicity and acute GVHD in allogeneic hematopoietic stem cell transplant. PLoS ONE, 2021, 16, e0252995.	2.5	3
9	Omidubicel vs standard myeloablative umbilical cord blood transplantation: results of a phase 3 randomized study. Blood, 2021, 138, 1429-1440.	1.4	54
10	Lymphoid and myeloid immune cell reconstitution after nicotinamide-expanded cord blood transplantation. Bone Marrow Transplantation, 2021, 56, 2826-2833.	2.4	5
11	Guidelines for the Prevention and Management of Graft-versus-Host Disease after Cord Blood Transplantation. Transplantation and Cellular Therapy, 2021, 27, 540-544.	1.2	11
12	Autologous and allogeneic hematopoietic cell transplantation for diffuse large B-cell lymphoma–type Richter syndrome. Blood Advances, 2021, 5, 3528-3539.	5.2	24
13	Female Sex Is Associated with Improved Long-Term Survival Following Allogeneic Hematopoietic Stem Cell Transplantation. Transplantation and Cellular Therapy, 2021, 27, 784.e1-784.e7.	1.2	4
14	Cognitive impairment in candidates for allogeneic hematopoietic stem cell transplantation. Bone Marrow Transplantation, 2021, , .	2.4	2
15	Allogeneic Stem Cell Transplantation with Omidubicel: Long-Term Follow-up from a Single Center. Blood, 2021, 138, 1827-1827.	1.4	1
16	Cytomegalovirus in Allogeneic Hematopoietic Transplantation: Impact on Costs and Clinical Outcomes Using a Preemptive Strategy. Biology of Blood and Marrow Transplantation, 2020, 26, 568-580.	2.0	8
17	Pre-transplant hepatic steatosis (fatty liver) is associated with chronic graft-vs-host disease but not mortality. PLoS ONE, 2020, 15, e0238824.	2.5	4
18	Clinical and Neuroimaging Correlates of Post-Transplant Delirium. Biology of Blood and Marrow Transplantation, 2020, 26, 2323-2328.	2.0	0

MITCHELL E HORWITZ

#	Article	IF	CITATIONS
19	Treatment with Foscarnet after Allogeneic Hematopoietic Cell Transplant (Allo-HCT) Is Associated with Long-Term Loss of Renal Function. Biology of Blood and Marrow Transplantation, 2020, 26, 1597-1606.	2.0	7
20	Guidelines for Cord Blood Unit Thaw and Infusion. Biology of Blood and Marrow Transplantation, 2020, 26, 1780-1783.	2.0	5
21	Female Gender Is Associated with Improved Long-Term Survival Following Allogeneic Hematopoietic Stem Cell Transplant. Blood, 2020, 136, 18-19.	1.4	0
22	Current and future perspectives on allogeneic transplantation using ex vivo expansion or manipulation of umbilical cord blood cells. International Journal of Hematology, 2019, 110, 50-58.	1.6	19
23	Intestinal Acute Graft-versus-Host Disease: A Bug Highway to the Bloodstream. Biology of Blood and Marrow Transplantation, 2019, 25, e250-e251.	2.0	0
24	Phase I/II Study of Stem-Cell Transplantation Using a Single Cord Blood Unit Expanded Ex Vivo With Nicotinamide. Journal of Clinical Oncology, 2019, 37, 367-374.	1.6	110
25	Interrater Reliability of Clinical Grading Measures for Cutaneous Chronic Graft-vs-Host Disease. JAMA Dermatology, 2019, 155, 833.	4.1	6
26	Rapid and Robust CD4+ and CD8+ T-, NK-, B-Cell, Dendritic Cell, and Monocyte Reconstitution after Nicotinamide-Expanded Cord Blood Transplantation. Biology of Blood and Marrow Transplantation, 2019, 25, S55.	2.0	2
27	Plerixafor alone for the mobilization and transplantation of HLA-matched sibling donor hematopoietic stem cells. Blood Advances, 2019, 3, 875-883.	5.2	25
28	Small-molecule nicotinamide for ex vivo expansion of umbilical cord blood. Experimental Hematology, 2019, 80, 11-15.	0.4	18
29	Pre-Transplant Hepatic Steatosis (fatty liver) Predicts Chronic Graft-Vs-Host Disease but Does Not Affect Mortality. Blood, 2019, 134, 5731-5731.	1.4	0
30	Shared Decision-Making in Hematopoietic Stem Cell Transplantation for Sickle Cell Disease. Biology of Blood and Marrow Transplantation, 2018, 24, 883-884.	2.0	9
31	Plerixafor Plus Granulocyte Colony-Stimulating Factor for Patients with Non-Hodgkin Lymphoma and Multiple Myeloma: Long-Term Follow-Up Report. Biology of Blood and Marrow Transplantation, 2018, 24, 1187-1195.	2.0	38
32	Stem Cell Transplantation and Informatics: Current Considerations. Biology of Blood and Marrow Transplantation, 2018, 24, 659-665.	2.0	5
33	HSCT-GAVE as a Manifestation of Chronic Graft versus Host Disease: A Case Report and Review of the Existing Literature. Case Reports in Transplantation, 2018, 2018, 1-5.	0.3	1
34	Use of a Processed Hematopoietic Stem Cell Product (FCRx) in Unmatched Related and Unrelated Donor — Recipient Pairs Is Associated with High Levels of Donor Chimerism and Donor-Specific Tolerance to Kidney Allografts. Blood, 2018, 132, 202-202.	1.4	0
35	Rapid and Robust CD4+ and CD8+ T-, NK-, B- and Monocyte Cell Reconstitution after Nicotinamide-Expanded Cord Blood Transplantation. Blood, 2018, 132, 2123-2123.	1.4	0
36	Treatment with Foscarnet after Allogeneic Hematopoietic-Cell Transplant (AlloHCT) Is Associated with Long-Term Loss of Renal Function. Blood, 2018, 132, 4594-4594.	1.4	0

MITCHELL E HORWITZ

#	Article	IF	CITATIONS
37	Efficacy and safety of highâ€dose chemotherapy with autologous stem cell transplantation in senior versus younger adults with newly diagnosed multiple myeloma. Hematological Oncology, 2017, 35, 752-759.	1.7	5
38	Myeloablative Versus Reduced-Intensity Hematopoietic Cell Transplantation for Acute Myeloid Leukemia and Myelodysplastic Syndromes. Journal of Clinical Oncology, 2017, 35, 1154-1161.	1.6	495
39	Optimal Practices in Unrelated Donor Cord Blood Transplantation for Hematologic Malignancies. Biology of Blood and Marrow Transplantation, 2017, 23, 882-896.	2.0	117
40	Transplantation of Ex Vivo Expanded Umbilical Cord Blood (NiCord) Decreases Early Infection and Hospitalization. Biology of Blood and Marrow Transplantation, 2017, 23, 1151-1157.	2.0	32
41	An aberrant NOTCH2-BCR signaling axis in B cells from patients with chronic GVHD. Blood, 2017, 130, 2131-2145.	1.4	37
42	Adult Umbilical Cord Blood Transplantation Using Myeloablative Thiotepa, Total Body Irradiation, and Fludarabine Conditioning. Biology of Blood and Marrow Transplantation, 2017, 23, 1949-1954.	2.0	4
43	Prospective, Randomized, Double-Blind, Phase III Clinical Trial of Anti–T-Lymphocyte Globulin to Assess Impact on Chronic Graft-Versus-Host Disease–Free Survival in Patients Undergoing HLA-Matched Unrelated Myeloablative Hematopoietic Cell Transplantation. Journal of Clinical Oncology, 2017, 35, 4003-4011.	1.6	258
44	Increased TLR7 Signaling of BCR-Activated B Cells in Chronic Graft-Versus Host Disease (cGVHD). Blood, 2017, 130, 75-75.	1.4	0
45	Nicord Single Unit Expanded Umbilical Cord Blood Transplantation: Final Results of a Multicenter Phase I/ II Trial. Blood, 2017, 130, 847-847.	1.4	8
46	Reply to Strahilevitz and Shapira. Clinical Infectious Diseases, 2016, 64, ciw813.	5.8	0
47	Efficacy of Pharmacokinetics-Directed Busulfan, Cyclophosphamide, and Etoposide Conditioning and Autologous Stem Cell Transplantation for Lymphoma: Comparison of a Multicenter Phase II Study and CIBMTR Outcomes. Biology of Blood and Marrow Transplantation, 2016, 22, 1197-1205.	2.0	17
48	Plerixafor (a CXCR4 antagonist) following myeloablative allogeneic hematopoietic stem cell transplantation enhances hematopoietic recovery. Journal of Hematology and Oncology, 2016, 9, 71.	17.0	20
49	Myeloablative conditioning with total body irradiation for AML: Balancing survival and pulmonary toxicity. Advances in Radiation Oncology, 2016, 1, 272-280.	1.2	10
50	Universal Mask Usage for Reduction of Respiratory Viral Infections After Stem Cell Transplant: A Prospective Trial. Clinical Infectious Diseases, 2016, 63, 999-1006.	5.8	63
51	Ex Vivo Expansion or Manipulation of Stem Cells to Improve Outcome of Umbilical Cord Blood Transplantation. Current Hematologic Malignancy Reports, 2016, 11, 12-18.	2.3	14
52	NiCord single unit expanded umbilical cord blood transplantation: Results of phase I/II trials Journal of Clinical Oncology, 2016, 34, 7004-7004.	1.6	3
53	Improving the outcome of umbilical cord blood transplantation through exÂvivo expansion or graft manipulation. Cytotherapy, 2015, 17, 730-738.	0.7	30
54	Results of a prospective multicentre myeloablative doubleâ€unit cord blood transplantation trial in adult patients with acute leukaemia and myelodysplasia. British Journal of Haematology, 2015, 168, 405-412.	2.5	39

#	Article	IF	CITATIONS
55	Results of a Phase III Randomized, Multi-Center Study of Allogeneic Stem Cell Transplantation after High Versus Reduced Intensity Conditioning in Patients with Myelodysplastic Syndrome (MDS) or Acute Myeloid Leukemia (AML): Blood and Marrow Transplant Clinical Trials Network (BMT CTN) 0901. Blood, 2015, 126, LBA-8-LBA-8.	1.4	59
56	Reduced-Intensity Allogeneic Transplantation Using Alemtuzumab from HLA-Matched Related, Unrelated, or Haploidentical Related Donors for Patients with Hematologic Malignancies. Biology of Blood and Marrow Transplantation, 2014, 20, 257-263.	2.0	15
57	Increased BCR responsiveness in B cells from patients with chronic GVHD. Blood, 2014, 123, 2108-2115.	1.4	86
58	Umbilical cord blood expansion with nicotinamide provides long-term multilineage engraftment. Journal of Clinical Investigation, 2014, 124, 3121-3128.	8.2	224
59	Efficacy Of a Pharmacokinetics-Directed IV Busulfan (Bu), Plus Cyclophosphamide (Cy) and Etoposide (E) Preparative Regimen With Autologous Hematopoietic Stem Cell Transplantation For Lymphoma: Final Report Of a Multi-Center Phase 2 Study In North America. Blood, 2013, 122, 768-768.	1.4	0
60	Immune Recovery in Adult Patients after Myeloablative Dual Umbilical Cord Blood, Matched Sibling, and Matched Unrelated Donor Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2012, 18, 1664-1676.e1.	2.0	94
61	Surgical Mask Usage Reduces the Incidence of Parainfluenza Virus 3 in Recipients of Stem Cell Transplantation. Blood, 2012, 120, 462-462.	1.4	3
62	Adult Dual Umbilical Cord Blood Transplantation Using Myeloablative Total Body Irradiation (1350) Tj ETQqO 0 0	rgBT/Ove 2.0	rlogg 10 Tf 5
63	Reduced intensity versus myeloablative allogeneic stem cell transplantation for the treatment of acute myeloid leukemia, myelodysplastic syndrome and acute lymphoid leukemia. Current Opinion in Oncology, 2011, 23, 197-202.	2.4	39
64	Impact of High Dose Cyclophosphamide on the Outcome of Autologous Stem Cell Transplant in Patients with Newly Diagnosed Multiple Myeloma,. Blood, 2011, 118, 4127-4127.	1.4	9
65	Fludarabine-Based Conditioning for Allogeneic Marrow Transplantation From Unrelated Donors in Severe Aplastic Anemia (SAA): Serious and Unexpected Adverse Events in Pre-Defined Cyclophosphamide (CY) Dose Levels, Blood, 2011, 118, 3009-3009	1.4	0

	(01) 0000 Levels. 51000, 2011, 110, 5000 5000.		
66	The Impact of Lymphocyte Subset Recovery At 3 Months on Progression-Free Survival After Myeloablative Allogeneic Stem Cell Transplantation,. Blood, 2011, 118, 4065-4065.	1.4	0
67	Differences in Stem Cell Collection Practices and Related Outcomes Between Centers That Conduct and Do Not Conduct Aphaeresis on Weekends. Blood, 2011, 118, 1925-1925.	1.4	0
68	Non-myeloablative umbilical cord blood transplantation. Best Practice and Research in Clinical Haematology, 2010, 23, 231-236.	1.7	3
69	Long-Term Follow-up of Adults with Severe Sickle Cell Disease After Hematopoietic Stem Cell Transplantation Using Reduced Intensity Conditioning. Blood, 2010, 116, 261-261.	1.4	3
70	Adult Dual Umbilical Cord Blood Transplantation Using Myeloablative Total Body Irradiation (1350cGy) and Fludarabine Conditioning. Blood, 2010, 116, 3523-3523.	1.4	0

71	Efficacy and Safety of Hematopoietic Stem Cell Remobilization with Plerixafor (Mozobil®) + G-CSF In Adult Patients with Non-Hematologic Malignancies. Blood, 2010, 116, 2249-2249.	1.4	0
72	Prospective, Biological Randomized Study of T-Cell Depleted Nonmyeloablative Allogeneic Transplantation From HLA-Matched Related, Unrelated or Haploidentical Donors for Patients with Hematologic Malignancies. Blood, 2010, 116, 3541-3541.	1.4	0

MITCHELL E HORWITZ

#	Article	IF	CITATIONS
73	Donor Cell Leukemia: A Clinicopathological Study of 9 Cases and a Comprehensive Review of Literature Blood, 2010, 116, 3466-3466.	1.4	0
74	A Comprehensive Comparison Immune Recovery In Adult Patients Following Allogeneic Umbilical Cord Blood, Matched Sibling and Matched Unrelated Donor Stem Cell Transplantation. Blood, 2010, 116, 2313-2313.	1.4	0
75	Long-Term Survival and Late Deaths After Hematopoietic Stem Cell Transplantation for Primary Immunodeficiency Diseases and Inborn Errors of Metabolism Blood, 2009, 114, 3320-3320.	1.4	ο
76	Myeloablative Intravenous Busulfan/Fludarabine Conditioning Does Not Facilitate Reliable Engraftment of Dual Umbilical Cord Blood Grafts in Adult Recipients. Biology of Blood and Marrow Transplantation, 2008, 14, 591-594.	2.0	54
77	Safety Trial of NK Cell Enhanced Donor Lymphocyte Infusions from a 3-5/6 HLA Matched Family Member Following Nonmyeloablative Allogeneic Stem Cell Transplantation. Blood, 2008, 112, 342-342.	1.4	1
78	Total Body Irradiation 1350cGy/Fludarabine (TBI/FLU) vs Myeloablative Busulfan/Fludarabine (Bu/Flu) Preparation in Adult Recipients of Dual Umbilical Cord Blood (UCB) Transplantation: Superior Engraftment with Low Treatment-Related Mortality. Blood, 2008, 112, 4403-4403.	1.4	0
79	Bortezomib Plus Melphalan and Prednisone as Induction Prior to Transplant or as Frontline Therapy for Non-Transplant Candidates in Patients with Previously Untreated Multiple Myeloma Blood, 2008, 112, 3325-3325.	1.4	0
80	Partially Matched, Nonmyeloablative Allogeneic Transplantation: Clinical Outcomes and Immune Reconstitution. Journal of Clinical Oncology, 2007, 25, 690-697.	1.6	188
81	Fludarabine-Based Nonmyeloablative Stem Cell Transplantation for Sickle Cell Disease with and without Renal Failure: Clinical Outcome and Pharmacokinetics. Biology of Blood and Marrow Transplantation, 2007, 13, 1422-1426.	2.0	47
82	Sources of Human and Murine Hematopoietic Stem Cells. Current Protocols in Immunology, 2007, 79, Unit 22A.2.	3.6	3
83	Myeloablative Intravenous Busulfan/Fludarabine Conditioning Does Not Facilitate Reliable Engraftment of Dual Umbilical Cord Blood Grafts in Adult Recipients Blood, 2007, 110, 2007-2007.	1.4	1
84	Chronic graft-versus-host disease. Blood Reviews, 2006, 20, 15-27.	5.7	123
85	Adult Umbilical Cord Blood Transplantation Following Non-Myeloablative Conditioning; Impact of Increased Cell Dose and 200cGy TBI on Engraftment and Survival Blood, 2006, 108, 5399-5399.	1.4	1
86	A Prospective Study of Bortezomib in Combination with Melphalan and Prednisone for Patients with Previously Untreated Multiple Myeloma Blood, 2005, 106, 5181-5181.	1.4	1
87	Partially HLA Matched, Non-Myeloablative Allogeneic Transplantation Blood, 2005, 106, 2896-2896.	1.4	5
88	Multimodal Dose Dense Therapy for Mantle Cell Lymphoma Blood, 2005, 106, 5501-5501.	1.4	0
89	Phase I Study of Gemcitabine, Fludarabine and Mitoxantrone for Relapsed or Refractory Leukemia Blood, 2005, 106, 4623-4623.	1.4	0
90	Adult recipients of umbilical cord blood transplants after nonmyeloablative preparative regimens. Biology of Blood and Marrow Transplantation, 2004, 10, 569-575.	2.0	51

#	Article	IF	CITATIONS
91	Hematopoietic stem cell transplantation for complete IFN-γ receptor 1 deficiency: A multi-institutional survey. Journal of Pediatrics, 2004, 145, 806-812.	1.8	92
92	Campath-1H May Have Activity in the Treatment of Multiple Myeloma Blood, 2004, 104, 4931-4931.	1.4	1
93	Persistent Mycobacterium avium infection following nonmyeloablative allogeneic peripheral blood stem cell transplantation for interferon-Î ³ receptor-1 deficiency. Blood, 2003, 102, 2692-2694.	1.4	36