Alexander Kauffmann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2329998/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Micro-mechanical deformation behavior of CoCrFeMnNi high-entropy alloy. Journal of Materials Science and Technology, 2022, 100, 237-245.	10.7	16
2	On the impact of the mesostructure on the creep response of cellular NiAl-Mo eutectics. Acta Materialia, 2022, 226, 117626.	7.9	4
3	Revealing the Role of Cross Slip for Serrated Plastic Deformation in Concentrated Solid Solutions at Cryogenic Temperatures. Metals, 2022, 12, 514.	2.3	1
4	Highâ€Temperature Ternary Oxide Phases in Tantalum/Niobium–Alumina Composite Materials. Advanced Engineering Materials, 2022, 24, .	3.5	6
5	Microstructural and chemical constitution of the oxide scale formed on a pesting-resistant Mo-Si-Ti alloy. Corrosion Science, 2021, 178, 109081.	6.6	13
6	Characterization of the Microstructure after Composite Peening of Aluminum. Advanced Engineering Materials, 2021, 23, 2000575.	3.5	2
7	Influence of Temperature and Plastic Strain on Deformation Mechanisms and Kink Band Formation in Homogenized HfNbTaTiZr. Crystals, 2021, 11, 81.	2.2	5
8	Current Status of Research on the Oxidation Behavior of Refractory High Entropy Alloys. Advanced Engineering Materials, 2021, 23, 2001047.	3.5	99
9	Superior low-cycle fatigue properties of CoCrNi compared to CoCrFeMnNi. Scripta Materialia, 2021, 194, 113667.	5.2	66
10	Oxidation Resistance, Creep Strength and Room-Temperature Fracture Toughness of Mo–28Ti–14Si–6C–6B Alloy. Materialia, 2021, 16, 101108.	2.7	2
11	Deformation mechanisms of CoCrFeMnNi high-entropy alloy under low-cycle-fatigue loading. Acta Materialia, 2021, 215, 117089.	7.9	44
12	Microstructure tailoring of Al-containing compositionally complex alloys by controlling the sequence of precipitation and ordering. Acta Materialia, 2021, 218, 117217.	7.9	18
13	Grain boundary engineering and its implications on corrosion behavior of equiatomic CoCrFeMnNi high entropy alloy. Journal of Alloys and Compounds, 2021, 888, 161500.	5.5	25
14	The Creep and Oxidation Behaviour of Pesting-Resistant (Mo,Ti)5Si3-Containing Eutectic-Eutectoid Mo-Si-Ti Alloys. Metals, 2021, 11, 169.	2.3	3
15	Flexible Powder Production for Additive Manufacturing of Refractory Metal-Based Alloys. Metals, 2021, 11, 1723.	2.3	5
16	Solid solution strengthening and deformation behavior of single-phase Cu-base alloys under tribological load. Acta Materialia, 2020, 185, 300-308.	7.9	24
17	Characterisation of the oxidation and creep behaviour of novel Mo-Si-Ti alloys. Acta Materialia, 2020, 184, 132-142.	7.9	35
18	Effect of Water Vapor on the Oxidation Behavior of the Eutectic Highâ€Temperature Alloy Moâ€20Siâ€52.8Ti. Advanced Engineering Materials, 2020, 22, 2000219.	3.5	2

#	Article	IF	CITATIONS
19	Microstructural Investigations of Novel High Temperature Alloys Based on NiAl-(Cr,Mo). Metals, 2020, 10, 961.	2.3	11
20	Formation of complex intermetallic phases in novel refractory high-entropy alloys NbMoCrTiAl and TaMoCrTiAl: Thermodynamic assessment and experimental validation. Journal of Alloys and Compounds, 2020, 842, 155726.	5.5	31
21	Microstructural changes in CoCrFeMnNi under mild tribological load. Journal of Materials Science, 2020, 55, 12353-12372.	3.7	14
22	Effect of Y Additions on the Oxidation Behaviour of Novel Refractory High-Entropy Alloy NbMoCrTiAl at 1000°C in Air. Oxidation of Metals, 2020, 94, 147-163.	2.1	9
23	High-temperature low cycle fatigue behavior of an equiatomic CoCrFeMnNi high-entropy alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2020, 791, 139781.	5.6	37
24	On the chemical and microstructural requirements for the pesting-resistance of Mo–Si–Ti alloys. Journal of Materials Research and Technology, 2020, 9, 8556-8567.	5.8	27
25	Controlling crystallographic ordering in Mo–Cr–Ti–Al high entropy alloys to enhance ductility. Journal of Alloys and Compounds, 2020, 823, 153805.	5.5	27
26	A new strategy to intrinsically protect refractory metal based alloys at ultra high temperatures. Corrosion Science, 2020, 166, 108475.	6.6	63
27	On the oxidation mechanism of refractory high entropy alloys. Corrosion Science, 2019, 159, 108161.	6.6	119
28	Microstructural evolution during creep of lamellar eutectoid and off-eutectoid FeAl/FeAl2 alloys. Intermetallics, 2019, 107, 116-125.	3.9	4
29	Constitution, oxidation and creep of eutectic and eutectoid Mo-Si-Ti alloys. Intermetallics, 2019, 104, 133-142.	3.9	44
30	Development of Oxidation Resistant Refractory High Entropy Alloys for High Temperature Applications: Recent Results and Development Strategy. Minerals, Metals and Materials Series, 2018, , 647-659.	0.4	5
31	Phase Evolution in and Creep Properties of Nb-Rich Nb-Si-Cr Eutectics. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2018, 49, 763-771.	2.2	7
32	Effect of microalloying with silicon on high temperature oxidation resistance of novel refractory high-entropy alloy Ta-Mo-Cr-Ti-Al. Materials at High Temperatures, 2018, 35, 168-176.	1.0	54
33	Contribution of Lattice Distortion to Solid Solution Strengthening in a Series of Refractory High Entropy Alloys. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2018, 49, 772-781.	2.2	91
34	Peculiarities of deformation of CoCrFeMnNi at cryogenic temperatures. Journal of Materials Research, 2018, 33, 3287-3300.	2.6	56
35	Exchange Bias Effect along Vertical Interfaces in La0.7Sr0.3MnO3:NiO Vertically Aligned Nanocomposite Thin Films Integrated on Silicon Substrates. Crystal Growth and Design, 2018, 18, 4388-4394.	3.0	33
36	High-Temperature Oxidation Behavior of Refractory High-Entropy Alloys: Effect of Alloy Composition. Oxidation of Metals, 2017, 88, 339-349.	2.1	126

Alexander Kauffmann

#	Article	IF	CITATIONS
37	Combinatorial exploration of the High Entropy Alloy System Co-Cr-Fe-Mn-Ni. Surface and Coatings Technology, 2017, 325, 174-180.	4.8	43
38	Enhanced Oxidation Resistance of Mo–Si–B–Ti Alloys by Pack Cementation. Oxidation of Metals, 2017, 88, 267-277.	2.1	23
39	Creep of binary Fe-Al alloys with ultrafine lamellar microstructures. Intermetallics, 2017, 90, 180-187.	3.9	16
40	Face Centred Cubic Multi-Component Equiatomic Solid Solutions in the Au-Cu-Ni-Pd-Pt System. Metals, 2017, 7, 135.	2.3	25
41	Microstructure Formation and Resistivity Change in CuCr during Rapid Solidification. Metals, 2017, 7, 478.	2.3	10
42	Orientation relationship of eutectoid FeAl and FeAl ₂ . Journal of Applied Crystallography, 2016, 49, 442-449.	4.5	15
43	High temperature oxidation behavior of an equimolar refractory metal-based alloy 20Nb 20Mo 20Cr 20Ti 20Al with and without Si addition. Journal of Alloys and Compounds, 2016, 688, 468-477.	5.5	163
44	Al-Ti Particulate Composite: Processing and Studies on Particle Twinning, Microstructure, and Thermal Stability. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2016, 47, 4226-4238.	2.2	23
45	Microstructure and mechanical properties at elevated temperatures of a new Al-containing refractory high-entropy alloy Nb-Mo-Cr-Ti-Al. Journal of Alloys and Compounds, 2016, 661, 206-215.	5.5	171
46	Thermal stability of electrical and mechanical properties of cryo-drawn Cu and CuZr wires. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2016, 651, 567-573.	5.6	15
47	Microstructure Evolution in a New Refractory High-Entropy Alloy W-Mo-Cr-Ti-Al. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2016, 47, 961-970.	2.2	28
48	Efficiency of the refinement by deformation twinning in wire drawn single phase copper alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2015, 624, 71-78.	5.6	16
49	Solute redistribution during annealing of a cold rolled Cu–Ag alloy. Journal of Alloys and Compounds, 2015, 623, 96-103.	5.5	17
50	Dynamic recrystallisation and precipitation behaviour of high strength and highly conducting Cu–Ag–Zr-alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2014, 597, 139-147.	5.6	42
51	Mechanism of nanostructure formation in ball-milled Cu and Cu–3wt%Zn studied by X-ray diffraction line profile analysis. Journal of Alloys and Compounds, 2014, 588, 138-143.	5.5	6
52	Assessment of the thermodynamic dimension of the stacking fault energy. Philosophical Magazine, 2014, 94, 2967-2979.	1.6	22
53	Glow discharge plasma as a surface preparation tool for microstructure investigations. Materials Characterization, 2014, 91, 76-88.	4.4	17
54	Microstructure evolution during annealing of an SPD- processed supersaturated Cu – 3 at.% Ag alloy. IOP Conference Series: Materials Science and Engineering, 2014, 63, 012091.	0.6	5

#	Article	IF	CITATIONS
55	Properties of cryo-drawn copper with severely twinned microstructure. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2013, 588, 132-141.	5.6	21
56	Grain Refinement and Deformation Mechanisms in Room Temperature Severe Plastic Deformed Mg-AZ31. Metals, 2013, 3, 283-297.	2.3	22
57	High strength and ductile ultrafine-grained Cu–Ag alloy through bimodal grain size, dislocation density and solute distribution. Acta Materialia, 2013, 61, 228-238.	7.9	110
58	Processing of Intermetallic Titanium Aluminide Wires. Metals, 2013, 3, 188-201.	2.3	15
59	Twinning Phenomena along and beyond the Bain Path. Metals, 2013, 3, 319-336.	2.3	12
60	Isotropic behavior of critical current for MgB2 ex situ tapes with 5 wt.% carbon addition. Physica C: Superconductivity and Its Applications, 2012, 483, 222-224.	1.2	3
61	\$J_{m c}\$ Scaling and Anisotropies in Co-Doped Ba-122 Thin Films. IEEE Transactions on Applied Superconductivity, 2011, 21, 2887-2890.	1.7	22
62	Critical Current Scaling and Anisotropy in Oxypnictide Superconductors. Physical Review Letters, 2011, 106, 137001.	7.8	60
63	Effect of stacking fault energy on deformation behavior of cryo-rolled copper and copper alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2011, 529, 230-236.	5.6	88
64	Appearance of dislocation-mediated and twinning-induced plasticity in an engineering-grade FeMnNiCr alloy. Acta Materialia, 2011, 59, 7711-7723.	7.9	32
65	Severe deformation twinning in pure copper by cryogenic wire drawing. Acta Materialia, 2011, 59, 7816-7823.	7.9	39
66	Microstructural inhomogeneities in Cu–Ag–Zr alloys due to heavy plastic deformation. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2010, 527, 606-613.	5.6	19
67	Damascene Lightâ€Weight Metals. Advanced Engineering Materials, 2010, 12, 1191-1197.	3.5	10
68	Role of stacking fault energy in strengthening due to cryo-deformation of FCC metals. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2010, 527, 7624-7630.	5.6	147
69	Studies on recrystallization of single-phase copper alloys by resistance measurements. Acta Materialia, 2010, 58, 2324-2329.	7.9	40
70	Irreversibility field up to 42 T of GdBa ₂ Cu ₃ O _{7-Î′} thin films grown by PLD and its dependence on deposition parameters. Superconductor Science and Technology, 2010, 23, 105017.	3.5	10
71	High Upper Critical Fields and Evidence of Weak-Link Benavior in Superconducting <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msub><mml:mi>LaFeAsO</mml:mi><mml:mrow><mml:mn>1</mml:mn><mml:mo>â^'mathvariant="bold">F<mml:mi>x</mml:mi></mml:mo></mml:mrow></mml:msub>Thin Films. Physical</mml:math 	nn 7l:s no><	m mı: mi>x