

# Brynmor Lloyd-Evans

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2330578/publications.pdf>

Version: 2024-02-01

101  
papers

4,473  
citations

186265

28  
h-index

133252

59  
g-index

124  
all docs

124  
docs citations

124  
times ranked

4506  
citing authors

#	ARTICLE	IF	CITATIONS
1	Associations between loneliness and perceived social support and outcomes of mental health problems: a systematic review. <i>BMC Psychiatry</i> , 2018, 18, 156.	2.6	705
2	A systematic review and meta-analysis of randomised controlled trials of peer support for people with severe mental illness. <i>BMC Psychiatry</i> , 2014, 14, 39.	2.6	380
3	Social isolation in mental health: a conceptual and methodological review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1451-1461.	3.1	252
4	A life less lonely: the state of the art in interventions to reduce loneliness in people with mental health problems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 627-638.	3.1	200
5	Impact on mental health care and on mental health service users of the COVID-19 pandemic: a mixed methods survey of UK mental health care staff. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 25-37.	3.1	157
6	Early impacts of the COVID-19 pandemic on mental health care and on people with mental health conditions: framework synthesis of international experiences and responses. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 13-24.	3.1	156
7	Initiatives to shorten duration of untreated psychosis: systematic review. <i>British Journal of Psychiatry</i> , 2011, 198, 256-263.	2.8	131
8	Implementation of the Crisis Resolution Team model in adult mental health settings: a systematic review. <i>BMC Psychiatry</i> , 2015, 15, 74.	2.6	116
9	Peer-supported self-management for people discharged from a mental health crisis team: a randomised controlled trial. <i>Lancet, The</i> , 2018, 392, 409-418.	13.7	104
10	Variations in patterns of involuntary hospitalisation and in legal frameworks: an international comparative study. <i>Lancet Psychiatry, the</i> , 2019, 6, 403-417.	7.4	104
11	Clinical and social factors associated with increased risk for involuntary psychiatric hospitalisation: a systematic review, meta-analysis, and narrative synthesis. <i>Lancet Psychiatry, the</i> , 2019, 6, 1039-1053.	7.4	103
12	Self-management interventions for people with severe mental illness: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2019, 214, 260-268.	2.8	99
13	The effectiveness of interventions for reducing subjective and objective social isolation among people with mental health problems: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 839-876.	3.1	99
14	Service user and carer experiences of seeking help for a first episode of psychosis: a UK qualitative study. <i>BMC Psychiatry</i> , 2011, 11, 157.	2.6	87
15	Implementation, Adoption, and Perceptions of Telemental Health During the COVID-19 Pandemic: Systematic Review. <i>Journal of Medical Internet Research</i> , 2021, 23, e31746.	4.3	84
16	Experiences of living with mental health problems during the COVID-19 pandemic in the UK: a coproduced, participatory qualitative interview study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1447-1457.	3.1	71
17	Residential alternatives to acute psychiatric hospital admission: systematic review. <i>British Journal of Psychiatry</i> , 2009, 195, 109-117.	2.8	68
18	The Relationship between Therapeutic Alliance and Service User Satisfaction in Mental Health Inpatient Wards and Crisis House Alternatives: A Cross-Sectional Study. <i>PLoS ONE</i> , 2014, 9, e100153.	2.5	66

#	ARTICLE	IF	CITATIONS
19	Improving outcomes for people in mental health crisis: a rapid synthesis of the evidence for available models of care. <i>Health Technology Assessment</i> , 2016, 20, 1-162.	2.8	65
20	In-patient and residential alternatives to standard acute psychiatric wards in England. <i>British Journal of Psychiatry</i> , 2009, 194, 456-463.	2.8	60
21	Development of a measure of model fidelity for mental health Crisis Resolution Teams. <i>BMC Psychiatry</i> , 2016, 16, 427.	2.6	59
22	Compulsory community treatment to reduce readmission to hospital and increase engagement with community care in people with mental illness: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2018, 5, 1013-1022.	7.4	54
23	Crisis resolution and home treatment: stakeholders' views on critical ingredients and implementation in England. <i>BMC Psychiatry</i> , 2017, 17, 254.	2.6	53
24	Morale in the English mental health workforce: questionnaire survey. <i>British Journal of Psychiatry</i> , 2012, 201, 239-246.	2.8	48
25	National implementation of a mental health service model: A survey of Crisis Resolution Teams in England. <i>International Journal of Mental Health Nursing</i> , 2018, 27, 214-226.	3.8	48
26	Service users' experiences of residential alternatives to standard acute wards: qualitative study of similarities and differences. <i>British Journal of Psychiatry</i> , 2010, 197, s26-s31.	2.8	45
27	A systematic review and meta-analysis of group peer support interventions for people experiencing mental health conditions. <i>BMC Psychiatry</i> , 2021, 21, 315.	2.6	42
28	Acute psychiatric care: approaches to increasing the range of services and improving access and quality of care. <i>World Psychiatry</i> , 2022, 21, 220-236.	10.4	40
29	Loneliness in autistic adults: A systematic review. <i>Autism</i> , 2022, 26, 2117-2135.	4.1	38
30	Loneliness and the onset of new mental health problems in the general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2161-2178.	3.1	38
31	Service user experiences and views regarding telemental health during the COVID-19 pandemic: A co-produced framework analysis. <i>PLoS ONE</i> , 2021, 16, e0257270.	2.5	37
32	Residential alternatives to acute in-patient care in England: satisfaction, ward atmosphere and service user experiences. <i>British Journal of Psychiatry</i> , 2010, 197, s41-s45.	2.8	35
33	Crisis-planning interventions for people with psychotic illness or bipolar disorder: systematic review and meta-analyses. <i>BJPsych Open</i> , 2019, 5, e53.	0.7	35
34	The CORE service improvement programme for mental health crisis resolution teams: results from a cluster-randomised trial. <i>British Journal of Psychiatry</i> , 2020, 216, 314-322.	2.8	33
35	Loneliness as a predictor of outcomes in mental disorders among people who have experienced a mental health crisis: a 4-month prospective study. <i>BMC Psychiatry</i> , 2020, 20, 249.	2.6	33
36	Tomorrow's world: current developments in the therapeutic use of technology for psychosis. <i>BJ Psych Advances</i> , 2016, 22, 301-310.	0.7	32

#	ARTICLE	IF	CITATIONS
37	Epidemiology of loneliness in a cohort of UK mental health community crisis service users. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 811-822.	3.1	30
38	Assessing the content of mental health services: a review of measures. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 673-682.	3.1	28
39	The Community Navigator Study: Results from a feasibility randomised controlled trial of a programme to reduce loneliness for people with complex anxiety or depression. <i>PLoS ONE</i> , 2020, 15, e0233535.	2.5	28
40	Smartphone-delivered self-management for first-episode psychosis: the ARIES feasibility randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e034927.	1.9	25
41	Evaluation of a community awareness programme to reduce delays in referrals to early intervention services and enhance early detection of psychosis. <i>BMC Psychiatry</i> , 2015, 15, 98.	2.6	24
42	A National Survey of Psychiatric Mother and Baby Units in England. <i>Psychiatric Services</i> , 2009, 60, 629-633.	2.0	23
43	Alternatives to standard acute in-patient care in England: readmissions, service use and cost after discharge. <i>British Journal of Psychiatry</i> , 2010, 197, s20-s25.	2.8	23
44	To what extent does severity of loneliness vary among different mental health diagnostic groups: A cross-sectional study. <i>International Journal of Mental Health Nursing</i> , 2020, 29, 921-934.	3.8	19
45	The CORE Service Improvement Programme for mental health crisis resolution teams: study protocol for a cluster-randomised controlled trial. <i>Trials</i> , 2016, 17, 158.	1.6	17
46	Mental health crisis resolution teams and crisis care systems in England: a national survey. <i>BJPsych Bulletin</i> , 2018, 42, 146-151.	1.1	17
47	Crisis resolution and home treatment in the UK: A survey of model fidelity using a novel review methodology. <i>International Journal of Mental Health Nursing</i> , 2020, 29, 187-201.	3.8	17
48	Development of a peer-supported, self-management intervention for people following mental health crisis. <i>BMC Research Notes</i> , 2017, 10, 588.	1.4	16
49	Psychosocial Interventions to Reduce Compulsory Psychiatric Admissions: A Rapid Evidence Synthesis. <i>EClinicalMedicine</i> , 2019, 10, 58-67.	7.1	16
50	The identification and treatment of mental health and substance misuse problems in sexual assault services: A systematic review. <i>PLoS ONE</i> , 2020, 15, e0231260.	2.5	16
51	Service user perspectives of community mental health services for people with complex emotional needs: a co-produced qualitative interview study. <i>BMC Psychiatry</i> , 2022, 22, 55.	2.6	16
52	Synthesis of the Evidence on What Works for Whom in Telemental Health: Rapid Realist Review. <i>Interactive Journal of Medical Research</i> , 2022, 11, e38239.	1.4	16
53	Acute in-patient psychiatry: residential alternatives to hospital admission. <i>Psychiatric Bulletin</i> , 2007, 31, 262-264.	0.3	15
54	Community alternatives to inpatient admissions in psychiatry. <i>World Psychiatry</i> , 2019, 18, 31-32.	10.4	15

#	ARTICLE	IF	CITATIONS
55	Emerging models and trends in mental health crisis care in England: a national investigation of crisis care systems. <i>BMC Health Services Research</i> , 2021, 21, 1174.	2.2	15
56	A systematic review of PTSD to the experience of psychosis: prevalence and associated factors. <i>BMC Psychiatry</i> , 2021, 21, 9.	2.6	14
57	A qualitative study of stakeholder views on the use of a digital app for supported self-management in early intervention services for psychosis. <i>BMC Psychiatry</i> , 2021, 21, 311.	2.6	14
58	Twitter Usersâ€™ Views on Mental Health Crisis Resolution Team Care Compared With Stakeholder Interviews and Focus Groups: Qualitative Analysis. <i>JMIR Mental Health</i> , 2021, 8, e25742.	3.3	13
59	The Community Navigator Study: a feasibility randomised controlled trial of an intervention to increase community connections and reduce loneliness for people with complex anxiety or depression. <i>Trials</i> , 2017, 18, 493.	1.6	11
60	Intensive support for adults with intellectual disability and behaviours that challenge: a survey of provision and service typologies in England. <i>BJPsych Open</i> , 2020, 6, e20.	0.7	11
61	What has changed in the experiences of people with mental health problems during the COVID-19 pandemic: a coproduced, qualitative interview study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1291-1303.	3.1	11
62	App to support Recovery in Early Intervention Services (ARIES) study: protocol of a feasibility randomised controlled trial of a self-management Smartphone application for psychosis. <i>BMJ Open</i> , 2019, 9, e025823.	1.9	10
63	Adult mental health provision in England: a national survey of acute day units. <i>BMC Health Services Research</i> , 2019, 19, 866.	2.2	10
64	The psychiatric decision unit as an emerging model in mental health crisis care: a national survey in England. <i>International Journal of Mental Health Nursing</i> , 2021, 30, 955-962.	3.8	10
65	Crisis resolution teams for people experiencing mental health crises: the CORE mixed-methods research programme including two RCTs. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-102.	1.0	10
66	Interventions to improve social circumstances of people with mental health conditions: a rapid evidence synthesis. <i>BMC Psychiatry</i> , 2022, 22, 302.	2.6	10
67	Where next with residential alternatives to admission?. <i>British Journal of Psychiatry</i> , 2010, 197, s52-s54.	2.8	9
68	Understanding increasing rates of psychiatric hospital detentions in England: development and preliminary testing of an explanatory model. <i>BJPsych Open</i> , 2020, 6, e88.	0.7	9
69	Validity, reliability, acceptability, and utility of the Social Inclusion Questionnaire User Experience (SinQUE): a clinical tool to facilitate social inclusion amongst people with severe mental health problems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 953-964.	3.1	9
70	Acute day units for mental health crises: a qualitative study of service user and staff views and experiences. <i>BMC Psychiatry</i> , 2021, 21, 146.	2.6	9
71	Trajectories of loneliness and objective social isolation and associations between persistent loneliness and self-reported personal recovery in a cohort of secondary mental health service users in the UK. <i>BMC Psychiatry</i> , 2021, 21, 421.	2.6	9
72	Randomised controlled trial of the clinical and cost-effectiveness of a peer-delivered self-management intervention to prevent relapse in crisis resolution team users: study protocol. <i>BMJ Open</i> , 2017, 7, e015665.	1.9	9

#	ARTICLE	IF	CITATIONS
73	Investigating geographical variation in the use of mental health services by area of England: a cross-sectional ecological study. <i>BMC Health Services Research</i> , 2021, 21, 951.	2.2	8
74	A mixed-methods study exploring therapeutic relationships and their association with service user satisfaction in acute psychiatric wards and crisis residential alternatives. <i>Health Services and Delivery Research</i> , 2014, 2, 1-106.	1.4	7
75	The Mental Health Act Assessment Process and Risk Factors for Compulsory Admission to Psychiatric Hospital: A Mixed Methods Study. <i>British Journal of Social Work</i> , 2020, 50, 642-663.	1.4	6
76	A comparison of clinical outcomes, service satisfaction and well-being in people using acute day units and crisis resolution teams: cohort study in England. <i>BJPsych Open</i> , 2021, 7, e68.	0.7	6
77	A Systematic Review of the Characteristics and Efficacy of Recovery Training for Mental Health Staff: Implications for Supported Accommodation Services. <i>Frontiers in Psychiatry</i> , 2021, 12, 624081.	2.6	6
78	Developing and comparing methods for measuring the content of care in mental health services. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 219-229.	3.1	5
79	Clinical and cost evaluation of intensive support team (IST) models for adults with intellectual disabilities who display challenging behaviour: a comparative cohort study protocol. <i>BMJ Open</i> , 2021, 11, e043358.	1.9	5
80	Modelling social exclusion in a diagnostically-mixed sample of people with severe mental illness. <i>International Journal of Social Psychiatry</i> , 2022, 68, 420-428.	3.1	5
81	Acute day units in non-residential settings for people in mental health crisis: the AD-CARE mixed-methods study. <i>Health Services and Delivery Research</i> , 2021, 9, 1-122.	1.4	5
82	Loneliness in early psychosis: a qualitative study exploring the views of mental health practitioners in early intervention services. <i>BMC Psychiatry</i> , 2021, 21, 134.	2.6	4
83	Readmission after discharge from acute mental healthcare among 231 988 people in England: cohort study exploring predictors of readmission including availability of acute day units in local areas. <i>BJPsych Open</i> , 2021, 7, e136.	0.7	4
84	Acceptability of Using Social Media Content in Mental Health Research: A Reflection. Comment on "Twitter Users' Views on Mental Health Crisis Resolution Team Care Compared With Stakeholder Interviews and Focus Groups: Qualitative Analysis". <i>JMIR Mental Health</i> , 2021, 8, e32475.	3.3	4
85	Reviewing the Mental Health Act: delivering evidence-informed policy. <i>Lancet Psychiatry</i> , 2019, 6, 90-91.	7.4	3
86	Developing a model of best practice for teams managing crisis in people with dementia: a consensus approach. <i>BMC Psychiatry</i> , 2020, 20, 505.	2.6	3
87	Patterns of use of the Mental Health Act 1983, from 2007 to 2008 to 2016 to 2017, in two major London secondary mental healthcare providers. <i>BJPsych Open</i> , 2019, 5, e102.	0.7	2
88	A Pilot Programme to Facilitate the Use of Mental Health Treatment Requirements: Professional Stakeholders' Experiences. <i>British Journal of Social Work</i> , 2021, 51, 1041-1059.	1.4	2
89	Development of an Evidence-Based Best Practice Model for Teams Managing Crisis in Dementia: Protocol for a Qualitative Study. <i>JMIR Research Protocols</i> , 2021, 10, e14781.	1.0	2
90	Expanding capacity in mental health research in intellectual disabilities. <i>BJPsych Bulletin</i> , 2021, 45, 317-320.	1.1	2

#	ARTICLE	IF	CITATIONS
91	One-to-one befriending for people with intellectual disability and symptoms of depression: protocol for a pilot randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e033989.	1.9	1
92	Community interventions for people with complex emotional needs that meet the criteria for personality disorder diagnoses: systematic review of economic evaluations and expert commentary. <i>BJPsych Open</i> , 2021, 7, .	0.7	1
93	Achieving Quality and Effectiveness in Dementia Using Crisis Teams (AQUEDUCT): a study protocol for a randomised controlled trial of a Resource Kit. <i>Trials</i> , 2022, 23, 54.	1.6	1
94	â€˜Kindness by Postâ€™: A Mixed-Methods Evaluation of a Participatory Public Mental Health Project. <i>Frontiers in Psychology</i> , 2021, 12, 813432.	2.1	1
95	Integrating crisis residential care and crisis resolution teams. , 2008, , 283-292.		0
96	Authors' reply. <i>British Journal of Psychiatry</i> , 2019, 215, 503-504.	2.8	0
97	One-to-one volunteer befriending to reduce symptoms of depression in people with intellectual disability: a feasibility RCT. <i>Public Health Research</i> , 2021, 9, 1-80.	1.3	0
98	Title is missing!. , 2020, 15, e0231260.		0
99	Title is missing!. , 2020, 15, e0231260.		0
100	Title is missing!. , 2020, 15, e0231260.		0
101	Title is missing!. , 2020, 15, e0231260.		0