

Philip Mountford

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2332159/publications.pdf>

Version: 2024-02-01

168
papers

8,205
citations

31976

53
h-index

64796

79
g-index

173
all docs

173
docs citations

173
times ranked

3391
citing authors

#	ARTICLE	IF	CITATIONS
1	Larger Aromatic Complexes of the Group 4 Metals. , 2021, , .		0
2	Magnesium, calcium and zinc [N₂Nâ€²] heteroscorpionate complexes. Dalton Transactions, 2019, 48, 4124-4138.	3.3	10
3	Synthesis of Titanium Borylimido Compounds Supported by Diamide-Amine Ligands and Their Reactions with Alkynes. Organometallics, 2018, 37, 3558-3572.	2.3	3
4	Monometallic and Bimetallic Titanium Î ¹ -Amidinate Complexes as Olefin Polymerization Catalysts. Organometallics, 2017, 36, 2167-2181.	2.3	17
5	New Titanium Borylimido Compounds: Synthesis, Structure, and Bonding. Inorganic Chemistry, 2017, 56, 10794-10814.	4.0	12
6	Reactions of Titanium Imides and Hydrazides with Boranes. Organometallics, 2017, 36, 3329-3342.	2.3	7
7	Electronic Delocalization in Two and Three Dimensions: Differential Aggregation in Indium â€Metalloidâ€-Clusters. Angewandte Chemie - International Edition, 2017, 56, 15098-15102.	13.8	37
8	Electronic Delocalization in Two and Three Dimensions: Differential Aggregation in Indium â€Metalloidâ€-Clusters. Angewandte Chemie, 2017, 129, 15294-15298.	2.0	14
9	New Scandium Borylimido Chemistry: Synthesis, Bonding, and Reactivity. Journal of the American Chemical Society, 2017, 139, 11165-11183.	13.7	23
10	Synthesis, characterisation and structural studies of amidinate and guanidinate alkaline earthâ€transition metal bonded complexes. Polyhedron, 2016, 116, 64-75.	2.2	19
11	Enabling and Probing Oxidative Addition and Reductive Elimination at a Group 14 Metal Center: Cleavage and Functionalization of Eâ€H Bonds by a Bis(boryl)stannylenes. Journal of the American Chemical Society, 2016, 138, 4555-4564.	13.7	142
12	Bis(phenolate)amine-supported lanthanide borohydride complexes for styrene and trans-1,4-isoprene (co-)polymerisations. Dalton Transactions, 2015, 44, 12312-12325.	3.3	28
13	Reactivity of Boryl- and Silyl-Substituted Carbenoids toward Alkynes: Insertion and Cycloaddition Chemistry. Organometallics, 2015, 34, 2126-2129.	2.3	57
14	Reactions of Titanium Hydrazides with Silanes and Boranes: Nâ€N Bond Cleavage and N Atom Functionalization. Journal of the American Chemical Society, 2015, 137, 10140-10143.	13.7	21
15	Synthesis, molecular and electronic structure, and reactions of a Znâ€Hgâ€Zn bonded complex. Chemical Communications, 2015, 51, 5743-5746.	4.1	13
16	Group 4 metal complexes for homogeneous olefin polymerisation: a short tutorial review. Applied Petrochemical Research, 2015, 5, 153-171.	1.3	101
17	Probing the Limits of Alkaline Earthâ€Transition Metal Bonding: An Experimental and Computational Study. Journal of the American Chemical Society, 2015, 137, 12352-12368.	13.7	30
18	Group 5 hydride and borohydride complexes supported by cyclopentadienyl-imido ligand sets. Dalton Transactions, 2014, 43, 188-195.	3.3	11

#	ARTICLE	IF	CITATIONS
19	Stable GaX ₂ , InX ₂ and TlX ₂ radicals. <i>Nature Chemistry</i> , 2014, 6, 315-319.	13.6	101
20	Reactions of a Cyclopentadienyl- σ -Amidinate Titanium Benzimidamido Complex. <i>Organometallics</i> , 2014, 33, 1002-1019.	2.3	13
21	Synthesis and reactions of η^2 -diketiminato-supported complexes with Mg-Fe or Yb-Fe bonds. <i>Chemical Communications</i> , 2013, 49, 3315.	4.1	49
22	Potassium, zinc, and magnesium complexes of a bulky OOO-tridentate bis(phenolate) ligand: synthesis, structures, and studies of cyclic ester polymerisation. <i>Dalton Transactions</i> , 2013, 42, 9313.	3.3	74
23	Synthesis and structures of calcium and strontium 2,4-di- <i>tert</i> -butylphenolates and their reactivity towards the amine co-initiated ring-opening polymerisation of <i>rac</i> -lactide. <i>Dalton Transactions</i> , 2013, 42, 9294.	3.3	38
24	Synthesis, Bonding and Reactivity of a Terminal Titanium Alkylidene Hydrazido Compound. <i>Chemistry - A European Journal</i> , 2013, 19, 4198-4216.	3.3	30
25	Synthesis and <i>rac</i> -lactide ring-opening polymerisation studies of new alkaline earth tetrahydroborate complexes. <i>Dalton Transactions</i> , 2013, 42, 759-769.	3.3	57
26	Synthesis and Reactivity of Titanium Hydrazido Complexes Supported by Diamido-Ether Ligands. <i>Organometallics</i> , 2013, 32, 3091-3107.	2.3	22
27	Synthesis and Reactions of a Cyclopentadienyl-Amidinate Titanium <i>tert</i> -Butoxyimido Compound. <i>Organometallics</i> , 2013, 32, 7520-7539.	2.3	21
28	A Remarkable Switch from a Diamination to a Hydrohydrazination Catalyst and Observation of an Unprecedented Catalyst Resting State. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 12298-12302.	13.8	33
29	Site selectivity and reversibility in the reactions of titanium hydrazides with Si-H, Si-X, C-X and H+ reagents: Ti-N 1,2-silane addition, Ni ² alkylation, Ni [±] protonation and σ -bond metathesis. <i>Dalton Transactions</i> , 2012, 41, 2277.	3.3	32
30	The first group 4 metal bis(imido) and tris(imido) complexes. <i>Chemical Science</i> , 2012, 3, 819-824.	7.4	37
31	New Sandwich and Half-Sandwich Titanium Hydrazido Compounds. <i>Organometallics</i> , 2011, 30, 2295-2307.	2.3	24
32	Heterobimetallic Complexes Containing Ca-Fe or Yb-Fe Bonds: Synthesis and Molecular and Electronic Structures of [M{CpFe(CO) ₂ } ₂ (THF) ₃] ₂ (M) Tj ETQq. 0.0 rgBf. Overlock	3.0	76
33	Si-H and Si-Cl bond activation reactions of titanium hydrazides with silanes and subsequent Ti-H/E-H (E = Si or H) σ -bond metathesis. <i>Chemical Communications</i> , 2011, 47, 3147.	4.1	32
34	Reactions of Cyclopentadienyl- σ -Amidinate Titanium Hydrazides with CO ₂ , CS ₂ , and Isocyanates: Ti-N σ -Cycloaddition, Cycloaddition-Insertion, and Cycloaddition-NNR ₂ Group Transfer Reactions. <i>Organometallics</i> , 2011, 30, 1182-1201.	2.3	41
35	Titanium alkoxyimido (Ti-N=O) complexes: reductive N=O bond cleavage at the boundary between hydrazide and peroxide ligands. <i>Chemical Communications</i> , 2011, 47, 4926.	4.1	19
36	Titanium <i>tert</i> -Butoxyimido Compounds. <i>Inorganic Chemistry</i> , 2011, 50, 12155-12171.	4.0	15

#	ARTICLE	IF	CITATIONS
37	Sulfonamide, Phenolate, and Directing Ligand-Free Indium Initiators for the Ring-Opening Polymerization of <i>rac</i> -Lactide. <i>Organometallics</i> , 2011, 30, 1202-1214.	2.3	79
38	Cationic and charge-neutral calcium tetrahydroborate complexes and their use in the controlled ring-opening polymerisation of <i>rac</i> -lactide. <i>Chemical Communications</i> , 2011, 47, 2276-2278.	4.1	135
39	Group 3 and Lanthanide Boryl Compounds: Syntheses, Structures, and Bonding Analyses of Sc ⁺ B, Y ⁺ B, and Lu ⁺ B η^5 -Coordinated NHC Analogues. <i>Journal of the American Chemical Society</i> , 2011, 133, 3836-3839.	13.7	102
40	Reaction Site Diversity in the Reactions of Titanium Hydrazides with Organic Nitriles, Isonitriles and Isocyanates: Ti η^3 N η^1 Cycloaddition, Ti η^3 N η^1 Insertion and N η^1 N η^2 Bond Cleavage. <i>Chemistry - A European Journal</i> , 2011, 17, 265-285.	3.3	52
41	Synthesis, solid state and DFT structure and olefin polymerization capability of a unique base-free dimeric methyl titanium dication. <i>Chemical Communications</i> , 2010, 46, 3339.	4.1	24
42	M η^2 -N η^1 Cycloaddition and N η^1 N η^2 Insertion in the Reactions of Titanium Hydrazido Compounds with Alkynes: A Combined Experimental and Computational Study. <i>Journal of the American Chemical Society</i> , 2010, 132, 10484-10497.	13.7	53
43	Low-coordinate rare-earth complexes of the asymmetric 2,4-di- <i>tert</i> -butylphenolate ligand prepared by redox transmetallation/protolysis reactions, and their reactivity towards ring-opening polymerisation. <i>Dalton Transactions</i> , 2010, 39, 6693.	3.3	24
44	Single and double substrate insertion into the Ti η^2 N η^1 bonds of terminal titanium hydrazides. <i>Chemical Communications</i> , 2010, 46, 85-87.	4.1	37
45	Syntheses and Structural Diversity of Group 2 and Group 12 Tris(pyrazolyl)methane and Zwitterionic Tris(pyrazolyl)methane Compounds. <i>Organometallics</i> , 2010, 29, 1174-1190.	2.3	67
46	Sulfonamide-Supported Aluminum Catalysts for the Ring-Opening Polymerization of <i>rac</i> -Lactide. <i>Organometallics</i> , 2010, 29, 1246-1260.	2.3	94
47	Ligand Variations in New Sulfonamide-Supported Group 4 Ring-Opening Polymerization Catalysts. <i>Organometallics</i> , 2010, 29, 4171-4188.	2.3	73
48	Ring-Opening Polymerization of <i>rac</i> -Lactide by Bis(phenolate)amine-Supported Samarium Borohydride Complexes: An Experimental and DFT Study. <i>Organometallics</i> , 2010, 29, 3602-3621.	2.3	151
49	Synthesis and ethylene trimerisation capability of new chromium(ii) and chromium(iii) heteroscorpionate complexes. <i>Dalton Transactions</i> , 2010, 39, 3653.	3.3	35
50	Dicationic and zwitterionic catalysts for the amine-initiated, immortal ring-opening polymerisation of <i>rac</i> -lactide: facile synthesis of amine-terminated, highly heterotactic PLA. <i>Chemical Communications</i> , 2010, 46, 273-275.	4.1	132
51	Contrasting reactivity of anionic boron- and gallium-containing NHC analogues: E=C vs. E=M bond formation (E = B, Ga). <i>Chemical Communications</i> , 2010, 46, 8546.	4.1	32
52	η^2 -Agostic Silylamido and Silyl-Hydrido Compounds of Molybdenum and Tungsten. <i>Inorganic Chemistry</i> , 2009, 48, 9605-9622.	4.0	26
53	Sulfonamide-Supported Group 4 Catalysts for the Ring-Opening Polymerization of ϵ -Caprolactone and <i>rac</i> -Lactide. <i>Inorganic Chemistry</i> , 2009, 48, 10442-10454.	4.0	86
54	Sodium, magnesium and zinc complexes of mono(phenolate) heteroscorpionate ligands. <i>Dalton Transactions</i> , 2009, , 85-96.	3.3	67

#	ARTICLE	IF	CITATIONS
55	Reactions of cyclopentadienyl-amidinate titanium imido compounds with CO ₂ : cycloaddition-extrusion vs. cycloaddition-insertion. <i>Dalton Transactions</i> , 2009, , 5960.	3.3	58
56	Non-Innocent Behaviour of Imido Ligands in the Reactions of Silanes with Half-Sandwich Imido Complexes of Nb and V: A Silane/Imido Coupling Route to Compounds with Nonclassical Si-H Interactions. <i>Chemistry - A European Journal</i> , 2008, 14, 296-310.	3.3	31
57	Syntheses, Reactivity and DFT Studies of Group 2 and Group 12 Metal Complexes of Tris(pyrazolyl)methanides Featuring Free Pyramidal Carbanions. <i>Chemistry - A European Journal</i> , 2008, 14, 5918-5934.	3.3	57
58	A DFT Study of the Mechanism of Polymerization of ϵ -Caprolactone Initiated by Organolanthanide Borohydride Complexes. <i>Chemistry - A European Journal</i> , 2008, 14, 5507-5518.	3.3	70
59	Zwitterionic bis(phenolate)amine lanthanide complexes for the ring-opening polymerisation of cyclic esters. <i>Dalton Transactions</i> , 2008, , 32-35.	3.3	104
60	Cycloaddition reactions of transition metal hydrazides with alkynes and heteroalkynes: coupling of Ti(NPh) ₂ with PhCCMe, PhCCH, MeCN and tBuCP. <i>Chemical Communications</i> , 2008, , 5101.	4.1	38
61	Imido titanium compounds bearing the 6-dimethylamino-1,4,6-trimethyl-1,4-diazacycloheptane ligand: synthesis, structures, solution dynamics and ethylene polymerisation capability. <i>Dalton Transactions</i> , 2008, , 3301.	3.3	8
62	Insertions into Azatitanacyclobutenes: New Insights into Three-Component Coupling Reactions Involving Imidotitanium Intermediates. <i>Organometallics</i> , 2008, 27, 2518-2528.	2.3	33
63	Synthesis, DFT Studies, and Reactions of Scandium and Yttrium Dialkyl Cations Containing Neutral $\text{N}(\text{C}_2\text{H}_5)_3$ and $\text{S}(\text{C}_2\text{H}_5)_3$ Donor Ligands. <i>Organometallics</i> , 2008, 27, 3458-3473.	2.3	29
64	Ti(NR) vs Ti(R) ² Functional Group Selectivity in Titanium Imido Alkyl Cations from an Experimental Perspective. <i>Organometallics</i> , 2008, 27, 6096-6110.	2.3	28
65	Synthesis, Structures and Reactivity of Group 4 Hydrazido Complexes Supported by Calix[4]arene Ligands. <i>Inorganic Chemistry</i> , 2008, 47, 12049-12062.	4.0	49
66	Ti(NR) vs Ti(R) ² Functional Group Selectivity in Titanium Imido Alkyl Cations from a DFT Perspective. <i>Organometallics</i> , 2008, 27, 6111-6122.	2.3	7
67	Silyl Hydrides of Tantalum Supported by Cyclopentadienyl-imido Ligand Sets: Syntheses, X-ray, NMR, and DFT Studies. <i>Organometallics</i> , 2008, 27, 5968-5977.	2.3	17
68	Synthesis and Molecular and Electronic Structure of an Unusual Paramagnetic Borohydride Complex Mo(NAr) ₂ (PMe) ₃ (i ⁺ -BH ₄). <i>Inorganic Chemistry</i> , 2008, 47, 999-1006.	4.0	13
69	Titanium Hydrazides Supported by Diamide-Amine and Related Ligands: A Combined Experimental and DFT Study. <i>Organometallics</i> , 2008, 27, 6479-6494.	2.3	41
70	New ligand platforms for developing the chemistry of the Ti(NR) ₂ functional group and the insertion of alkynes into the N-N bond of a Ti(NR) ₂ NPh ₂ ligand. <i>Chemical Communications</i> , 2007, , 4937.	4.1	65
71	Cyclopentadienyl Titanium Imido Compounds and Their Ethylene Polymerization Capability: Control of Molecular Weight Distributions by Imido N-Substituents. <i>Organometallics</i> , 2007, 26, 83-92.	2.3	24
72	Imido-Alkyne Coupling in Titanium Complexes: New Insights into the Alkyne Hydroamination Reaction. <i>Organometallics</i> , 2007, 26, 5522-5534.	2.3	70

#	ARTICLE	IF	CITATIONS
73	A novel transformation of a zirconium imido compound and the development of a new class of N3donor heteroscorpionate ligand. <i>Chemical Communications</i> , 2006, , 223-225.	4.1	48
74	A remarkable inversion of structure-activity dependence on imido N-substituents with varying co-ligand topology and the synthesis of a new borate-free zwitterionic polymerisation catalyst. <i>Chemical Communications</i> , 2006, , 436-438.	4.1	67
75	Synthesis, Structures, and Olefin Polymerization Capability of Vanadium(4+) Imido Compounds with fac-N3Donor Ligands. <i>Inorganic Chemistry</i> , 2006, 45, 6411-6423.	4.0	71
76	AlMe3 and ZnMe2 Adducts of a Titanium Imido Methyl Cation: A Combined Crystallographic, Spectroscopic, and DFT Study. <i>Journal of the American Chemical Society</i> , 2006, 128, 15005-15018.	13.7	62
77	Reactions of Cyclopentadienyl-Amidinate Titanium Imido Compounds with CS2, COS, Isocyanates, and Other Unsaturated Organic Compounds. <i>Organometallics</i> , 2006, 25, 1167-1187.	2.3	98
78	Synthesis and Reactions of Group 4 Imido Complexes Supported by Cyclooctatetraene Ligands. <i>Organometallics</i> , 2006, 25, 1755-1770.	2.3	54
79	Imido Titanium Ethylene Polymerization Catalysts Containing Triazacyclic Ligands. <i>Organometallics</i> , 2006, 25, 3888-3903.	2.3	33
80	Reactions of tBuCp*P with Cyclooctatetraene-Supported Titanium Imido Complexes. <i>Organometallics</i> , 2006, 25, 3688-3700.	2.3	14
81	Experimental and DFT Studies of Cationic Imido Titanium Alkyls: Agostic Interactions and C-H Bond and Solvent Activation Reactions of Isolobal Analogues of Group 4 Metallocenium Cations. <i>Organometallics</i> , 2006, 25, 2806-2825.	2.3	55
82	Synthesis and Ethylene Polymerization Capability of Metallocene-like Imido Titanium Dialkyl Compounds and Their Reactions with Al <i>i</i> Bu3. <i>Organometallics</i> , 2006, 25, 5549-5565.	2.3	31
83	Transition Metal Imido Compounds as Ziegler-Natta Olefin Polymerisation Catalysts. <i>Advanced Synthesis and Catalysis</i> , 2005, 347, 355-366.	4.3	214
84	Titanium Imido Complexes of Cyclooctatetraenyl Ligands. <i>Chemistry - A European Journal</i> , 2005, 11, 2111-2124.	3.3	34
85	Coordination, organometallic and related chemistry of tris(pyrazolyl)methane ligands. <i>Dalton Transactions</i> , 2005, , 635.	3.3	238
86	Well-defined imidotitanium alkyl cations: agostic interactions, migratory insertion vs. [2+2] cycloaddition, and the first structurally authenticated AlMe3 adduct of any transition metal alkyl cation. <i>Chemical Communications</i> , 2005, , 3313.	4.1	58
87	Lanthanide mono(borohydride) complexes of diamide-diamine donor ligands: novel single site catalysts for the polymerisation of methyl methacrylate. <i>Dalton Transactions</i> , 2005, , 421.	3.3	55
88	New and versatile routes to zirconium imido dichloride compounds. <i>Dalton Transactions</i> , 2005, , 1448.	3.3	16
89	New Titanium Imido Synthons: Syntheses and Supramolecular Structures. <i>Inorganic Chemistry</i> , 2005, 44, 2882-2894.	4.0	44
90	New Group 4 Organometallic and Imido Compounds of Diamide-Diamine and Related Dianionic O2N2-Donor Ligands. <i>Organometallics</i> , 2005, 24, 5586-5603.	2.3	26

#	ARTICLE	IF	CITATIONS
91	Synthesis, Structures, and Reactions of Titanium, Scandium, and Yttrium Complexes of Diamino-bis(phenolate) Ligands: Monomeric, Dimeric, Neutral, Cationic, and Multiply Bonded Derivatives. <i>Organometallics</i> , 2005, 24, 309-330.	2.3	98
92	Synthesis, Structures, and DFT Bonding Analysis of New Titanium Hydrazido(2 ⁻) Complexes. <i>Inorganic Chemistry</i> , 2005, 44, 8442-8458.	4.0	54
93	Lanthanide Borohydride Complexes Supported by Diaminobis(phenoxide) Ligands for the Polymerization of ϵ -Caprolactone and l- and rac-Lactide. <i>Inorganic Chemistry</i> , 2005, 44, 9046-9055.	4.0	215
94	Reactions of Neutral and Cationic Diamide-Supported Imido Complexes with CO ₂ and Other Heterocumulenes: Issues of Site Selectivity. <i>Organometallics</i> , 2005, 24, 2368-2385.	2.3	35
95	Pendant Arm Functionalized Benzamidinate Titanium Imido Compounds: Experimental and Computational Studies of Their Reactions with CO ₂ . <i>Organometallics</i> , 2005, 24, 2347-2367.	2.3	65
96	A Family of Scandium and Yttrium Tris((trimethylsilyl)methyl) Complexes with Neutral N ₃ Donor Ligands. <i>Organometallics</i> , 2005, 24, 3136-3148.	2.3	71
97	Reactions and Applications of Titanium Imido Complexes. <i>Accounts of Chemical Research</i> , 2005, 38, 839-849.	15.6	266
98	Revelations in Dinitrogen Activation and Functionalization by Metal Complexes. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 1186-1189.	13.8	51
99	A Monomeric Organolithium Compound Containing a Free Pyramidal Carbanion in Solution and in the Solid State. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 2521-2524.	13.8	47
100	Nonclassical Titanocene Silyl Hydrides. <i>Chemistry - A European Journal</i> , 2004, 10, 4991-4999.	3.3	86
101	Discovery and evaluation of highly active imidotitanium ethylene polymerisation catalysts using high throughput catalyst screening. <i>Chemical Communications</i> , 2004, , 434-435.	4.1	62
102	Unexpected features of stretched Si δ^+ -H δ^- -Mo δ^+ -agostic interactions. <i>Chemical Communications</i> , 2004, , 952-953.	4.1	31
103	Synthesis and structural characterization of an azatitanacyclobutene: the key intermediate in the catalytic anti-Markovnikov addition of primary amines to \pm -alkynes. <i>Chemical Communications</i> , 2004, , 704-705.	4.1	70
104	Synthesis, Reactivity, and Computational Studies of the Cationic Tungsten Methyl Complex [W(NPh)(N ₂ Npy)Me] ⁺ and Related Compounds (N ₂ Npy = MeC(2-C ₅ H ₄ N)(CH ₂ NSiMe ₃) ₂). <i>Organometallics</i> , 2004, 23, 4444-4461.	2.3	33
105	Synthesis and Reactivity of Calix[4]arene-Supported Group 4 Imido Complexes. <i>Chemistry - A European Journal</i> , 2003, 9, 3634-3654.	3.3	82
106	Organometallic and related imidotitanium compounds containing a pendant arm functionalised benzamidinate ligand. <i>Journal of Organometallic Chemistry</i> , 2003, 683, 120-130.	1.8	8
107	Tantalizing Chemistry of the Half-Sandwich Silylhydride Complexes of Niobium: Identification of Likely Intermediates on the Way to Agostic Complexes. <i>Inorganic Chemistry</i> , 2003, 42, 258-260.	4.0	33
108	Synthesis of TiN thin films from titanium imido complexes. <i>Journal of Materials Chemistry</i> , 2003, 13, 84-87.	6.7	43

#	ARTICLE	IF	CITATIONS
109	Recent developments in the non-cyclopentadienyl organometallic and related chemistry of scandium. <i>Chemical Communications</i> , 2003, , 1797.	4.1	77
110	Group 1 and mixed Group 1 and 2 metal complexes of dianionic p-tert-butylcalix[4]arenes. <i>Dalton Transactions</i> , 2003, , 2418.	3.3	11
111	Are J(Si ^δ -H) NMR Coupling Constants Really a Probe for the Existence of Nonclassical H ^δ -Si Interactions?. <i>Journal of the American Chemical Society</i> , 2003, 125, 642-643.	13.7	77
112	Zirconium Complexes of Diamine ^δ -Bis(phenolate) Ligands: Synthesis, Structures, and Solution Dynamics. <i>Organometallics</i> , 2002, 21, 1367-1382.	2.3	83
113	Scandium chloride, alkyl and phenyl complexes of diamido-donor ligands. <i>Dalton Transactions RSC</i> , 2002, , 4649-4657.	2.3	24
114	Scandium and yttrium complexes of the diamide ^δ -diamine donor ligand (2-C ₅ H ₄ N)CH ₂ N(CH ₂ CH ₂ NSiMe ₃) ₂ : chloride, primary and secondary amide, benzamidinate and alkyl functionalised derivatives. <i>Dalton Transactions RSC</i> , 2002, , 1694-1703.	2.3	42
115	Titanium imido complexes of pendant arm functionalised benzamidinate ligands. <i>Dalton Transactions RSC</i> , 2002, , 4175-4184.	2.3	26
116	Synthesis and reactivity of the imidotungsten methyl cation [W(N ₂ Npy)(NPh)Me] ⁺ : CO ₂ adds to the W ^δ -NPh bond and does not insert into the W ^δ -Me bond. <i>Chemical Communications</i> , 2002, , 2618-2619.	4.1	15
117	A dimolybdenum complex with an alkyne ligand parallel to the metal ^δ -metal bond: synthesis, structure and cluster formation reactions of [Mo ₂ (μ - η -1, η -1-C ₂ Ph ₂)(μ -S)(μ -SPri) ₂ Cp ₂]. <i>Dalton Transactions RSC</i> , 2001, , 2601-2610.	2.3	10
118	Surprising diversity of non-classical silicon ^δ -hydrogen interactions in half-sandwich complexes of Nb and Ta: M ^δ -H ^δ -Si ^δ -Cl interligand hypervalent interaction (IHI) versus stretched and unstretched η^2 -Si ^δ -H ^δ -M ^δ agostic bonding ^δ . <i>Dalton Transactions RSC</i> , 2001, , 2903-2915.	2.3	67
119	A structurally characterised, naked sp ³ -hybridised carbanion in the zwitterionic imido complex [Ti(NBut){C(Me ₂ pz) ₃ }Cl(THF)] (HMe ₂ pz = 3,5-dimethylpyrazole). <i>Chemical Communications</i> , 2001, , 705-706.	4.1	49
120	Novel double substrate insertion versus isocyanate extrusion in reactions of imidotitanium complexes with CO ₂ : critical dependence on imido N-substituents ^δ . <i>Dalton Transactions RSC</i> , 2001, , 1392-1394.	2.3	70
121	Neutral and cationic organometallic aluminium and indium complexes of mono-pendant arm triazacyclononane ligands. <i>Dalton Transactions RSC</i> , 2001, , 157-169.	2.3	23
122	New main-group and early transition-metal complexes of mono-pendant arm triazacyclononane ligands. <i>Dalton Transactions RSC</i> , 2001, , 170-180.	2.3	28
123	Titanium tert-Butyl- and Trimethylsilyl-imido Complexes with Monopendant Arm Triazacyclononane Ligands. <i>Inorganic Chemistry</i> , 2001, 40, 820-824.	4.0	25
124	Group 4 Imido Complexes Stabilized by a Tridentate Diamido-Donor Ligand. <i>Inorganic Chemistry</i> , 2001, 40, 870-877.	4.0	56
125	Group 5 Imido Complexes Derived from Diamido-Pyridine Ligands. <i>Inorganic Chemistry</i> , 2001, 40, 3992-4001.	4.0	24
126	Group 5 Imido Complexes Supported by Diamido ^δ -pyridine Ligands: Aryloxy, Amide, Benzamidinate, Alkyl, and Cyclopentadienyl Derivatives. <i>Organometallics</i> , 2001, 20, 3531-3542.	2.3	36

#	ARTICLE	IF	CITATIONS
127	C ^α -N Coupling Reactions of Allenes and Methylacetylenes with an Imidotitanium Complex. <i>Organometallics</i> , 2001, 20, 3308-3313.	2.3	29
128	Evaluation of the relative importance of Ti ^α -Cl ^α -H ^α -N hydrogen bonds and supramolecular interactions between perfluorophenyl rings in the crystal structures of [Ti(NR)Cl ₂ (NHMe ₂) ₂] (R = iPr, C ₆ H ₅ or t-Bu). <i>Organometallics</i> , 2001, 20, 2738-2739. See http://www.rsc.org/suppdata/cc/b1/b109251k/ . <i>Chemical Communications</i> , 2001, , 2738-2739.	4.1	28
129	New transition metal imido chemistry with diamido-donor ligands. <i>Coordination Chemistry Reviews</i> , 2001, 216-217, 65-97.	18.8	143
130	Contrasting Nonclassical Silicon ^α -Hydrogen Interactions in Niobium and Tantalum Half-Sandwich Complexes: Si ^α -H ^α -M Agostic versus M ^α -H ^α -Cl Interligand Hypervalent Interactions. <i>European Journal of Inorganic Chemistry</i> , 2000, 2000, 1917-1921.	2.0	29
131	An unprecedented coordination mode for hemilabile pendant-arm 1,4,7-triazacyclononanes and the synthesis of cationic organoaluminium complexes. <i>Chemical Communications</i> , 2000, , 1269-1270.	4.1	21
132	ansa-Linked titanium macrocycle ^α -imido complexes. <i>New Journal of Chemistry</i> , 2000, 24, 575-577.	2.8	15
133	A new and versatile diamide ^α -diamine donor ligand set in early transition metal chemistry. <i>Chemical Communications</i> , 2000, , 1167-1168.	4.1	28
134	New Group 5 and 6 transition metal imido complexes with monodeprotonated triazacyclononane ligands. <i>Dalton Transactions RSC</i> , 2000, , 4130-4137.	2.3	11
135	Titanium and Niobium Imido Complexes Derived from Diamidoamine Ligands. <i>Inorganic Chemistry</i> , 2000, 39, 2001-2005.	4.0	24
136	Cycloaddition Reactions of the Titanium Imide [Ti(NBut){MeC(2-C ₅ H ₄ N)(CH ₂ NSiMe ₃) ₂ }(py)] with ButCP and MeCN. <i>Organometallics</i> , 2000, 19, 3205-3210.	2.3	37
137	Macrocycle-Supported Titanium Complexes with Chelating Imido Ligands: Analogues of ansa-Metallocenes. <i>Inorganic Chemistry</i> , 2000, 39, 5483-5491.	4.0	38
138	C ^α -C and C ^α -N Coupling Reactions of an Imidotitanium Complex with Isocyanides. <i>Organometallics</i> , 2000, 19, 4784-4794.	2.3	56
139	New titanium imido complexes containing piperazine-based diamido ^α -diamine ligands. <i>Journal of Organometallic Chemistry</i> , 1999, 591, 114-126.	1.8	13
140	Cycloaddition reactions of titanium and zirconium imido, oxo and hydrazido complexes supported by tetraaza macrocyclic ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 379-392.	1.1	102
141	Titanium imido complexes with 1,3,5-triazacyclohexane ligands: syntheses, solution dynamics and solid state structures. <i>New Journal of Chemistry</i> , 1999, 23, 271-273.	2.8	9
142	Theoretical study of the geometric and electronic structures of pseudo-octahedral d ⁰ imido compounds of titanium: the trans influence in mer-[Ti(NR)Cl ₂ (NH ₃) ₃] (R = iPr, t-Bu, C ₆ H ₅ or C ₆ H ₄ NO ₂ -4). <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 781-790.	1.1	50
143	One- and two-step [2 + 2] cycloaddition reactions of group 4 imides with the phosphalkyne ButCP. Crystal and molecular structures of [Zr(1-5-C ₅ H ₅) ₂ (PCButNC ₆ H ₃ Me ₂ -2,6)] and [TiCl ₂ (P ₂ C ₂ But ₂ NBut)(py)].	4.1	25
144	New binuclear alkyl and half-sandwich cyclopentadienyl imido titanium complexes containing acetamidinate and benzamidinate supporting ligands. <i>Journal of Organometallic Chemistry</i> , 1998, 564, 209-214.	1.8	25

#	ARTICLE	IF	CITATIONS
145	Titanium imido complexes with tetraaza macrocyclic ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 2253-2260.	1.1	26
146	Synthesis and molecular and electronic structure of monomeric [Ti(η -C ₈ H ₈)(NBut)]. <i>Chemical Communications</i> , 1998, , 1235-1236.	4.1	18
147	C-H bond activation and C-N coupling reactions of methylacetylenes and allenes with an imidotitanium complex. <i>Chemical Communications</i> , 1998, , 2555-2556.	4.1	36
148	New Titanium Complexes Containing an Amidinate~Imide Supporting Ligand Set:~Cyclopentadienyl, Alkyl, Borohydride, Aryloxide, and Amide Derivatives. <i>Organometallics</i> , 1998, 17, 3271-3281.	2.3	51
149	Titanium Imido Complexes with Tetradentate Schiff Base Ligands. <i>Inorganic Chemistry</i> , 1998, 37, 5970-5977.	4.0	26
150	Cyclopentadienyl, indenyl and bis(cyclopentadienyl) titanium imido compounds. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 293-304.	1.1	48
151	Mono- and bi-nuclear titanium imido complexes supported by aryloxide ligands: fine control by ortho substituents. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 2911-2920.	1.1	25
152	Synthesis and imido-group exchange reactions of tert-butylimidotitanium complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 1549-1558.	1.1	109
153	Highly selective trimerisation of MeNC by a novel titanium imido complex containing a tridentate dianionic ligand. <i>Chemical Communications</i> , 1997, , 1555-1556.	4.1	51
154	ansa- η -Cyclopentadienylimide derivatives of niobium. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 2435-2444.	1.1	16
155	New titanium imido chemistry. <i>Chemical Communications</i> , 1997, , 2127-2134.	4.1	132
156	Titanium Imido Complexes Supported by Amidinate Ligands:~Synthesis, Solution Dynamics, and Solid State Structures. <i>Inorganic Chemistry</i> , 1997, 36, 3616-3622.	4.0	41
157	Imidotitanium Tris(pyrazolyl)hydroborates:~Synthesis, Solution Dynamics, and Solid-State Structure. <i>Inorganic Chemistry</i> , 1996, 35, 1006-1012.	4.0	38
158	A \sim direct TM relationship between E-Ti-L bond angle and Ti-E bond length can exist in [Ti(E)L ₄] complexes (E) Tj ETQg 0 0 0 rgt	2.0	20
159	Dalton communications. Exchange of organoimido groups at a mononuclear titanium centre and a crystallographic evaluation of the relative structural influences of the NBut, NC ₆ H ₄ Me-4 and NC ₆ H ₄ NO ₂ -4 ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 3743.	1.1	23
160	(η -Cyclopentadienyl)imido derivatives of molybdenum and tungsten. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 2851-2859.	1.1	13
161	A general route to sandwich and half-sandwich titanium imido complexes: X-ray structure of [Ti(η -4-Me ₈ taa)(NBut)](Me ₄ taa = tetramethyldibenzotetraaza[14]annulene). <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 2007-2008.	2.0	48
162	Molecular and electronic structures of bis[1,4-bis(trimethylsilyl)cyclooctatetraene] sandwich complexes of titanium and zirconium. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 2867.	1.1	18

#	ARTICLE	IF	CITATIONS
163	Half-sandwich η^7 -cycloheptatriene and -enyl derivatives of titanium and zirconium. Journal of the Chemical Society Dalton Transactions, 1992, , 2259-2261.	1.1	14
164	Bis(η^5 -cyclopentadienyl)-molybdenum and -tungsten imido complexes: X-ray structures of $[\text{Mo}(\eta^5\text{-C}_5\text{H}_5)_2(\text{NBut})]$ and $[\text{Mo}(\eta^5\text{-C}_5\text{H}_4\text{Me})_2(\text{NButMe})]$. Journal of the Chemical Society Chemical Communications, 1992, , 1361-1365.	2.0	34
165	Synthesis of η^5 -cyclopentadienylidene-4-imidopropyl niobium derivatives $[\text{Nb}(\eta^5\text{-C}_5\text{H}_4(\text{CH}_2)_3\text{N})\text{Cl}_2]$ and $[\text{Nb}(\eta^5\text{-C}_5\text{H}_4(\text{CH}_2)_3\text{N})(\text{PMe}_3)\text{Cl}_2]$. Journal of Organometallic Chemistry, 1992, 438, C4-C8.	1.8	25
166	Half-sandwich compounds of zirconium(II): the synthesis of $[\text{Zr}(\eta^6\text{-C}_7\text{H}_8)(\text{PMe}_3)_2\text{Cl}_2]$. Journal of the Chemical Society Chemical Communications, 1989, , 908-909.	2.0	14
167	Agostic versus Hypervalent Si-H Interactions in Half-Sandwich Complexes of Nb and Ta. , 0, , 451-455.		3
168	Agostic versus Hypervalent Si-H Interactions in Half-Sandwich Complexes of Nb and Ta. , 0, , 451-455.		1