

Xinghua Qiu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2334481/publications.pdf>

Version: 2024-02-01

100
papers

5,071
citations

117625

34
h-index

91884

69
g-index

100
all docs

100
docs citations

100
times ranked

5388
citing authors

#	ARTICLE	IF	CITATIONS
1	Fine particulate matter and vasoactive 20-hydroxyeicosatetraenoic acid: Insights into the mechanisms of the prohypertensive effects of particulate air pollution. <i>Science of the Total Environment</i> , 2022, 806, 151298.	8.0	3
2	Associations between differences in anemia-related blood cell parameters and short-term exposure to ambient particle pollutants in middle-aged and elderly residents in Beijing, China. <i>Science of the Total Environment</i> , 2022, 816, 151520.	8.0	7
3	Ultrafine black carbon caused mitochondrial oxidative stress, mitochondrial dysfunction and mitophagy in SH-SY5Y cells. <i>Science of the Total Environment</i> , 2022, 813, 151899.	8.0	12
4	Field Evaluation of a Potential Exposure Biomarker of Methylated Polycyclic Aromatic Hydrocarbons: Association between Urinary Phenanthrene-2-carboxylic Acid and Personal Exposure to 2-Methylphenanthrene. <i>Environmental Science and Technology Letters</i> , 2022, 9, 166-172.	8.7	4
5	Risk factors in air pollution exposome contributing to higher levels of TNF α in COPD patients. <i>Environment International</i> , 2022, 159, 107034.	10.0	13
6	A simple and rapid method for extraction and measurement of circulating sphingolipids using LC-MS/MS: a targeted lipidomic analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2022, 414, 2041-2054.	3.7	9
7	Glucose Metabolic Disorders Enhance Vascular Dysfunction Triggered by Particulate Air Pollution: a Panel Study. <i>Hypertension</i> , 2022, 79, 1079-1090.	2.7	8
8	Selenium protects against the likelihood of fetal neural tube defects partly via the arginine metabolic pathway. <i>Clinical Nutrition</i> , 2022, 41, 838-846.	5.0	2
9	Personal exposure to electrophilic compounds of fine particulate matter and the inflammatory response: The role of atmospheric transformation. <i>Journal of Hazardous Materials</i> , 2022, 432, 128559.	12.4	5
10	Triglyceride profiles are associated with subacute exposure to bisphenol A in healthy young adults. <i>Science of the Total Environment</i> , 2022, 825, 153991.	8.0	3
11	Ceramide metabolism mediates the impaired glucose homeostasis following short-term black carbon exposure: A targeted lipidomic analysis. <i>Science of the Total Environment</i> , 2022, 829, 154657.	8.0	8
12	Photocatalytic Role of Atmospheric Soot Particles under Visible-Light Irradiation: Reactive Oxygen Species Generation, Self-Oxidation Process, and Induced Higher Oxidative Potential and Cytotoxicity. <i>Environmental Science & Technology</i> , 2022, 56, 7668-7678.	10.0	8
13	Arachidonic acid metabolism and inflammatory biomarkers associated with exposure to polycyclic aromatic hydrocarbons. <i>Environmental Research</i> , 2022, 212, 113498.	7.5	14
14	Ambient Air Pollution and Atherosclerosis: A Potential Mediating Role of Sphingolipids. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2022, 42, 906-918.	2.4	11
15	Susceptibility of individuals with chronic obstructive pulmonary disease to respiratory inflammation associated with short-term exposure to ambient air pollution: A panel study in Beijing. <i>Science of the Total Environment</i> , 2021, 766, 142639.	8.0	24
16	Pollutants from primary sources dominate the oxidative potential of water-soluble PM _{2.5} in Hong Kong in terms of dithiothreitol (DTT) consumption and hydroxyl radical production. <i>Journal of Hazardous Materials</i> , 2021, 405, 124218.	12.4	21
17	Comprehensive detection of nitrated aromatic compounds in fine particulate matter using gas chromatography and tandem mass spectrometry coupled with an electron capture negative ionization source. <i>Journal of Hazardous Materials</i> , 2021, 407, 124794.	12.4	20
18	microRNA-146a-5p negatively modulates PM _{2.5} caused inflammation in THP-1 cells via autophagy process. <i>Environmental Pollution</i> , 2021, 268, 115961.	7.5	13

#	ARTICLE	IF	CITATIONS
19	Identification of organosiloxanes in ambient fine particulate matters using an untargeted strategy via gas chromatography and time-of-flight mass spectrometry. <i>Environmental Pollution</i> , 2021, 271, 116128.	7.5	4
20	Urinary carboxylic acid metabolites as possible novel biomarkers of exposures to alkylated polycyclic aromatic hydrocarbons. <i>Environment International</i> , 2021, 147, 106325.	10.0	12
21	Changes in bioactive lipid mediators in response to short-term exposure to ambient air particulate matter: A targeted lipidomic analysis of oxylipin signaling pathways. <i>Environment International</i> , 2021, 147, 106314.	10.0	24
22	Metabolomic Changes after Subacute Exposure to Polycyclic Aromatic Hydrocarbons: A Natural Experiment among Healthy Travelers from Los Angeles to Beijing. <i>Environmental Science & Technology</i> , 2021, 55, 5097-5105.	10.0	14
23	Secondary Production of Gaseous Nitrated Phenols in Polluted Urban Environments. <i>Environmental Science & Technology</i> , 2021, 55, 4410-4419.	10.0	26
24	Susceptibility of patients with chronic obstructive pulmonary disease to heart rate difference associated with the short-term exposure to metals in ambient fine particles: A panel study in Beijing, China. <i>Science China Life Sciences</i> , 2021, , 1.	4.9	4
25	Organic Components of Personal PM _{2.5} Exposure Associated with Inflammation: Evidence from an Untargeted Exposomic Approach. <i>Environmental Science & Technology</i> , 2021, 55, 10589-10596.	10.0	31
26	Association between exposure to polycyclic aromatic hydrocarbons and lipid peroxidation in patients with chronic obstructive pulmonary disease. <i>Science of the Total Environment</i> , 2021, 780, 146660.	8.0	17
27	Differences in transcriptome response to air pollution exposure between adult residents with and without chronic obstructive pulmonary disease in Beijing: A panel study. <i>Journal of Hazardous Materials</i> , 2021, 416, 125790.	12.4	5
28	Glucose metabolism disorder enhanced the changes in cardiovascular function associated with exposure to ambient air particulate matter: a panel study. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
29	Transcriptomics reveals the mechanisms of population susceptibility to blood glucose associated with short-term exposure to ambient fine and ultrafine particles. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
30	Susceptibility of individuals with lung dysfunction to systemic inflammation associated with ambient fine particle exposure: A panel study in Beijing. <i>Science of the Total Environment</i> , 2021, 788, 147760.	8.0	9
31	The associations of nitrated polycyclic aromatic hydrocarbon exposures with plasma glucose and amino acids. <i>Environmental Pollution</i> , 2021, 289, 117945.	7.5	3
32	Associations between time-weighted personal air pollution exposure and amino acid metabolism in healthy adults. <i>Environment International</i> , 2021, 156, 106623.	10.0	11
33	Transcriptomics changes and the candidate pathway in human macrophages induced by different PM _{2.5} extracts. <i>Environmental Pollution</i> , 2021, 289, 117890.	7.5	12
34	Proinflammatory lipid signals trigger the health effects of air pollution in individuals with prediabetes. <i>Environmental Pollution</i> , 2021, 290, 118008.	7.5	12
35	Organic Iodine Compounds in Fine Particulate Matter from a Continental Urban Region: Insights into Secondary Formation in the Atmosphere. <i>Environmental Science & Technology</i> , 2021, 55, 1508-1514.	10.0	9
36	Precursors and Pathways Leading to Enhanced Secondary Organic Aerosol Formation during Severe Haze Episodes. <i>Environmental Science & Technology</i> , 2021, 55, 15680-15693.	10.0	28

#	ARTICLE	IF	CITATIONS
37	Isomeric Identification of Particle-Phase Organic Nitrates through Gas Chromatography and Time-of-Flight Mass Spectrometry Coupled with an Electron Capture Negative Ionization Source. <i>Environmental Science & Technology</i> , 2020, 54, 707-713.	10.0	17
38	Biases Arising from the Use of Ambient Measurements to Represent Personal Exposure in Evaluating Inflammatory Responses to Fine Particulate Matter: Evidence from a Panel Study in Beijing, China. <i>Environmental Science and Technology Letters</i> , 2020, 7, 746-752.	8.7	13
39	A rapid and high-throughput approach to quantify non-esterified oxylipins for epidemiological studies using online SPE-LC-MS/MS. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 7989-8001.	3.7	14
40	Association of internal exposure to polycyclic aromatic hydrocarbons with inflammation and oxidative stress in prediabetic and healthy individuals. <i>Chemosphere</i> , 2020, 253, 126748.	8.2	38
41	Different temporal trends of exposure to Bisphenol A among international travelers between Los Angeles and Beijing. <i>Environment International</i> , 2020, 141, 105758.	10.0	12
42	Difference on oxidative stress in lung epithelial cells and macrophages induced by ambient fine particulate matter (PM _{2.5}). <i>Air Quality, Atmosphere and Health</i> , 2020, 13, 789-796.	3.3	7
43	Respiratory Inflammation and Short-Term Ambient Air Pollution Exposures in Adult Beijing Residents with and without Prediabetes: A Panel Study. <i>Environmental Health Perspectives</i> , 2020, 128, 67004.	6.0	31
44	Susceptibility of individuals with chronic obstructive pulmonary disease to air pollution exposure in Beijing, China: A case-control panel study (COPDB). <i>Science of the Total Environment</i> , 2020, 717, 137285.	8.0	29
45	Improved method for the optical analysis of particulate black carbon (BC) using smartphones. <i>Atmospheric Environment</i> , 2020, 224, 117291.	4.1	4
46	Inflammatory and oxidative stress responses of healthy adults to changes in personal air pollutant exposure. <i>Environmental Pollution</i> , 2020, 263, 114503.	7.5	21
47	Particulate Matter Toxicity Is Nrf2 and Mitochondria Dependent: The Roles of Metals and Polycyclic Aromatic Hydrocarbons. <i>Chemical Research in Toxicology</i> , 2020, 33, 1110-1120.	3.3	78
48	Investigation of the chemical components of ambient fine particulate matter (PM _{2.5}) associated with in vitro cellular responses to oxidative stress and inflammation. <i>Environment International</i> , 2020, 136, 105475.	10.0	66
49	Associations between changes in adipokines and exposure to fine and ultrafine particulate matter in ambient air in Beijing residents with and without pre-diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001215.	2.8	9
50	Hydrophobic Organic Components of Ambient Fine Particulate Matter (PM _{2.5}) Associated with Inflammatory Cellular Response. <i>Environmental Science & Technology</i> , 2019, 53, 10479-10486.	10.0	48
51	Susceptibility of prediabetes to the health effect of air pollution: a community-based panel study with a nested case-control design. <i>Environmental Health</i> , 2019, 18, 65.	4.0	26
52	The methyl-triclosan induced caspase-dependent mitochondrial apoptosis in HepG2 cells mediated through oxidative stress. <i>Ecotoxicology and Environmental Safety</i> , 2019, 182, 109391.	6.0	18
53	Optical properties, source apportionment and redox activity of humic-like substances (HULIS) in airborne fine particulates in Hong Kong. <i>Environmental Pollution</i> , 2019, 255, 113087.	7.5	37
54	Health effects of air pollution: what we need to know and to do in the next decade. <i>Journal of Thoracic Disease</i> , 2019, 11, 1727-1730.	1.4	13

#	ARTICLE	IF	CITATIONS
55	Nrf2 protects against diverse PM _{2.5} components-induced mitochondrial oxidative damage in lung cells. <i>Science of the Total Environment</i> , 2019, 669, 303-313.	8.0	62
56	Pro-Oxidative and Proinflammatory Effects After Traveling From Los Angeles to Beijing. <i>Circulation</i> , 2019, 140, 1995-2004.	1.6	50
57	Modifications of autophagy influenced the Alzheimer-like changes in SH-SY5Y cells promoted by ultrafine black carbon. <i>Environmental Pollution</i> , 2019, 246, 763-771.	7.5	22
58	Acute and chronic effects of ambient fine particulate matter on preterm births in Beijing, China: A time-series model. <i>Science of the Total Environment</i> , 2019, 650, 1671-1677.	8.0	33
59	Seasonal variations in fine particle composition from Beijing prompt oxidative stress response in mouse lung and liver. <i>Science of the Total Environment</i> , 2018, 626, 147-155.	8.0	46
60	Effects on IL-1 β signaling activation induced by water and organic extracts of fine particulate matter (PM _{2.5}) in <i>in vitro</i> . <i>Environmental Pollution</i> , 2018, 237, 592-600.	7.5	90
61	Sources and oxidative potential of water-soluble humic-like substances (HULIS_{WS}) in fine particulate matter (PM_{2.5}) in Beijing. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 5607-5617.	4.9	92
62	Sources and spatial distribution of particulate polycyclic aromatic hydrocarbons in Shanghai, China. <i>Science of the Total Environment</i> , 2017, 584-585, 307-317.	8.0	73
63	Comparison of gene expression profiles induced by fresh or ozone-oxidized black carbon particles in A549 cells. <i>Chemosphere</i> , 2017, 180, 212-220.	8.2	23
64	Airborne nitro-PAHs induce Nrf2/ARE defense system against oxidative stress and promote inflammatory process by activating PI3K/Akt pathway in A549 cells. <i>Toxicology in Vitro</i> , 2017, 44, 66-73.	2.4	60
65	High efficiency cabin air filter in vehicles reduces drivers' roadway particulate matter exposures and associated lipid peroxidation. <i>PLoS ONE</i> , 2017, 12, e0188498.	2.5	33
66	Association of polycyclic aromatic hydrocarbons in housewives' hair with hypertension. <i>Chemosphere</i> , 2016, 153, 315-321.	8.2	49
67	A novel approach for apportionment between primary and secondary sources of airborne nitrated polycyclic aromatic hydrocarbons (NPAHs). <i>Atmospheric Environment</i> , 2016, 138, 108-113.	4.1	13
68	A quantitative assessment of source contributions to fine particulate matter (PM _{2.5})-bound polycyclic aromatic hydrocarbons (PAHs) and their nitrated and hydroxylated derivatives in Hong Kong. <i>Environmental Pollution</i> , 2016, 219, 742-749.	7.5	80
69	Macrophage-Mediated Effects of Airborne Fine Particulate Matter (PM _{2.5}) on Hepatocyte Insulin Resistance in <i>in vitro</i> . <i>ACS Omega</i> , 2016, 1, 736-743.	3.5	22
70	Atmospheric PAHs in North China: Spatial distribution and sources. <i>Science of the Total Environment</i> , 2016, 565, 994-1000.	8.0	83
71	Air pollutant emissions from Chinese households: A major and underappreciated ambient pollution source. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 7756-7761.	7.1	378
72	Urinary Metabolites of Polycyclic Aromatic Hydrocarbons and the Association with Lipid Peroxidation: A Biomarker-Based Study between Los Angeles and Beijing. <i>Environmental Science & Technology</i> , 2016, 50, 3738-3745.	10.0	51

#	ARTICLE	IF	CITATIONS
73	Sources, transformation, and health implications of PAHs and their nitrated, hydroxylated, and oxygenated derivatives in PM _{2.5} in Beijing. <i>Journal of Geophysical Research D: Atmospheres</i> , 2015, 120, 7219-7228.	3.3	187
74	Levels, spatial distribution, and exposure risks of decabromodiphenylethane in soils of North China. <i>Environmental Science and Pollution Research</i> , 2015, 22, 13319-13327.	5.3	16
75	Association of serum levels of typical organic pollutants with polycystic ovary syndrome (PCOS): a case-control study. <i>Human Reproduction</i> , 2015, 30, 1964-1973.	0.9	64
76	Commuter exposure to particulate matter and particle-bound PAHs in three transportation modes in Beijing, China. <i>Environmental Pollution</i> , 2015, 204, 199-206.	7.5	77
77	Significant accumulation of persistent organic pollutants and dysregulation in multiple DNA damage repair pathways in the electronic-waste-exposed populations. <i>Environmental Research</i> , 2015, 137, 458-466.	7.5	21
78	Polycyclic aromatic hydrocarbon (PAH) exposure and oxidative stress for a rural population from the North China Plain. <i>Environmental Science and Pollution Research</i> , 2015, 22, 1760-1769.	5.3	53
79	Concentrations and spatial distribution of polycyclic aromatic hydrocarbons (PAHs) and nitrated PAHs (NPAHs) in the atmosphere of North China, and the transformation from PAHs to NPAHs. <i>Environmental Pollution</i> , 2015, 196, 164-170.	7.5	116
80	Genotoxic effects and serum abnormalities in residents of regions proximal to e-waste disposal facilities in Jinghai, China. <i>Ecotoxicology and Environmental Safety</i> , 2014, 105, 51-58.	6.0	13
81	Gridded Field Observations of Polybrominated Diphenyl Ethers in Soils of North China. <i>Archives of Environmental Contamination and Toxicology</i> , 2014, 66, 482-490.	4.1	11
82	Dechlorane Plus in surface soil of North China: levels, isomer profiles, and spatial distribution. <i>Environmental Science and Pollution Research</i> , 2014, 21, 8870-8877.	5.3	15
83	Field determination and QSPR prediction of equilibrium-status soil/vegetation partition coefficient of PCDD/Fs. <i>Journal of Hazardous Materials</i> , 2014, 276, 278-286.	12.4	9
84	Organochlorine pesticide levels in maternal serum and risk of neural tube defects in offspring in Shanxi Province, China: A case-control study. <i>Science of the Total Environment</i> , 2014, 490, 1037-1043.	8.0	29
85	Exposure to typical persistent organic pollutants from an electronic waste recycling site in Northern China. <i>Chemosphere</i> , 2013, 91, 205-211.	8.2	61
86	Spatial distribution of polychlorinated naphthalenes in the atmosphere across North China based on gridded field observations. <i>Environmental Pollution</i> , 2013, 180, 27-33.	7.5	30
87	Polybromobenzene Pollutants in the Atmosphere of North China: Levels, Distribution, and Sources. <i>Environmental Science & Technology</i> , 2013, 47, 12761-12767.	10.0	35
88	Gridded Field Observations of Polybrominated Diphenyl Ethers and Decabromodiphenyl Ethane in the Atmosphere of North China. <i>Environmental Science & Technology</i> , 2013, 47, 130718124130004.	10.0	14
89	Reactive Oxygen Species Alteration of Immune Cells in Local Residents at an Electronic Waste Recycling Site in Northern China. <i>Environmental Science & Technology</i> , 2013, 47, 3344-3352.	10.0	31
90	Using placenta to evaluate the polychlorinated biphenyls (PCBs) and polybrominated diphenyl ethers (PBDEs) exposure of fetus in a region with high prevalence of neural tube defects. <i>Ecotoxicology and Environmental Safety</i> , 2012, 86, 141-146.	6.0	24

#	ARTICLE	IF	CITATIONS
91	State of polybrominated diphenyl ethers in China: An overview. <i>Chemosphere</i> , 2012, 88, 769-778.	8.2	109
92	Association of selected persistent organic pollutants in the placenta with the risk of neural tube defects. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 12770-12775.	7.1	249
93	Polybrominated diphenyl ethers (PBDEs) and other flame retardants in the atmosphere and water from Taihu Lake, East China. <i>Chemosphere</i> , 2010, 80, 1207-1212.	8.2	136
94	Using the o,p'-DDT/p,p'-DDT ratio to identify DDT sources in China. <i>Chemosphere</i> , 2010, 81, 1033-1038.	8.2	81
95	Hydroxylated Metabolites of Polybrominated Diphenyl Ethers in Human Blood Samples from the United States. <i>Environmental Health Perspectives</i> , 2009, 117, 93-98.	6.0	216
96	Air-Water Gas Exchange of Organochlorine Pesticides in Taihu Lake, China. <i>Environmental Science & Technology</i> , 2008, 42, 1928-1932.	10.0	54
97	Dechlorane Plus and Other Flame Retardants in Tree Bark from the Northeastern United States. <i>Environmental Science & Technology</i> , 2008, 42, 31-36.	10.0	145
98	Dechlorane Plus and Other Flame Retardants in a Sediment Core from Lake Ontario. <i>Environmental Science & Technology</i> , 2007, 41, 6014-6019.	10.0	190
99	Contribution of Dicofol to the Current DDT Pollution in China. <i>Environmental Science & Technology</i> , 2005, 39, 4385-4390.	10.0	621
100	Organochlorine Pesticides in the Air around the Taihu Lake, China. <i>Environmental Science & Technology</i> , 2004, 38, 1368-1374.	10.0	317