Jan-Philipp Klein

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2338028/publications.pdf

Version: 2024-02-01

236925 175258 3,468 89 25 52 citations h-index g-index papers 117 117 117 3155 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Efficacy of Self-guided Internet-Based Cognitive Behavioral Therapy in the Treatment of Depressive Symptoms. JAMA Psychiatry, 2017, 74, 351.	11.0	560
2	Internet-Based Cognitive Behavioral Therapy for Depression. JAMA Psychiatry, 2021, 78, 361.	11.0	398
3	Do guided internet-based interventions result in clinically relevant changes for patients with depression? An individual participant data meta-analysis. Clinical Psychology Review, 2018, 63, 80-92.	11.4	239
4	Effects of an Internet intervention (Deprexis) on severe depression symptoms: Randomized controlled trial. Internet Interventions, 2015, 2, 48-59.	2.7	149
5	Effects of a Psychological Internet Intervention in the Treatment of Mild to Moderate Depressive Symptoms: Results of the EVIDENT Study, a Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2016, 85, 218-228.	8.8	124
6	Development of a questionnaire measuring Attitudes towards Psychological Online Interventions–the APOI. Journal of Affective Disorders, 2015, 187, 136-141.	4.1	115
7	Is self-guided internet-based cognitive behavioural therapy (iCBT) harmful? An individual participant data meta-analysis. Psychological Medicine, 2018, 48, 2456-2466.	4.5	106
8	Dismantling, optimising, and personalising internet cognitive behavioural therapy for depression: a systematic review and component network meta-analysis using individual participant data. Lancet Psychiatry,the, 2021, 8, 500-511.	7.4	105
9	Effect of Disorder-Specific vs Nonspecific Psychotherapy for Chronic Depression. JAMA Psychiatry, 2017, 74, 233.	11.0	87
10	Internet interventions for depression: new developments. Dialogues in Clinical Neuroscience, 2016, 18, 203-212.	3.7	84
11	Attitudes Towards Internet Interventions Among Psychotherapists and Individuals with Mild to Moderate Depression Symptoms. Cognitive Therapy and Research, 2017, 41, 745-756.	1.9	79
12	The association between adherence and outcome in an Internet intervention for depression. Journal of Affective Disorders, 2018, 229, 443-449.	4.1	70
13	More adaptive versus less maladaptive coping: What is more predictive of symptom severity? Development of a new scale to investigate coping profiles across different psychopathological syndromes. Journal of Affective Disorders, 2016, 191, 300-307.	4.1	67
14	The Working Alliance Inventory for guided Internet interventions (WAIâ€). Journal of Clinical Psychology, 2020, 76, 973-986.	1.9	62
15	Efficacy and Moderators of Internet-Based Interventions in Adults with Subthreshold Depression: An Individual Participant Data Meta-Analysis of Randomized Controlled Trials. Psychotherapy and Psychosomatics, 2021, 90, 94-106.	8.8	59
16	Neurocognitive deficits in schizophrenia. Are we making mountains out of molehills?. Psychological Medicine, 2017, 47, 2602-2612.	4.5	58
17	Metacognitive and cognitive-behavioral interventions for psychosis: new developments. Dialogues in Clinical Neuroscience, 2019, 21, 309-317.	3.7	50
18	The EVIDENT-trial: protocol and rationale of a multicenter randomized controlled trial testing the effectiveness of an online-based psychological intervention. BMC Psychiatry, 2013, 13, 239.	2.6	47

#	Article	IF	CITATIONS
19	It can't hurt, right? Adverse effects of psychotherapy in patients with depression. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 577-586.	3.2	41
20	Beyond words: Sensory properties of depressive thoughts. Cognition and Emotion, 2014, 28, 1047-1056.	2.0	39
21	The Association of Childhood Trauma and Personality Disorders With Chronic Depression. Journal of Clinical Psychiatry, 2015, 76, e794-e801.	2.2	37
22	Effects of online intervention for depression on mood and positive symptoms in schizophrenia. Schizophrenia Research, 2016, 175, 216-222.	2.0	35
23	Defining and Predicting Patterns of Early Response in a Web-Based Intervention for Depression. Journal of Medical Internet Research, 2017, 19, e206.	4.3	31
24	Impact and change of attitudes toward Internet interventions within a randomized controlled trial on individuals with depression symptoms. Depression and Anxiety, 2018, 35, 421-430.	4.1	27
25	Does Childhood Maltreatment Moderate the Effect of the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy in Persistent Depressive Disorder?. Psychotherapy and Psychosomatics, 2018, 87, 46-48.	8.8	26
26	Two-Year Follow-Up after Treatment with the Cognitive Behavioral Analysis System of Psychotherapy versus Supportive Psychotherapy for Early-Onset Chronic Depression. Psychotherapy and Psychosomatics, 2019, 88, 154-164.	8.8	26
27	Massive Creatine Kinase Elevations with Quetiapine: Report of Two Cases. Pharmacopsychiatry, 2006, 39, 39-40.	3.3	25
28	Bridging the "digital divide― A comparison of use and effectiveness of an online intervention for depression between Baby Boomers and Millennials. Journal of Affective Disorders, 2018, 236, 243-251.	4.1	25
29	Time to remission from mild to moderate depressive symptoms: One year results from the EVIDENT-study, an RCT of an internet intervention for depression. Behaviour Research and Therapy, 2017, 97, 154-162.	3.1	24
30	Differential associations between patterns of child maltreatment and comorbidity in adult depressed patients. Journal of Affective Disorders, 2018, 230, 34-41.	4.1	24
31	The Association of Therapeutic Alliance With Long-Term Outcome in a Guided Internet Intervention for Depression: Secondary Analysis From a Randomized Control Trial. Journal of Medical Internet Research, 2020, 22, e15824.	4.3	24
32	Internetbasierte psychologische Behandlung bei Depressionen. Verhaltenstherapie, 2013, 23, 149-159.	0.4	23
33	Effect of specific psychotherapy for chronic depression on neural Responses to emotional faces. Journal of Affective Disorders, 2014, 166, 93-97.	4.1	23
34	Symptom-specific effectiveness of an internet-based intervention in the treatment of mild to moderate depressive symptomatology: The potential of network estimation techniques. Behaviour Research and Therapy, 2019, 122, 103440.	3.1	22
35	Characteristics of participants in a randomized trial of an Internet intervention for depression (EVIDENT) in comparison to a national sample (DEGS1). Internet Interventions, 2017, 9, 46-50.	2.7	20
36	Does recruitment source moderate treatment effectiveness? A subgroup analysis from the EVIDENT study, a randomised controlled trial of an internet intervention for depressive symptoms. BMJ Open, 2017, 7, e015391.	1.9	20

#	Article	IF	CITATIONS
37	Chronic depression: development and evaluation of the luebeck questionnaire for recording preoperational thinking (LQPT). BMC Psychiatry, 2011, 11, 199.	2.6	19
38	A Psychometric Evaluation of the German Version of the Quick Inventory of Depressive Symptomatology (QIDS-SR16) in Outpatients with Depression. Fortschritte Der Neurologie Psychiatrie, 2015, 83, e17-e22.	0.5	19
39	Simvastatin add-on to escitalopram in patients with comorbid obesity and major depression (SIMCODE): study protocol of a multicentre, randomised, double-blind, placebo-controlled trial. BMJ Open, 2020, 10, e040119.	1.9	18
40	Optimizing the context of support of web-based self-help in individuals with mild to moderate depressive symptoms: A randomized full factorial trial. Behaviour Research and Therapy, 2022, 152, 104070.	3.1	18
41	Effects of intense assessment on statistical power in randomized controlled trials: Simulation study on depression. Internet Interventions, 2020, 20, 100313.	2.7	17
42	The regression discontinuity design showed to be a valid alternative to a randomized controlled trial for estimating treatment effects. Journal of Clinical Epidemiology, 2017, 82, 94-102.	5.0	16
43	Association of comorbid personality disorders with clinical characteristics and outcome in a randomized controlled trial comparing two psychotherapies for early-onset persistent depressive disorder. Journal of Affective Disorders, 2018, 229, 262-268.	4.1	15
44	Do interpersonal fears mediate the association between childhood maltreatment and interpersonal skills deficits? A matched cross-sectional analysis. Psychotherapy Research, 2020, 30, 267-278.	1.8	15
45	Immediate and long-term effectiveness of adding an Internet intervention for depression to routine outpatient psychotherapy: Subgroup analysis of the EVIDENT trial. Journal of Affective Disorders, 2020, 274, 643-651.	4.1	15
46	Moderating effect of comorbid anxiety disorders on treatment outcome in a randomized controlled psychotherapy trial in early-onset persistently depressed outpatients. Depression and Anxiety, 2018, 35, 1001-1008.	4.1	14
47	Health economic evaluation of a web-based intervention for depression: the EVIDENT-trial, a randomized controlled study. Health Economics Review, 2019, 9, 16.	2.0	13
48	On the Relevance of Mental Imagery Beyond Stress-Related Psychiatric Disorders. Frontiers in Psychiatry, 2014, 5, 77.	2.6	11
49	Protocol for the REVISIT-BPD Trial, a Randomized Controlled Trial Testing the Effectiveness of an Internet-Based Self-Management Intervention in the Treatment of Borderline Personality Disorder (BPD). Frontiers in Psychiatry, 2018, 9, 439.	2.6	10
50	Treatment of Tourette Syndrome With Attention Training Techniqueâ€"A Case Series. Frontiers in Psychiatry, 2020, 11, 519931.	2.6	10
51	Changes in Therapeutic Alliance and in Social Inhibition as Mediators of the Effect of the Cognitive Behavioral Analysis System of Psychotherapy: A Secondary Analysis from a Randomized Clinical Trial. Psychotherapy and Psychosomatics, 2020, 89, 261-262.	8.8	10
52	Development and psychometric evaluation of the Interactive Test of Interpersonal Behavior (<scp>ITIB</scp>): a pilot study examining interpersonal deficits in chronic depression. Scandinavian Journal of Psychology, 2016, 57, 83-91.	1.5	9
53	Combining baseline characteristics to disentangle response differences to disorder-specific versus supportive psychotherapy in patients with persistent depressive disorder. Behaviour Research and Therapy, 2020, 124, 103512.	3.1	9
54	Preoperational Thinking as a Measure of Social Cognition Is Associated With Long-Term Course of Depressive Symptoms. A Longitudinal Study Involving Patients With Depression and Healthy Controls. Frontiers in Psychiatry, 2020, 11, 652.	2.6	9

#	Article	IF	CITATIONS
55	Effectiveness and safety of the adjunctive use of an internet-based self-management intervention for borderline personality disorder in addition to care as usual: results from a randomised controlled trial. BMJ Open, 2021, 11, e047771.	1.9	9
56	Patients' interpersonal problems as moderators of depression outcomes in a randomized controlled trial comparing mindfulnessâ€based cognitive therapy and a group version of the cognitiveâ€behavioral analysis system of psychotherapy in chronic depression. Journal of Clinical Psychology, 2020, 76, 1241-1254.	1.9	9
57	Innovation in Psychotherapy, Challenges, and Opportunities: An Opinion Paper. Frontiers in Psychology, 2019, 10, 495.	2.1	8
58	A comparison of the three year course between chronic depression and depression with multiple vs. few prior episodes. Psychiatry Research, 2020, 291, 113235.	3.3	7
59	Identifying change-dropout patterns during an Internet-based intervention for depression by applying the Muthen-Roy model. Cognitive Behaviour Therapy, 2020, 49, 22-40.	3.5	7
60	Psychometric evaluation of a screening question for persistent depressive disorder. BMC Psychiatry, 2019, 19, 119.	2.6	5
61	Therapeutic Relationship in eHealth—A Pilot Study of Similarities and Differences between the Online Program Priovi and Therapists Treating Borderline Personality Disorder. International Journal of Environmental Research and Public Health, 2020, 17, 6436.	2.6	5
62	Impact of Baseline Characteristics on the Effectiveness of Disorder-Specific Cognitive Behavioral Analysis System of Psychotherapy (CBASP) and Supportive Psychotherapy in Outpatient Treatment for Persistent Depressive Disorder. Frontiers in Psychiatry, 2020, 11, 607300.	2.6	5
63	Do sociodemographic variables moderate effects of an internet intervention for mild to moderate depressive symptoms? An exploratory analysis of a randomised controlled trial (EVIDENT) including 1013 participants. BMJ Open, 2021, 11, e041389.	1.9	5
64	Feasibility, effectiveness and safety of the self-management intervention deprexis in routine medical care: Results of an uncontrolled observational study. Internet Interventions, 2020, 22, 100341.	2.7	4
65	The Impact of Childhood Maltreatment on Long-Term Outcomes in Disorder-Specific vs. Nonspecific Psychotherapy for Chronic Depression. Journal of Affective Disorders, 2020, 272, 152-157.	4.1	4
66	The mediating effect of difficulties in emotion regulation on the association between childhood maltreatment and borderline personality disorder. H¶gre Utbildning, 2021, 12, 1934300.	3.0	4
67	Optimizing the Context of Support to Improve Outcomes of Internet-Based Self-help in Individuals With Depressive Symptoms: Protocol for a Randomized Factorial Trial. JMIR Research Protocols, 2021, 10, e21207.	1.0	4
68	Change in Interpersonal and Metacognitive Skills During Treatment With Cognitive Behavioral Analysis System of Psychotherapy and Metacognitive Therapy: Results From an Observational Study. Frontiers in Psychiatry, 2021, 12, 619674.	2.6	4
69	Investigating Care Dependency and Its Relation to Outcome (ICARE): Results From a Naturalistic Study of an Intensive Day Treatment Program for Depression. Frontiers in Psychiatry, 2021, 12, 644972.	2.6	4
70	The Use of Extracorporeal Life Support in a Patient Suffering from Venlafaxine Intoxication. A Case Report. The Journal of Critical Care Medicine, 2020, 6, 120-123.	0.7	4
71	PRO*MDD Study Protocol: Effectiveness of Outpatient Treatment Programs for Major Depressive Disorder: Metacognitive Therapy vs. Behavioral Activation a Single-Center Randomized Clinical Trial. Frontiers in Psychiatry, 2018, 9, 584.	2.6	3
72	Social phobia moderates the outcome in the EVIDENT study: A randomized controlled trial on an Internet-based psychological intervention for mild to moderate depressive symptoms Journal of Consulting and Clinical Psychology, 2020, 88, 82-89.	2.0	3

#	Article	IF	Citations
73	Does childhood emotional abuse moderate the effect of cognitive behavioral analysis system of psychotherapy versus meta-cognitive therapy in depression? A propensity score analysis on an observational study. Journal of Affective Disorders, 2022, 300, 71-75.	4.1	3
74	Mein Leitfaden Psychiatrie. , 2021, , .		2
75	Maintaining Outcomes of Internet-Delivered Cognitive-Behavioral Therapy for Depression: A Network Analysis of Follow-Up Effects. Frontiers in Psychiatry, 2021, 12, 598317.	2.6	2
76	Precuneus connectivity and symptom severity in chronic depression $\hat{a} e^{\circ}$. Psychiatry Research - Neuroimaging, 2022, 322, 111471.	1.8	2
77	The Voice of Depression: Prevalence and Stability Across Time of Perception-Laden Intrusive Thoughts in Depression. Cognitive Therapy and Research, 2019, 43, 986-994.	1.9	1
78	Effects of alliance ruptures and repairs on outcomes. Psychotherapy Research, 2021, 31, 977-987.	1.8	1
79	Negative effects of psychotherapy: Definition, assessment and clinical significance Clinical Psychology: Science and Practice, 2021, 28, 145-147.	0.9	1
80	Mein erster Dienst – psychiatrische NotfÇe. , 2017, , .		1
81	Internetbasierte Interventionen bei psychischen Erkrankungen. , 2018, , 581-589.		1
82	Optimizing cognitive-behavioral therapy for social anxiety disorder and understanding the mechanisms of change: Study protocol for a randomized factorial trial. Internet Interventions, 2021, 26, 100480.	2.7	1
83	Differential effect of childhood emotional abuse on present social support in borderline disorder and depression: a cross-sectional study. Högre Utbildning, 2021, 12, 1968612.	3.0	0
84	Zur systemischen Neurowissenschaft der chronischen Depression., 2013,, 35-49.		0
85	Interaktionsfokussierte Psychotherapie chronischer Depression nach dem Cognitive Behavorial Analysis System of Psychotherapy (CBASP)., 2016,, 1-9.		0
86	Akute Syndrome und deren Behandlung. , 2017, , 31-114.		0
87	Psychopharmakologie in der Notfallpsychiatrie. , 2017, , 115-156.		0
88	Interaktionsfokussierte Psychotherapie chronischer Depression nach dem Cognitive Behavorial Analysis System of Psychotherapy (CBASP)., 2017,, 1029-1037.		0
89	Rechtliche Grundlagen in der Notfallpsychiatrie. , 2017, , 157-176.		0