Matthew P Fox

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/2340399/publications.pdf

Version: 2024-02-01

263 papers	12,616 citations	26610 56 h-index	32815 100 g-index
273 all docs	273 docs citations	273 times ranked	11215 citing authors

#	Article	IF	Citations
1	Using intervention mapping in motivational interviewing training to improve ART uptake in Gauteng, South Africa. Journal of Health Psychology, 2022, 27, 589-600.	1.3	0
2	Tracing People Living With Human Immunodeficiency Virus Who Are Lost to Follow-up at Antiretroviral Therapy Programs in Southern Africa: A Sampling-Based Cohort Study in 6 Countries. Clinical Infectious Diseases, 2022, 74, 171-179.	2.9	9
3	The confounder matrix: A tool to assess confounding bias in systematic reviews of observational studies of etiology. Research Synthesis Methods, 2022, 13, 242-254.	4.2	5
4	Virologic nonâ€suppression and early loss to follow up among pregnant and nonâ€pregnant adolescents aged 15â€“19 years initiating antiretroviral therapy in South Africa: a retrospective cohort study. Journal of the International AIDS Society, 2022, 25, e25870.	1.2	7
5	Attrition from HIV care among youth initiating ART in youthâ€only clinics compared with general primary healthcare clinics in Khayelitsha, South Africa: a matched propensity score analysis. Journal of the International AIDS Society, 2022, 25, e25854.	1.2	4
6	One Pill, Once a Day: Simplified Treatment Regimens and Retention in HIV Care. American Journal of Epidemiology, 2022, , .	1.6	2
7	On the Need to Revitalize Descriptive Epidemiology. American Journal of Epidemiology, 2022, 191, 1174-1179.	1.6	38
8	Illustrating How to Simulate Data From Directed Acyclic Graphs to Understand Epidemiologic Concepts. American Journal of Epidemiology, 2022, 191, 1300-1306.	1.6	4
9	Misconceptions About the Direction of Bias From Nondifferential Misclassification. American Journal of Epidemiology, 2022, 191, 1485-1495.	1.6	37
10	Relationship Between Level of American Football Playing and Diagnosis of Chronic Traumatic Encephalopathy in a Selection Bias Analysis. American Journal of Epidemiology, 2022, 191, 1429-1443.	1.6	19
11	Iron status and selfâ€reported fatigue in blood donors. Transfusion, 2021, 61, 124-133.	0.8	5
12	Simulation as a Tool for Teaching and Learning Epidemiologic Methods. American Journal of Epidemiology, 2021, 190, 900-907.	1.6	6
13	Use of directed acyclic graphs (DAGs) to identify confounders in applied health research: review and recommendations. International Journal of Epidemiology, 2021, 50, 620-632.	0.9	337
14	Psychotropic medication use during pregnancy and gestational age at delivery. Annals of Epidemiology, 2021, 53, 34-41.e2.	0.9	1
15	Patient Perspectives of Quality of the Same-Day Antiretroviral Therapy Initiation Process in Gauteng Province, South Africa: Qualitative Dominant Mixed-Methods Analysis of the SLATE II Trial. Patient, 2021, 14, 175-186.	1.1	3
16	Concerns About the Special Article on Hydroxychloroquine and Azithromycin in High-Risk Outpatients With COVID-19. American Journal of Epidemiology, 2021, 190, 491-495.	1.6	7
17	Health provider perspectives on the implementation of the same-day-ART initiation policy in the Gauteng province of South Africa. Health Research Policy and Systems, 2021, 19, 2.	1.1	26
18	Understanding the Reasons for Deferring ART Among Patients Diagnosed Under the Same-Day-ART Policy in Johannesburg, South Africa. AIDS and Behavior, 2021, 25, 2779-2792.	1.4	4

#	Article	IF	Citations
19	Addressing Measurement Error in Random Forests Using Quantitative Bias Analysis. American Journal of Epidemiology, 2021, 190, 1830-1840.	1.6	19
20	Attrition in HIV care following HIV diagnosis: a comparison of the preâ€UTT and UTT eras in South Africa. Journal of the International AIDS Society, 2021, 24, e25652.	1.2	24
21	Variation in HIV care and treatment outcomes by facility in South Africa, 2011â€“2015: A cohort study. PLoS Medicine, 2021, 18, e1003479.	3.9	11
22	Lash et al. Respond to â€œBetter Bias Analysisâ€•and â€œToward Better Bias Analysisâ€• American Journal of Epidemiology, 2021, 190, 1622-1624.	1.6	1
23	Fast-track treatment initiation counselling in South Africa: A cost-outcomes analysis. PLoS ONE, 2021, 16, e0248551.	1.1	1
24	Adverse psychosocial factors in pregnancy and preterm delivery. Paediatric and Perinatal Epidemiology, 2021, 35, 519-529.	0.8	6
25	Bias Analysis Gone Bad. American Journal of Epidemiology, 2021, 190, 1604-1612.	1.6	10
26	A systematic review of quantitative bias analysis applied to epidemiological research. International Journal of Epidemiology, 2021, 50, 1708-1730.	0.9	11
27	A comorbid mental disorder paradox: Using causal diagrams to understand associations between posttraumatic stress disorder and suicide.. Psychological Trauma: Theory, Research, Practice, and Policy, 2021, 13, 725-729.	1.4	7
28	The revolving door of HIV care: Revising the service delivery cascade to achieve the UNAIDS 95-95-95 goals. PLoS Medicine, 2021, 18, e1003651.	3.9	74
29	Multimonth dispensing of up to 6 months of antiretroviral therapy in Malawi and Zambia (INTERVAL): a cluster-randomised, non-blinded, non-inferiority trial. The Lancet Global Health, 2021, 9, e628-e638.	2.9	47
30	Short-term Outcomes from a Cluster Randomized Evaluation of Adherence Clubs as Part of Differentiated HIV Care in South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, Publish Ahead of Print, .	0.9	1
31	Will Podcasting and Social Media Replace Journals and Traditional Science Communication? No, but.... American Journal of Epidemiology, 2021, 190, 1625-1631.	1.6	9
32	An underappreciated misclassification mechanism: implications of nondifferential dependent misclassification of covariate and exposure. Annals of Epidemiology, 2021, 58, 104-123.	0.9	4
33	Elevated serum progesterone during in vitro fertilization treatment and the risk of ischemic placental disease. Pregnancy Hypertension, 2021, 24, 7-12.	0.6	2
34	Potential for Selection Bias in Studies of the Association of Hormonal Contraception and Chronic Vulvar Pain. Journal of Women's Health, 2021, , .	1.5	1
35	Assessing knowledge, attitudes, and practices towards causal directed acyclic graphs: a qualitative research project. European Journal of Epidemiology, 2021, 36, 659-667.	2.5	5
36	Regression discontinuity analysis demonstrated varied effect of Treat-All on CD4 testing among Southern African countries. Journal of Clinical Epidemiology, 2021, 140, 101-110.	2.4	1

#	Article	IF	Citations
37	Mortality following workplace injury: Quantitative bias analysis. Annals of Epidemiology, 2021, 64, 155-160.	0.9	2
38	Retention in care and viral suppression after sameâ€day ART initiation: Oneâ€year outcomes of the SLATE I and II individually randomized clinical trials in South Africa. Journal of the International AIDS Society, 2021, 24, e25825.	1.2	7
39	Validation of self-reported opioid agonist treatment among people who inject drugs using prescription dispensation records. Epidemiology, 2021, Publish Ahead of Print, .	1.2	3
40	Misclassification. Statistics in the Health Sciences, 2021, , 141-195.	0.2	1
41	Preparing for Probabilistic Bias Analysis. Statistics in the Health Sciences, 2021, , 197-231.	0.2	0
42	Best Practices for Quantitative Bias Analysis. Statistics in the Health Sciences, 2021, , 441-452.	0.2	1
43	A Guide to Implementing Quantitative Bias Analysis. Statistics in the Health Sciences, 2021, , 25-55.	0.2	0
44	The Critical Importance of Asking Good Questions: The Role of Epidemiology Doctoral Training Programs. American Journal of Epidemiology, 2020, 189, 261-264.	1.6	14
45	Will differentiated care for stable HIV patients reduce healthcare systems costs?. Journal of the International AIDS Society, 2020, 23, e25541.	1.2	9
46	Impact of Viral Load Monitoring on Retention and Viral Suppression: A Regression Discontinuity Analysis of South Africaâ€™s National Laboratory Cohort. American Journal of Epidemiology, 2020, 189, 1492-1501.	1.6	5
47	â€œPatients are not the same, so we cannot treat them the sameâ€•â€“ A qualitative content analysis of provider, patient and implementer perspectives on differentiated service delivery models for HIV treatment in South Africa. Journal of the International AIDS Society, 2020, 23, e25544.	1.2	19
48	Delays in repeat HIV viral load testing for those with elevated viral loads: a national perspective from South Africa. Journal of the International AIDS Society, 2020, 23, e25542.	1.2	18
49	Trends in CD4 and viral load testing 2005 to 2018: multiâ€cohort study of people living with HIV in Southern Africa. Journal of the International AIDS Society, 2020, 23, e25546.	1.2	27
50	Comparison of pregnancy outcomes following preimplantation genetic testing for aneuploidy using a matched propensity score design. Human Reproduction, 2020, 35, 2356-2364.	0.4	23
51	Prevalence of TB symptoms, diagnosis and treatment among people living with HIV (PLHIV) not on ART presenting at outpatient clinics in South Africa and Kenya: baseline results from a clinical trial. BMJ Open, 2020, 10, e035794.	0.8	12
52	Retention in care and viral suppression in differentiated service delivery models for HIV treatment delivery in subâ€Saharan Africa: a rapid systematic review. Journal of the International AIDS Society, 2020, 23, e25640.	1.2	72
53	PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the IeDEA Collaboration. PLoS ONE, 2020, 15, e0220165.	1.1	0
54	HIV Treatment Outcomes Among Patients Initiated on Antiretroviral Therapy Pre and Post-Universal Test and Treat Guidelines in South Africa . Therapeutics and Clinical Risk Management, 2020, Volume 16, 169-180.	0.9	25

#	Article	IF	Citations
55	Commentary: The value of E-values and why they are not enough. International Journal of Epidemiology, 2020, 49, 1505-1506.	0.9	5
56	Common misconceptions about validation studies. International Journal of Epidemiology, 2020, 49, 1392-1396.	0.9	38
57	What the hashtag? Using twitter and podcasting to extend your scientific reach. Paediatric and Perinatal Epidemiology, 2020, 34, 553-555.	0.8	7
58	Quantitative bias analysis for study and grant planning. Annals of Epidemiology, 2020, 43, 32-36.	0.9	9
59	Flexibly Accounting for Exposure Misclassification With External Validation Data. American Journal of Epidemiology, 2020, 189, 850-860.	1.6	4
60	A Clinical Prediction Score Including Trial of Antibiotics and C-Reactive Protein to Improve the Diagnosis of Tuberculosis in Ambulatory People With HIV. Open Forum Infectious Diseases, 2020, 7, ofz543.	0.4	10
61	Characterizing the doubleâ€sided cascade of care for adolescents living with HIV transitioning to adulthood across Southern Africa. Journal of the International AIDS Society, 2020, 23, e25447.	1.2	13
62	Using a Self-Administered Electronic Adherence Questionnaire to Identify Poor Adherence Amongst Adolescents and Young Adults on First-Line Antiretroviral Therapy in Johannesburg, South Africa . Patient Preference and Adherence, 2020, Volume 14, 133-151.	0.8	1
63	The Impact of Delayed Switch to Second-Line Antiretroviral Therapy on Mortality, Depending on Definition of Failure Time and CD4 Count at Failure. American Journal of Epidemiology, 2020, 189, 811-819.	1.6	19
64	Impact of the test and treat policy on delays in antiretroviral therapy initiation among adult HIV positive patients from six clinics in Johannesburg, South Africa: results from a prospective cohort study. BMJ Open, 2020, 10, e030228.	0.8	25
65	A clinical algorithm for same-day HIV treatment initiation in settings with high TB symptom prevalence in South Africa: The SLATE II individually randomized clinical trial. PLoS Medicine, 2020, 17, e1003226.	3.9	29
66	Recording of HIV Viral Loads and Viral Suppression in South African Patients Receiving Antiretroviral Treatment: A Multicentre Cohort Study. Antiviral Therapy, 2020, 25, 257-266.	0.6	7
67	Title is missing!. , 2020, 15, e0220165.		0
68	Title is missing!. , 2020, 15, e0220165.		0
69	Title is missing!. , 2020, 15, e0220165.		0
70	Title is missing!. , 2020, 15, e0220165.		0
71	Title is missing!. , 2020, 15, e0220165.		0
72	Title is missing!. , 2020, 15, e0220165.		0

#	Article	IF	Citations
73	Awareness of and potential for dependent error in the observational epidemiologic literature: A review. Annals of Epidemiology, 2019, 36, 15-19.e2.	0.9	8
74	Adherence clubs and decentralized medication delivery to support patient retention and sustained viral suppression in care: Results from a cluster-randomized evaluation of differentiated ART delivery models in South Africa. PLoS Medicine, 2019, 16, e1002874.	3.9	80
75	Risk of ischemic placental disease is increased following in vitro fertilization with oocyte donation: a retrospective cohort study. Journal of Assisted Reproduction and Genetics, 2019, 36, 1917-1926.	1.2	19
76	Alcohol Consumption in Later Life and Mortality in the United States: Results from 9 Waves of the Health and Retirement Study. Alcoholism: Clinical and Experimental Research, 2019, 43, 1734-1746.	1.4	31
77	Who is seeking antiretroviral treatment for <scp>HIV</scp> now? Characteristics of patients presenting in Kenya and South Africa in 2017â€2018. Journal of the International AIDS Society, 2019, 22, e25358.	1.2	10
78	Differentiated HIV care in South Africa: the effect of fastâ€track treatment initiation counselling on ART initiation and viral suppression as partial results of an impact evaluation on the impact of a package of services to improve HIV treatment adherence. Journal of the International AIDS Society, 2019, 22, e25409.	1.2	21
79	Simplified clinical algorithm for identifying patients eligible for same-day HIV treatment initiation (SLATE): Results from an individually randomized trial in South Africa and Kenya. PLoS Medicine, 2019, 16, e1002912.	3.9	33
80	Clinical predictor score to identify patients at risk of poor viral load suppression at six months on antiretroviral therapy: results from a prospective cohort study in Johannesburg, South Africa . Clinical Epidemiology, 2019, Volume 11, 359-373.	1.5	14
81	Applying the E Value to Assess the Robustness of Epidemiologic Fields of Inquiry to Unmeasured Confounding. American Journal of Epidemiology, 2019, 188, 1174-1180.	1.6	22
82	Prevalence and predictors of postpartum depression by HIV status and timing of HIV diagnosis in Gauteng, South Africa. PLoS ONE, 2019, 14, e0214849.	1.1	15
83	Extending Visit Intervals for Clinically Stable Patients on Antiretroviral Therapy: Multicohort Analysis of HIV Programs in Southern Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, 439-447.	0.9	3
84	Growth curve modelling to determine distinct BMI trajectory groups in HIV-positive adults on antiretroviral therapy in South Africa. Aids, 2019, 33, 2049-2059.	1.0	11
85	Adolescent HIV treatment in South Africa's national HIV programme: a retrospective cohort study. Lancet HIV,the, 2019, 6, e760-e768.	2.1	55
86	A Meta-analysis Assessing Diarrhea and Pneumonia in HIV-Exposed Uninfected Compared With HIV-Unexposed Uninfected Infants and Children. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 82, 1-8.	0.9	39
87	Third-Line Antiretroviral Therapy Program in the South African Public Sector: Cohort Description and Virological Outcomes. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 80, 73-78.	0.9	36
88	Comparison of 3 Days Amoxicillin Versus 5 Days Co-Trimoxazole for Treatment of Fast-breathing Pneumonia by Community Health Workers in Children Aged 2â€“59 Months in Pakistan: A Cluster-randomized Trial. Clinical Infectious Diseases, 2019, 69, 397-404.	2.9	9
89	The right combination – treatment outcomes among HIV-positive patients initiating first-line fixed-dose antiretroviral therapy in a public sector HIV clinic in Johannesburg, South Africa. Clinical Epidemiology, 2018, Volume 10, 17-29.	1.5	16
90	Retention and mortality on antiretroviral therapy in subâ€Saharan Africa: collaborative analyses of HIV treatment programmes. Journal of the International AIDS Society, 2018, 21, e25084.	1.2	91

#	Article	IF	Citations
91	Social and behavioral factors associated with failing second-line ART â€“ results from a cohort study at the Themba Lethu Clinic, Johannesburg, South Africa. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 863-870.	0.6	7
92	Regimen durability in HIVâ€infected children and adolescents initiating firstâ€line antiretroviral therapy in a large public sector HIV cohort in South Africa. Tropical Medicine and International Health, 2018, 23, 650-660.	1.0	4
93	Seasonal variations in tuberculosis diagnosis among HIV-positive individuals in Southern Africa: analysis of cohort studies at antiretroviral treatment programmes. BMJ Open, 2018, 8, e017405.	0.8	5
94	Assessing the impact of the National Department of Healthâ€™s National Adherence Guidelines for Chronic Diseases in South Africa using routinely collected data: a cluster-randomised evaluation. BMJ Open, 2018, 8, e019680.	0.8	16
95	Predictors of switch to and early outcomes on third-line antiretroviral therapy at a large public-sector clinic in Johannesburg, South Africa. AIDS Research and Therapy, 2018, 15, 10.	0.7	17
96	The Impact of Joint Misclassification of Exposures and Outcomes on the Results of Epidemiologic Research. Current Epidemiology Reports, 2018, 5, 166-174.	1.1	13
97	Failure to initiate HIV treatment in patients with high CD 4 counts: evidence from demographic surveillance in rural SouthÂAfrica. Tropical Medicine and International Health, 2018, 23, 206-220.	1.0	21
98	Acceptability and feasibility of a financial incentive intervention to improve retention in HIV care among pregnant women in Johannesburg, South Africa. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 453-460.	0.6	19
99	Quantitative Bias Analysis for Collaborative Science. Epidemiology, 2018, 29, 627-630.	1.2	10
100	Low prevalence of depressive symptoms among stable patients on antiretroviral therapy in Johannesburg, South Africa. PLoS ONE, 2018, 13, e0203797.	1.1	9
101	Prevalence, incidence, predictors, treatment, and control of hypertension among HIV-positive adults on antiretroviral treatment in public sector treatment programs in South Africa. PLoS ONE, 2018, 13, e0204020.	1.1	53
102	Effectiveness of interventions for unstable patients on antiretroviral therapy in South Africa: results of a clusterâ€randomised evaluation. Tropical Medicine and International Health, 2018, 23, 1314-1325.	1.0	19
103	IVF success corrected for drop-out: use of inverse probability weighting. Human Reproduction, 2018, 33, 2295-2301.	0.4	17
104	â€œMy future is brightâ€¦I won't die with the cause of AIDS â€• tenâ€year patient ART outcomes and experiences in South Africa. Journal of the International AIDS Society, 2018, 21, e25184.	1.2	12
105	Routine data underestimates the incidence of first-line antiretroviral drug discontinuations due to adverse drug reactions: Observational study in two South African cohorts. PLoS ONE, 2018, 13, e0203530.	1.1	3
106	â€œI will leave the baby with my motherâ€• Longâ€distance travel and followâ€up care among <scp>HIV</scp>â€positive pregnant and postpartum women in South Africa. Journal of the International AIDS Society, 2018, 21, e25121.	1.2	26
107	Implementation of Option B and a fixed-dose combination antiretroviral regimen for prevention of mother-to-child transmission of HIV in South Africa: A model of uptake and adherence to care. PLoS ONE, 2018, 13, e0201955.	1.1	4
108	Estimating retention in HIV care accounting for patient transfers: A national laboratory cohort study in South Africa. PLoS Medicine, 2018, 15, e1002589.	3.9	80

#	Article	IF	Citations
109	Medication Side Effects and Retention in HIV Treatment: A Regression Discontinuity Study of Tenofovir Implementation in South Africa and Zambia. American Journal of Epidemiology, 2018, 187, 1990-2001.	1.6	8
110	Understanding Predictors of Early Antenatal Care Initiation in Relationship to Timing of HIV Diagnosis in South Africa. AIDS Patient Care and STDs, 2018, 32, 251-256.	1.1	7
111	Persistent High Burden of Advanced HIV Disease Among Patients Seeking Care in South Africaâ€™s National HIV Program: Data From a Nationwide Laboratory Cohort. Clinical Infectious Diseases, 2018, 66, S111-S117.	2.9	114
112	Why do people living with HIV not initiate treatment? A systematic review of qualitative evidence from low- and middle-income countries. Social Science and Medicine, 2018, 213, 72-84.	1.8	81
113	Do HIV treatment eligibility expansions crowd out the sickest? Evidence from rural South Africa. Tropical Medicine and International Health, 2018, 23, 968-979.	1.0	11
114	The WelTel Trial in context and the importance of null findings. Lancet Public Health, The, 2018, 3, e107-e108.	4.7	3
115	Adverse Drug Reactions Among Patients Initiating Second-Line Antiretroviral Therapy in South Africa. Drug Safety, 2018, 41, 1343-1353.	1.4	19
116	Stratified Probabilistic Bias Analysis for Body Mass Indexâ€“related Exposure Misclassification in Postmenopausal Women. Epidemiology, 2018, 29, 604-613.	1.2	19
117	Outcomes of Patients Lost to Follow-up in African Antiretroviral Therapy Programs: Individual Patient Data Meta-analysis. Clinical Infectious Diseases, 2018, 67, 1643-1652.	2.9	73
118	Global Health Research Mentoring Competencies for Individuals and Institutions in Low- and Middle-Income Countries. American Journal of Tropical Medicine and Hygiene, 2018, 100, 15-19.	0.6	31
119	A Clinical Validation of Selfâ€Reported Periodontitis Among Participants in the Black Womenâ€™s Health Study. Journal of Periodontology, 2017, 88, 582-592.	1.7	37
120	Tenofovir stock shortages have limited impact on clinicâ€•and patientâ€level HIV treatment outcomes in public sector clinics in South Africa. Tropical Medicine and International Health, 2017, 22, 241-251.	1.0	10
121	On the Need for Quantitative Bias Analysis in the Peer-Review Process. American Journal of Epidemiology, 2017, 185, 865-868.	1.6	29
122	Timing of pregnancy, postpartum risk of virologic failure and loss to follow-up among HIV-positive women. Aids, 2017, 31, 1593-1602.	1.0	25
123	Predicting the Need for Third-Line Antiretroviral Therapy by Identifying Patients at High Risk for Failing Second-Line Antiretroviral Therapy in South Africa. AIDS Patient Care and STDs, 2017, 31, 205-212.	1.1	32
124	Initiating antiretroviral therapy for HIV at a patient's first clinic visit. Aids, 2017, 31, 1611-1619.	1.0	27
125	Simplified clinical algorithm for identifying patients eligible for immediate initiation of antiretroviral therapy for HIV (SLATE): protocol for a randomised evaluation. BMJ Open, 2017, 7, e016340.	0.8	15
126	Mobility and Clinic Switching Among Postpartum Women Considered Lost to HIV Care in South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 74, 383-389.	0.9	79

#	Article	IF	Citations
127	Comparison of Kaposi Sarcoma Risk in Human Immunodeficiency Virus-Positive Adults Across 5 Continents: A Multiregional Multicohort Study. Clinical Infectious Diseases, 2017, 65, 1316-1326.	2.9	44
128	Citizenship status and engagement in HIV care: an observational cohort study to assess the association between reporting a national ID number and retention in public-sector HIV care in Johannesburg, South Africa. BMJ Open, 2017, 7, e013908.	0.8	6
129	Changes in estimated glomerular filtration rate over time in South African HIVâ€1â€infected patients receiving tenofovir: a retrospective cohort study. Journal of the International AIDS Society, 2017, 20, 21317.	1.2	32
130	Twelveâ€year mortality in adults initiating antiretroviral therapy in South Africa. Journal of the International AIDS Society, 2017, 20, 21902.	1.2	50
131	Recurrent Yeast Infections and Vulvodynia: Can We Believe Associations Based on Self-Reported Data?. Journal of Women's Health, 2017, 26, 1069-1076.	1.5	29
132	Has the phasing out of stavudine in accordance with changes in WHO guidelines led to a decrease in single-drug substitutions in first-line antiretroviral therapy for HIV in sub-Saharan Africa?. Aids, 2017, 31, 147-157.	1.0	12
133	Imputing HIV treatment start dates from routine laboratory data in South Africa: a validation study. BMC Health Services Research, 2017, 17, 41.	0.9	17
134	Health facility and skilled birth deliveries among poor women with Jamkesmas health insurance in Indonesia: a mixed-methods study. BMC Health Services Research, 2017, 17, 105.	0.9	28
135	Treatment outcomes of over 1000 patients on secondâ€line, protease inhibitorâ€based antiretroviral therapy from four publicâ€sector <scp>HIV</scp> treatment facilities across Johannesburg, South Africa. Tropical Medicine and International Health, 2017, 22, 221-231.	1.0	13
136	HIV viral load as an independent risk factor for tuberculosis in South Africa: collaborative analysis of cohort studies. Journal of the International AIDS Society, 2017, 20, 21327.	1.2	38
137	Cohort profile: the Right to Care Clinical HIV Cohort, South Africa. BMJ Open, 2017, 7, bmjopen-2016-015620.	0.8	16
138	A new cascade of HIV care for the era of â€œtreat allâ€: PLoS Medicine, 2017, 14, e1002268.	3.9	62
139	Treatment eligibility and retention in clinical HIV care: A regression discontinuity study in South Africa. PLoS Medicine, 2017, 14, e1002463.	3.9	60
140	Varying intervals of antiretroviral medication dispensing to improve outcomes for HIV patients (The) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.7	15
141	Effect of eliminating CD4-count thresholds on HIV treatment initiation in South Africa: An empirical modeling study. PLoS ONE, 2017, 12, e0178249.	1.1	20
142	Changing the South African national antiretroviral therapy guidelines: The role of cost modelling. PLoS ONE, 2017, 12, e0186557.	1.1	52
143	Interventions to improve the rate or timing of initiation of antiretroviral therapy for HIV in subâ€Saharan Africa: metaâ€analyses of effectiveness. Journal of the International AIDS Society, 2016, 19, 20888.	1.2	57
144	Developing a predictive risk model for firstâ€line antiretroviral therapy failure in South Africa. Journal of the International AIDS Society, 2016, 19, 20987.	1.2	14

#	Article	IF	Citations
145	Changes in second-line regimen durability and continuity of care in relation to national ART guideline changes in South Africa. Journal of the International AIDS Society, 2016, 19, 20675.	1.2	6
146	Marginal Structural Models to Assess Delays in Second-Line HIV Treatment Initiation in South Africa. PLoS ONE, 2016, 11, e0161469.	1.1	32
147	Life expectancy trends in adults on antiretroviral treatment in South Africa. Aids, 2016, 30, 2545-2550.	1.0	15
148	Insights into Adherence among a Cohort of Adolescents Aged 12â€“20 Years in South Africa: Reported Barriers to Antiretroviral Treatment. AIDS Research and Treatment, 2016, 2016, 1-12.	0.3	23
149	Initiating Antiretroviral Therapy for HIV at a Patientâ€™s First Clinic Visit: The RapIT Randomized Controlled Trial. PLoS Medicine, 2016, 13, e1002015.	3.9	232
150	Accelerating the Uptake and Timing of Antiretroviral Therapy Initiation in Sub-Saharan Africa: An Operations Research Agenda. PLoS Medicine, 2016, 13, e1002106.	3.9	34
151	Quantitative Bias Analysis in Regulatory Settings. American Journal of Public Health, 2016, 106, 1227-1230.	1.5	32
152	Intensive adherence counselling for HIVâ€infected individuals failing secondâ€line antiretroviral therapy in Johannesburg, South Africa. Tropical Medicine and International Health, 2016, 21, 1131-1137.	1.0	49
153	Are we shifting attrition downstream in the HIV cascade?. Lancet HIV,the, 2016, 3, e554-e555.	2.1	16
154	Can Short-Term Use of Electronic Patient Adherence Monitoring Devices Improve Adherence in Patients Failing Second-Line Antiretroviral Therapy? Evidence from a Pilot Study in Johannesburg, South Africa. AIDS and Behavior, 2016, 20, 2717-2728.	1.4	15
155	CD4 count at antiretroviral therapy initiation and the risk of loss to follow-up: results from a multicentre cohort study. Journal of Epidemiology and Community Health, 2016, 70, 549-555.	2.0	34
156	The High Cost of HIV-Positive Inpatient Care at an Urban Hospital in Johannesburg, South Africa. PLoS ONE, 2016, 11, e0148546.	1.1	20
157	Treatment Outcomes and Costs of Providing Antiretroviral Therapy at a Primary Health Clinic versus a Hospital-Based HIV Clinic in South Africa. PLoS ONE, 2016, 11, e0168118.	1.1	12
158	Linkage to care following a homeâ€based HIV counselling and testing intervention in rural South Africa. Journal of the International AIDS Society, 2015, 18, 19843.	1.2	65
159	A comparison of death recording by health centres and civil registration in South Africans receiving antiretroviral treatment. Journal of the International AIDS Society, 2015, 18, 20628.	1.2	37
160	Maternal Recall Error in Retrospectively Reported Timeâ€toâ€Pregnancy: an Assessment and Bias Analysis. Paediatric and Perinatal Epidemiology, 2015, 29, 576-588.	0.8	20
161	Retention of Adult Patients on Antiretroviral Therapy in Low- and Middle-Income Countries. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 69, 98-108.	0.9	263
162	Implementation and Operational Research. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 70, e110-e119.	0.9	8

#	Article	IF	Citations
163	Brief Report. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 70, 323-328.	0.9	8
164	Stressful Events During Pregnancy and Postpartum Depressive Symptoms. Journal of Women's Health, 2015, 24, 384-393.	1.5	70
165	Antibiotic trials for community-acquired pneumonia. Lancet Respiratory Medicine,the, 2015, 3, e4-e5.	5.2	3
166	Systematic review of retention of pediatric patients on HIV treatment in low and middle-income countries 2008â€“2013. Aids, 2015, 29, 493-502.	1.0	62
167	The relation between efavirenz versus nevirapine and virologic failure in Johannesburg, South Africa. Journal of the International AIDS Society, 2014, 17, 19065.	1.2	14
168	Immunodeficiency at the Start of Combination Antiretroviral Therapy in Low-, Middle-, and High-Income Countries. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 65, e8-e16.	0.9	142
169	Good practices for quantitative bias analysis. International Journal of Epidemiology, 2014, 43, 1969-1985.	0.9	417
170	Mortality in Patients with HIV-1 Infection Starting Antiretroviral Therapy in South Africa, Europe, or North America: A Collaborative Analysis of Prospective Studies. PLoS Medicine, 2014, 11, e1001718.	3.9	100
171	Impact of systematic <scp>HIV</scp> testing on case finding and retention in care at a primary care clinic in <scp>S</scp>outh <scp>A</scp>frica. Tropical Medicine and International Health, 2014, 19, 1411-1419.	1.0	9
172	Impact of choice of <scp>NRTI</scp> in firstâ€line antiretroviral therapy: a cohort analysis of stavudine vs. tenofovir. Tropical Medicine and International Health, 2014, 19, 490-498.	1.0	9
173	Mortality Among Adults Transferred and Lost to Follow-up From Antiretroviral Therapy Programmes in South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 67, e67-e75.	0.9	47
174	Kaposi's Sarcoma in HIVâ€infected patients in South Africa: Multicohort study in the antiretroviral therapy era. International Journal of Cancer, 2014, 135, 2644-2652.	2.3	48
175	Incidence and predictors of herpes zoster among antiretroviral therapy-naÃ¯ve patients initiating HIV treatment in Johannesburg, South Africa. International Journal of Infectious Diseases, 2014, 23, 56-62.	1.5	20
176	CD4 criteria improves the sensitivity of a clinical algorithm developed to identify viral failure in HIVâ€positive patients on antiretroviral therapy. Journal of the International AIDS Society, 2014, 17, 19139.	1.2	12
177	Poor CD4 recovery and risk of subsequent progression to AIDS or death despite viral suppression in a South African cohort. Journal of the International AIDS Society, 2014, 17, 18651.	1.2	44
178	Attrition through Multiple Stages of Pre-Treatment and ART HIV Care in South Africa. PLoS ONE, 2014, 9, e110252.	1.1	55
179	Low Rates of Treatment Failure in Children Aged 2â€“59 Months Treated for Severe Pneumonia: A Multisite Pooled Analysis. Clinical Infectious Diseases, 2013, 56, 978-987.	2.9	16
180	Tuberculosis and the risk of opportunistic infections and cancers in <scp>HIV</scp>â€infected patients starting <scp>ART</scp> in Southern Africa. Tropical Medicine and International Health, 2013, 18, 194-198.	1.0	20

#	Article	IF	Citations
181	Loss to followâ€up before and after delivery among women testing <scp>HIV</scp> positive during pregnancy in Johannesburg, South Africa. Tropical Medicine and International Health, 2013, 18, 451-460.	1.0	94
182	Kaposi Sarcoma-Associated Herpes Virus and Response to Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 63, 442-448.	0.9	12
183	Antiretroviral therapy, labor productivity, and sex. Aids, 2013, 27, 115-123.	1.0	13
184	Patient Retention From HIV Diagnosis Through One Year on Antiretroviral Therapy at a Primary Health Care Clinic in Johannesburg, South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 62, e39-e46.	0.9	87
185	Rates and Cost of Hospitalization Before and After Initiation of Antiretroviral Therapy in Urban and Rural Settings in South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 62, 322-328.	0.9	35
186	CD4 Count Slope and Mortality in HIV-Infected Patients on Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 63, 34-41.	0.9	21
187	Life Expectancies of South African Adults Starting Antiretroviral Treatment: Collaborative Analysis of Cohort Studies. PLoS Medicine, 2013, 10, e1001418.	3.9	330
188	Effect of home based HIV counselling and testing intervention in rural South Africa: cluster randomised trial. BMJ, The, 2013, 346, f3481-f3481.	3.0	76
189	Cohort Profile: The Themba Lethu Clinical Cohort, Johannesburg, South Africa. International Journal of Epidemiology, 2013, 42, 430-439.	0.9	79
190	The interplay between <scp>CD</scp>4 cell count, viral load suppression and duration of antiretroviral therapy on mortality in a resourceâ€limited setting. Tropical Medicine and International Health, 2013, 18, 619-631.	1.0	31
191	Same-Day CD4 Testing to Improve Uptake of HIV Care and Treatment in South Africa: Point-of-Care Is Not Enough. AIDS Research and Treatment, 2013, 2013, 1-7.	0.3	30
192	The early effects of stavudine compared with tenofovir on adipocyte gene expression, mitochondrial DNA copy number and metabolic parameters in South African HIV-infected patients: a randomized trial. HIV Medicine, 2013, 14, 217-225.	1.0	9
193	Gender Differences in Mortality and CD4 Count Response Among Virally Suppressed HIV-Positive Patients. Journal of Women's Health, 2013, 22, 113-120.	1.5	80
194	Cough Aerosols of Mycobacterium tuberculosis Predict New Infection. A Household Contact Study. American Journal of Respiratory and Critical Care Medicine, 2013, 187, 1007-1015.	2.5	132
195	Initiating antiretroviral therapy when presenting with higher CD4 cell counts results in reduced loss to follow-up in a resource-limited setting. Aids, 2013, 27, 645-650.	1.0	51
196	The Feasibility of Using Screening Criteria to Reduce Clinic Visits for Stable Patients on Antiretroviral Therapy in South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 62, e82-e86.	0.9	4
197	Treatment Response and Mortality among Patients Starting Antiretroviral Therapy with and without Kaposi Sarcoma: A Cohort Study. PLoS ONE, 2013, 8, e64392.	1.1	38
198	Increases in regimen durability associated with the introduction of tenofovir at a large publicâ€sector clinic in Johannesburg, South Africa. Journal of the International AIDS Society, 2013, 16, 18794.	1.2	17

#	Article	IF	Citations
199	A Novel Approach to Accounting for Loss to Follow-Up when Estimating the Relationship between CD4 Count at ART Initiation and Mortality. PLoS ONE, 2013, 8, e69300.	1.1	4
200	The Impact of Choice of NNRTI on Short-Term Treatment Outcomes among HIV-Infected Patients Prescribed Tenofovir and Lamivudine in Johannesburg, South Africa. PLoS ONE, 2013, 8, e71719.	1.1	8
201	Low Rates of Nucleoside Reverse Transcriptase Inhibitor Resistance in a Well-Monitored Cohort in South Africa on Antiretroviral Therapy. Antiviral Therapy, 2012, 17, 313-320.	0.6	20
202	Poorer ART Outcomes with Increasing Age at a Large Public Sector HIV Clinic in Johannesburg, South Africa. Journal of the International Association of Providers of AIDS Care, 2012, 11, 57-65.	1.2	37
203	Response to Lawn et al.. Aids, 2012, 26, 1728-1729.	1.0	0
204	Rapid Point-of-Care CD4 Testing at Mobile HIV Testing Sites to Increase Linkage to Care. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 61, e13-e17.	0.9	88
205	Rates and Predictors of Failure of First-line Antiretroviral Therapy and Switch to Second-line ART in South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 60, 428-437.	0.9	119
206	Prevalent tuberculosis and mortality among HAART initiators. Aids, 2012, 26, 770-773.	1.0	7
207	Treatment outcomes after 7 years of public-sector HIV treatment. Aids, 2012, 26, 1823-1828.	1.0	38
208	Frequency and Trajectory of Abnormalities in Respiratory Rate, Temperature and Oxygen Saturation in Severe Pneumonia In Children. Pediatric Infectious Disease Journal, 2012, 31, 863-865.	1.1	5
209	Effectiveness of community case management of severe pneumonia with oral amoxicillin in children aged 2â€“59 months in Matiari district, rural Pakistan: a cluster-randomised controlled trial. Lancet, The, 2012, 379, 729-737.	6.3	79
210	Defining retention and attrition in preâ€antiretroviral HIV care: proposals based on experience in Africa. Tropical Medicine and International Health, 2012, 17, 1235-1244.	1.0	50
211	How to Estimate the Cost of Point-of-Care CD4 Testing in Program Settings: An Example Using the Alere Pimaâ„¢ Analyzer in South Africa. PLoS ONE, 2012, 7, e35444.	1.1	48
212	Effectiveness and safety of 30 mg versus 40 mg stavudine regimens: a cohort study among HIV-infected adults initiating HAART in South Africa. Journal of the International AIDS Society, 2012, 15, 13-13.	1.2	19
213	The net cost of incorporating resistance testing into HIV/AIDS treatment in South Africa: a Markov model with primary data. Journal of the International AIDS Society, 2011, 14, 24-24.	1.2	25
214	Community case management of severe pneumonia with oral amoxicillin in children aged 2â€“59 months in Haripur district, Pakistan: a cluster randomised trial. Lancet, The, 2011, 378, 1796-1803.	6.3	80
215	Relationship between renal dysfunction, nephrotoxicity and death among HIV adults on tenofovir. Aids, 2011, 25, 1603-1609.	1.0	83
216	Outcomes of stable HIV-positive patients down-referred from a doctor-managed antiretroviral therapy clinic to a nurse-managed primary health clinic for monitoring and treatment. Aids, 2011, 25, 2027-2036.	1.0	71

#	Article	IF	Citations
217	Tuberculosis in HIV programmes in lower-income countries: practices and risk factors. International Journal of Tuberculosis and Lung Disease, 2011, 15, 620-627.	0.6	34
218	Response to: defaulting from antiretroviral treatment programmes in subâ€Saharan Africa: a problem of definition. Tropical Medicine and International Health, 2011, 16, 392-392.	1.0	0
219	Outpatient treatment of children with severe pneumonia with oral amoxicillin in four countries: the MASS study. Tropical Medicine and International Health, 2011, 16, 995-1006.	1.0	59
220	Prevalence and predictors of kaposi sarcoma herpes virus seropositivity: a cross-sectional analysis of HIV-infected adults initiating ART in Johannesburg, South Africa. Infectious Agents and Cancer, 2011, 6, 22.	1.2	19
221	Effect of training traditional birth attendants on neonatal mortality (Lufwanyama Neonatal Survival) Tj ETQq1 1 0.784314 rgBT /Overlo	2.4	130
222	Outcomes of antiretroviral treatment in programmes with and without routine viral load monitoring in southern Africa. Aids, 2011, 25, 1761-1769.	1.0	98
223	Correcting Mortality for Loss to Follow-Up: A Nomogram Applied to Antiretroviral Treatment Programmes in Sub-Saharan Africa. PLoS Medicine, 2011, 8, e1000390.	3.9	136
224	Retention in HIV Care between Testing and Treatment in Sub-Saharan Africa: A Systematic Review. PLoS Medicine, 2011, 8, e1001056.	3.9	639
225	Treatment Outcomes and Cost-Effectiveness of Shifting Management of Stable ART Patients to Nurses in South Africa: An Observational Cohort. PLoS Medicine, 2011, 8, e1001055.	3.9	106
226	The high cost of second-line antiretroviral therapy for HIV/AIDS in South Africa. Aids, 2010, 24, 915-919.	1.0	83
227	Temporal changes in programme outcomes among adult patients initiating antiretroviral therapy across South Africa, 2002â€“2007. Aids, 2010, 24, 2263-2270.	1.0	198
228	Initiating patients on antiretroviral therapy at CD4 cell counts above 200 cells/Î¼l is associated with improved treatment outcomes in South Africa. Aids, 2010, 24, 2041-2050.	1.0	63
229	The importance of clinic attendance in the first six months on antiretroviral treatment: a retrospective analysis at a large public sector HIV clinic in South Africa. Journal of the International AIDS Society, 2010, 13, 49-49.	1.2	70
230	Barriers to initiation of antiretroviral treatment in rural and urban areas of Zambia: a crossâ€sectional study of cost, stigma, and perceptions about ART. Journal of the International AIDS Society, 2010, 13, 8-8.	1.2	64
231	Using vital registration data to update mortality among patients lost to follow-up from ART programmes: evidence from the Themba Lethu Clinic, South Africa. Tropical Medicine and International Health, 2010, 15, 405-13.	1.0	100
232	Patient retention in antiretroviral therapy programs up to three years on treatment in subâ€Saharan Africa, 2007â€“2009: systematic review. Tropical Medicine and International Health, 2010, 15, 1-15.	1.0	453
233	Early loss to follow up after enrolment in preâ€ART care at a large public clinic in Johannesburg, South Africa. Tropical Medicine and International Health, 2010, 15, 43-47.	1.0	93
234	Economic Outcomes of Patients Receiving Antiretroviral Therapy for HIV/AIDS in South Africa Are Sustained through Three Years on Treatment. PLoS ONE, 2010, 5, e12731.	1.1	39

#	Article	IF	Citations
235	Re: Promoting Healthy Skepticism in the News: Helping Journalists Get It Right. Journal of the National Cancer Institute, 2010, 102, 829-830.	3.0	2
236	Improvements in physical wellbeing over the first two years on antiretroviral therapy in western Kenya. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2010, 22, 137-145.	0.6	16
237	Lost opportunities to complete CD4+ lymphocyte testing among patients who tested positive for HIV in South Africa. Bulletin of the World Health Organization, 2010, 88, 675-680.	1.5	56
238	High Rates of Survival, Immune Reconstitution, and Virologic Suppression on Second-Line Antiretroviral Therapy in South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, 500-506.	0.9	73
239	Nurse versus doctor management of HIV-infected patients receiving antiretroviral therapy (CIPRA-SA): a randomised non-inferiority trial. Lancet, The, 2010, 376, 33-40.	6.3	215
240	Role of breastfeeding cessation in mediating the relationship between maternal HIV disease stage and increased child mortality among HIV-exposed uninfected children. International Journal of Epidemiology, 2009, 38, 569-576.	0.9	23
241	Applying Quantitative Bias Analysis to Epidemiologic Data. Statistics in the Health Sciences, 2009, , .	0.2	326
242	High Frequency of Multidrug-Resistant Gram-Negative Rods in 2 Neonatal Intensive Care Units in the Philippines. Infection Control and Hospital Epidemiology, 2009, 30, 543-549.	1.0	45
243	Global strategies to reduce the price of antiretroviral medicines: evidence from transactional databases. Bulletin of the World Health Organization, 2009, 87, 520-528.	1.5	97
244	Under Utilization of Surveillance Mammography among Older Breast Cancer Survivors. Journal of General Internal Medicine, 2008, 23, 158-163.	1.3	80
245	Ambulatory short-course high-dose oral amoxicillin for treatment of severe pneumonia in children: a randomised equivalency trial. Lancet, The, 2008, 371, 49-56.	6.3	152
246	Early effects of antiretroviral therapy on work performance: preliminary results from a cohort study of Kenyan agricultural workers. Aids, 2008, 22, 421-425.	1.0	69
247	Reduced Mortality Associated With Breast-Feeding-Acquired HIV Infection and Breast-Feeding Among HIV-Infected Children in Zambia. Journal of Acquired Immune Deficiency Syndromes (1999), 2008, 48, 90-96.	0.9	16
248	Creating a demand for bias analysis in epidemiological research. Journal of Epidemiology and Community Health, 2008, 63, 91-91.	2.0	15
249	Cost and Cost-Effectiveness of Switching From Stavudine to Tenofovir in First-Line Antiretroviral Regimens in South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2008, 48, 334-344.	0.9	39
250	Mammography Surveillance and Mortality in Older Breast Cancer Survivors. Journal of Clinical Oncology, 2007, 25, 3001-3006.	0.8	118
251	Patient Retention in Antiretroviral Therapy Programs in Sub-Saharan Africa: A Systematic Review. PLoS Medicine, 2007, 4, e298.	3.9	647
252	Improved Diagnostic Testing and Malaria Treatment Practices in Zambia. JAMA - Journal of the American Medical Association, 2007, 297, 2227.	3.8	226

#	Article	IF	Citations
253	Using Probabilistic Corrections to Account for Abstractor Agreement in Medical Record Reviews. American Journal of Epidemiology, 2007, 165, 1454-1461.	1.6	24
254	The impact of AIDS on government service delivery: the case of the Zambia Wildlife Authority. Aids, 2007, 21, S53-S59.	1.0	7
255	Resolving design problems in equivalency trials. Journal of Pediatrics, 2006, 149, 12-16.e1.	0.9	11
256	Reduced Mortality Rate Associated with Annual Mammograms after Breast Cancer Therapy. Breast Journal, 2006, 12, 2-6.	0.4	33
257	Adherence to tamoxifen over the five-year course. Breast Cancer Research and Treatment, 2006, 99, 215-220.	1.1	291
258	Failure of standard antimicrobial therapy in children aged 3-5 months with mild or asymptomatic HIV infection and sever pneumonia. Bulletin of the World Health Organization, 2006, 2006, 269-275.	1.5	31
259	A method to automate probabilistic sensitivity analyses of misclassified binary variables. International Journal of Epidemiology, 2005, 34, 1370-1376.	0.9	241
260	A sensitivity analysis of a randomized controlled trial of zinc in treatment of falciparum malaria in children. Contemporary Clinical Trials, 2005, 26, 281-289.	0.8	3
261	The cost of HIV/AIDS to businesses in southern Africa. Aids, 2004, 18, 317-324.	1.0	49
262	The impact of HIV/AIDS on labour productivity in Kenya. Tropical Medicine and International Health, 2004, 9, 318-324.	1.0	126
263	AIDS is your business. Harvard Business Review, 2003, 81, 80-7, 125.	3.1	36