

R Michael Tuttle

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2346573/publications.pdf>

Version: 2024-02-01

213
papers

36,356
citations

13854

67
h-index

3321

184
g-index

234
all docs

234
docs citations

234
times ranked

14879
citing authors

#	ARTICLE	IF	CITATIONS
1	2015 American Thyroid Association Management Guidelines for Adult Patients with Thyroid Nodules and Differentiated Thyroid Cancer: The American Thyroid Association Guidelines Task Force on Thyroid Nodules and Differentiated Thyroid Cancer. <i>Thyroid</i> , 2016, 26, 1-133.	2.4	10,674
2	Revised American Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Differentiated Thyroid Cancer. <i>Thyroid</i> , 2009, 19, 1167-1214.	2.4	6,039
3	Management Guidelines for Patients with Thyroid Nodules and Differentiated Thyroid Cancer: The American Thyroid Association Guidelines Taskforce. <i>Thyroid</i> , 2006, 16, 109-142.	2.4	1,857
4	Nomenclature Revision for Encapsulated Follicular Variant of Papillary Thyroid Carcinoma. <i>JAMA Oncology</i> , 2016, 2, 1023.	3.4	1,192
5	Estimating Risk of Recurrence in Differentiated Thyroid Cancer After Total Thyroidectomy and Radioactive Iodine Remnant Ablation: Using Response to Therapy Variables to Modify the Initial Risk Estimates Predicted by the New American Thyroid Association Staging System. <i>Thyroid</i> , 2010, 20, 1341-1349.	2.4	785
6	Association Between BRAF V600E Mutation and Mortality in Patients With Papillary Thyroid Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 1493.	3.8	775
7	American Thyroid Association Guidelines for Management of Patients with Anaplastic Thyroid Cancer. <i>Thyroid</i> , 2012, 22, 1104-1139.	2.4	717
8	The Prognostic Significance of Nodal Metastases from Papillary Thyroid Carcinoma Can Be Stratified Based on the Size and Number of Metastatic Lymph Nodes, as Well as the Presence of Extranodal Extension. <i>Thyroid</i> , 2012, 22, 1144-1152.	2.4	647
9	Real-Time Prognosis for Metastatic Thyroid Carcinoma Based on 2-[18F]Fluoro-2-Deoxy-d-Glucose-Positron Emission Tomography Scanning. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 498-505.	1.8	513
10	Updated American Joint Committee on Cancer/Tumor-Node-Metastasis Staging System for Differentiated and Anaplastic Thyroid Cancer (Eighth Edition): What Changed and Why?. <i>Thyroid</i> , 2017, 27, 751-756.	2.4	491
11	Mutational Profile of Advanced Primary and Metastatic Radioactive Iodine-Refractory Thyroid Cancers Reveals Distinct Pathogenetic Roles for <i>BRAF</i> , <i>PIK3CA</i> , and <i>AKT1</i> . <i>Cancer Research</i> , 2009, 69, 4885-4893.	0.4	488
12	Association Between <i>BRAF</i> V600E Mutation and Recurrence of Papillary Thyroid Cancer. <i>Journal of Clinical Oncology</i> , 2015, 33, 42-50.	0.8	448
13	Follicular variant of papillary thyroid carcinoma. <i>Cancer</i> , 2006, 107, 1255-1264.	2.0	363
14	Natural History and Tumor Volume Kinetics of Papillary Thyroid Cancers During Active Surveillance. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2017, 143, 1015.	1.2	359
15	Poorly differentiated thyroid carcinomas defined on the basis of mitosis and necrosis. <i>Cancer</i> , 2006, 106, 1286-1295.	2.0	266
16	Rising incidence of second cancers in patients with low-risk (T1N0) thyroid cancer who receive radioactive iodine therapy. <i>Cancer</i> , 2011, 117, 4439-4446.	2.0	265
17	A Clinical Framework to Facilitate Risk Stratification When Considering an Active Surveillance Alternative to Immediate Biopsy and Surgery in Papillary Microcarcinoma. <i>Thyroid</i> , 2016, 26, 144-149.	2.4	263
18	Differentiated and anaplastic thyroid carcinoma: Major changes in the American Joint Committee on Cancer eighth edition cancer staging manual. <i>Ca-A Cancer Journal for Clinicians</i> , 2018, 68, 55-63.	157.7	258

#	ARTICLE	IF	CITATIONS
19	Controversies, Consensus, and Collaboration in the Use of ¹³¹ I Therapy in Differentiated Thyroid Cancer: A Joint Statement from the American Thyroid Association, the European Association of Nuclear Medicine, the Society of Nuclear Medicine and Molecular Imaging, and the European Thyroid Association. <i>Thyroid</i> , 2019, 29, 461-470.	2.4	257
20	American Thyroid Association Statement on Outpatient Thyroidectomy. <i>Thyroid</i> , 2013, 23, 1193-1202.	2.4	229
21	Spontaneous remission in thyroid cancer patients after biochemical incomplete response to initial therapy. <i>Clinical Endocrinology</i> , 2012, 77, 132-138.	1.2	226
22	Therapeutic PTC Mutations Are Common in Sporadic Papillary Thyroid Carcinoma of Children and Young Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 1170-1175.	1.8	201
23	American Thyroid Association Design and Feasibility of a Prospective Randomized Controlled Trial of Prophylactic Central Lymph Node Dissection for Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2012, 22, 237-244.	2.4	200
24	Papillary thyroid microcarcinoma: time to shift from surgery to active surveillance?. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 933-942.	5.5	200
25	Dynamic Risk Stratification in Patients with Differentiated Thyroid Cancer Treated Without Radioactive Iodine. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2692-2700.	1.8	188
26	An International Multi-Institutional Validation of Age 55 Years as a Cutoff for Risk Stratification in the AJCC/UICC Staging System for Well-Differentiated Thyroid Cancer. <i>Thyroid</i> , 2016, 26, 373-380.	2.4	173
27	Resistance of [18F]-Fluorodeoxyglucose-Avid Metastatic Thyroid Cancer Lesions to Treatment with High-Dose Radioactive Iodine. <i>Thyroid</i> , 2001, 11, 1169-1175.	2.4	172
28	Vemurafenib Redifferentiation of BRAF Mutant, RAI-Refractory Thyroid Cancers. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 1417-1428.	1.8	165
29	Initial therapy with either thyroid lobectomy or total thyroidectomy without radioactive iodine remnant ablation is associated with very low rates of structural disease recurrence in properly selected patients with differentiated thyroid cancer. <i>Clinical Endocrinology</i> , 2011, 75, 112-119.	1.2	164
30	Changing Trends in the Incidence of Thyroid Cancer in the United States. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2016, 142, 709.	1.2	162
31	Update on Differentiated Thyroid Cancer Staging. <i>Endocrinology and Metabolism Clinics of North America</i> , 2014, 43, 401-421.	1.2	157
32	Thyroid Carcinoma, Version 2.2014. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2014, 12, 1671-1680.	2.3	147
33	Recombinant Human TSH-Assisted Radioactive Iodine Remnant Ablation Achieves Short-Term Clinical Recurrence Rates Similar to Those of Traditional Thyroid Hormone Withdrawal. <i>Journal of Nuclear Medicine</i> , 2008, 49, 764-770.	2.8	143
34	Dissecting Anaplastic Thyroid Carcinoma: A Comprehensive Clinical, Histologic, Immunophenotypic, and Molecular Study of 360 Cases. <i>Thyroid</i> , 2020, 30, 1505-1517.	2.4	143
35	Outcomes of Patients with Differentiated Thyroid Cancer Risk-Stratified According to the American Thyroid Association and Latin American Thyroid Society Risk of Recurrence Classification Systems. <i>Thyroid</i> , 2013, 23, 1401-1407.	2.4	138
36	The Chernobyl accident and its consequences: Update at the millennium. <i>Seminars in Nuclear Medicine</i> , 2000, 30, 133-140.	2.5	134

#	ARTICLE	IF	CITATIONS
37	Is the Serum Thyroglobulin Response to Recombinant Human Thyrotropin Sufficient, by Itself, to Monitor for Residual Thyroid Carcinoma?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 3242-3247.	1.8	134
38	Empiric radioactive iodine dosing regimens frequently exceed maximum tolerated activity levels in elderly patients with thyroid cancer. <i>Journal of Nuclear Medicine</i> , 2006, 47, 1587-91.	2.8	127
39	Encapsulated Papillary Thyroid Carcinoma: A Clinico-Pathologic Study of 106 Cases with Emphasis on Its Morphologic Subtypes (Histologic Growth Pattern). <i>Thyroid</i> , 2009, 19, 119-127.	2.4	125
40	Survival from Differentiated Thyroid Cancer: What Has Age Got to Do with It?. <i>Thyroid</i> , 2015, 25, 1106-1114.	2.4	125
41	European Perspective on 2015 American Thyroid Association Management Guidelines for Adult Patients with Thyroid Nodules and Differentiated Thyroid Cancer: Proceedings of an Interactive International Symposium. <i>Thyroid</i> , 2019, 29, 7-26.	2.4	122
42	Invasion rather than nuclear features correlates with outcome in encapsulated follicular tumors: further evidence for the reclassification of the encapsulated papillary thyroid carcinoma follicular variant. <i>Human Pathology</i> , 2015, 46, 657-664.	1.1	121
43	Thyrotropin Suppression Increases the Risk of Osteoporosis Without Decreasing Recurrence in ATA Low- and Intermediate-Risk Patients with Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2015, 25, 300-307.	2.4	121
44	In Differentiated Thyroid Cancer, an Incomplete Structural Response to Therapy Is Associated with Significantly Worse Clinical Outcomes Than Only an Incomplete Thyroglobulin Response. <i>Thyroid</i> , 2011, 21, 1317-1322.	2.4	116
45	Ultrasonographically Detected Small Thyroid Bed Nodules Identified After Total Thyroidectomy for Differentiated Thyroid Cancer Seldom Show Clinically Significant Structural Progression. <i>Thyroid</i> , 2011, 21, 845-853.	2.4	113
46	Management of Recurrent/Persistent Nodal Disease in Patients with Differentiated Thyroid Cancer: A Critical Review of the Risks and Benefits of Surgical Intervention Versus Active Surveillance. <i>Thyroid</i> , 2015, 25, 15-27.	2.4	112
47	Outcome of Large Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features. <i>Thyroid</i> , 2017, 27, 512-517.	2.4	109
48	Papillary Thyroid Carcinomas with Cervical Lymph Node Metastases Can Be Stratified into Clinically Relevant Prognostic Categories Using Oncogenic <i>BRAF</i> , the Number of Nodal Metastases, and Extra-Nodal Extension. <i>Thyroid</i> , 2012, 22, 575-584.	2.4	108
49	The History of the Follicular Variant of Papillary Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 15-22.	1.8	107
50	Salivary Gland Side Effects Commonly Develop Several Weeks After Initial Radioactive Iodine Ablation. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1605-1610.	2.8	106
51	The Effect of Posttherapy ¹³¹ I SPECT/CT on Risk Classification and Management of Patients with Differentiated Thyroid Cancer. <i>Journal of Nuclear Medicine</i> , 2010, 51, 1361-1367.	2.8	102
52	Follow up Approaches in Thyroid Cancer: A Risk Adapted Paradigm. <i>Endocrinology and Metabolism Clinics of North America</i> , 2008, 37, 419-435.	1.2	100
53	Management of advanced medullary thyroid cancer. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 64-71.	5.5	100
54	Risk Stratification in Differentiated Thyroid Cancer: From Detection to Final Follow-Up. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 4087-4100.	1.8	100

#	ARTICLE	IF	CITATIONS
55	The impact of nodal status on outcome in older patients with papillary thyroid cancer. <i>Surgery</i> , 2014, 156, 137-146.	1.0	98
56	A retrospective review of the effectiveness of recombinant human TSH as a preparation for radioiodine thyroid remnant ablation. <i>Journal of Nuclear Medicine</i> , 2002, 43, 1482-8.	2.8	95
57	Active Surveillance in Papillary Thyroid Microcarcinomas is Feasible and Safe: Experience at a Single Italian Center. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e172-e180.	1.8	94
58	Radiofrequency ablation and related <sc>ultrasound</sc>-guided</sc> ablation technologies for treatment of benign and malignant thyroid disease: An international multidisciplinary consensus statement of the American Head and Neck Society Endocrine Surgery Section with the Asia Pacific Society of Thyroid Surgery, Associazione Medici Endocrinologi, British Association of Endocrine and Thyroid Surgeons, European Thyroid Association, Italian Society of Endocrine Surgery Units, Korean Society of Thyroid Radiology,. <i>Head and Neck</i> , 2022, 44, 633-660.	0.9	92
59	Expression of the Sodium Iodide Symporter and Thyroglobulin Genes Are Reduced in Papillary Thyroid Cancer. <i>Modern Pathology</i> , 2001, 14, 289-296.	2.9	91
60	Genomic Alterations in Fatal Forms of Non-Anaplastic Thyroid Cancer: Identification of <i>MED12</i> and <i>RBM10</i> as Novel Thyroid Cancer Genes Associated with Tumor Virulence. <i>Clinical Cancer Research</i> , 2017, 23, 5970-5980.	3.2	89
61	Defining a Valid Age Cutoff in Staging of Well-Differentiated Thyroid Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 410-415.	0.7	87
62	Comparison of Empiric Versus Whole-Body/-Blood Clearance Dosimetryâ€‘Based Approach to Radioactive Iodine Treatment in Patients with Metastases from Differentiated Thyroid Cancer. <i>Journal of Nuclear Medicine</i> , 2017, 58, 717-722.	2.8	81
63	Risk-Adapted Management of Thyroid Cancer. <i>Endocrine Practice</i> , 2008, 14, 764-774.	1.1	77
64	Even Without Additional Therapy, Serum Thyroglobulin Concentrations Often Decline for Years After Total Thyroidectomy and Radioactive Remnant Ablation in Patients with Differentiated Thyroid Cancer. <i>Thyroid</i> , 2012, 22, 778-783.	2.4	77
65	Externalâ€‘beam radiotherapy for differentiated thyroid cancer locoregional control: A statement of the American Head and Neck Society. <i>Head and Neck</i> , 2016, 38, 493-498.	0.9	76
66	Mammary analog secretory carcinoma of the thyroid gland: A primary thyroid adenocarcinoma harboring ETV6â€‘NTRK3 fusion. <i>Modern Pathology</i> , 2016, 29, 985-995.	2.9	74
67	Response to Initial Therapy Predicts Clinical Outcomes in Medullary Thyroid Cancer. <i>Thyroid</i> , 2015, 25, 242-249.	2.4	73
68	Controversial Issues in Thyroid Cancer Management. <i>Journal of Nuclear Medicine</i> , 2018, 59, 1187-1194.	2.8	73
69	Factors Influencing the Basal and Recombinant Human Thyrotropin-Stimulated Serum Thyroglobulin in Patients with Metastatic Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 6010-6016.	1.8	72
70	Recombinant Human Thyroid Stimulating Hormoneâ€‘Assisted Radioactive Iodine Remnant Ablation in Thyroid Cancer Patients at Intermediate to High Risk of Recurrence. <i>Thyroid</i> , 2012, 22, 1007-1015.	2.4	70
71	Tumor volume doubling time of pulmonary metastases predicts overall survival and can guide the initiation of multikinase inhibitor therapy in patients with metastatic, follicular cellâ€‘derived thyroid carcinoma. <i>Cancer</i> , 2017, 123, 2955-2964.	2.0	70
72	Increasing diagnosis of subclinical thyroid cancers leads to spurious improvements in survival rates. <i>Cancer</i> , 2015, 121, 1793-1799.	2.0	68

#	ARTICLE	IF	CITATIONS
73	Papillary Thyroid Cancer: Monitoring and Therapy. <i>Endocrinology and Metabolism Clinics of North America</i> , 2007, 36, 753-778.	1.2	67
74	American Thyroid Association Statement on the Essential Elements of Interdisciplinary Communication of Perioperative Information for Patients Undergoing Thyroid Cancer Surgery. <i>Thyroid</i> , 2012, 22, 395-399.	2.4	67
75	A clinical framework to facilitate selection of patients with differentiated thyroid cancer for active surveillance or less aggressive initial surgical management. <i>Expert Review of Endocrinology and Metabolism</i> , 2018, 13, 77-85.	1.2	62
76	Prophylactic Central Neck Dissection in Differentiated Thyroid Cancer: An Assessment of the Evidence. <i>Annals of Surgical Oncology</i> , 2013, 20, 2285-2289.	0.7	61
77	Operative management of locally advanced, differentiated thyroid cancer. <i>Surgery</i> , 2016, 160, 738-746.	1.0	61
78	Radioactive Iodine Administered for Thyroid Remnant Ablation Following Recombinant Human Thyroid Stimulating Hormone Preparation Also Has an Important Adjuvant Therapy Function. <i>Thyroid</i> , 2010, 20, 257-263.	2.4	60
79	A Low Postoperative Nonstimulated Serum Thyroglobulin Level Does Not Exclude the Presence of Radioactive Iodine Avid Metastatic Foci in Intermediate-Risk Differentiated Thyroid Cancer Patients. <i>Thyroid</i> , 2013, 23, 436-442.	2.4	58
80	Prognostic impact of extent of vascular invasion in low-grade encapsulated follicular cell-derived thyroid carcinomas: a clinicopathologic study of 276 cases. <i>Human Pathology</i> , 2015, 46, 1789-1798.	1.1	58
81	Surgical management of the recurrent laryngeal nerve in thyroidectomy: American Head and Neck Society Consensus Statement. <i>Head and Neck</i> , 2018, 40, 663-675.	0.9	58
82	Medical management of thyroid cancer: a risk adapted approach. <i>Journal of Surgical Oncology</i> , 2008, 97, 712-716.	0.8	57
83	Should subcentimeter non-invasive encapsulated, follicular variant of papillary thyroid carcinoma be included in the noninvasive follicular thyroid neoplasm with papillary-like nuclear features category?. <i>Endocrine</i> , 2018, 59, 143-150.	1.1	57
84	Pediatric Differentiated Thyroid Carcinoma of Follicular Cell Origin: Prognostic Significance of Histologic Subtypes. <i>Thyroid</i> , 2016, 26, 219-226.	2.4	56
85	Impact of Pregnancy on Serum Thyroglobulin and Detection of Recurrent Disease Shortly After Delivery in Thyroid Cancer Survivors. <i>Thyroid</i> , 2007, 17, 543-547.	2.4	54
86	A Joint Statement from the American Thyroid Association, the European Association of Nuclear Medicine, the European Thyroid Association, the Society of Nuclear Medicine and Molecular Imaging on Current Diagnostic and Therapeutic Approaches in the Management of Thyroid Cancer. <i>Thyroid</i> , 2021, 31, 1009-1019.	2.4	54
87	Clinical Outcomes Following Empiric Radioiodine Therapy in Patients with Structurally Identifiable Metastatic Follicular Cell-Derived Thyroid Carcinoma with Negative Diagnostic But Positive Post-Therapy ¹³¹ I Whole-Body Scans. <i>Thyroid</i> , 2012, 22, 877-883.	2.4	53
88	Clinicopathologic Features of Fatal Non-Anaplastic Follicular Cell-Derived Thyroid Carcinomas. <i>Thyroid</i> , 2016, 26, 1588-1597.	2.4	53
89	Thyroid Lobectomy Is Associated with Excellent Clinical Outcomes in Properly Selected Differentiated Thyroid Cancer Patients with Primary Tumors Greater Than 1 cm. <i>Journal of Thyroid Research</i> , 2013, 1-5.	0.5	52
90	Primary Thyroid Carcinoma with Low-Risk Histology and Distant Metastases: Clinicopathologic and Molecular Characteristics. <i>Thyroid</i> , 2017, 27, 632-640.	2.4	52

#	ARTICLE	IF	CITATIONS
91	Prognostic Factors in Papillary Microcarcinoma with Emphasis on Histologic Subtyping: A Clinicopathologic Study of 148 Cases. <i>Thyroid</i> , 2014, 24, 245-253.	2.4	51
92	Cost-effectiveness analysis of papillary thyroid cancer surveillance. <i>Cancer</i> , 2015, 121, 4132-4140.	2.0	50
93	Multi-institutional validation of a novel textural analysis tool for preoperative stratification of suspected thyroid tumors on diffusion-weighted MRI. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 1708-1716.	1.9	50
94	Changing the Cancer Diagnosis: The Case of Follicular Variant of Papillary Thyroid Cancer—Primum Non Nocere and NIFTP. <i>Thyroid</i> , 2016, 26, 869-871.	2.4	48
95	Microscopic Positive Margins in Differentiated Thyroid Cancer Is Not an Independent Predictor of Local Failure. <i>Thyroid</i> , 2015, 25, 993-998.	2.4	46
96	Should multifocality be an indication for completion thyroidectomy in papillary thyroid carcinoma?. <i>Surgery</i> , 2020, 167, 10-17.	1.0	46
97	Higher Administered Activities of Radioactive Iodine Are Associated with Less Structural Persistent Response in Older, but Not Younger, Papillary Thyroid Cancer Patients with Lateral Neck Lymph Node Metastases. <i>Thyroid</i> , 2014, 24, 1088-1095.	2.4	45
98	The evolving diagnosis of noninvasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP). <i>Human Pathology</i> , 2018, 74, 1-4.	1.1	45
99	Stage migration with the new American Joint Committee on Cancer (AJCC) staging system (8th edition) for differentiated thyroid cancer. <i>Surgery</i> , 2019, 165, 6-11.	1.0	45
100	Ret/PTC Activation in Benign and Malignant Thyroid Tumors Arising in a Population Exposed to Low-Dose External-Beam Irradiation in Childhood. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 2281-2289.	1.8	44
101	Treatment decision making in early-stage papillary thyroid cancer. <i>Psycho-Oncology</i> , 2018, 27, 61-68.	1.0	44
102	Prognostic Value of Vascular Invasion in Well-Differentiated Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2015, 25, 503-508.	2.4	43
103	Novel concepts for initiating multitargeted kinase inhibitors in radioactive iodine refractory differentiated thyroid cancer. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2017, 31, 295-305.	2.2	43
104	Thyroid Cancer Treatment Choice: A Pilot Study of a Tool to Facilitate Conversations with Patients with Papillary Microcarcinomas Considering Treatment Options. <i>Thyroid</i> , 2018, 28, 1325-1331.	2.4	42
105	Grading of medullary thyroid carcinoma on the basis of tumor necrosis and high mitotic rate is an independent predictor of poor outcome. <i>Modern Pathology</i> , 2020, 33, 1690-1701.	2.9	42
106	Mild Decreases in White Blood Cell and Platelet Counts Are Present One Year After Radioactive Iodine Remnant Ablation. <i>Thyroid</i> , 2009, 19, 1035-1041.	2.4	41
107	Time Course and Predictors of Structural Disease Progression in Pulmonary Metastases Arising from Follicular Cell-Derived Thyroid Cancer. <i>Thyroid</i> , 2016, 26, 518-524.	2.4	41
108	Using the American Thyroid Association Risk-Stratification System to Refine and Individualize the American Joint Committee on Cancer Eighth Edition Disease-Specific Survival Estimates in Differentiated Thyroid Cancer. <i>Thyroid</i> , 2018, 28, 1293-1300.	2.4	41

#	ARTICLE	IF	CITATIONS
109	American Head and Neck Society Endocrine Surgery Section and International Thyroid Oncology Group consensus statement on mutational testing in thyroid cancer: Defining advanced thyroid cancer and its targeted treatment. <i>Head and Neck</i> , 2022, 44, 1277-1300.	0.9	41
110	Oncologic Outcomes After Completion Thyroidectomy for Patients with Well-Differentiated Thyroid Carcinoma. <i>Annals of Surgical Oncology</i> , 2014, 21, 1374-1378.	0.7	38
111	Serial Neck Ultrasound is More Likely to Identify False-Positive Abnormalities than Clinically Significant Disease in Low-Risk Papillary Thyroid Cancer Patients. <i>Endocrine Practice</i> , 2015, 21, 1372-1379.	1.1	38
112	Lateral Neck Lymph Node Characteristics Prognostic of Outcome in Patients with Clinically Evident N1b Papillary Thyroid Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 3530-3536.	0.7	38
113	Selective use of RAI for ablation and adjuvant therapy after total thyroidectomy for differentiated thyroid cancer: A practical approach to clinical decision making. <i>Oral Oncology</i> , 2013, 49, 676-683.	0.8	37
114	Title is missing!. , 2017, , .		37
115	Implementing the Modified 2009 American Thyroid Association Risk Stratification System in Thyroid Cancer Patients with Low and Intermediate Risk of Recurrence. <i>Thyroid</i> , 2015, 25, 1235-1242.	2.4	36
116	A Risk-Adapted Approach to the Use of Radioactive Iodine and External Beam Radiation in the Treatment of Well-Differentiated Thyroid Cancer. <i>Cancer Control</i> , 2011, 18, 89-95.	0.7	35
117	Risk stratification in medullary thyroid cancer: Moving beyond static anatomic staging. <i>Oral Oncology</i> , 2013, 49, 695-701.	0.8	35
118	No Evidence of Increase in Calcitonin Concentrations or Development of C-Cell Malignancy in Response to Liraglutide for Up to 5 Years in the LEADER Trial. <i>Diabetes Care</i> , 2018, 41, 620-622.	4.3	35
119	Outcome and molecular characteristics of non-invasive encapsulated follicular variant of papillary thyroid carcinoma with oncocyctic features. <i>Endocrine</i> , 2019, 64, 97-108.	1.1	35
120	Frequent Screening With Serial Neck Ultrasound Is More Likely to Identify False-Positive Abnormalities Than Clinically Significant Disease in the Surveillance of Intermediate Risk Papillary Thyroid Cancer Patients Without Suspicious Findings on Follow-Up Ultrasound Evaluation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1561-1567.	1.8	34
121	Changing trends in well differentiated thyroid carcinoma over eight decades. <i>International Journal of Surgery</i> , 2012, 10, 618-623.	1.1	33
122	Using Diffusion-Weighted MRI to Predict Aggressive Histological Features in Papillary Thyroid Carcinoma: A Novel Tool for Pre-Operative Risk Stratification in Thyroid Cancer. <i>Thyroid</i> , 2015, 25, 672-680.	2.4	33
123	How Many Papillae in Conventional Papillary Carcinoma? A Clinical Evidence-Based Pathology Study of 235 Unifocal Encapsulated Papillary Thyroid Carcinomas, with Emphasis on the Diagnosis of Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features. <i>Thyroid</i> , 2019, 29, 1792-1803.	2.4	33
124	Enhancing Radioiodine Incorporation in <i>BRAF</i> -Mutant, Radioiodine-Refractory Thyroid Cancers with Vemurafenib and the Anti-ErbB3 Monoclonal Antibody CDX-3379: Results of a Pilot Clinical Trial. <i>Thyroid</i> , 2022, 32, 273-282.	2.4	30
125	Response to Therapy Status Is an Excellent Predictor of Pregnancy-Associated Structural Disease Progression in Patients Previously Treated for Differentiated Thyroid Cancer. <i>Thyroid</i> , 2017, 27, 396-401.	2.4	29
126	Selumetinib Plus Adjuvant Radioactive Iodine in Patients With High-Risk Differentiated Thyroid Cancer: A Phase III, Randomized, Placebo-Controlled Trial (ASTRA). <i>Journal of Clinical Oncology</i> , 2022, 40, 1870-1878.	0.8	29

#	ARTICLE	IF	CITATIONS
127	Active surveillance for patients with very low-risk thyroid cancer. <i>Laryngoscope Investigative Otolaryngology</i> , 2020, 5, 175-182.	0.6	28
128	Clinical Relevance of Thyroglobulin Doubling Time in the Management of Patients with Differentiated Thyroid Cancer. <i>Thyroid</i> , 2011, 21, 691-692.	2.4	27
129	Genomic and Transcriptomic Characterization of Papillary Microcarcinomas With Lateral Neck Lymph Node Metastases. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 4889-4899.	1.8	26
130	¹²⁵ I thyroid bed uptake after total thyroidectomy: A novel SPECT-CT anatomic classification system. <i>Laryngoscope</i> , 2015, 125, 2417-2424.	1.1	25
131	A Risk-adapted Approach to Follow-up in Differentiated Thyroid Cancer. <i>Rambam Maimonides Medical Journal</i> , 2016, 7, e0004.	0.4	25
132	ret/PTC Activation Is Not Associated with Individual Radiation Dose Estimates in a Pilot Study of Neoplastic Thyroid Nodules Arising in Russian Children and Adults Exposed to Chernobyl Fallout. <i>Thyroid</i> , 2008, 18, 839-846.	2.4	24
133	Comparable outcomes for patients with pT1a and pT1b differentiated thyroid cancer: Is there a need for change in the AJCC classification system?. <i>Surgery</i> , 2014, 156, 1484-1490.	1.0	23
134	Intensity-Modulated Radiation Therapy With or Without Concurrent Chemotherapy in Nonanaplastic Thyroid Cancer with Unresectable or Gross Residual Disease. <i>Thyroid</i> , 2018, 28, 1180-1189.	2.4	23
135	Screening for thyroid cancer in survivors of childhood and young adult cancer treated with neck radiation. <i>Journal of Cancer Survivorship</i> , 2017, 11, 302-308.	1.5	21
136	Data set for reporting carcinoma of the thyroid: recommendations from the International Collaboration on Cancer Reporting. <i>Human Pathology</i> , 2021, 110, 62-72.	1.1	20
137	Dynamic contrast-enhanced MRI model selection for predicting tumor aggressiveness in papillary thyroid cancers. <i>NMR in Biomedicine</i> , 2020, 33, e4166.	1.6	19
138	Surgical Management of Low-/Intermediate-Risk Node Negative Thyroid Cancer: A Single-Institution Study Using Propensity Matching Analysis to Compare Thyroid Lobectomy and Total Thyroidectomy. <i>Thyroid</i> , 2022, 32, 28-36.	2.4	19
139	Treatment of Thyroid Cancer: 2007 A Basic Review. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 69, S92-S97.	0.4	18
140	Prophylactic Lateral Neck Dissection for Medullary Thyroid Carcinoma is not Associated with Improved Survival. <i>Annals of Surgical Oncology</i> , 2021, 28, 6572-6579.	0.7	18
141	Radioactive iodine therapy in poorly differentiated thyroid cancer. <i>Nature Clinical Practice Oncology</i> , 2007, 4, 665-668.	4.3	17
142	Follicular and Hurthle Cell Carcinoma: Comparison of Clinicopathological Features and Clinical Outcomes. <i>Thyroid</i> , 2022, 32, 245-254.	2.4	17
143	Investigational Therapies for Metastatic Thyroid Carcinoma. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2007, 5, 641-646.	2.3	16
144	Preoperative Neck Ultrasound in Clinical Node-Negative Differentiated Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 3686-3693.	1.8	16

#	ARTICLE	IF	CITATIONS
145	Optimal management of a biochemical incomplete response to therapy in differentiated thyroid cancer: aggressive treatment or cautious observation?. <i>Endocrine</i> , 2014, 46, 363-364.	1.1	15
146	Management and outcome of clinically evident neck recurrence in patients with papillary thyroid cancer. <i>Clinical Endocrinology</i> , 2017, 87, 566-571.	1.2	15
147	Structural Doubling Time Predicts Overall Survival in Patients with Medullary Thyroid Cancer in Patients with Rapidly Progressive Metastatic Medullary Thyroid Cancer Treated with Molecular Targeted Therapies. <i>Thyroid</i> , 2020, 30, 1112-1119.	2.4	15
148	Is a Prophylactic Central Compartment Neck Dissection Required in Papillary Thyroid Carcinoma Patients with Clinically Involved Lateral Compartment Lymph Nodes?. <i>Annals of Surgical Oncology</i> , 2021, 28, 512-518.	0.7	15
149	Challenges of Active Surveillance Protocols for Low-Risk Papillary Thyroid Microcarcinoma in the United States. <i>Thyroid</i> , 2016, 26, 989-990.	2.4	14
150	Effectiveness of routine ultrasonographic surveillance of patients with low-risk papillary carcinoma of the thyroid. <i>Surgery</i> , 2016, 159, 1390-1395.	1.0	14
151	Clinical Assessment and Risk Stratification in Differentiated Thyroid Cancer. <i>Endocrinology and Metabolism Clinics of North America</i> , 2019, 48, 99-108.	1.2	14
152	Management of Retropharyngeal Lymph Node Metastases in Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2020, 30, 688-695.	2.4	14
153	The Prognostic Significance of Nodal Metastases from Papillary Thyroid Carcinoma can be Stratified Based on the Size and Number of Metastatic Lymph Nodes, as Well as the Presence of Extranodal Extension ATA Surgical Affairs Committee's Taskforce on Thyroid Cancer Nodal Surgery. <i>Thyroid</i> , 0, , 120810100637005.	2.4	14
154	Ethical Considerations When Counseling Patients With Thyroid Cancer About Surgery vs Observation. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2016, 142, 406.	1.2	12
155	Nonsurgical Thermal Ablation of Thyroid Nodules: Not if, but Why, When, and How?. <i>Thyroid</i> , 2020, 30, 1691-1694.	2.4	12
156	Invasion of a Recurrent Laryngeal Nerve from Small Well-Differentiated Papillary Thyroid Cancers: Patient Selection Implications for Active Surveillance. <i>Thyroid</i> , 2022, 32, 164-169.	2.4	12
157	Similarities and Differences in Follicular Cell-Derived Thyroid Cancer Management Guidelines Used in Europe and the United States. <i>Seminars in Nuclear Medicine</i> , 2011, 41, 89-95.	2.5	11
158	Patients with Multifocal Macroscopic Papillary Thyroid Carcinoma Have a Low Risk of Recurrence at Early Follow-Up after Total Thyroidectomy and Radioactive Iodine Treatment. <i>European Thyroid Journal</i> , 2017, 6, 31-39.	1.2	10
159	Implementing Key Changes in The American Thyroid Association 2015 Thyroid Nodules/Differentiated Thyroid Cancer Guidelines Across Practice Types. <i>Endocrine Practice</i> , 2018, 24, 833-840.	1.1	10
160	American Head and Neck Society Endocrine Section clinical consensus statement: North American quality statements and evidence-based multidisciplinary workflow algorithms for the evaluation and management of thyroid nodules. <i>Head and Neck</i> , 2019, 41, 843-856.	0.9	10
161	Multifocality in papillary thyroid carcinoma—An unresolved controversy. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1777-1778.	0.5	10
162	Recombinant Human Thyroid-Stimulating Hormone To Stimulate 131-I Uptake For Remnant Ablation And Adjuvant Therapy. <i>Endocrine Practice</i> , 2013, 19, 149-156.	1.1	9

#	ARTICLE	IF	CITATIONS
163	Assessing the Number of Candidates There Are for Active Surveillance of Low-risk Papillary Thyroid Cancers in the US. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2020, 146, 585.	1.2	9
164	The solid variant of papillary thyroid carcinoma: a multi-institutional retrospective study. <i>Histopathology</i> , 2022, 81, 171-182.	1.6	9
165	Neck Sonography and Suppressed Thyroglobulin Have High Sensitivity for Identifying Recurrent/Persistent Disease in Patients With Low-risk Thyroid Cancer Treated With Total Thyroidectomy and Radioactive Iodine Ablation, Making Stimulated Thyroglobulin Unnecessary. <i>Journal of Ultrasound in Medicine</i> . 2017, 36, 2299-2307.	0.8	8
166	How Does The AJCC/TNM Staging System Eighth Edition Perform in Thyroid Cancer at A Major Middle Eastern Medical Center?. <i>Endocrine Practice</i> , 2021, 27, 607-613.	1.1	8
167	Intensity-modulated radiation therapy and doxorubicin in thyroid cancer: A prospective phase 2 trial. <i>Cancer</i> , 2021, 127, 4161-4170.	2.0	8
168	Redifferentiating Thyroid Cancer: Selumetinib-enhanced Radioiodine Uptake in Thyroid Cancer. <i>Molecular Imaging and Radionuclide Therapy</i> , 2017, 26, 80-86.	0.3	8
169	Thyroid cancer staging and genomics. <i>Annals of Translational Medicine</i> , 2019, 7, S49-S49.	0.7	8
170	Inappropriate Use of Radioactive Iodine for Low-Risk Papillary Thyroid Cancer Is Most Common in Regions with Poor Access to Healthcare. <i>Thyroid</i> , 2015, 25, 865-866.	2.4	7
171	Differentiated Thyroid Carcinoma That Express Sodium-Iodide Symporter Have a Lower Risk of Recurrence for Children and Adolescents. <i>Pediatric Research</i> , 2002, 52, 737-744.	1.1	7
172	Role of Recombinant Human Thyrotropin (rhTSH) in the Treatment of Well-Differentiated Thyroid Cancer. <i>Indian Journal of Surgical Oncology</i> , 2012, 3, 182-189.	0.3	6
173	Restricting ultrasound thyroid fine needle aspiration biopsy by nodule size: which tumors are we missing? A population-based study. <i>Endocrine</i> , 2016, 51, 499-505.	1.1	6
174	Long-Term Oncologic Outcomes After Curative Resection of Familial Medullary Thyroid Carcinoma. <i>Annals of Surgical Oncology</i> , 2019, 26, 4423-4429.	0.7	6
175	Completion thyroidectomy-indications and complications. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1129-1131.	0.5	6
176	Patient Perspectives on the Extent of Surgery and Radioactive Iodine Treatment for Low-Risk Differentiated Thyroid Cancer. <i>Endocrine Practice</i> , 2021, 27, 383-389.	1.1	6
177	Previous External Beam Radiation Treatment Exposure Does Not Confer Worse Outcome for Patients with Differentiated Thyroid Cancer. <i>Thyroid</i> , 2017, 27, 412-417.	2.4	5
178	Distinguishing remnant ablation from adjuvant treatment in differentiated thyroid cancer. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 7-8.	5.5	5
179	Does macroscopic extrathyroidal extension to the strap muscles alone affect survival in papillary thyroid carcinoma?. <i>Surgery</i> , 2022, 171, 1341-1347.	1.0	5
180	Ata High-Risk Thyroid Cancer Patients Demonstrating an Excellent Response to Therapy Within A Few Weeks of Initial Therapy Have Better than Expected Clinical Outcomes. <i>Endocrine Practice</i> , 2019, 25, 287-289.	1.1	4

#	ARTICLE	IF	CITATIONS
181	Brief progress report from the intersocietal working group on differentiated thyroid cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 1345-1347.	3.3	4
182	Frequent neck US in papillary thyroid cancer likely detects non-actionable findings. <i>Clinical Endocrinology</i> , 2021, 94, 504-512.	1.2	4
183	Ultrasound-Guided Percutaneous Laser Ablation of the Thyroid Gland in a Swine Model: Comparison of Ablation Parameters and Ablation Zone Dimensions.. <i>CardioVascular and Interventional Radiology</i> , 2021, 44, 1798-1806.	0.9	4
184	A Pilot Study of Durvalumab (MEDI4736) with Tremelimumab in Combination with Image-Guided Stereotactic Body Radiotherapy in the Treatment of Metastatic Anaplastic Thyroid Cancer. <i>Thyroid</i> , 2022, 32, 799-806.	2.4	4
185	Papillary thyroid microcarcinoma and active surveillance – Authors' reply. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 976-977.	5.5	3
186	Perioperative diagnostics of patients referred for radioiodine therapy of differentiated thyroid carcinoma: referral center experience in an iodine-insufficient country. <i>Endocrine</i> , 2021, 72, 721-726.	1.1	3
187	Completion thyroidectomy – Have we made appropriate decisions?. <i>Journal of Surgical Oncology</i> , 2021, 123, 37-38.	0.8	3
188	Pediatric Thyroid Cancer: A Surgical Challenge. <i>European Journal of Surgical Oncology</i> , 2019, 45, 2001-2002.	0.5	2
189	ThyroidEx: Development and Preliminary Validation of a Thyroid Surgery Expectations Measure. <i>Otolaryngology - Head and Neck Surgery</i> , 2020, 165, 019459982097631.	1.1	2
190	Pilot Study of a Web-based Decision Tool on Post-operative Use of Radioactive Iodine. <i>European Endocrinology</i> , 2017, 13, 26.	0.8	2
191	Can risk-adapted treatment recommendations replace the 'one size fits all' approach for early-stage thyroid cancer patients?. <i>Oncology</i> , 2009, 23, 592, 600, 603.	0.4	2
192	Frozen section of central lymph nodes in thyroid cancer. <i>Gland Surgery</i> , 2022, 11, 637-639.	0.5	2
193	Radioactive iodine therapy: multiple faces of the same polyhedron. <i>Archives of Endocrinology and Metabolism</i> , 2022, , .	0.3	2
194	The “broken chair” in patients with differentiated thyroid cancer. <i>Endocrine</i> , 2017, 57, 359-360.	1.1	1
195	Risk Stratification in Differentiated Thyroid Cancer: Importance and Clinical Implications of Preoperative Risk Stratification. <i>VideoEndocrinology</i> , 2018, 5, .	0.1	1
196	Enhanced interdisciplinary communication: development of an interactive thyroid nodule/cancer disease map. <i>Laryngoscope</i> , 2019, 129, 269-274.	1.1	1
197	Delphian node – A sentinel node in thyroid cancer?. <i>Journal of Surgical Oncology</i> , 2021, 123, 1529-1530.	0.8	1
198	Letter to the Editor From Boucai and Tuttle: BRAF V600E Status Sharply Differentiates Lymph Node Metastasis-Associated Mortality Risk in Papillary Thyroid Cancer – <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, , .	1.8	1

#	ARTICLE	IF	CITATIONS
199	Response to: Letter to the Editor Regarding the Article "Thyrotropin Suppression Increases the Risk of Osteoporosis Without Decreasing Recurrence in ATA Low- and Intermediate-Risk Patients with Differentiated Thyroid Carcinoma". <i>Thyroid</i> , 2015, 25, 1269-1270.	2.4	0
200	Response to Letter: What Is the Role of Serum Thyroglobulin Measurement in Patients With Differentiated Thyroid Cancer Treated Without Radioactive Iodine?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2115-2116.	1.8	0
201	Reply: Active Surveillance in Micropapillary Carcinoma. <i>Surgery</i> , 2018, 163, 1325-1329.	1.0	0
202	Risk Stratification and Current Management of Low Risk Thyroid Cancer. , 2018, , 111-120.		0
203	Commentary "Incidence of total thyroidectomy and lobectomy". <i>Surgery</i> , 2019, 166, 48-49.	1.0	0
204	Lymphovascular invasion and active surveillance in thyroid cancer. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1775-1776.	0.5	0
205	Commentary: Re-recurrence after surgical management of recurrent thyroid cancer. <i>Surgery</i> , 2021, 169, 844-845.	1.0	0
206	Papillary Carcinoma Observation. , 2021, , 199-203.e1.		0
207	Management of the contralateral central neck in differentiated thyroid cancer: A contentious issue. <i>European Journal of Surgical Oncology</i> , 2021, 47, 717-719.	0.5	0
208	Nuances in the Surgical Management of Thyroid Cancer. <i>Indian Journal of Surgical Oncology</i> , 2022, 13, 1-6.	0.3	0
209	Dynamic Risk Group Analysis and Staging for Differentiated Thyroid Cancer. , 2021, , 218-224.e1.		0
210	Postoperative Management of Well-Differentiated Thyroid Cancer. , 2009, , 137-148.		0
211	Practice patterns in the management of thyroid cancer. <i>Journal of Surgical Oncology</i> , 2022, 126, 214-216.	0.8	0
212	Papillary microcarcinoma"Management issues. <i>Indian Journal of Cancer</i> , 2021, 58, 155.	0.2	0
213	Outcomes and Toxicities of Nonmedullary Thyroid Tumors Treated with Proton Beam Radiation Therapy. <i>International Journal of Particle Therapy</i> , 2022, 9, 20-30.	0.9	0