## Chris P H Lexis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2346947/publications.pdf Version: 2024-02-01



#	ARTICLE	IF	CITATIONS
1	Effect of Metformin on Left Ventricular Function After Acute Myocardial Infarction in Patients Without Diabetes. JAMA - Journal of the American Medical Association, 2014, 311, 1526.	7.4	136
2	Impact of chronic total occlusions on markers of reperfusion, infarct size, and longâ€ŧerm mortality: A substudy from the TAPASâ€ŧrial. Catheterization and Cardiovascular Interventions, 2011, 77, 484-491.	1.7	62
3	Chronic Metformin Treatment is Associated with Reduced Myocardial Infarct Size in Diabetic Patients with ST-segment Elevation Myocardial Infarction. Cardiovascular Drugs and Therapy, 2014, 28, 163-171.	2.6	49
4	Metformin in non-Diabetic Patients Presenting with ST Elevation Myocardial Infarction: Rationale and Design of the Glycometabolic Intervention as Adjunct to Primary Percutaneous Intervention in ST Elevation Myocardial Infarction (GIPS)-III Trial. Cardiovascular Drugs and Therapy, 2012, 26, 417-426.	2.6	41
5	Galectin-3 and sST2 in prediction of left ventricular ejection fraction after myocardial infarction. Clinica Chimica Acta, 2016, 452, 50-57.	1.1	33
6	Right Ventricular Function After Acute Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention (from the Glycometabolic Intervention as Adjunct to Primary Percutaneous) Tj ETQq0 0 0 Cardiology 2016, 118, 338-344	rgBT /Over 1.6	·lock 10 Tf 5(
7	The role of glucose lowering agents on restenosis after percutaneous coronary intervention in patients with diabetes mellitus. Cardiovascular Diabetology, 2009, 8, 41.	6.8	26
8	Successful surgical excision of primary right atrial angiosarcoma. Journal of Cardiothoracic Surgery, 2011, 6, 47.	1.1	26
9	The contemporary value of peak creatine kinaseâ€ <scp>MB</scp> after <scp>ST</scp> â€segment elevation myocardial infarction above other clinical and angiographic characteristics in predicting infarct size, left ventricular ejection fraction, and mortality. Clinical Cardiology, 2017, 40, 322-328.	1.8	24
10	The effect of metformin on cardiovascular risk profile in patients without diabetes presenting with acute myocardial infarction: data from the Glycometabolic Intervention as adjunct to Primary Coronary Intervention in ST Elevation Myocardial Infarction (GIPS-III) trial. BMJ Open Diabetes Research and Care, 2015, 3, e000090.	2.8	23
11	Two-year follow-up of 4Âmonths metformin treatment vs. placebo in ST-elevation myocardial infarction: data from the GIPS-III RCT. Clinical Research in Cardiology, 2017, 106, 939-946.	3.3	22
12	Predictors of left ventricular remodeling after ST-elevation myocardial infarction. International Journal of Cardiovascular Imaging, 2017, 33, 1415-1423.	1.5	20
13	Effect of Metformin on Renal Function After Primary Percutaneous Coronary Intervention in Patients Without Diabetes Presenting with ST-elevation Myocardial Infarction: Data from the GIPS-III Trial. Cardiovascular Drugs and Therapy, 2015, 29, 451-459.	2.6	18
14	Chronic ischemic mitral regurgitation and papillary muscle infarction detected by late gadolinium-enhanced cardiac magnetic resonance imaging in patients with ST-segment elevation myocardial infarction. Clinical Research in Cardiology, 2016, 105, 981-991.	3.3	17
15	Effect of Metformin Treatment on Lipoprotein Subfractions in Non-Diabetic Patients with Acute Myocardial Infarction: A Glycometabolic Intervention as Adjunct to Primary Coronary Intervention in ST Elevation Myocardial Infarction (GIPS-III) Trial. PLoS ONE, 2016, 11, e0145719.	2.5	13
16	The Effect of Metformin on Diastolic Function in Patients Presenting with ST-Elevation Myocardial Infarction. PLoS ONE, 2016, 11, e0168340.	2.5	12
17	Metformin for cardiovascular disease: promise still unproven. Lancet Diabetes and Endocrinology,the, 2014, 2, 94-95.	11.4	6
18	Leukocyte telomere length and left ventricular function after acute ST-elevation myocardial infarction: data from the glycometabolic intervention as adjunct to primary coronary intervention in ST elevation myocardial infarction (GIPS-III) trial. Clinical Research in Cardiology, 2015, 104, 812-821.	3.3	6

CHRIS P H LEXIS

#	Article	IF	CITATIONS
19	InÂvivo coronary lesion differentiation with computed tomography angiography and intravascular ultrasound as compared to optical coherence tomography. Journal of Cardiovascular Computed Tomography, 2017, 11, 111-118.	1.3	5
20	The feasibility of optical coherence tomography guided thrombus aspiration in patients with non-ST-elevation myocardial infarction after initial conservative therapy – A pilot study. International Journal of Cardiology, 2013, 168, 4981-4982.	1.7	4
21	Characteristics of patients with false- ST-segment elevation myocardial infarction diagnoses. European Heart Journal: Acute Cardiovascular Care, 2016, 5, 339-346.	1.0	3
22	A Rare Cause of Cardiogenic Shock: A Case Report of Aortic Regurgitation due to Rupture of a Fibrous Strand Suspending a Tricuspid Aortic Valve. Case, 2021, 5, 335-339.	0.3	2
23	Effects of metformin on insulin resistance in heart failure. Which came first: the chicken or the egg?. European Journal of Heart Failure, 2012, 14, 1197-1198.	7.1	1