

Luca Luigi Manetti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2352083/publications.pdf>

Version: 2024-02-01

65
papers

3,546
citations

172457

29
h-index

133252

59
g-index

66
all docs

66
docs citations

66
times ranked

2497
citing authors

#	ARTICLE	IF	CITATIONS
1	PCB153 reduces apoptosis in primary cultures of murine pituitary cells through the activation of NF- κ B mediated by PI3K/Akt. <i>Molecular and Cellular Endocrinology</i> , 2021, 520, 111090.	3.2	8
2	Identification of Two Different Phenotypes of Patients with Amiodarone-Induced Thyrotoxicosis and Positive Thyrotropin Receptor Antibody Tests. <i>Thyroid</i> , 2021, 31, 1463-1471.	4.5	4
3	Comparison Between Total Thyroidectomy and Medical Therapy for Amiodarone-Induced Thyrotoxicosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 242-251.	3.6	36
4	Duration of Exposure to Thyrotoxicosis Increases Mortality of Compromised AIT Patients: the Role of Early Thyroidectomy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3427-e3436.	3.6	13
5	Long-term safety and efficacy of subcutaneous pasireotide in patients with Cushing's disease: interim results from a long-term real-world evidence study. <i>Pituitary</i> , 2019, 22, 542-551.	2.9	12
6	Diabetes mellitus induced by somatostatin analogue therapy is not permanent in acromegalic patients. <i>Endocrinology, Diabetes and Metabolism</i> , 2019, 2, e00033.	2.4	5
7	Diabetes insipidus is an unfavorable prognostic factor for response to glucocorticoids in patients with autoimmune hypophysitis. <i>European Journal of Endocrinology</i> , 2017, 177, 127-135.	3.7	26
8	Disease activity and lifestyle influence comorbidities and cardiovascular events in patients with acromegaly. <i>European Journal of Endocrinology</i> , 2016, 175, 443-453.	3.7	29
9	The presence of anti-thyroglobulin (TgAb) and/or anti-thyroperoxidase antibodies (TPOAb) does not exclude the diagnosis of type 2 amiodarone-induced thyrotoxicosis. <i>Journal of Endocrinological Investigation</i> , 2016, 39, 585-591.	3.3	24
10	Divergent Effects of Dioxin- or Non-Dioxin-Like Polychlorinated Biphenyls on the Apoptosis of Primary Cell Culture from the Mouse Pituitary Gland. <i>PLoS ONE</i> , 2016, 11, e0146729.	2.5	18
11	Anterior pituitary autoantibodies in patients with type 1 diabetes mellitus: methodological problems and clinical correlations. <i>Journal of Endocrinological Investigation</i> , 2014, 37, 973-978.	3.3	1
12	A novel germline mutation in the aryl hydrocarbon receptor-interacting protein (Aip) gene in an Italian family with gigantism. <i>Journal of Endocrinological Investigation</i> , 2014, 37, 949-955.	3.3	9
13	The beneficial effect of acromegaly control on blood pressure values in normotensive patients. <i>Clinical Endocrinology</i> , 2014, 81, 573-581.	2.4	21
14	Lower Prolactin Levels During Cabergoline Treatment are Associated to Tumor Shrinkage in Prolactin Secreting Pituitary Adenoma. <i>Hormone and Metabolic Research</i> , 2014, 46, 939-942.	1.5	12
15	Effects of cocaine on the hypothalamic-pituitary-adrenal axis. <i>Journal of Endocrinological Investigation</i> , 2014, 37, 701-708.	3.3	38
16	Usefulness of salivary cortisol in the diagnosis of hypercortisolism: comparison with serum and urinary cortisol. <i>European Journal of Endocrinology</i> , 2013, 168, 315-321.	3.7	61
17	Pituitary autoimmunity in patients with diabetes mellitus and other endocrine disorders. <i>Journal of Endocrinological Investigation</i> , 2013, 36, 127-131.	3.3	9
18	Growth Hormone Is Necessary for the p53-Mediated, Obesity-Induced Insulin Resistance in Male C57BL/6J Δ -CBA Mice. <i>Endocrinology</i> , 2013, 154, 4226-4236.	2.8	19

#	ARTICLE	IF	CITATIONS
19	Effects of medical therapies for acromegaly on glucose metabolism. <i>European Journal of Endocrinology</i> , 2013, 169, 99-108.	3.7	61
20	Comparison of the effects of primary somatostatin analogue therapy and pituitary adenectomy on survival in patients with acromegaly: a retrospective cohort study. <i>European Journal of Endocrinology</i> , 2013, 169, 367-376.	3.7	35
21	Serum Insulin-Like Growth Factor-1 Concentrations Are Reduced in Severely Obese Women and Raise After Weight Loss Induced by Laparoscopic Adjustable Gastric Banding. <i>Obesity Surgery</i> , 2012, 22, 1276-1280.	2.1	38
22	Impact of different cut-off limits of peak GH after GHRH-arginine stimulatory test, single IGF1 measurement, or their combination in identifying adult patients with GH deficiency. <i>European Journal of Endocrinology</i> , 2011, 164, 685-693.	3.7	13
23	Cardiac extrinsic apoptotic pathway is silent in young but activated in elder mice overexpressing bovine GH: interplay with the intrinsic pathway. <i>Journal of Endocrinology</i> , 2011, 210, 231-238.	2.6	5
24	Vitamin D status may contribute to serum insulin-like growth factor I concentrations in healthy subjects. <i>Journal of Endocrinological Investigation</i> , 2011, 34, e200-3.	3.3	30
25	Pituitary autoimmunity is associated with hypopituitarism in patients with primary empty sella. <i>Journal of Endocrinological Investigation</i> , 2011, 34, e240-4.	3.3	19
26	Diagnosis and treatment of autoimmune hypophysitis: a short review. <i>Journal of Endocrinological Investigation</i> , 2011, 34, e245-52.	3.3	24
27	Changes in coagulation indexes and occurrence of venous thromboembolism in patients with Cushing's syndrome: results from a prospective study before and after surgery. <i>European Journal of Endocrinology</i> , 2010, 163, 783-791.	3.7	110
28	Tumor Infiltrating Lymphocytes But Not Serum Pituitary Antibodies Are Associated with Poor Clinical Outcome after Surgery in Patients with Pituitary Adenoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 289-296.	3.6	42
29	Regulation of cardiac fatty acids metabolism in transgenic mice overexpressing bovine GH. <i>Journal of Endocrinology</i> , 2009, 201, 419-427.	2.6	11
30	Treatment with low doses of cabergoline is not associated with increased prevalence of cardiac valve regurgitation in patients with hyperprolactinaemia. <i>International Journal of Clinical Practice</i> , 2008, 62, 1864-1869.	1.7	83
31	Adrenal morpho-functional alterations in patients with acromegaly. <i>Journal of Endocrinological Investigation</i> , 2008, 31, 602-606.	3.3	18
32	Cabergoline therapy and the risk of cardiac valve regurgitation in patients with hyperprolactinemia: A metaanalysis from clinical studies. <i>Journal of Endocrinological Investigation</i> , 2008, 31, 1119-1123.	3.3	41
33	Serum pituitary antibodies in normal pregnancy and in patients with postpartum thyroiditis: a nested case-control study. <i>European Journal of Endocrinology</i> , 2008, 159, 805-809.	3.7	13
34	Prevalence and Functional Significance of Antipituitary Antibodies in Patients with Autoimmune and Non-Autoimmune Thyroid Diseases. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2176-2181.	3.6	74
35	Abnormal expression of PPAR gamma isoforms in the subcutaneous adipose tissue of patients with Cushing's disease. <i>Clinical Endocrinology</i> , 2006, 66, 060904075417002-???	2.4	2
36	Bone and joint alterations in acromegaly. <i>Journal of Orthopaedics and Traumatology</i> , 2006, 7, 169-175.	2.3	3

#	ARTICLE	IF	CITATIONS
37	Identification of Acromegalic Patients at Risk of Developing Colonic Adenomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 1351-1356.	3.6	48
38	Thyroid Color Flow Doppler Sonography: An Adjunctive Tool for Differentiating Patients with Inappropriate Thyrotropin (TSH) Secretion Due to TSH-Secreting Pituitary Adenoma or Resistance to Thyroid Hormone. <i>Thyroid</i> , 2006, 16, 989-995.	4.5	17
39	Thyroid function differently affects serum cystatin C and creatinine concentrations. <i>Journal of Endocrinological Investigation</i> , 2005, 28, 346-349.	3.3	172
40	Undetectable inferior petrosal sinus levels of PTH-related peptide (PTHrP) in patients with ACTH-dependent Cushing's disease. <i>Journal of Endocrinological Investigation</i> , 2005, 28, 819-821.	3.3	1
41	Early effects of methylprednisolone infusion on serum cystatin C in patients with severe Graves' ophthalmopathy. <i>Clinica Chimica Acta</i> , 2005, 356, 227-228.	1.1	32
42	Serum prostate-specific antigen concentration is increased in acromegalic women. <i>Journal of Endocrinological Investigation</i> , 2004, 27, 643-647.	3.3	4
43	Submandibular salivary gland volume is increased in patients with acromegaly. <i>Clinical Endocrinology</i> , 2002, 57, 97-100.	2.4	11
44	Thyroid vascularity is increased in patients with active acromegaly. <i>Clinical Endocrinology</i> , 2002, 57, 65-70.	2.4	16
45	Prevalence of thyroid diseases in patients with acromegaly: results of an Italian Multi-center Study. <i>Journal of Endocrinological Investigation</i> , 2002, 25, 240-245.	3.3	105
46	Prostate-specific antigen is increased in female patients with Cushing's disease. <i>Journal of Endocrinological Investigation</i> , 2002, 25, RC29-RC31.	3.3	9
47	Comparison of the Effectiveness and Tolerability of Intravenous or Oral Glucocorticoids Associated with Orbital Radiotherapy in the Management of Severe Graves' Ophthalmopathy: Results of a Prospective, Single-Blind, Randomized Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 3562-3567.	3.6	232
48	Comparison of the Effectiveness and Tolerability of Intravenous or Oral Glucocorticoids Associated with Orbital Radiotherapy in the Management of Severe Graves' Ophthalmopathy: Results of a Prospective, Single-Blind, Randomized Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 3562-3567.	3.6	177
49	Soluble interleukin-1 receptor antagonist concentration in patients with Graves' ophthalmopathy is neither related to cigarette smoking nor predictive of subsequent response to glucocorticoids. <i>Clinical Endocrinology</i> , 2000, 52, 647-651.	2.4	22
50	Increased Frequency of Euthyroid Ophthalmopathy in Patients with Graves' Disease Associated with Myasthenia Gravis. <i>Thyroid</i> , 2000, 10, 799-802.	4.5	35
51	Comparison of Radioiodine with Radioiodine plus Lithium in the Treatment of Graves' Hyperthyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 499-503.	3.6	73
52	Thyroid vascularity and blood flow are not dependent on serum thyroid hormone levels: studies in vivo by color flow doppler sonography. <i>European Journal of Endocrinology</i> , 1999, 140, 452-456.	3.7	113
53	The course of Graves' ophthalmopathy is not influenced by near total thyroidectomy: a case-control study. <i>Clinical Endocrinology</i> , 1999, 51, 503-508.	2.4	85
54	Comparison of Radioiodine with Radioiodine plus Lithium in the Treatment of Graves' Hyperthyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 499-503.	3.6	58

#	ARTICLE	IF	CITATIONS
55	Orbital Radiotherapy for Graves' Ophthalmopathy. <i>Thyroid</i> , 1998, 8, 439-441.	4.5	39
56	Relation between Therapy for Hyperthyroidism and the Course of Graves' Ophthalmopathy. <i>New England Journal of Medicine</i> , 1998, 338, 73-78.	27.0	644
57	Cigarette Smoking and Treatment Outcomes in Graves Ophthalmopathy. <i>Annals of Internal Medicine</i> , 1998, 129, 632.	3.9	243
58	Mild Clinical Expression of Myasthenia Gravis Associated with Autoimmune Thyroid Diseases ¹ . <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 438-443.	3.6	101
59	l-thyroxine directly affects expression of thyroid hormone-sensitive genes: regulatory effect of RXR α ² . <i>Molecular and Cellular Endocrinology</i> , 1997, 134, 23-31.	3.2	25
60	Mild Clinical Expression of Myasthenia Gravis Associated with Autoimmune Thyroid Diseases. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 438-443.	3.6	79
61	Radioiodine and thyroid-associated ophthalmopathy. <i>Orbit</i> , 1996, 15, 197-203.	0.8	5
62	Treatment of solitary autonomous thyroid nodules by percutaneous ethanol injection: results of an Italian multicenter study. The Multicenter Study Group. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 3261-3264.	3.6	105
63	Cigarette smoking and the thyroid. <i>European Journal of Endocrinology</i> , 1995, 133, 507-512.	3.7	108
64	False negative results observed in anti-thyroid peroxidase autoantibody determination by competitive radioimmunoassays using monoclonal antibodies. <i>European Journal of Endocrinology</i> , 1994, 130, 552-558.	3.7	8
65	Serum soluble interleukin 2 (IL-2) receptor (sIL-2R) in differentiated thyroid carcinoma. <i>Journal of Endocrinological Investigation</i> , 1994, 17, 861-867.	3.3	10