

Rodrigo Grassi-Oliveira

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2352115/publications.pdf>

Version: 2024-02-01

192
papers

5,925
citations

101384

36
h-index

98622

67
g-index

200
all docs

200
docs citations

200
times ranked

7665
citing authors

#	ARTICLE	IF	CITATIONS
1	Validation of the Brazilian Portuguese version of the Quick Inventory of Depressive Symptomatology and Self-Report (QIDS-SR16) for the Brazilian population. Trends in Psychiatry and Psychotherapy, 2023, , .	0.4	0
2	Sex differences in risk behavior parameters in adolescent mice: Relationship with brain-derived neurotrophic factor in the medial prefrontal cortex. Neuroscience Letters, 2022, 766, 136339.	1.0	9
3	Sex differences in brain regional homogeneity during acute abstinence in cocaine use disorder. Addiction Biology, 2022, 27, e13177.	1.4	4
4	The Perceptions of Women About Their High Experience of Using Crack Cocaine. Frontiers in Psychiatry, 2022, 13, 898570.	1.3	0
5	Effects of early life stress on brain cytokines: A systematic review and meta-analysis of rodent studies. Neuroscience and Biobehavioral Reviews, 2022, 139, 104746.	2.9	13
6	Cortical thickness and subcortical volume abnormalities in male crack-cocaine users. Psychiatry Research - Neuroimaging, 2021, 310, 111232.	0.9	10
7	A behavioral economic risk aversion experiment in the context of the COVID-19 pandemic. PLoS ONE, 2021, 16, e0245261.	1.1	11
8	P.120 Prenatal stress induces sex-specific behavioural and excitatory/inhibitory balance alterations in adult rats. European Neuropsychopharmacology, 2021, 44, S15.	0.3	0
9	White matter deficits in cocaine use disorder: convergent evidence from in vivo diffusion tensor imaging and ex vivo proteomic analysis. Translational Psychiatry, 2021, 11, 252.	2.4	12
10	Childhood Physical Neglect is Associated With Epigenetic Aging Acceleration Among Women With Cocaine Use Disorder. Biological Psychiatry, 2021, 89, S317.	0.7	0
11	Diffusion Tensor Imaging of Cocaine Users and Proteomic Analysis of Postmortem Brains of Subjects Reporting Cocaine Addiction Suggest White Matter Impairment in BA9 Region of Prefrontal Cortex. Biological Psychiatry, 2021, 89, S233.	0.7	0
12	Cortical Thickness in Cocaine Use Disorder and its Relation to Age-Related Brain Atrophy. Biological Psychiatry, 2021, 89, S368-S369.	0.7	0
13	Exposure to Prenatal Stress Is Associated With an Excitatory/Inhibitory Imbalance in Rat Prefrontal Cortex and Amygdala and an Increased Risk for Emotional Dysregulation. Frontiers in Cell and Developmental Biology, 2021, 9, 653384.	1.8	16
14	Early environmental enrichment rescues memory impairments provoked by mild neonatal hypoxia-ischemia in adolescent mice. Behavioural Brain Research, 2021, 407, 113237.	1.2	4
15	Oxytocin Receptor Exon III Methylation in the Umbilical Cord Blood of Newborns With Prenatal Exposure to Crack Cocaine. Frontiers in Cell and Developmental Biology, 2021, 9, 639287.	1.8	2
16	Long-lasting effects of prenatal stress on HPA axis and inflammation: A systematic review and multilevel meta-analysis in rodent studies. Neuroscience and Biobehavioral Reviews, 2021, 127, 270-283.	2.9	21
17	Gestational stress alters maternal behavior and inflammatory markers in the olfactory bulb of lactating mice. International Journal of Developmental Neuroscience, 2021, , .	0.7	0
18	Long-term Effects of Maternal Separation on Anxiety-Like Behavior and Neuroendocrine Parameters in Adult Balb/c Mice. Chronic Stress, 2021, 5, 247054702110671.	1.7	14

#	ARTICLE	IF	CITATIONS
19	Decision-making under risk and theory of mind in adolescent offenders in provisional deprivation of liberty. <i>Trends in Psychiatry and Psychotherapy</i> , 2021, , .	0.4	0
20	Hair cortisol levels and mental health problems in children and adolescents exposed to victimization. <i>Stress</i> , 2020, 23, 546-555.	0.8	7
21	Vulnerable and resilient cognitive performance related to early life stress: The potential mediating role of dopaminergic receptors in the medial prefrontal cortex of adult mice. <i>International Journal of Developmental Neuroscience</i> , 2020, 80, 13-27.	0.7	6
22	Are serum brain-derived neurotrophic factor concentrations related to brain structure and psychopathology in late childhood and early adolescence?. <i>CNS Spectrums</i> , 2020, 25, 790-796.	0.7	1
23	Sensitivity to gains during risky decision-making differentiates chronic cocaine users from stimulant-naïve controls. <i>Behavioural Brain Research</i> , 2020, 379, 112386.	1.2	14
24	Substance related disorders are associated with impaired valuation of delayed gratification and feedback processing: A multilevel meta-analysis and meta-regression. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 108, 295-307.	2.9	39
25	Maternal separation induces long-term oxidative stress alterations and increases anxiety-like behavior of male Balb/cj mice. <i>Experimental Brain Research</i> , 2020, 238, 2097-2107.	0.7	18
26	P.600 Amygdala and prefrontal cortex excitatory/inhibitory balance in a rat model of prenatal stress exposure. <i>European Neuropsychopharmacology</i> , 2020, 40, S342-S343.	0.3	0
27	Corticotropin-releasing factor infusion in the bed nucleus of the stria terminalis of lactating mice alters maternal care and induces behavioural phenotypes in offspring. <i>Scientific Reports</i> , 2020, 10, 19985.	1.6	4
28	Maternal Separation Combined With Limited Bedding Increases Anxiety-Like Behavior and Alters Hypothalamic-Pituitary-Adrenal Axis Function of Male BALB/cj Mice. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 600766.	1.0	15
29	Association Between Recent Cannabis Consumption and Withdrawal-Related Symptoms During Early Abstinence Among Females With Smoked Cocaine Use Disorder. <i>Journal of Addiction Medicine</i> , 2020, 14, e37-e43.	1.4	4
30	Prediction of attempted suicide in men and women with crack-cocaine use disorder in Brazil. <i>PLoS ONE</i> , 2020, 15, e0232242.	1.1	11
31	Reduced White Matter Integrity is Associated With Smoked Cocaine Use Disorder: Effects of Chronicity of Addiction but No Sex Differences. <i>Biological Psychiatry</i> , 2020, 87, S328-S329.	0.7	0
32	Gene expression changes associated with trajectories of psychopathology in a longitudinal cohort of children and adolescents. <i>Translational Psychiatry</i> , 2020, 10, 99.	2.4	3
33	Association of CHRNA5 Gene Variants with Crack Cocaine Addiction. <i>NeuroMolecular Medicine</i> , 2020, 22, 384-390.	1.8	9
34	Exercise before pregnancy attenuates the effects of prenatal stress in adult mice in a sex-dependent manner. <i>International Journal of Developmental Neuroscience</i> , 2020, 80, 86-95.	0.7	10
35	Genetic risk for Alzheimer's disease and functional brain connectivity in children and adolescents. <i>Neurobiology of Aging</i> , 2019, 82, 10-17.	1.5	23
36	T210. Increased Peripheral Blood Levels of microRNA-124 and microRNA-181 Among Females With Smoked Cocaine Use Disorder. <i>Biological Psychiatry</i> , 2019, 85, S211.	0.7	0

#	ARTICLE	IF	CITATIONS
37	Hair cortisol concentration, cognitive, behavioral, and motor impairment in multiple sclerosis. <i>Journal of Neural Transmission</i> , 2019, 126, 1145-1154.	1.4	8
38	Cocaine use disorder in females is associated with altered social decision-making: a study with the prisoner's dilemma and the ultimatum game. <i>BMC Psychiatry</i> , 2019, 19, 211.	1.1	5
39	T211. Epigenetics of Cocaine Use Disorder: A Collaborative Case-Control Initiative in Blood and Brain. <i>Biological Psychiatry</i> , 2019, 85, S211.	0.7	1
40	S210. Comparison on Sex Differences With Resting-State Functional Magnetic Resonance Imaging Shows Opposite Patterns of Functional Brain Connectivity. <i>Biological Psychiatry</i> , 2019, 85, S378-S379.	0.7	0
41	Detecting multiple differentially methylated CpG sites and regions related to dimensional psychopathology in youths. <i>Clinical Epigenetics</i> , 2019, 11, 146.	1.8	13
42	SA67PERIPHERAL METHYLOME ANALYSIS IN COCAINE USE DISORDER PATIENTS SUGGESTS BRAIN-RELEVANT ALTERATIONS IN THE INNATE IMMUNE SYSTEM: (EPI)GENETICS OF COCAINE USE DISORDER: COLLABORATIVE CASE-CONTROL INITIATIVE IN COCAINE ADDICTION. <i>European Neuropsychopharmacology</i> , 2019, 29, S1224.	0.3	0
43	Association between cognitive performance and SYT1-rs2251214 among women with cocaine use disorder. <i>Journal of Neural Transmission</i> , 2019, 126, 1707-1711.	1.4	1
44	Acute neuroinflammation elicited by TLR-3 systemic activation combined with early life stress induces working memory impairments in male adolescent mice. <i>Behavioural Brain Research</i> , 2019, 376, 112221.	1.2	16
45	How Early Life Stress Impact Maternal Care: A Systematic Review of Rodent Studies. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 197.	1.0	68
46	Sex-based differences in multidimensional clinical assessments of early-abstinence crack cocaine users. <i>PLoS ONE</i> , 2019, 14, e0218334.	1.1	21
47	Effect of alcohol use disorder on cellular aging. <i>Psychopharmacology</i> , 2019, 236, 3245-3255.	1.5	22
48	The association between SYT1-rs2251214 and cocaine use disorder further supports its role in psychiatry. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 94, 109642.	2.5	7
49	Peripheral blood microRNA levels in females with cocaine use disorder. <i>Journal of Psychiatric Research</i> , 2019, 114, 48-54.	1.5	20
50	Subjective and physiological stress measurement in a multiple sclerosis sample and the relation with executive functions performance. <i>Journal of Neural Transmission</i> , 2019, 126, 613-622.	1.4	6
51	The DNA modification N6-methyl-2'-deoxyadenosine (m6dA) drives activity-induced gene expression and is required for fear extinction. <i>Nature Neuroscience</i> , 2019, 22, 534-544.	7.1	51
52	Cocaine Use Disorder Is Associated With Changes in Th1/Th2/Th17 Cytokines and Lymphocytes Subsets. <i>Frontiers in Immunology</i> , 2019, 10, 2435.	2.2	32
53	Association between spontaneous activity of the default mode network hubs and leukocyte telomere length in late childhood and early adolescence. <i>Journal of Psychosomatic Research</i> , 2019, 127, 109864.	1.2	2
54	An fMRI study of inhibitory control and the effects of exposure to violence in Latin-American early adolescents: alterations in frontoparietal activation and performance. <i>Social Cognitive and Affective Neuroscience</i> , 2019, 14, 1097-1107.	1.5	11

#	ARTICLE	IF	CITATIONS
55	Postnatal impoverished housing impairs adolescent risk-assessment and increases risk-taking: A sex-specific effect associated with histone epigenetic regulation of Crfr1 in the medial prefrontal cortex. <i>Psychoneuroendocrinology</i> , 2019, 99, 8-19.	1.3	21
56	Violence and Latin-American preadolescents: A study of social brain function and cortisol levels. <i>Developmental Science</i> , 2019, 22, e12799.	1.3	12
57	Dual influences of early life stress induced by limited bedding on walking adaptability and Bdnf/TrkB and Drd1/Drd2 gene expression in different mouse brain regions. <i>Behavioural Brain Research</i> , 2019, 359, 66-72.	1.2	16
58	Effects of DRD2 splicing-regulatory polymorphism and DRD4 48Åbp VNTR on crack cocaine addiction. <i>Journal of Neural Transmission</i> , 2019, 126, 193-199.	1.4	14
59	Childhood maltreatment and health outcomes. <i>Revista Brasileira De Psiquiatria</i> , 2019, 41, 193-193.	0.9	1
60	Polygenic Risk Score for Alzheimer's Disease: Implications for Memory Performance and Hippocampal Volumes in Early Life. <i>American Journal of Psychiatry</i> , 2018, 175, 555-563.	4.0	75
61	Self-reported inhibition predicts history of suicide attempts in bipolar disorder and major depression. <i>Comprehensive Psychiatry</i> , 2018, 82, 89-94.	1.5	40
62	Cognitive impairment in rheumatoid arthritis: role of lymphocyte subsets, cytokines and neurotrophic factors. <i>Clinical Rheumatology</i> , 2018, 37, 1171-1181.	1.0	40
63	Effects of the brain-derived neurotropic factor variant Val66Met on cortical structure in late childhood and early adolescence. <i>Journal of Psychiatric Research</i> , 2018, 98, 51-58.	1.5	11
64	The differential association between history of childhood sexual abuse and body mass index in early and late stages of bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 227, 214-218.	2.0	17
65	Maternal behavior of the mouse dam toward pups: implications for maternal separation model of early life stress. <i>Stress</i> , 2018, 21, 19-27.	0.8	36
66	Effect of male-specific childhood trauma on telomere length. <i>Journal of Psychiatric Research</i> , 2018, 107, 104-109.	1.5	11
67	Influence of early childhood trauma on risk for bipolar disorder. , 2018, , 33-48.		3
68	Features of Immunosenescence in Women Newly Diagnosed With Breast Cancer. <i>Frontiers in Immunology</i> , 2018, 9, 1651.	2.2	28
69	Neuroimmune Impacts of Early-Life Stress on Development and Psychopathology. <i>Current Topics in Behavioral Neurosciences</i> , 2018, 43, 423-447.	0.8	39
70	The Effects of Intimate Partner Violence Exposure on the Maternal Bond and PTSD Symptoms of Children. <i>Journal of Interpersonal Violence</i> , 2017, 32, 1127-1142.	1.3	24
71	Effects of crack cocaine addiction and stress-related genes on peripheral BDNF levels. <i>Journal of Psychiatric Research</i> , 2017, 90, 78-85.	1.5	15
72	Maternal separation induces hippocampal changes in cadherin-1 (CDH-1) mRNA and recognition memory impairment in adolescent mice. <i>Neurobiology of Learning and Memory</i> , 2017, 141, 157-167.	1.0	22

#	ARTICLE	IF	CITATIONS
73	Microbiota abnormalities and the therapeutic potential of probiotics in the treatment of mood disorders. <i>Reviews in the Neurosciences</i> , 2017, 28, 739-749.	1.4	34
74	Theory of Mind Impairments in Women With Cocaine Addiction. <i>Journal of Studies on Alcohol and Drugs</i> , 2017, 78, 258-267.	0.6	14
75	Gene expression in blood of children and adolescents: Mediation between childhood maltreatment and major depressive disorder. <i>Journal of Psychiatric Research</i> , 2017, 92, 24-30.	1.5	25
76	MicroRNA-Mediated Rescue of Fear Extinction Memory by miR-144-3p in Extinction-Impaired Mice. <i>Biological Psychiatry</i> , 2017, 81, 979-989.	0.7	59
77	NF κ B1 and NF κ B2 gene expression in the prefrontal cortex and hippocampus of early life stressed mice exposed to cocaine-induced conditioned place preference during adolescence. <i>Neuroscience Letters</i> , 2017, 658, 27-31.	1.0	8
78	The childhood maltreatment influences on breast cancer patients: A second wave hit model hypothesis for distinct biological and behavioral response. <i>Medical Hypotheses</i> , 2017, 108, 86-93.	0.8	7
79	Autoantibodies against myelin sheath and S100 β are associated with cognitive dysfunction in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2017, 36, 1959-1968.	1.0	28
80	Evidence for Immune Activation and Resistance to Glucocorticoids Following Childhood Maltreatment in Adolescents Without Psychopathology. <i>Neuropsychopharmacology</i> , 2017, 42, 2272-2282.	2.8	47
81	Perinatal complications, lipid peroxidation, and mental health problems in a large community pediatric sample. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 521-529.	2.8	10
82	Running during adolescence rescues a maternal separation-induced memory impairment in female mice: Potential role of differential exon-specific BDNF expression. <i>Developmental Psychobiology</i> , 2017, 59, 268-274.	0.9	18
83	Intimate partner violence is associated with increased maternal hair cortisol in mother-child dyads. <i>Comprehensive Psychiatry</i> , 2017, 72, 18-24.	1.5	51
84	Theory of Mind in Substance Users: A Systematic Minireview. <i>Substance Use and Misuse</i> , 2017, 52, 127-133.	0.7	20
85	Corticotropin Releasing Factor in the Bed Nucleus of the Stria Terminalis in Socially Defeated and Non-stressed Mice with a History of Chronic Alcohol Intake. <i>Frontiers in Pharmacology</i> , 2017, 8, 762.	1.6	24
86	Editorial: Executive Functions in Psychiatric Disorders. <i>Frontiers in Psychology</i> , 2017, 8, 1461.	1.1	17
87	The brain-derived neurotrophic factor (BDNF) gene Val66Met polymorphism affects memory performance in older adults. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 90-94.	0.9	22
88	Schedule for Affective Disorders and Schizophrenia for School-Age Children – Present and Lifetime Version (K-SADS-PL), DSM-5 update: translation into Brazilian Portuguese. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 384-386.	0.9	24
89	BDNF Val66Met polymorphism and memory performance in older adults: the Met carrier effect is more complex than previously thought: Authors' reply. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 276-277.	0.9	1
90	Can reactivity to stress and family environment explain memory and executive function performance in early and middle childhood?. <i>Trends in Psychiatry and Psychotherapy</i> , 2016, 38, 80-89.	0.4	15

#	ARTICLE	IF	CITATIONS
91	Hair cortisol in drug-naïve first-episode individuals with psychosis. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 11-16.	0.9	15
92	Maus-tratos contra idosos em Porto Alegre, Rio Grande do Sul: um estudo documental. <i>Estudos De Psicologia (Campinas)</i> , 2016, 33, 543-551.	0.8	14
93	Cross-cultural adaptation of the Maltreatment and Abuse Chronology of Exposure (MACE) scale to Brazilian Portuguese. <i>Trends in Psychiatry and Psychotherapy</i> , 2016, 38, 33-39.	0.4	4
94	Measuring child maltreatment using multi-informant survey data: a higher-order confirmatory factor analysis. <i>Trends in Psychiatry and Psychotherapy</i> , 2016, 38, 23-32.	0.4	22
95	Semantic validation of the ISPCAN Child Abuse Screening Tools (ICAST) in Brazilian Portuguese. <i>Trends in Psychiatry and Psychotherapy</i> , 2016, 38, 105-110.	0.4	11
96	Crack-cocaine dependence and aging: effects on working memory. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 58-60.	0.9	16
97	Serum copeptin in children exposed to maltreatment. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 434-441.	1.0	12
98	Increased cocaine-induced conditioned place preference during periadolescence in maternally separated male BALB/c mice: the role of cortical BDNF, microRNA-212, and MeCP2. <i>Psychopharmacology</i> , 2016, 233, 3279-3288.	1.5	30
99	Inflammation, neurotrophism and oxidative stress and childhood psychopathology in a large community sample. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 122-132.	2.2	8
100	Right frontal stroke: extra-frontal lesions, executive functioning and impulsive behaviour. <i>Psicologia: Reflexao E Critica</i> , 2016, 29, .	0.4	4
101	Influence of family socioeconomic status on IQ, language, memory and executive functions of Brazilian children. <i>Psicologia: Reflexao E Critica</i> , 2016, 29, .	0.4	31
102	Similarities between adult female crack cocaine users and adolescents in risky decision-making scenarios. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2016, 38, 795-810.	0.8	17
103	Cognitive impairment effects of early life stress in adolescents can be predicted with early biomarkers: Impacts of sex, experience, and cytokines. <i>Psychoneuroendocrinology</i> , 2016, 71, 19-30.	1.3	88
104	Glucocorticoid receptor gene modulates severity of depression in women with crack cocaine addiction. <i>European Neuropsychopharmacology</i> , 2016, 26, 1438-1447.	0.3	10
105	Distinct behavioral and immunoendocrine parameters during crack cocaine abstinence in women reporting childhood abuse and neglect. <i>Drug and Alcohol Dependence</i> , 2016, 167, 140-148.	1.6	29
106	Plasma interleukin-6 and executive function in crack cocaine-dependent women. <i>Neuroscience Letters</i> , 2016, 628, 85-90.	1.0	31
107	Crack cocaine addiction, early life stress and accelerated cellular aging among women. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 71, 83-89.	2.5	34
108	Association of serum interleukin-6 with mental health problems in children exposed to perinatal complications and social disadvantage. <i>Psychoneuroendocrinology</i> , 2016, 71, 94-101.	1.3	7

#	ARTICLE	IF	CITATIONS
109	An overview of maternal separation effects on behavioural outcomes in mice: Evidence from a four-stage methodological systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 68, 489-503.	2.9	203
110	The influence of geographical and economic factors in estimates of childhood abuse and neglect using the Childhood Trauma Questionnaire: A worldwide meta-regression analysis. <i>Child Abuse and Neglect</i> , 2016, 51, 1-11.	1.3	111
111	Toll-like receptor expression and function in type I bipolar disorder. <i>Brain, Behavior, and Immunity</i> , 2016, 54, 110-121.	2.0	26
112	The impact of childhood maltreatment on redox state: Relationship with oxidative damage and antioxidant defenses in adolescents with no psychiatric disorder. <i>Neuroscience Letters</i> , 2016, 617, 173-177.	1.0	23
113	Balancing Automatic-Controlled Behaviors and Emotional-Salience States: A Dynamic Executive Functioning Hypothesis. <i>Frontiers in Psychology</i> , 2016, 07, 2067.	1.1	13
114	Socioeconomic Disadvantage Moderates the Association between Peripheral Biomarkers and Childhood Psychopathology. <i>PLoS ONE</i> , 2016, 11, e0160455.	1.1	14
115	Assessing Affective and Deliberative Decision-Making: Adaptation of the Columbia Card Task to Brazilian Portuguese. <i>Spanish Journal of Psychology</i> , 2015, 18, E89.	1.1	7
116	Clinical characteristics and influence of childhood trauma on the prodrome of bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 280-288.	0.9	19
117	Brazilian preliminary norms and investigation of age and education effects on the Modified Wisconsin Card Sorting Test, Stroop Color and Word test and Digit Span test in adults. <i>Dementia E Neuropsychologia</i> , 2015, 9, 120-127.	0.3	42
118	Early stages of bipolar disorder: characterization and strategies for early intervention. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 343-349.	0.9	19
119	Brain-Derived Neurotrophic Factor and Delayed Verbal Recall in Crack/Cocaine Dependents. <i>European Addiction Research</i> , 2015, 21, 273-278.	1.3	16
120	Corticosteroid receptor genes and childhood neglect influence susceptibility to crack/cocaine addiction and response to detoxification treatment. <i>Journal of Psychiatric Research</i> , 2015, 68, 83-90.	1.5	25
121	Early abstinence of crack-cocaine is effective to attenuate oxidative stress and to improve antioxidant defences. <i>Psychopharmacology</i> , 2015, 232, 1405-1413.	1.5	20
122	Dual-memory processes in crack cocaine dependents: The effects of childhood neglect on recall. <i>Memory</i> , 2015, 23, 955-971.	0.9	5
123	Childhood maltreatment and executive functions in adolescents. <i>Child and Adolescent Mental Health</i> , 2015, 20, 56-62.	1.8	48
124	Premature Immunosenescence Is Associated with Memory Dysfunction in Rheumatoid Arthritis. <i>NeuroImmunoModulation</i> , 2015, 22, 130-137.	0.9	34
125	Propriedades psicométricas da Cocaine Selective Severity Assessment (CSSA) em mulheres usuárias de crack. <i>Jornal Brasileiro De Psiquiatria</i> , 2015, 64, 115-121.	0.2	8
126	Childhood Trauma Questionnaire (CTQ) in Brazilian Samples of Different Age Groups: Findings from Confirmatory Factor Analysis. <i>PLoS ONE</i> , 2014, 9, e87118.	1.1	108

#	ARTICLE	IF	CITATIONS
127	Influence of personality traits in coping skills in individuals with bipolar disorder. <i>Revista De Psiquiatria Clinica</i> , 2014, 41, 95-100.	0.6	2
128	Mothers who were sexually abused during childhood are more likely to have a child victim of sexual violence. <i>Trends in Psychiatry and Psychotherapy</i> , 2014, 36, 119-122.	0.4	9
129	Exposure to maltreatment and urban violence in children working on the streets in São Paulo, Brazil: factors associated with street work. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 191-198.	0.9	9
130	Revised Reading the Mind in the Eyes Test (RMET) - Brazilian version. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 60-67.	0.9	21
131	Impaired decision-making after traumatic brain injury: The Iowa Gambling Task. <i>Brain Injury</i> , 2014, 28, 1070-1075.	0.6	37
132	Neurotrophic factors in women with crack cocaine dependence during early abstinence: the role of early life stress. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 206-214.	1.4	32
133	Neuroimmunoendocrine Interactions in Post-Traumatic Stress Disorder: Focus on Long-Term Implications of Childhood Maltreatment. <i>NeuroImmunoModulation</i> , 2014, 21, 145-151.	0.9	43
134	Child Abuse in the Context of Intimate Partner Violence Against Women. <i>Journal of Interpersonal Violence</i> , 2014, 29, 1201-1227.	1.3	14
135	Early life stress and tumor necrosis factor superfamily in crack cocaine withdrawal. <i>Journal of Psychiatric Research</i> , 2014, 53, 180-186.	1.5	25
136	The theory of bipolar disorder as an illness of accelerated aging: Implications for clinical care and research. <i>Neuroscience and Biobehavioral Reviews</i> , 2014, 42, 157-169.	2.9	146
137	Long-term cannabis abuse and early-onset cannabis use increase the severity of cocaine withdrawal during detoxification and rehospitalization rates due to cocaine dependence. <i>Drug and Alcohol Dependence</i> , 2014, 144, 153-159.	1.6	20
138	Mineralocorticoid receptor genotype moderates the association between physical neglect and serum BDNF. <i>Journal of Psychiatric Research</i> , 2014, 59, 8-13.	1.5	12
139	Pro-inflammatory cytokines and soluble receptors in response to acute psychosocial stress: Differential reactivity in bipolar disorder. <i>Neuroscience Letters</i> , 2014, 580, 17-21.	1.0	20
140	Childhood maltreatment and inflammatory markers: a systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 180-192.	2.2	329
141	Do socioeconomic status and stress reactivity really impact neurocognitive performance?. <i>Psychology and Neuroscience</i> , 2014, 7, 567-575.	0.5	17
142	Translation and adaptation of the Trier social Stress Test for children into Portuguese language. <i>Temas Em Psicologia</i> , 2014, 22, 655-662.	0.3	0
143	Differential neuroendocrine and immune responses to acute psychosocial stress in women with type 1 bipolar disorder. <i>Brain, Behavior, and Immunity</i> , 2013, 34, 47-55.	2.0	49
144	MR and GR functional SNPs may modulate tobacco smoking susceptibility. <i>Journal of Neural Transmission</i> , 2013, 120, 1499-1505.	1.4	22

#	ARTICLE	IF	CITATIONS
145	Immunosenescence is associated with human cytomegalovirus and shortened telomeres in type I bipolar disorder. <i>Bipolar Disorders</i> , 2013, 15, 832-838.	1.1	58
146	Childhood neglect and increased withdrawal and depressive severity in crack cocaine users during early abstinence. <i>Child Abuse and Neglect</i> , 2013, 37, 883-889.	1.3	34
147	Executive functions rehabilitation for schizophrenia: A critical systematic review. <i>Journal of Psychiatric Research</i> , 2013, 47, 91-104.	1.5	40
148	Adipokines during early abstinence of crack cocaine in dependent women reporting childhood maltreatment. <i>Psychiatry Research</i> , 2013, 210, 536-540.	1.7	22
149	Bipolar Disorder and Metabolic Syndrome: A Systematic Review. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 88-93.	0.9	65
150	Childhood physical neglect associated with executive functions impairments in crack cocaine-dependent women. <i>Drug and Alcohol Dependence</i> , 2013, 132, 271-276.	1.6	31
151	Reduced regulatory T cells are associated with higher levels of Th1/TH17 cytokines and activated MAPK in type 1 bipolar disorder. <i>Psychoneuroendocrinology</i> , 2013, 38, 667-676.	1.3	103
152	Tradução e adaptação semântica para versão em português do Stressful Life Events Schedule (SLES). <i>Psico-USF</i> , 2013, 18, 221-229.	0.1	0
153	Child maltreatment and later cognitive functioning: a systematic review. <i>Psicologia: Reflexão E Crítica</i> , 2013, 26, 376-387.	0.4	48
154	Brazilian version of the Structured Interview for Disorders of Extreme Stress - Revised (SIDES-R): adaptation and validation process. <i>Trends in Psychiatry and Psychotherapy</i> , 2013, 35, 292-298.	0.4	3
155	Tarefa N-back auditiva: desempenho entre diferentes grupos etários. <i>Psicologia: Reflexão E Crítica</i> , 2013, 26, 151-159.	0.4	6
156	Executive functions in late childhood: Age differences among groups.. <i>Psychology and Neuroscience</i> , 2013, 6, 79-88.	0.5	13
157	Childhood maltreatment and coping in bipolar disorder.. <i>Psychology and Neuroscience</i> , 2013, 6, 271-277.	0.5	6
158	Desempenho Neuropsicológico de Adolescentes com Transtorno de Humor Bipolar. <i>Psicologia Em Pesquisa</i> , 2013, 7, 63-69.	0.0	1
159	Dificuldades na memória de trabalho em idosos com depressão maior: uma revisão sistemática. <i>Psicologia: Teoria E Pesquisa</i> , 2013, 29, 221-228.	0.1	0
160	Hair Cortisol and Stressful Life Events Retrospective Assessment in Crack Cocaine Users. <i>American Journal of Drug and Alcohol Abuse</i> , 2012, 38, 535-538.	1.1	36
161	Peripheral chemokine levels in women with recurrent major depression with suicidal ideation. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 71-75.	0.9	75
162	Impact of Childhood Stress on Psychopathology. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 480-488.	0.9	74

#	ARTICLE	IF	CITATIONS
163	Peripheral chemokine levels in women with recurrent major depression with suicidal ideation. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 71-75.	0.9	10
164	Inflammatory cytokines as an underlying mechanism of the comorbidity between bipolar disorder and migraine. <i>Medical Hypotheses</i> , 2012, 78, 601-605.	0.8	24
165	Neuroimmunoendocrine Interactions in Patients with Recurrent Major Depression, Increased Early Life Stress and Long-Standing Posttraumatic Stress Disorder Symptoms. <i>NeuroImmunoModulation</i> , 2012, 19, 33-42.	0.9	38
166	Translation and adaptation of Theory of Mind tasks into Brazilian portuguese. <i>Trends in Psychiatry and Psychotherapy</i> , 2012, 34, 178-185.	0.4	10
167	Tomada de decis�o em dependentes de crack: um estudo com o Iowa Gambling Task. <i>Estudos De Psicologia (Natal)</i> , 2012, 17, 99-106.	0.0	4
168	Exposi�o a trauma e transtorno de estresse p�s-traum�tico em usu�rias de crack. <i>Jornal Brasileiro De Psiquiatria</i> , 2012, 61, 206-213.	0.2	13
169	Vari�veis psicossociais e desempenho em leitura de crian�as de baixo n�vel socioecon�mico. <i>Psicologia: Teoria E Pesquisa</i> , 2012, 28, 389-398.	0.1	11
170	Neuropsychological assessment of executive functions in traumatic brain injury: Hot and cold components.. <i>Psychology and Neuroscience</i> , 2012, 5, 183-190.	0.5	21
171	Insulin dysfunction and allostatic load in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2011, 11, 1017-1028.	1.4	54
172	False recognition in women with a history of childhood emotional neglect and diagnose of recurrent major depression. <i>Consciousness and Cognition</i> , 2011, 20, 1127-1134.	0.8	13
173	Trauma complexo e suas implica�es diagn�sticas. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2011, 33, 55-62.	0.3	5
174	Social cognition and Theory of Mind: Controversies and promises for understanding major psychiatric disorders.. <i>Psychology and Neuroscience</i> , 2011, 4, 347-351.	0.5	13
175	Childhood maltreatment and clinical outcomes of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 427-434.	2.2	191
176	Cytokines in Bipolar Disorder: Recent Findings, Deleterious Effects But Promise for Future Therapeutics. <i>CNS Spectrums</i> , 2011, 16, 157-168.	0.7	50
177	New title: Trends in Psychiatry and Psychotherapy. <i>Trends in Psychiatry and Psychotherapy</i> , 2011, 33, 133-134.	0.4	2
178	Interleukin-6 and verbal memory in recurrent major depressive disorder. <i>Neuroendocrinology Letters</i> , 2011, 32, 540-4.	0.2	29
179	New perspectives on coping in bipolar disorder.. <i>Psychology and Neuroscience</i> , 2010, 3, 161-165.	0.5	9
180	Interplay between Neuroimmunoendocrine Systems during Post-Traumatic Stress Disorder: A Minireview. <i>NeuroImmunoModulation</i> , 2010, 17, 192-195.	0.9	65

#	ARTICLE	IF	CITATIONS
181	Falsas Memórias: fundamentos Científicos e suas Aplicações Clínicas e Jurídicas. Revista Brasileira De Psiquiatria, 2010, 32, 204-204.	0.9	0
182	"Life Chart" retrospectivo: instrumento para assinalar graficamente a presença e a evolução do impacto funcional de episódios afetivos maníacos e depressivos. Revista De Psiquiatria Clinica, 2009, 36, 217-220.	0.6	2
183	Increased soluble tumor necrosis factor receptors in patients with major depressive disorder. Psychiatry and Clinical Neurosciences, 2009, 63, 202-208.	1.0	79
184	Clinical implications of a staging model for bipolar disorders. Expert Review of Neurotherapeutics, 2009, 9, 957-966.	1.4	214
185	Allostatic load in bipolar disorder: Implications for pathophysiology and treatment. Neuroscience and Biobehavioral Reviews, 2008, 32, 675-692.	2.9	416
186	Childhood maltreatment associated with PTSD and emotional distress in low-income adults: The burden of neglect. Child Abuse and Neglect, 2008, 32, 1089-1094.	1.3	52
187	Low Plasma Brain-Derived Neurotrophic Factor and Childhood Physical Neglect Are Associated with Verbal Memory Impairment in Major Depression – A Preliminary Report. Biological Psychiatry, 2008, 64, 281-285.	0.7	113
188	Brain-derived neurotrophic factor and neuroplasticity in bipolar disorder. Expert Review of Neurotherapeutics, 2008, 8, 1101-1113.	1.4	146
189	Psychobiology of childhood maltreatment: effects of allostatic load?. Revista Brasileira De Psiquiatria, 2008, 30, 60-68.	0.9	82
190	History of Childhood Abuse and Neglect and Suicidal Behavior at Hospital Admission. Crisis, 2008, 29, 154-158.	0.9	29
191	Memória, humor e emoção. Revista De Psiquiatria Do Rio Grande Do Sul, 2006, 28, 61-68.	0.3	14
192	Percepções de Profissionais sobre Atendimentos em Saúde para Mulheres Usuárias de Crack. Psicologia: Ciência E Profissão, 0, 40, .	0.0	0