
Yu-Hsiang Lin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2357850/publications.pdf Version: 2024-02-01



YULHSIANG LIN

#	Article	IF	CITATIONS
1	Caffeic acid phenethyl ester inhibits the growth of bladder carcinoma cells by upregulating growth differentiation factor 15. Biomedical Journal, 2022, 45, 763-775.	3.1	9
2	The Antitumor Effect of Caffeic Acid Phenethyl Ester by Downregulating Mucosa-Associated Lymphoid Tissue 1 via AR/p53/NF-κB Signaling in Prostate Carcinoma Cells. Cancers, 2022, 14, 274.	3.7	8
3	Comparison of Outcome and Quality of Life Between Thulium Laser (VelaTM XL) Enucleation of Prostate and Bipolar Transurethral Enucleation of the Prostate (B-TUEP). Therapeutics and Clinical Risk Management, 2022, Volume 18, 145-154.	2.0	4
4	The Upregulation of Caffeic Acid Phenethyl Ester on Growth Differentiation Factor 15 Inhibits Transforming Growth Factor β/Smad Signaling in Bladder Carcinoma Cells. Biomedicines, 2022, 10, 1625.	3.2	0
5	Mucosa-Associated Lymphoid Tissue 1 Is an Oncogene Inducing Cell Proliferation, Invasion, and Tumor Growth via the Upregulation of NF-κB Activity in Human Prostate Carcinoma Cells. Biomedicines, 2021, 9, 250.	3.2	8
6	The Clinical Experiences of Urine Metabolomics of Genitourinary Urothelial Cancer in a Tertiary Hospital in Taiwan. Frontiers in Oncology, 2021, 11, 680910.	2.8	2
7	Prostate-Specific Antigen Velocity Predicts Surgical Outcome of Thulium Laser Enucleation of the Prostate. Frontiers in Medicine, 2021, 8, 783221.	2.6	0
8	Clinical Outcome of Endoscopic Enucleation of the Prostate Compared With Robotic-Assisted Simple Prostatectomy for Prostates Larger Than 80 cm ³ in Aging Male. American Journal of Men's Health, 2021, 15, 155798832110641.	1.6	5
9	Antioxidation and Antiapoptosis Characteristics of Heme Oxygenase-1 EnhanceÂTumorigenesis of Human Prostate Carcinoma Cells. Translational Oncology, 2020, 13, 102-112.	3.7	8
10	Maspin is a PTEN-Upregulated and p53-Upregulated Tumor Suppressor Gene and Acts as an HDAC1 Inhibitor in Human Bladder Cancer. Cancers, 2020, 12, 10.	3.7	21
11	Association of ocular diseases with schizophrenia, bipolar disorder, and major depressive disorder: a retrospective case-control, population-based study. BMC Psychiatry, 2020, 20, 486.	2.6	14
12	Effect of ureteral calculus in outpatients receiving semirigid ureteroscope laser lithotripsy. Medicine (United States), 2020, 99, e19324.	1.0	3
13	Clinical outcome of transurethral enucleation of the prostate using the 120-W thulium Laser (Velaâ"¢) Tj ETQq1 1 1888-1898.	l 0.78431 3.1	4 rgBT /Ov∈ 13
14	Transgelin, a p53 and PTEN-Upregulated Gene, Inhibits the Cell Proliferation and Invasion of Human Bladder Carcinoma Cells in Vitro and in Vivo. International Journal of Molecular Sciences, 2019, 20, 4946.	4.1	20
15	Association between Bladder Outlet Obstruction and Bladder Cancer in Patients with Aging Male. Journal of Clinical Medicine, 2019, 8, 1550.	2.4	6
16	Migration and Invasion Enhancer 1 Is an NF-Äß-Inducing Gene Enhancing the Cell Proliferation and Invasion Ability of Human Prostate Carcinoma Cells In Vitro and In Vivo. Cancers, 2019, 11, 1486.	3.7	12
17	Metallothionein 3 Is a Hypoxia-Upregulated Oncogene Enhancing Cell Invasion and Tumorigenesis in Human Bladder Carcinoma Cells. International Journal of Molecular Sciences, 2019, 20, 980.	4.1	18
18	The inhibitory effects of capillarisin on cell proliferation and invasion of prostate carcinoma cells. Cell Proliferation, 2018, 51, e12429.	5.3	22

Yu-Hsiang Lin

#	Article	IF	CITATIONS
19	Transurethral resection of the prostate provides more favorable clinical outcomes compared with conservative medical treatment in patients with urinary retention caused by benign prostatic obstruction. BMC Geriatrics, 2018, 18, 15.	2.7	19
20	Capillarisin blocks prostateâ€specific antigen expression on activation of androgen receptor in prostate carcinoma cells. Prostate, 2018, 78, 242-249.	2.3	9
21	BTG2 is a tumor suppressor gene upregulated by p53 and PTEN in human bladder carcinoma cells. Cancer Medicine, 2018, 7, 184-195.	2.8	34
22	Transurethral resection of the prostate achieves favorable outcomes in stroke patients with symptomatic benign prostate hyperplasia. Aging Male, 2018, 21, 9-16.	1.9	10
23	Is diabetes mellitus associated with clinical outcomes in aging males treated with transurethral resection of prostate for bladder outlet obstruction: implications from Taiwan Nationwide Population-Based Cohort Study. Clinical Interventions in Aging, 2017, Volume 12, 535-541.	2.9	13
24	Prognosis of prostate cancer with initial prostate-specific antigen >1,000 ng/mL at diagnosis. OncoTargets and Therapy, 2017, Volume 10, 2943-2949.	2.0	4
25	Voiding dysfunction in patients with nasal congestion treated with pseudoephedrine: a prospective study. Drug Design, Development and Therapy, 2016, Volume 10, 2333-2339.	4.3	12
26	Using a Harmonic Scalpel "Drilling and Clamping―Method to Implement Zero Ischemic Robotic-assisted Partial Nephrectomy. Medicine (United States), 2016, 95, e2349.	1.0	5
27	Economic Evaluation Study (Cheer Compliant) Laser Prostatectomy for Benign Prostatic Hyperplasia. Medicine (United States), 2016, 95, e2644.	1.0	8
28	Prostate-derived ets factor represses tumorigenesis and modulates epithelial-to-mesenchymal transition in bladder carcinoma cells. Cancer Letters, 2016, 375, 142-151.	7.2	35
29	Growth differentiation factor-15: a p53- and demethylation-upregulating gene represses cell proliferation, invasion and tumorigenesis in bladder carcinoma cells. Scientific Reports, 2015, 5, 12870.	3.3	49
30	Identifying the variables associated with pain during transrectal ultrasonography of the prostate. Patient Preference and Adherence, 2015, 9, 1207.	1.8	2
31	Prostatic urethral angle might be a predictor of treatment efficacy of α-blockers in men with lower urinary tract symptoms. Drug Design, Development and Therapy, 2014, 8, 937.	4.3	6
32	The expression sequence tag is an effective method for screening DNA segments that predict urinary bladder transitional cell carcinoma prognosis. OncoTargets and Therapy, 2014, 7, 1777.	2.0	0
33	Risk factors associated with ineligibility of adjuvant cisplatin-based chemotherapy after nephroureterectomy. Drug Design, Development and Therapy, 2014, 8, 1985.	4.3	7
34	Neoadjuvant hormone therapy following treatment with robotic-assisted radical prostatectomy achieved favorable in high-risk prostate cancer. OncoTargets and Therapy, 2014, 8, 15.	2.0	2
35	Use of the SF-36 quality of life scale to assess the effect of pelvic floor muscle exercise on aging males who received transurethral prostate surgery. Clinical Interventions in Aging, 2013, 8, 667.	2.9	7
36	Prostatectomy using different lasers for the treatment of benign prostate hyperplasia in aging males. Clinical Interventions in Aging, 2013, 8, 1483.	2.9	14

Yu-Hsiang Lin

#	Article	IF	CITATIONS
37	Clinical outcome of primary small cell carcinoma of the urinary bladder. OncoTargets and Therapy, 2013, 6, 1179.	2.0	13
38	The safety and efficacy of aspirin intake in photoselective vaporization laser treatment of benign prostate hyperplasia. Clinical Interventions in Aging, 2013, 8, 265.	2.9	6
39	Robotic assisted laparoscopic radical cystectomy for bladder carcinoma: early experience and oncologic outcomes. Formosan Journal of Surgery, 2012, 45, 178-182.	0.2	3
40	A comparison of androgen deprivation therapy versus surgical castration for patients with advanced prostatic carcinoma. Acta Pharmacologica Sinica, 2011, 32, 537-542.	6.1	12