Philipp Kümpers

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2360489/publications.pdf

Version: 2024-02-01

49 papers

2,931 citations

147801 31 h-index 53 g-index

59 all docs

59 docs citations

59 times ranked

3735 citing authors

#	Article	IF	CITATIONS
1	Microvascular dysfunction in COVID-19: the MYSTIC study. Angiogenesis, 2021, 24, 145-157.	7.2	211
2	Damage of the endothelial glycocalyx in chronic kidney disease. Atherosclerosis, 2014, 234, 335-343.	0.8	174
3	Excess circulating angiopoietin-2 is a strong predictor of mortality in critically ill medical patients. Critical Care, 2008, 12, R147.	5.8	136
4	Nanomechanics of the Endothelial Glycocalyx in Experimental Sepsis. PLoS ONE, 2013, 8, e80905.	2.5	132
5	The synthetic Tie2 agonist peptide vasculotide protects against vascular leakage and reduces mortality in murine abdominal sepsis. Critical Care, 2011, 15, R261.	5.8	114
6	COVID-19 is a systemic vascular hemopathy: insight for mechanistic and clinical aspects. Angiogenesis, 2021, 24, 755-788.	7.2	114
7	Serum neutrophil gelatinase-associated lipocalin at inception of renal replacement therapy predicts survival in critically ill patients with acute kidney injury. Critical Care, 2010, 14, R9.	5.8	111
8	Circulating angiopoietins in idiopathic pulmonary arterial hypertension. European Heart Journal, 2010, 31, 2291-2300.	2.2	108
9	Endothelial glycocalyx breakdown is mediated by angiopoietin-2. Cardiovascular Research, 2017, 113, 671-680.	3.8	103
10	Bench-to-bedside review: Angiopoietin signalling in critical illness – a future target?. Critical Care, 2009, 13, 207.	5.8	101
11	A Pandemic in Times of Global Tourism: Superspreading and Exportation of COVID-19 Cases from a Ski Area in Austria. Journal of Clinical Microbiology, 2020, 58, .	3.9	92
12	Time course of angiopoietin-2 release during experimental human endotoxemia and sepsis. Critical Care, 2009, 13, R64.	5.8	90
13	Effects of a synthetic PEG-ylated Tie-2 agonist peptide on endotoxemic lung injury and mortality. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2011, 300, L851-L862.	2.9	88
14	Acute administration of recombinant Angiopoietin-1 ameliorates multiple-organ dysfunction syndrome and improves survival in murine sepsis. Cytokine, 2011, 55, 251-259.	3.2	84
15	Association of sublingual microcirculation parameters and endothelial glycocalyx dimensions in resuscitated sepsis. Critical Care, 2019, 23, 260.	5.8	79
16	Circulating angiopoietin-1 and angiopoietin-2 in critically ill patients: development and clinical application of two new immunoassays. Critical Care, 2008, 12, R94.	5.8	73
17	Angiopoietin-2 in patients requiring renal replacement therapy in the ICU: relation to acute kidney injury, multiple organ dysfunction syndrome and outcome. Intensive Care Medicine, 2010, 36, 462-470.	8.2	73
18	Mending Leaky Blood Vessels: The Angiopoietin-Tie2 Pathway in Sepsis. Journal of Pharmacology and Experimental Therapeutics, 2013, 345, 2-6.	2.5	72

#	Article	IF	CITATIONS
19	Angiopoietin-2 levels predict mortality in CKD patients. Nephrology Dialysis Transplantation, 2012, 27, 1867-1872.	0.7	71
20	Bedside analysis of the sublingual microvascular glycocalyx in the emergency room and intensive care unit – the GlycoNurse study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2018, 26, 16.	2.6	67
21	The Tie2 receptor antagonist angiopoietin 2 facilitates vascular inflammation in systemic lupus erythematosus. Annals of the Rheumatic Diseases, 2009, 68, 1638-1643.	0.9	66
22	Angiopoietin 2 and Cardiovascular Disease in Dialysis and Kidney Transplantation. American Journal of Kidney Diseases, 2009, 53, 770-778.	1.9	64
23	Shock-induced stress induces loss of microvascular endothelial Tie2 in the kidney which is not associated with reduced glomerular barrier function. American Journal of Physiology - Renal Physiology, 2009, 297, F272-F281.	2.7	55
24	Legionnaires' disease in immunocompromised patients: a case report of Legionella longbeachae pneumonia and review of the literature. Journal of Medical Microbiology, 2008, 57, 384-387.	1.8	49
25	Circulating angiopoietin-2 is a marker and potential mediator of endothelial cell detachment in ANCA-associated vasculitis with renal involvement. Nephrology Dialysis Transplantation, 2009, 24, 1845-1850.	0.7	43
26	Angiopoietin-2 predicts disease-free survival after allogeneic stem cell transplantation in patients with high-risk myeloid malignancies. Blood, 2008, 112, 2139-2148.	1.4	41
27	Intracellular RIG-I Signaling Regulates TLR4-Independent Endothelial Inflammatory Responses to Endotoxin. Journal of Immunology, 2016, 196, 4681-4691.	0.8	41
28	Leptin is a coactivator of TGF- \hat{l}^2 in unilateral ureteral obstructive kidney disease. American Journal of Physiology - Renal Physiology, 2007, 293, F1355-F1362.	2.7	39
29	The Synthetic Tie2 Agonist Peptide Vasculotide Protects Renal Vascular Barrier Function In Experimental Acute Kidney Injury. Scientific Reports, 2016, 6, 22111.	3.3	39
30	Identification of novel sublingual parameters to analyze and diagnose microvascular dysfunction in sepsis: the NOSTRADAMUS study. Critical Care, 2021, 25, 112.	5.8	39
31	Tie2 Activation Promotes Protection and Reconstitution of the Endothelial Glycocalyx in Human Sepsis. Thrombosis and Haemostasis, 2019, 119, 1827-1838.	3.4	35
32	Sepsis recognition in the emergency department – impact on quality of care and outcome?. BMC Emergency Medicine, 2016, 17, 11.	1.9	31
33	Angiopoietin-2 is a potential mediator of endothelial barrier dysfunction following cardiopulmonary bypass. Cytokine, 2012, 60, 352-359.	3.2	29
34	Serum leptin and ghrelin correlate with disease activity in ANCA-associated vasculitis. Rheumatology, 2007, 47, 484-487.	1.9	26
35	Angiopoietin-2 in acute liver failure*. Critical Care Medicine, 2012, 40, 1499-1505.	0.9	22
36	Vascular Endothelial Dysfunction during Cardiac Surgery: On-Pump versus Off-Pump Coronary Surgery. European Surgical Research, 2017, 58, 354-368.	1.3	19

#	Article	IF	CITATIONS
37	International, multicenter evaluation of a new D-dimer assay for the exclusion of venous thromboembolism using standard and age-adjusted cut-offs. Thrombosis Research, 2018, 166, 63-70.	1.7	18
38	Symmetric dimethylarginine in dysfunctional high-density lipoprotein mediates endothelial glycocalyx breakdown in chronic kidney disease. Kidney International, 2020, 97, 502-515.	5.2	18
39	Targeting the "sweet spot―in septic shock – A perspective on the endothelial glycocalyx regulating proteins Heparanase-1 and -2. Matrix Biology Plus, 2021, 12, 100095.	3.5	18
40	Endothelial microparticles as a diagnostic aid in Churg-Strauss vasculitis-induced cardiomyopathy. Clinical and Experimental Rheumatology, 2008, 26, S86-9.	0.8	15
41	The curse of angiopoietin-2 in ARDS: on stranger TI(E)des. Critical Care, 2018, 22, 44.	5.8	14
42	Does low angiopoietin-1 predict adverse outcome in sepsis?. Critical Care, 2010, 14, 180.	5.8	13
43	Role of Angiopoietin/Tie2 in Critical Illness: Promising Biomarker, Disease Mediator, and Therapeutic Target?. Scientifica, 2012, 2012, 1-8.	1.7	11
44	Protection and rebuilding of the endothelial glycocalyx in sepsis – Science or fiction?. Matrix Biology Plus, 2021, 12, 100091.	3.5	10
45	Identification and validation of objective triggers for initiation of resuscitation management of acutely ill non-trauma patients: the INITIATE IRON MAN study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2021, 29, 160.	2.6	9
46	Endothelial dysfunction following coronary artery bypass grafting. Herz, 2020, 45, 86-94.	1.1	8
47	Microvascular and proteomic signatures overlap in COVID-19 and bacterial sepsis: the MICROCODE study. Angiogenesis, 0, , .	7.2	8
48	Heparanase Is a Putative Mediator of Endothelial Glycocalyx Damage in COVID-19 – A Proof-of-Concept Study. Frontiers in Immunology, 0, 13, .	4.8	5
49	Angiopoietin-2 in sepsis: lost in translation?. Nephrology Dialysis Transplantation, 2013, 28, 487-489.	0.7	3