## Jong-Won Yu

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2362226/publications.pdf

Version: 2024-02-01

361413 302126 1,815 127 20 39 citations h-index g-index papers 127 127 127 1645 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Wideband planar monopole antennas with dual band-notched characteristics. IEEE Transactions on Microwave Theory and Techniques, 2006, 54, 2800-2806.	4.6	234
2	Design of Maximum Efficiency Tracking Control Scheme for Closed-Loop Wireless Power Charging System Employing Series Resonant Tank. IEEE Transactions on Power Electronics, 2017, 32, 471-478.	7.9	181
3	Contactless Energy Transfer Systems Using Antiparallel Resonant Loops. IEEE Transactions on Industrial Electronics, 2013, 60, 350-359.	7.9	118
4	Design of Low-Cost Chipless System Using Printable Chipless Tag With Electromagnetic Code. IEEE Microwave and Wireless Components Letters, 2010, 20, 640-642.	3.2	80
5	Hybrid Power Combining Rectenna Array for Wide Incident Angle Coverage in RF Energy Transfer. IEEE Transactions on Microwave Theory and Techniques, 2017, 65, 3409-3418.	4.6	77
6	Multiple band-notched planar monopole antenna for multiband wireless systems. IEEE Microwave and Wireless Components Letters, 2005, 15, 576-578.	3.2	75
7	Quasi-Yagi Antenna Array With Modified Folded Dipole Driver for mmWave 5G Cellular Devices. IEEE Antennas and Wireless Propagation Letters, 2019, 18, 971-975.	4.0	74
8	Microwave Power Transfer With Optimal Number of Rectenna Arrays for Midrange Applications. IEEE Antennas and Wireless Propagation Letters, 2018, 17, 155-159.	4.0	62
9	Design of Compact Quadruple Inverted-F Antenna With Circular Polarization for GPS Receiver. IEEE Transactions on Antennas and Propagation, 2010, 58, 1503-1510.	5.1	45
10	Pattern Reconfigurable High Gain Spherical Dielectric Resonator Antenna Operating on Higher Order Mode. IEEE Antennas and Wireless Propagation Letters, 2019, 18, 128-132.	4.0	37
11	Reconfigurable 1 \$imes\$ 4 Power Divider With Switched Impedance Matching Circuits. IEEE Microwave and Wireless Components Letters, 2012, 22, 64-66.	3.2	36
12	Distance-Insensitive Wireless Power Transfer and Near-Field Communication Using a Current-Controlled Loop With a Loaded Capacitance. IEEE Transactions on Antennas and Propagation, 2014, 62, 936-940.	5.1	36
13	RFID Reader Front-End Having Robust Tx Leakage Canceller for Load Variation. IEEE Transactions on Microwave Theory and Techniques, 2009, 57, 1348-1355.	4.6	34
14	Compact Six-Port Transceiver for Time-Division Duplex Systems. IEEE Microwave and Wireless Components Letters, 2007, 17, 394-396.	3.2	32
15	Wide-Angle Scanning Phased Array Antenna using High Gain Pattern Reconfigurable Antenna Elements. Scientific Reports, 2019, 9, 18391.	3.3	25
16	High Isolation Internal Dual-Band Planar Inverted-F Antenna Diversity System with Band-Notched Slots for MIMO Terminals. , 2006, , .		24
17	Design of Compact Dual-Band Quadruple Inverted-F/L Antenna for GPS L1/L2 Band. IEEE Transactions on Antennas and Propagation, 2013, 61, 2276-2279.	5.1	24
18	All-Around Beam Switched Antenna With Dual Polarization for Drone Communications. IEEE Transactions on Antennas and Propagation, 2020, 68, 4930-4934.	5.1	24

#	Article	IF	CITATIONS
19	Balanced circulator structure with enhanced isolation characteristics. Microwave and Optical Technology Letters, 2008, 50, 2389-2391.	1.4	23
20	Compact Integrated Antenna With Circulator for UHF RFID System. IEEE Antennas and Wireless Propagation Letters, 2008, 7, 673-675.	4.0	23
21	Tunable Band-notched Ultra Wideband (UWB) Planar Monopole Antennas Using Varactor. , 2008, , .		21
22	24 GHz Balanced Doppler Radar Front-End With Tx Leakage Canceller for Antenna Impedance Variation and Mutual Coupling. IEEE Transactions on Antennas and Propagation, 2011, 59, 4497-4504.	5.1	21
23	A Compact Cavity-Backed Slot Antenna Using Dual Mode for IoT Applications. IEEE Antennas and Wireless Propagation Letters, 2021, 20, 317-321.	4.0	20
24	Coupler Integrated Microstrip Patch Linear Phased Array for Self-Calibration. IEEE Antennas and Wireless Propagation Letters, 2020, 19, 1615-1619.	4.0	19
25	28 GHz and 38 GHz Dual-Band Vertically Stacked Dipole Antennas on Flexible Liquid Crystal Polymer Substrates for Millimeter-Wave 5G Cellular Handsets. IEEE Transactions on Antennas and Propagation, 2022, 70, 3223-3236.	5.1	19
26	Compact Dual-Band Printed Quadrifilar Antennas for UHF RFID/GPS Operations. IEEE Antennas and Wireless Propagation Letters, 2011, 10, 804-807.	4.0	18
27	Wideband Circularly Polarized Phased Array Antenna System for Wide Axial Ratio Scanning. IEEE Transactions on Antennas and Propagation, 2022, 70, 1523-1528.	5.1	16
28	Transmitter and Receiver Isolation by Concentric Antenna Structure. IEEE Transactions on Antennas and Propagation, 2010, 58, 3182-3188.	5.1	15
29	Close Proximity Effects of Metallic Environments on the Antiparallel Resonant Coil for Near-Field Powering. IEEE Transactions on Antennas and Propagation, 2013, 61, 3400-3403.	5.1	15
30	Tilted-Beam Switched Array Antenna for UAV Mounted Radar Applications with 360° Coverage. Electronics (Switzerland), 2019, 8, 1240.	3.1	15
31	Compact frequency-notched wideband planar monopole antenna with an L-shape ground plane. Microwave and Optical Technology Letters, 2005, 46, 340-343.	1.4	14
32	Tunable bandâ€notched ultra wideband planar monopole antenna. Microwave and Optical Technology Letters, 2009, 51, 2829-2832.	1.4	12
33	Dual Resonance Frequency Selective Loop of Near-Field Wireless Charging and Communications Systems for Portable Device. IEEE Microwave and Wireless Components Letters, 2015, 25, 624-626.	3.2	12
34	Compact frequency-notched wideband planar monopole antenna with a L-shape ground plane. Microwave and Optical Technology Letters, 2005, 46, 563-566.	1.4	11
35	A high isolated coupled-line passive circulator for UHF RFID reader. Microwave and Optical Technology Letters, 2008, 50, 2597-2600.	1.4	11
36	Microstrip patch array antenna with high isolation characteristic. Microwave and Optical Technology Letters, 2012, 54, 973-976.	1.4	11

#	Article	IF	CITATIONS
37	Compact Antenna Module With Optimized Tx-to-Rx Isolation for Monostatic RFID. IEEE Microwave and Wireless Components Letters, 2017, 27, 1161-1163.	3.2	10
38	Design of compact broadband phase shifter with constant loss variation. Microwave and Optical Technology Letters, 2014, 56, 394-400.	1.4	9
39	Reconfigurable 2 \$,imes,\$ 2 Multi-Port Amplifier Using Switching Mode Hybrid Matrices. IEEE Microwave and Wireless Components Letters, 2014, 24, 129-131.	3.2	9
40	Efficiency-Improved UWB Transparent Antennas Using ITO/Ag/ITO Multilayer Electrode Films. IEEE Access, 2021, 9, 165385-165393.	4.2	9
41	High gain spherical DRA operating on higher-order mode excited by microstrip patch. IEICE Electronics Express, 2017, 14, 20171049-20171049.	0.8	8
42	Helical reflector antenna with a wideband CP for RFID reader. , 2009, , .		7
43	Module Integrated Antenna With Circular Polarization for Mobile UHF RFID Reader. IEEE Transactions on Microwave Theory and Techniques, 2011, 59, 1157-1165.	4.6	7
44	Wide-coverage array antenna using a dual-beam switching for UHF RFID applications. , 2013, , .		7
45	EM/light hybrid energy harvesting with directional dipole antenna for IoT sensor., 2015,,.		7
46	Reconfigurable 4 $\tilde{A}-4$ multiâ $\in$ port amplifier with switchable input and output matrices. IET Microwaves, Antennas and Propagation, 2016, 10, 1312-1321.	1.4	7
47	An automotive stacked ceramic patch antenna with an integrated GNSS and SDARS antenna. , 2017, , .		7
48	A design methodology for the 60 GHz CMOS power amplifier using onâ€chip transformers. Microwave and Optical Technology Letters, 2011, 53, 506-509.	1.4	6
49	TE Scattering From Concaved Wedges With Longitudinal Corrugations. IEEE Transactions on Antennas and Propagation, 2013, 61, 2355-2359.	5.1	6
50	Field Analysis and Measurement of Antiparallel Resonant Loop for Wireless Charging. IEEE Antennas and Wireless Propagation Letters, 2015, 14, 1459-1462.	4.0	6
51	Analysis of multiâ€port amplifier calibration for optimal magnitude and phase error detection. IET Microwaves, Antennas and Propagation, 2016, 10, 102-110.	1.4	6
52	Vertically stacked folded dipole antenna using multi-layer for mm-Wave mobile terminals. , 2017, , .		6
53	Single-Switch-Based High-Power Bipolar Pulse Generator With Inverted U-Shaped Parallel-Plate Transmission Line. IEEE Transactions on Microwave Theory and Techniques, 2018, 66, 2425-2432.	4.6	6
54	Fast Fourier-Domain Optimization Using Hybrid L <sub>1â^'</sub> /L\${}_{p}\$ -Norm for Autofocus in Airborne SAR Imaging. IEEE Transactions on Geoscience and Remote Sensing, 2019, 57, 7934-7954.	6.3	6

#	Article	IF	Citations
55	A Compact Circular Polarization Antenna Using Folded Ground Elements. IEEE Transactions on Antennas and Propagation, 2019, 67, 3472-3477.	5.1	6
56	Retro-directive Array Antenna With Parabolic Shape Structure for Short-range Microwave Power Transfer., 2019,,.		6
57	Shorted Trapezoidal SIW Antenna With Quasi-Hemispherical Pattern for 2D Wide Scanning Planar Phased Array Antenna. IEEE Transactions on Antennas and Propagation, 2022, 70, 7211-7216.	5.1	6
58	Wideband crossed planar monopole antenna with the band-notched characteristic. Microwave and Optical Technology Letters, 2006, 48, 543-545.	1.4	5
59	Transmit/receive isolator for UHF RFID reader with wideband balanced directional coupler. , 2009, , .		5
60	CMOS Four-Port Direct Conversion Receiver for BPSK Demodulation. IEEE Microwave and Wireless Components Letters, 2009, 19, 581-583.	3.2	5
61	Hemispheric coverage multi-beam switched antenna array using a 4-port feeding network for UHF RFID dead zone avoidance. , 2013, , .		5
62	Low side-lobe horn antenna with nonuniform slot array. Microwave and Optical Technology Letters, 2014, 56, 1860-1862.	1.4	5
63	Quadrupleâ€feed beamâ€controlled antenna array for the localisations of ultraâ€highâ€frequency radioâ€frequency identification tags. IET Microwaves, Antennas and Propagation, 2015, 9, 923-932.	1.4	5
64	Wideband Circularly Polarized Antenna With Reconfigurable 2-Dimensional Axial Ratio Beamwidth. IEEE Access, 2021, 9, 79927-79935.	4.2	5
65	3-Mode reconfigurable beam-forming array antenna for mobile WLAN application. , 2012, , .		5
66	Gain Enhanced Wide Azimuth Beam Antenna Using Half-Mode Substrate Integrated Waveguide Cavity for Automotive Rear-View Mirror Application. IEEE Transactions on Vehicular Technology, 2022, 71, 33-40.	6.3	5
67	A novel bandstop filter design using parallel coupled line resonators. , 2007, , .		4
68	UHF RFID reader front-end having wideband and stable Tx/Rx isolation characteristic. Microwave and Optical Technology Letters, 2010, 52, 2467-2473.	1.4	4
69	Dual-frequency antenna for HF/UHF handheld RFID reader., 2011,,.		4
70	Direct sixâ€port modulator using polyphase networks. Microwave and Optical Technology Letters, 2011, 53, 2321-2324.	1.4	4
71	Design of near-field chipless RFID tags and reader based on transmission line. , 2013, , .		4
72	Dual-Band Half-Elliptic Hoof Antenna With Mathieu Function for a Femto-Cell Network. IEEE Transactions on Antennas and Propagation, 2017, 65, 1047-1054.	5.1	4

#	Article	IF	Citations
73	Improved Prediction of the Wideband Beam Pattern Shape of Antenna Array Based on Infinitesimal Dipole Modeling. IEEE Antennas and Wireless Propagation Letters, 2018, 17, 2309-2313.	4.0	4
74	Gain-Enhanced Cavity-Backed Cross Slot Antenna With Truncated Ground Walls. IEEE Transactions on Antennas and Propagation, 2020, 68, 4293-4301.	5.1	4
75	Performance Analysis of Single-Frequency CW Signal-Based I/Q Regeneration in Five-Port Junction-Based Direct Receivers on Rayleigh Fading Channels. IEEE Transactions on Circuits and Systems II: Express Briefs, 2008, 55, 561-565.	3.0	3
76	Design of quadrifilar spiral antenna with integrated module for UHF RFID reader., 2009,,.		3
77	A new sixâ€port receiver architecture using polyphase networks. Microwave and Optical Technology Letters, 2010, 52, 499-502.	1.4	3
78	Design of spiral-shaped UHF near-field reader antenna for RFID applications. , 2011, , .		3
79	Planar square quadrifilar spiral antenna for mobile RFID reader. , 2012, , .		3
80	Compact polarization diversity antenna using a pair of parallel dipoles for mobile RFID., 2013,,.		3
81	A compact and reconfigurable beam pattern ESPAR antenna with automatic impedance matching system. , 2014, , .		3
82	1-port Measurement Method of the Coupling Factor and Receiver <inline-formula> <tex-math notation="LaTeX">\$Q\$ </tex-math> </inline-formula> for Spatial and State Freedom in Wireless Power Transfer Systems. IEEE Transactions on Antennas and Propagation, 2016, 64, 4098-4102.	5.1	3
83	Quasi-hemispherical region scanning phased array system using triangular SIW antenna elements with short ends. IEICE Electronics Express, 2020, 17, 20200041-20200041.	0.8	3
84	Maximum Efficiency Point Tracking Scheme for Loosely Coupled Multiple-Receiver Wireless Power Charging System With Mutual Inductance Tracking. IEEE Transactions on Microwave Theory and Techniques, 2021, 69, 378-386.	4.6	3
85	Accuracy-Enhanced Angle-of-Arrival Finding System Using Switched Six-Port Network. IEEE Antennas and Wireless Propagation Letters, 2021, 20, 219-223.	4.0	3
86	Microstrip-line type bruce array antenna with wide fan beam and high gain. Journal of Electromagnetic Waves and Applications, 2021, 35, 813-821.	1.6	3
87	Robust CFAR Detector with Ordered Statistic of Sub-Reference Cells in Multiple Target Situations. IEEE Access, 2022, , 1-1.	4.2	3
88	Scattering by a dielectric-loaded nonplanar slit-TM case. IEEE Transactions on Antennas and Propagation, 1998, 46, 598-600.	5.1	2
89	Novel Multi-band Planar Monopole Antenna for Multi-band Wireless Systems. , 2006, , .		2
90	Capacitively loaded spiralâ€shaped resonator for coplanar waveguide. Microwave and Optical Technology Letters, 2009, 51, 3001-3004.	1.4	2

#	Article	IF	CITATIONS
91	A compact DVB-H Marchand balun using vertically coupling CPW structure. Microwave and Optical Technology Letters, 2010, 52, 1174-1177.	1.4	2
92	RF bio-radar system using a compact lumped six-port demodulator and Quadrifilar Helix antenna. , 2013, , .		2
93	Adaptive load impedance matching using 5-port reflectometer with computationally simple measurement., 2013,,.		2
94	Reconfigurable antenna feeding network for switchable circular and linear polarizations. Microwave and Optical Technology Letters, 2014, 56, 893-896.	1.4	2
95	A compact attenuator integrated phase shifter with switchable trimode operations. Microwave and Optical Technology Letters, 2014, 56, 1798-1800.	1.4	2
96	Bandwidth enhanced tri-band monopole slot antenna on ultra-thin metal housed devices. , 2014, , .		2
97	Differential Fed Bilateral Slotline Dipole on Flexible PCB for mm-Wave 5G Mobile Terminal. , 2018, , .		2
98	A Reconfigurable Feeder for Combinational Switched-Beam Network. , 2018, , .		2
99	Optimal Sensor Placement Methodology based on FDTD for Partial Discharge Detection in GIS. , 2019, , .		2
100	Design of Aperture Coupled Feeding Ku-Band Phased Array Antenna on Multi-Layer PCB for Satellite Communications. , 2019, , .		2
101	Fast ISAR motion compensation using improved stage-by-stage approaching algorithm. Journal of Electromagnetic Waves and Applications, 2021, 35, 1587-1600.	1.6	2
102	Wide-angle scanning phased-array system using arc-shorted half elliptic elements. Journal of Electromagnetic Waves and Applications, 2022, 36, 261-271.	1.6	2
103	Balanced Directional Coupler Structure with Insensitive Isolation for Load Impedance. , 2008, , .		1
104	24â€GHz transceiver patch array frontâ€end with a balanced Tx leakage canceller. Microwave and Optical Technology Letters, 2011, 53, 559-562.	1.4	1
105	Polarization modulation RF power transport for sensor network. , 2014, , .		1
106	Wide-band planar folded loop MIMO antenna with parallel stubs. , 2015, , .		1
107	High gain spherical dielectric resonator antenna using higher-order resonant mode. , 2017, , .		1
108	Phase error compensation in fourier domain for fast autofocus of spotlight SAR., 2017, , .		1

#	Article	IF	CITATIONS
109	A Design of Optimal Rectenna Array for Retrodirective MPT System. , 2018, , .		1
110	Squint-less arc array for near-field focusing in wideband systems. Journal of Electromagnetic Waves and Applications, $0$ , $0$ , $0$ .	1.6	1
111	A balanced antenna integrated six-port receiver using direct conversion. Microwave and Optical Technology Letters, 2010, 52, 2512-2515.	1.4	0
112	A design of low-profile triband antenna for emergency call system application. Microwave and Optical Technology Letters, 2010, 52, 2798-2801.	1.4	0
113	Low crossâ€polarization array antenna with suspended probeâ€feed. Microwave and Optical Technology Letters, 2013, 55, 825-829.	1.4	0
114	Electronically controlled 2 by 1 arrayed beam forming antenna for UHF RFID reader. , 2013, , .		0
115	Quadruple linear and circular polarized diversity antenna with reconfigurable coupler. , 2013, , .		0
116	Fourâ€port balanced antenna feeding network for switchable polarizations and stable Tx/Rx isolation characteristics. Microwave and Optical Technology Letters, 2014, 56, 17-23.	1.4	0
117	Bandwidth enhanced tri-band monopole slot antenna on ultra-thin metal housed devices. , 2014, , .		0
118	Scattering From Two Concentric Thick Conducting Cylindrical Cavity-Backed Apertures. IEEE Transactions on Antennas and Propagation, 2014, 62, 862-869.	5.1	0
119	K-band reconfigurable 4 $\tilde{A}$ — 4 balanced power amplifier for flexible satellite communication applications. Microwave and Optical Technology Letters, 2014, 56, 2820-2822.	1.4	0
120	Selectable sectoral antenna array using a quadruple feeding network for item-level tagging in UHF RFID applications. Microwave and Optical Technology Letters, 2015, 57, 1523-1526.	1.4	0
121	Open-loop maximum efficiency tracking wireless power transfer system for biomedical implants. , 2016, , .		0
122	Complex conjugate matching technique for wireless power transfer with multiple inductive coupled resonators. Microwave and Optical Technology Letters, 2016, 58, 2291-2294.	1.4	0
123	Subarea Approach for Curvature Error Compensation in Spotlight SAR Imaigng Using PFA Interpolation. , 2018, , .		0
124	Circularly Polarized High Gain Spherical Dielectric Resonator Antenna Operating on Higher-Order Mode. , $2018,  ,  .$		0
125	BLT analysis method for a TWP over ground based on chain scattering parameters. Journal of Electromagnetic Waves and Applications, 2019, 33, 419-427.	1.6	0
126	A low-sidelobe and wideband dual linearly polarized array antenna for UAV SAR application in X-band. Journal of Electromagnetic Waves and Applications, 2022, 36, 168-179.	1.6	0

# ARTICLE IF CITATIONS

127 Design of Aperture Coupled Ka-Band Phased Array Antenna Using Cavity PCB Process., 2022,,... o