Tamar E C Nijsten

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2365860/publications.pdf

Version: 2024-02-01

303 papers 16,888 citations

65 h-index 19749 117 g-index

309 all docs 309 docs citations

309 times ranked 17166 citing authors

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 1 | Definition of treatment goals for moderate to severe psoriasis: a European consensus. Archives of Dermatological Research, 2011, 303, 1-10. | 1.9 | 690 |
| 2 | European S3â€Guidelines on the systemic treatment of psoriasis vulgaris. Journal of the European Academy of Dermatology and Venereology, 2009, 23, 1-70. | 2.4 | 683 |
| 3 | Psoriasis Is Common, Carries a Substantial Burden Even When Not Extensive, and Is Associated with Widespread Treatment Dissatisfaction. Journal of Investigative Dermatology Symposium Proceedings, 2004, 9, 136-139. | 0.8 | 618 |
| 4 | Epidemiology of psoriatic arthritis in the population of the United States. Journal of the American Academy of Dermatology, 2005, 53, 573.e1-573.e13. | 1.2 | 499 |
| 5 | Endovenous therapies of lower extremity varicosities: A meta-analysis. Journal of Vascular Surgery, 2009, 49, 230-239. | 1.1 | 456 |
| 6 | The Rotterdam Study: 2018 update on objectives, design and main results. European Journal of Epidemiology, 2017, 32, 807-850. | 5 . 7 | 379 |
| 7 | The Rotterdam Study: 2016 objectives and design update. European Journal of Epidemiology, 2015, 30, 661-708. | 5.7 | 358 |
| 8 | The global burden of melanoma: results from the Global Burden of Disease Study 2015. British Journal of Dermatology, 2017, 177, 134-140. | 1.5 | 323 |
| 9 | Objectives, design and main findings until 2020 from the Rotterdam Study. European Journal of Epidemiology, 2020, 35, 483-517. | 5.7 | 314 |
| 10 | The Prevalence and Odds of Depressive Symptoms and Clinical Depression in Psoriasis Patients: A Systematic Review and Meta-Analysis. Journal of Investigative Dermatology, 2014, 134, 1542-1551. | 0.7 | 301 |
| 11 | The Rotterdam Study: 2014 objectives and design update. European Journal of Epidemiology, 2013, 28, 889-926. | 5.7 | 282 |
| 12 | The Rotterdam Study: 2012 objectives and design update. European Journal of Epidemiology, 2011, 26, 657-686. | 5.7 | 273 |
| 13 | Critical Review of Generic and Dermatology-Specific Health-Related Quality of Life Instruments. Journal of Investigative Dermatology, 2007, 127, 2726-2739. | 0.7 | 252 |
| 14 | The prevalence of psoriasis in African Americans: Results from a population-based study. Journal of the American Academy of Dermatology, 2005, 52, 23-26. | 1.2 | 250 |
| 15 | Gender Differences in Melanoma Survival: Female Patients Have a Decreased Risk of Metastasis. Journal of Investigative Dermatology, 2011, 131, 719-726. | 0.7 | 207 |
| 16 | The Increased Risk of Skin Cancer Is Persistent After Discontinuation of Psoralen+Ultraviolet A: A Cohort Study. Journal of Investigative Dermatology, 2003, 121, 252-258. | 0.7 | 201 |
| 17 | How Good Are Clinical Severity and Outcome Measures for Psoriasis?: Quantitative Evaluation in a Systematic Review. Journal of Investigative Dermatology, 2010, 130, 933-943. | 0.7 | 199 |
| 18 | Markers of systemic inflammation in psoriasis: a systematic review and meta-analysis. British Journal of Dermatology, 2013, 169, 266-282. | 1.5 | 187 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Trends in incidence and predictions of cutaneous melanoma across Europe up to 2015. Journal of the European Academy of Dermatology and Venereology, 2014, 28, 1170-1178. | 2.4 | 174 |
| 20 | Epidemiology of basal cell carcinoma: scholarly review. British Journal of Dermatology, 2017, 177, 359-372. | 1.5 | 172 |
| 21 | Prevalence of Actinic Keratosis and Its Risk Factors in the General Population: The Rotterdam Study. Journal of Investigative Dermatology, 2013, 133, 1971-1978. | 0.7 | 168 |
| 22 | Superior Outcome of Women With Stage I/II Cutaneous Melanoma: Pooled Analysis of Four European Organisation for Research and Treatment of Cancer Phase III Trials. Journal of Clinical Oncology, 2012, 30, 2240-2247. | 1.6 | 158 |
| 23 | Similar Depletion of Protective <i>Faecalibacterium prausnitzii </i> in Psoriasis and Inflammatory Bowel Disease, but not in Hidradenitis Suppurativa. Journal of Crohn's and Colitis, 2016, 10, 1067-1075. | 1.3 | 152 |
| 24 | Sex Is an Independent Prognostic Indicator for Survival and Relapse/Progression-Free Survival in Metastasized Stage III to IV Melanoma: A Pooled Analysis of Five European Organisation for Research and Treatment of Cancer Randomized Controlled Trials. Journal of Clinical Oncology, 2013, 31, 2337-2346. | 1.6 | 150 |
| 25 | Comparing endovenous laser ablation, foam sclerotherapy, and conventional surgery for great saphenous varicose veins. Journal of Vascular Surgery, 2013, 58, 727-734.e1. | 1.1 | 144 |
| 26 | Psoriasis May Not be an Independent Risk Factor for Acute Ischemic Heart Disease Hospitalizations: Results of a Large Population-Based Dutch Cohort. Journal of Investigative Dermatology, 2010, 130, 962-967. | 0.7 | 142 |
| 27 | Endovenous Laser Ablation–Induced Complications: Review of the Literature and New Cases. Dermatologic Surgery, 2009, 35, 1206-1214. | 0.8 | 141 |
| 28 | Decreased risk of melanoma and nonmelanoma skin cancer in patients with vitiligo: a survey among 1307 patients and their partners. British Journal of Dermatology, 2013, 168, 162-171. | 1.5 | 140 |
| 29 | Psoriasis is independently associated with nonalcoholic fatty liver disease in patients 55 years old or older: Results from a population-based study. Journal of the American Academy of Dermatology, 2014, 70, 517-524. | 1.2 | 137 |
| 30 | Raman spectroscopy for cancer detection and cancer surgery guidance: translation to the clinics. Analyst, The, 2017, 142, 3025-3047. | 3.5 | 134 |
| 31 | Genetics of skin color variation in Europeans: genome-wide association studies with functional follow-up. Human Genetics, 2015, 134, 823-835. | 3.8 | 133 |
| 32 | Oral retinoid use reduces cutaneous squamous cell carcinoma risk in patients with psoriasis treated with psoralen-UVA: a nested cohort study. Journal of the American Academy of Dermatology, 2003, 49, 644-650. | 1.2 | 129 |
| 33 | Superior survival of females among 10 538 Dutch melanoma patients is independent of Breslow thickness, histologic type and tumor site. Annals of Oncology, 2008, 19, 583-589. | 1.2 | 129 |
| 34 | Trends of cutaneous squamous cell carcinoma in the Netherlands: Increased incidence rates, but stable relative survival and mortality 1989–2008. European Journal of Cancer, 2012, 48, 2046-2053. | 2.8 | 127 |
| 35 | Trends in Basal Cell Carcinoma Incidence Rates: A 37-Year Dutch Observational Study. Journal of Investigative Dermatology, 2013, 133, 913-918. | 0.7 | 124 |
| 36 | A systematic review of health-related quality of life in cutaneous melanoma. Annals of Oncology, 2009, 20, vi51-vi58. | 1.2 | 121 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Lymphomatoid Papulosis in Children. Archives of Dermatology, 2004, 140, 306-12. | 1.4 | 117 |
| 38 | Incidence, Prevalence and Future Trends of Primary Basal Cell Carcinoma in the Netherlands. Acta Dermato-Venereologica, 2011, 91, 24-30. | 1.3 | 117 |
| 39 | A Genome-Wide Association Study Identifies the Skin Color Genes IRF4, MC1R, ASIP, and BNC2 Influencing Facial Pigmented Spots. Journal of Investigative Dermatology, 2015, 135, 1735-1742. | 0.7 | 117 |
| 40 | Lipoedema: from clinical presentation to therapy. A review of the literature. British Journal of Dermatology, 2009, 161, 980-986. | 1.5 | 110 |
| 41 | Nationwide Incidence of Metastatic Cutaneous Squamous Cell Carcinoma in England. JAMA Dermatology, 2019, 155, 298. | 4.1 | 110 |
| 42 | Trends of cutaneous melanoma in The Netherlands: increasing incidence rates among all Breslow thickness categories and rising mortality rates since 1989. Annals of Oncology, 2012, 23, 524-530. | 1.2 | 109 |
| 43 | The global state of psoriasis disease epidemiology: a workshop report. British Journal of Dermatology, 2017, 177, e4-e7. | 1.5 | 109 |
| 44 | Testing and Reducing Skindex-29 Using Rasch Analysis: Skindex-17. Journal of Investigative Dermatology, 2006, 126, 1244-1250. | 0.7 | 108 |
| 45 | Risk of subsequent cutaneous malignancy in patients with prior keratinocyte carcinoma: A systematic review and meta-analysis. European Journal of Cancer, 2013, 49, 2365-2375. | 2.8 | 108 |
| 46 | Quality of life evaluation in epidermolysis bullosa (EB) through the development of the QOLEB questionnaire: an EB-specific quality of life instrument. British Journal of Dermatology, 2009, 161, 1323-1330. | 1.5 | 106 |
| 47 | Epidemiology of basal and cutaneous squamous cell carcinoma in the U.K. 2013–15: a cohort study. British Journal of Dermatology, 2019, 181, 474-482. | 1.5 | 106 |
| 48 | Incidence and Trends of Cutaneous Malignancies in the Netherlands, 1989–2005. Journal of Investigative Dermatology, 2010, 130, 1807-1812. | 0.7 | 104 |
| 49 | Psoriasis Is Not Associated with Atherosclerosis and Incident Cardiovascular Events: The Rotterdam Study. Journal of Investigative Dermatology, 2013, 133, 2347-2354. | 0.7 | 102 |
| 50 | Traditional systemic treatments have not fully met the needs of psoriasis patients: Results from a national survey. Journal of the American Academy of Dermatology, 2005, 52, 434-444. | 1.2 | 100 |
| 51 | Increased risk of infectious disease requiring hospitalization among patients with psoriasis: AÂpopulation-based cohort. Journal of the American Academy of Dermatology, 2011, 65, 1135-1144. | 1.2 | 100 |
| 52 | Technical Review of Endovenous Laser Therapy for Varicose Veins. European Journal of Vascular and Endovascular Surgery, 2008, 35, 88-95. | 1.5 | 93 |
| 53 | Complexity of the Association Between Psoriasis and Comorbidities. Journal of Investigative Dermatology, 2009, 129, 1601-1603. | 0.7 | 93 |
| 54 | <i>MC1R</i> variants increased the risk of sporadic cutaneous melanoma in darkerâ€pigmented <scp>C</scp> aucasians: A pooledâ€analysis from the Mâ€SKIP project. International Journal of Cancer, 2015, 136, 618-631. | 5.1 | 92 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Editor's Choice – Five Year Results of Great Saphenous Vein Treatment: A Meta-analysis. European Journal of Vascular and Endovascular Surgery, 2017, 54, 760-770. | 1.5 | 92 |
| 56 | Comprehensive candidate gene study highlights UGT1A and BNC2 as new genes determining continuous skin color variation in Europeans. Human Genetics, 2013, 132, 147-158. | 3.8 | 86 |
| 57 | Genome-wide association meta-analysis of individuals of European ancestry identifies new loci explaining a substantial fraction of hair color variation and heritability. Nature Genetics, 2018, 50, 652-656. | 21.4 | 86 |
| 58 | Risk Factors for Single and Multiple Basal Cell Carcinomas. Archives of Dermatology, 2010, 146, 848-55. | 1.4 | 81 |
| 59 | Cross-Cultural Inequivalence of Dermatology-Specific Health-Related Quality of Life Instruments in Psoriasis Patients. Journal of Investigative Dermatology, 2007, 127, 2315-2322. | 0.7 | 80 |
| 60 | Minimally invasive techniques in the treatment of saphenous varicose veins. Journal of the American Academy of Dermatology, 2009, 60, 110-119. | 1.2 | 80 |
| 61 | Genome-wide association study in 176,678 Europeans reveals genetic loci for tanning response to sun exposure. Nature Communications, 2018, 9, 1684. | 12.8 | 80 |
| 62 | Clinical and histopathological characterization of paradoxical head and neck erythema in patients with atopic dermatitis treated with dupilumab: a case series. British Journal of Dermatology, 2020, 183, 745-749. | 1.5 | 76 |
| 63 | Cyclooxygenase-2 expression and angiogenesis in squamous cell carcinoma of the skin and its precursors: a paired immunohistochemical study of 35 cases. British Journal of Dermatology, 2004, 151, 837-845. | 1.5 | 73 |
| 64 | Estrogens, oral contraceptives and hormonal replacement therapy increase the incidence of cutaneous melanoma: a population-based case–control study. Annals of Oncology, 2009, 20, 358-364. | 1.2 | 73 |
| 65 | Dermatology Life Quality Index: Time to Move Forward. Journal of Investigative Dermatology, 2012, 132, 11-13. | 0.7 | 72 |
| 66 | Proof-of-principle study of steam ablation as novel thermal therapy for saphenous varicose veins. Journal of Vascular Surgery, 2011, 53, 181-186. | 1.1 | 70 |
| 67 | Development of a Quality-of-Life Instrument for Autoimmune Bullous Disease. JAMA Dermatology, 2013, 149, 1186. | 4.1 | 70 |
| 68 | Measurement of healthâ€related quality of life in dermatological research and practice: outcome of the <scp>EADV</scp> Taskforce on Quality of Life. Journal of the European Academy of Dermatology and Venereology, 2013, 27, 1195-1203. | 2.4 | 67 |
| 69 | Recurrence rates of cutaneous squamous cell carcinoma of the head and neck after Mohs micrographic surgery vs. standard excision: a retrospective cohort study. British Journal of Dermatology, 2019, 181, 338-343. | 1.5 | 67 |
| 70 | Effectiveness of dupilumab treatment in 95 patients with atopic dermatitis: daily practice data. British Journal of Dermatology, 2020, 182, 418-426. | 1.5 | 65 |
| 71 | Intrinsic and Extrinsic Risk Factors for Sagging Eyelids. JAMA Dermatology, 2014, 150, 836. | 4.1 | 64 |
| 72 | Risk of subsequent cutaneous malignancy in patients with prior melanoma: a systematic review and metaâ€analysis. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 1053-1062. | 2.4 | 64 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The MC1R Gene and Youthful Looks. Current Biology, 2016, 26, 1213-1220. | 3.9 | 64 |
| 74 | Categorization of Skindex-29 Scores Using Mixture Analysis. Dermatology, 2009, 218, 151-154. | 2.1 | 63 |
| 75 | Long-Term Use of Nonsteroidal Anti-inflammatory Drugs Decreases the Risk of Cutaneous Melanoma: Results of a United States Case–Control Study. Journal of Investigative Dermatology, 2011, 131, 1460-1468. | 0.7 | 62 |
| 76 | Members of the National Psoriasis Foundation. Archives of Dermatology, 2005, 141, 19-26. | 1.4 | 61 |
| 77 | Impact of Melanoma on Patients' Lives Among 562 Survivors. Archives of Dermatology, 2011, 147, 177. | 1.4 | 61 |
| 78 | Prevalence and Phenotype of Concurrent Psoriasis and Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2017, 23, 1783-1789. | 1.9 | 59 |
| 79 | Carbonized blood deposited on fibres during 810, 940 and 1,470Ânm endovenous laser ablation: thickness and absorption by optical coherence tomography. Lasers in Medical Science, 2010, 25, 439-447. | 2.1 | 58 |
| 80 | Hidradenitis suppurativa (HS) is associated with low socioeconomic status (SES): A cross-sectional reference study. Journal of the American Academy of Dermatology, 2016, 75, 755-759.e1. | 1.2 | 56 |
| 81 | Accuracy of a smartphone application for triage of skin lesions based on machine learning algorithms. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 648-655. | 2.4 | 56 |
| 82 | The development and validation of the Treatment of Autoimmune Bullous Disease Quality of Life questionnaire, a tool to measure the quality of life impacts of treatments used in patients with autoimmune blistering disease. British Journal of Dermatology, 2013, 169, 1000-1006. | 1.5 | 54 |
| 83 | Prevalence and determinants of seborrhoeic dermatitis in a middleâ€aged and elderly population: the Rotterdam Study. British Journal of Dermatology, 2018, 178, 148-153. | 1.5 | 54 |
| 84 | Reactive oxygen species and melanoma: an explanation for gender differences in survival?. Pigment Cell and Melanoma Research, 2010, 23, 352-364. | 3.3 | 53 |
| 85 | Recent Highlights in Psoriasis Research. Journal of Investigative Dermatology, 2017, 137, 550-556. | 0.7 | 53 |
| 86 | High-ceiling diuretics are associated with an increased risk of basal cell carcinoma in a population-based follow-up study. European Journal of Cancer, 2010, 46, 2467-2472. | 2.8 | 52 |
| 87 | Prevalence of most common skin diseases in Europe: a populationâ€based study. Journal of the European Academy of Dermatology and Venereology, 2022, 36, 1088-1096. | 2.4 | 52 |
| 88 | \hat{l}^2 -Blocker use and all-cause mortality of melanoma patients: Results from a population-based Dutch cohort study. European Journal of Cancer, 2013, 49, 3863-3871. | 2.8 | 49 |
| 89 | Predictors of Recanalization of the Great Saphenous Vein in Randomized Controlled Trials 1 Year After Endovenous Thermal Ablation. European Journal of Vascular and Endovascular Surgery, 2016, 52, 234-241. | 1.5 | 48 |
| 90 | Cumulative risks and rates of subsequent basal cell carcinomas in the Netherlands. British Journal of Dermatology, 2011, 165, 874-881. | 1.5 | 47 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Epidemiology of Lentigo Maligna andÂLentigo Maligna Melanoma in theÂNetherlands, 1989–2013. Journal of Investigative Dermatology, 2016, 136, 1955-1960. | 0.7 | 47 |
| 92 | Up-to-date survival estimates and historical trends of cutaneous malignant melanoma in the south-east of The Netherlands. Annals of Oncology, 2007, 18, 1110-1116. | 1.2 | 46 |
| 93 | Increase in basal cell carcinoma incidence steepest in individuals with high socioeconomic status: results of a cancer registry study in the Netherlands. British Journal of Dermatology, 2009, 161, 840-845. | 1.5 | 46 |
| 94 | Incidence of Multiple vs First Cutaneous Squamous Cell Carcinoma on a Nationwide Scale and Estimation of Future Incidences of Cutaneous Squamous Cell Carcinoma. JAMA Dermatology, 2020, 156, 1300. | 4.1 | 44 |
| 95 | Peroxisome proliferator-activated receptors in squamous cell carcinoma and its precursors. Journal of Cutaneous Pathology, 2005, 32, 340-347. | 1.3 | 43 |
| 96 | Heat conduction from the exceedingly hot fiber tip contributes to the endovenous laser ablation of varicose veins. Lasers in Medical Science, 2009, 24, 247-251. | 2.1 | 43 |
| 97 | Non-Steroidal Anti-Inflammatory Drugs and Melanoma Risk: Large Dutch Population-Based Case–Control Study. Journal of Investigative Dermatology, 2009, 129, 2620-2627. | 0.7 | 43 |
| 98 | MC1R gene variants and non-melanoma skin cancer: a pooled-analysis from the M-SKIP project. British Journal of Cancer, 2015, 113, 354-363. | 6.4 | 43 |
| 99 | Impact of Psoriasis on Health-Related Quality of Life Decreases Over Time: An 11-Year Prospective Study. Journal of Investigative Dermatology, 2006, 126, 1480-1489. | 0.7 | 41 |
| 100 | The heat-pipe resembling action of boiling bubbles in endovenous laser ablation. Lasers in Medical Science, 2010, 25, 907-909. | 2.1 | 40 |
| 101 | A prospective randomized controlled trial comparing infliximab and etanercept in patients with moderate-to-severe chronic plaque-type psoriasis: the Psoriasis Infliximab vs. Etanercept Comparison Evaluation (PIECE) study. British Journal of Dermatology, 2017, 176, 624-633. | 1.5 | 40 |
| 102 | Improving clinical diagnosis of early-stage cutaneous melanoma based on Raman spectroscopy. British Journal of Cancer, 2018, 119, 1339-1346. | 6.4 | 40 |
| 103 | Cigarette smoking and acne in adolescents: results from a cross-sectional study. Journal of the European Academy of Dermatology and Venereology, 2007, 21, 326-333. | 2.4 | 39 |
| 104 | Randomized clinical trial of endovenous laser ablation <i>versus</i> steam ablation (LAST trial) for great saphenous varicose veins. British Journal of Surgery, 2014, 101, 1077-1083. | 0.3 | 39 |
| 105 | Is statin use associated with a reduced incidence, a reduced Breslow thickness or delayed metastasis of melanoma of the skin?. European Journal of Cancer, 2007, 43, 2580-2589. | 2.8 | 38 |
| 106 | Personality is associated with health status and impact of cancer among melanoma survivors. European Journal of Cancer, 2010, 46, 573-580. | 2.8 | 37 |
| 107 | Risk of second primary <i>in situ</i> and invasive melanoma in a Dutch populationâ€based cohort: 1989–2008. British Journal of Dermatology, 2012, 167, 1321-1330. | 1.5 | 37 |
| 108 | Socio-economic implications of cancer survivorship: Results from the PROFILES registry. European Journal of Cancer, 2012, 48, 2037-2042. | 2.8 | 36 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 109 | Increasing time trends of thin melanomas in The Netherlands: What are the explanations of recent accelerations?. European Journal of Cancer, 2015, 51, 2833-2841. | 2.8 | 36 |
| 110 | IRF4, MC1R and TYR genes are risk factors for actinic keratosis independent of skin color. Human Molecular Genetics, 2015, 24, 3296-3303. | 2.9 | 36 |
| 111 | Predicting the Risk of a Second Basal Cell Carcinoma. Journal of Investigative Dermatology, 2015, 135, 2649-2656. | 0.7 | 36 |
| 112 | Genome-wide association study in almost $195,000$ individuals identifies 50 previously unidentified genetic loci for eye color. Science Advances, $2021,7,$ | 10.3 | 36 |
| 113 | Comorbidities in Dermatology. Dermatologic Clinics, 2009, 27, 137-147. | 1.7 | 35 |
| 114 | Needs and preferences of patients regarding basal cell carcinoma and cutaneous squamous cell carcinoma care: a qualitative focus group study. British Journal of Dermatology, 2019, 180, 122-129. | 1.5 | 35 |
| 115 | NNT mediates redox-dependent pigmentation via a UVB- and MITF-independent mechanism. Cell, 2021, 184, 4268-4283.e20. | 28.9 | 35 |
| 116 | Development of Smartphone Apps for Skin Cancer Risk Assessment: Progress and Promise. JMIR Dermatology, 2019, 2, e13376. | 0.7 | 35 |
| 117 | Chronic pruritic neutrophilic eccrine hidradenitis in a patient with Behcet's disease. British Journal of Dermatology, 2002, 147, 797-800. | 1.5 | 34 |
| 118 | The Psychometric Properties of the Psoriasis Disability Index in United States Patients. Journal of Investigative Dermatology, 2005, 125, 665-672. | 0.7 | 34 |
| 119 | Dimensionality of the Dermatology Life Quality Index (DLQI): A Commentary. Acta Dermato-Venereologica, 2006, 86, 284-285. | 1.3 | 34 |
| 120 | Validation of the Chronic Venous Insufficiency Quality of Life Questionnaire in Dutch Patients Treated for Varicose Veins. European Journal of Vascular and Endovascular Surgery, 2011, 42, 246-253. | 1.5 | 34 |
| 121 | A Genome-Wide Association Study of Cutaneous Squamous Cell Carcinoma among European Descendants. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 714-720. | 2.5 | 34 |
| 122 | Commonly Used Endovenous Laser Ablation (EVLA) Parameters Do Not Influence Efficacy: Results of a Systematic Review and Meta-Analysis. European Journal of Vascular and Endovascular Surgery, 2019, 58, 230-242. | 1.5 | 34 |
| 123 | The effect of single phlebectomies of a large varicose tributary on great saphenous vein reflux. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2014, 2, 179-187. | 1.6 | 33 |
| 124 | Prevalence and determinants for xerosis cutis in the middle-aged and elderly population: A cross-sectional study. Journal of the American Academy of Dermatology, 2019, 81, 963-969.e2. | 1.2 | 33 |
| 125 | LONG TERM USE OF SILVER CONTAINING NOSE-DROPS RESULTING IN SYSTEMIC ARGYRIA. Acta Clinica Belgica, 2005, 60, 33-35. | 1.2 | 32 |
| 126 | Epidemiology of Extracutaneous Melanoma in the Netherlands. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1453-1459. | 2.5 | 32 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Cumulative incidence and disease-specific survival of metastatic cutaneous squamous cell carcinoma: A nationwide cancer registry study. Journal of the American Academy of Dermatology, 2022, 86, 331-338. | 1.2 | 32 |
| 128 | Acne is prevalent but use of its treatments is infrequent among adolescents from the general population. Journal of the European Academy of Dermatology and Venereology, 2007, 21, 163-8. | 2.4 | 31 |
| 129 | Clinical Severity of Psoriasis in Last 20 Years of PUVA Study. Archives of Dermatology, 2007, 143, 1113-21. | 1.4 | 30 |
| 130 | Epigenetics and Inflammatory Markers: A Systematic Review of the Current Evidence. International Journal of Inflammation, 2019, 2019, 1-14. | 1.5 | 30 |
| 131 | Genome-wide meta-analysis identifies eight new susceptibility loci for cutaneous squamous cell carcinoma. Nature Communications, 2020, 11, 820. | 12.8 | 30 |
| 132 | Mohs micrographic surgery for basal cell carcinomas: appropriateness of  Rotterdam' criteria and predictive factors for three or more stages. Journal of the European Academy of Dermatology and Venereology, 2013, 27, 1228-1235. | 2.4 | 29 |
| 133 | Association of BRCA2 K3326* With Small Cell Lung Cancer and Squamous Cell Cancer of the Skin. Journal of the National Cancer Institute, 2018, 110, 967-974. | 6.3 | 29 |
| 134 | A population-based study on associations of stool microbiota with atopic diseases in school-age children. Journal of Allergy and Clinical Immunology, 2021, 148, 612-620. | 2.9 | 29 |
| 135 | Polidocanol Concentration and Time Affect the Properties of Foam Used for Sclerotherapy. Dermatologic Surgery, 2011, 37, 1448-1455. | 0.8 | 28 |
| 136 | Optical-thermal mathematical model for endovenous laser ablation of varicose veins. Lasers in Medical Science, 2014, 29, 431-439. | 2.1 | 28 |
| 137 | Management Strategies for Patients with Varicose Veins (C2–C6): Results of a Worldwide Survey. European Journal of Vascular and Endovascular Surgery, 2015, 49, 213-220. | 1.5 | 28 |
| 138 | Psoriasis May Not Be an Independent Predictor for the Use of Cardiovascular and Anti-diabetic Drugs: A 5-year Prevalence Study. Acta Dermato-Venereologica, 2009, 89, 476-483. | 1.3 | 27 |
| 139 | Endovenous Simulated Laser Experiments at 940Ânm and 1470Ânm Suggest Wavelength-Independent Temperature Profiles. European Journal of Vascular and Endovascular Surgery, 2012, 44, 77-81. | 1.5 | 27 |
| 140 | Lifestyle and Physiological Factors Associated with Facial Wrinkling in MenÂand Women. Journal of Investigative Dermatology, 2017, 137, 1692-1699. | 0.7 | 27 |
| 141 | Psoriasis is not associated with cognition, brain imaging markers, and risk for dementia: The Rotterdam Study. Journal of the American Academy of Dermatology, 2021, 85, 671-680. | 1.2 | 27 |
| 142 | Association between Diet and Seborrheic Dermatitis: A Cross-Sectional Study. Journal of Investigative Dermatology, 2019, 139, 108-114. | 0.7 | 27 |
| 143 | Treatment of incompetent perforating veins using the radiofrequency ablation stylet: a pilot study. Phlebology, 2009, 24, 208-212. | 1.2 | 26 |
| 144 | Increased risk of lateâ€onset, immuneâ€mediated, adverse reactions related to dermal fillers in patients bearing <scp>HLAâ€B</scp> *08 and <scp>DRB1</scp> *03 haplotypes. Dermatologic Therapy, 2021, 34, e14644. | 1.7 | 26 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Validation of a clinicopathological and gene expression profile model for sentinel lymph node metastasis in primary cutaneous melanoma*. British Journal of Dermatology, 2021, 184, 944-951. | 1.5 | 26 |
| 146 | Statin use and its effect on allâ€cause mortality of melanoma patients: a populationâ€based Dutch cohort study. Cancer Medicine, 2014, 3, 1284-1293. | 2.8 | 25 |
| 147 | Burden of disease caused by keratinocyte cancer has increased in The Netherlands since 1989. Journal of the American Academy of Dermatology, 2014, 71, 896-903. | 1.2 | 25 |
| 148 | Vascular Variant of Keratosis Lichenoides Chronica Associated with Hypothyroidism and Response to Tacalcitol and Acitretin. Acta Dermato-Venereologica, 2002, 82, 128-130. | 1.3 | 24 |
| 149 | Refinement and reduction of the Impact of Psoriasis Questionnaire: Classical Test Theory vs. Rasch analysis. British Journal of Dermatology, 2006, 154, 692-700. | 1.5 | 24 |
| 150 | Decreased prevalence of atopic features in patients with psoriatic arthritis, but not in psoriasis vulgaris. Journal of the American Academy of Dermatology, 2013, 68, 270-277. | 1.2 | 24 |
| 151 | Exposure to phototoxic NSAIDs and quinolones is associated with an increased risk of melanoma. European Journal of Clinical Pharmacology, 2013, 69, 1437-1444. | 1.9 | 24 |
| 152 | The association between dietary and skin advanced glycation end products: the Rotterdam Study. American Journal of Clinical Nutrition, 2020, 112, 129-137. | 4.7 | 24 |
| 153 | Melanoma survivors are dissatisfied with perceived information about their diagnosis, treatment and follow-up care. British Journal of Dermatology, 2010, 163, 879-881. | 1.5 | 23 |
| 154 | Duplication of the Great Saphenous Vein: A Definition Problem and Implications for Therapy. Dermatologic Surgery, 2012, 38, 77-82. | 0.8 | 23 |
| 155 | Burden of disease due to cutaneous melanoma has increased in the Netherlands since 1991. British Journal of Dermatology, 2013, 169, 389-397. | 1.5 | 23 |
| 156 | Validation of image analysis techniques to measure skin aging features from facial photographs. Skin Research and Technology, 2015, 21, 392-402. | 1.6 | 23 |
| 157 | Mohs micrographic surgery of rare cutaneous tumours. Journal of the European Academy of Dermatology and Venereology, 2017, 31, 1285-1288. | 2.4 | 23 |
| 158 | The association of autoimmune thyroid disease (AITD) with psoriatic disease: a prospective cohort study, systematic review and meta-analysis. European Journal of Endocrinology, 2017, 177, 347-359. | 3.7 | 23 |
| 159 | Topical Corticosteroids and the Risk of Diabetes Mellitus. Drug Safety, 2009, 32, 527-537. | 3.2 | 22 |
| 160 | Assessment of Cutaneous Squamous Cell Carcinoma (cSCC) In situ Incidence and the Risk of Developing Invasive cSCC in Patients With Prior cSCC In situ vs the General Population in the Netherlands, 1989-2017. JAMA Dermatology, 2020, 156, 973. | 4.1 | 22 |
| 161 | Case-control study to identify melanoma risk factors in the Belgian population: the significance of clinical examination. Journal of the European Academy of Dermatology and Venereology, 2005, 19, 332-339. | 2.4 | 21 |
| 162 | Knowledge, attitudes and use of the guidelines for the treatment of moderate to severe plaque psoriasis among Dutch dermatologists. British Journal of Dermatology, 2008, 159, ???-???. | 1.5 | 21 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Changes in the pressure and the dynamic stiffness index of medical elastic compression stockings after having been worn for eight hours: a pilot study. Phlebology, 2009, 24, 31-37. | 1.2 | 21 |
| 164 | Melanoma incidence and exposure to angiotensin-converting enzyme inhibitors and angiotensin receptor blockers. Cancer Epidemiology, 2009, 33, 391-395. | 1.9 | 21 |
| 165 | Conditional survival of malignant melanoma in The Netherlands: 1994–2008. European Journal of Cancer, 2014, 50, 602-610. | 2.8 | 21 |
| 166 | Melanoma patients receive more followâ€up care than current guideline recommendations: a study of 546 patients from the general Dutch population. Journal of the European Academy of Dermatology and Venereology, 2012, 26, 1389-1395. | 2.4 | 20 |
| 167 | Incident cancer risk after the start of aspirin use: Results from a Dutch populationâ€based cohort study of low dose aspirin users. International Journal of Cancer, 2014, 135, 157-165. | 5.1 | 20 |
| 168 | Sex Differences in Melanoma Survival are Not Related to Mitotic Rate of the Primary Tumor. Annals of Surgical Oncology, 2015, 22, 1598-1603. | 1.5 | 20 |
| 169 | Frequency of nonâ€histologically diagnosed basal cell carcinomas in daily Dutch practice. Journal of the European Academy of Dermatology and Venereology, 2013, 27, 907-911. | 2.4 | 19 |
| 170 | Increased Antidepressant Drug Exposure in Psoriasis Patients: A Longitudinal Population-based Cohort Study. Acta Dermato-Venereologica, 2013, 93, 544-550. | 1.3 | 19 |
| 171 | Long-Term Risk of Skin Cancer Among Childhood Cancer Survivors: A DCOG-LATER Cohort Study. Journal of the National Cancer Institute, 2019, 111, 845-853. | 6.3 | 19 |
| 172 | A Comparative Study on the Efficacy of Treatment with 585 nm Pulsed Dye Laser and Ultraviolet B-TL01 in Plaque Type Psoriasis. Dermatologic Surgery, 2009, 35, 80-91. | 0.8 | 18 |
| 173 | Multivariable Analysis. Journal of Investigative Dermatology, 2014, 134, 1-5. | 0.7 | 18 |
| 174 | Alcohol Intake is Associated with Increased Risk of Squamous Cell Carcinoma of the Skin: Three US Prospective Cohort Studies. Nutrition and Cancer, 2016, 68, 545-553. | 2.0 | 18 |
| 175 | Enhanced liver fibrosis test in patients with psoriasis, psoriatic arthritis and rheumatoid arthritis: a cross-sectional comparison with procollagen-3 N-terminal peptide (P3NP). British Journal of Dermatology, 2017, 176, 1599-1606. | 1.5 | 18 |
| 176 | Risks of different skin tumour combinations after a first melanoma, squamous cell carcinoma and basal cell carcinoma in Dutch populationâ€based cohorts: 1989–2009. Journal of the European Academy of Dermatology and Venereology, 2018, 32, 382-389. | 2.4 | 18 |
| 177 | Insight into the management of actinic keratosis: a qualitative interview study among general practitioners and dermatologists. British Journal of Dermatology, 2019, 181, 96-104. | 1.5 | 18 |
| 178 | Most associations of earlyâ€ife environmental exposures and genetic risk factors poorly differentiate between eczema phenotypes: the Generation R Study. British Journal of Dermatology, 2019, 181, 1190-1197. | 1.5 | 18 |
| 179 | A healthy diet in women is associated with less facial wrinkles in a large Dutch population-based cohort. Journal of the American Academy of Dermatology, 2019, 80, 1358-1363.e2. | 1.2 | 18 |
| 180 | Validation of a Market-Approved Artificial Intelligence Mobile Health App for Skin Cancer Screening: A Prospective Multicenter Diagnostic Accuracy Study. Dermatology, 2022, 238, 649-656. | 2.1 | 18 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Psocare: Italy Shows the Way in Postmarketing Studies. Dermatology, 2008, 217, 362-364. | 2.1 | 17 |
| 182 | Prevalence of Psoriatic Arthritis in Primary Care Patients With Psoriasis. Arthritis and Rheumatology, 2016, 68, 924-931. | 5.6 | 17 |
| 183 | The Genetics of Seborrheic Dermatitis: AÂCandidate Gene Approach and Pilot Genome-Wide Association Study. Journal of Investigative Dermatology, 2018, 138, 991-993. | 0.7 | 17 |
| 184 | Genome-Wide Association Studies Identify MultipleÂGenetic Loci Influencing Eyebrow ColorÂVariation in Europeans. Journal of Investigative Dermatology, 2019, 139, 1601-1605. | 0.7 | 17 |
| 185 | Healthcare utilization and management of actinic keratosis in primary and secondary care: a complementary database analysis. British Journal of Dermatology, 2019, 181, 544-553. | 1.5 | 17 |
| 186 | Limited impact of <scp>COVID</scp> â€19â€related diagnostic delay on cutaneous melanoma and squamous cell carcinoma tumour characteristics: a nationwide pathology registry analysis. British Journal of Dermatology, 2022, 187, 196-202. | 1.5 | 17 |
| 187 | Vitamin Dâ€binding protein polymorphisms are not associated with development of (multiple) basal cell carcinomas. Experimental Dermatology, 2010, 19, 1103-1105. | 2.9 | 16 |
| 188 | Determinants for Quantitative Sensory Testing and the Association with Chronic Musculoskeletal Pain in the General Elderly Population. Pain Practice, 2016, 16, 831-841. | 1.9 | 16 |
| 189 | Predicting keratinocyte carcinoma in patients with actinic keratosis: development and internal validation of a multivariable riskâ€prediction model. British Journal of Dermatology, 2020, 183, 495-502. | 1.5 | 16 |
| 190 | Views on mobile health apps for skin cancer screening in the general population: an inâ€depth qualitative exploration of perceived barriers and facilitators*. British Journal of Dermatology, 2021, 185, 961-969. | 1.5 | 16 |
| 191 | The impact of the COVIDâ€19 pandemic on keratinocyte carcinoma in the Netherlands: Trends in diagnoses and magnitude of diagnostic delays. Journal of the European Academy of Dermatology and Venereology, 2022, 36, 680-687. | 2.4 | 16 |
| 192 | The Misperception That Clinical Trial Data Reflect Long-term Drug Safety. Archives of Dermatology, 2009, 145, 1037-9. | 1.4 | 15 |
| 193 | Dietary diversity and poverty as risk factors for leprosy in Indonesia: A case-control study. PLoS Neglected Tropical Diseases, 2018, 12, e0006317. | 3.0 | 15 |
| 194 | Does use of estrogens decrease the Breslow thickness of melanoma of the skin? Oral contraceptives and hormonal replacement therapy. Melanoma Research, 2009, 19, 327-332. | 1.2 | 14 |
| 195 | How Epidemiology Has Contributed to a Better Understanding of Skin Disease. Journal of Investigative Dermatology, 2012, 132, 994-1002. | 0.7 | 14 |
| 196 | Postural Diameter Change of the Saphenous Trunk in Chronic Venous Disease. European Journal of Vascular and Endovascular Surgery, 2016, 51, 831-837. | 1.5 | 14 |
| 197 | Serum 25-hydroxyvitamin D3 is associated with advanced glycation end products (AGEs) measured as skin autofluorescence: The Rotterdam Study. European Journal of Epidemiology, 2019, 34, 67-77. | 5.7 | 14 |
| 198 | The association between atopic disorders and keloids: A case-control study. Indian Journal of Dermatology, 2015, 60, 635. | 0.3 | 14 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Validation of four cutaneous squamous cell carcinoma staging systems using nationwide data*. British Journal of Dermatology, 2022, 186, 835-842. | 1.5 | 14 |
| 200 | Experiences of resuming life after immunotherapy and associated survivorship care needs: a qualitative study among patients with metastatic melanoma. British Journal of Dermatology, 2022, 187, 381-391. | 1.5 | 14 |
| 201 | Lansoprazole-induced Subacute Cutaneous Lupus Erythematosus: Two Cases. Acta Dermato-Venereologica, 2005, -1, 1-1. | 1.3 | 13 |
| 202 | STROBE. Archives of Dermatology, 2008, 144, 1200-4. | 1.4 | 13 |
| 203 | Patient Perception of Imiquimod Treatment for Actinic Keratosis and Superficial Basal Cell Carcinoma in 202 Patients. Dermatology, 2015, 231, 56-62. | 2.1 | 13 |
| 204 | Atopic Dermatitis and Comorbidities: Added Value of Comprehensive Dermatoepidemiology. Journal of Investigative Dermatology, 2017, 137, 1009-1011. | 0.7 | 13 |
| 205 | The prevalence of honorary authorship in the dermatological literature. British Journal of Dermatology, 2018, 178, 1464-1465. | 1.5 | 13 |
| 206 | A descriptive study of psoriasis characteristics, severity and impact among 3,269Âpatients: results of a Belgian cross sectional study (BELPSO). European Journal of Dermatology, 2012, 22, 231-237. | 0.6 | 12 |
| 207 | Comparing survival of patients with single or multiple primary melanoma in the Netherlands: 1994–2009. British Journal of Dermatology, 2017, 176, 531-533. | 1.5 | 12 |
| 208 | Development and Validation of the Basal and Squamous Cell Carcinoma Quality of Life (BaSQoL) Questionnaire. Acta Dermato-Venereologica, 2018, 98, 234-239. | 1.3 | 12 |
| 209 | Substitution of low-risk skin cancer hospital care towards primary care: A qualitative study on views of general practitioners and dermatologists. PLoS ONE, 2019, 14, e0213595. | 2.5 | 12 |
| 210 | Clinical integration of fast Raman spectroscopy for Mohs micrographic surgery of basal cell carcinoma. Biomedical Optics Express, 2021, 12, 2015. | 2.9 | 12 |
| 211 | Composition of cutaneous bacterial microbiome in seborrheic dermatitis patients: A cross-sectional study. PLoS ONE, 2021, 16, e0251136. | 2.5 | 12 |
| 212 | Primary Melanoma Characteristics of Metastatic Disease: A Nationwide Cancer Registry Study. Cancers, 2021, 13, 4431. | 3.7 | 12 |
| 213 | Allergenic food introduction and risk of childhood atopic diseases. PLoS ONE, 2017, 12, e0187999. | 2.5 | 12 |
| 214 | Population education in preventing skin cancer: from childhood to adulthood. Journal of Drugs in Dermatology, 2010, 9, 112-6. | 0.8 | 12 |
| 215 | Thalidomide-Induced Morbilliform Rash: Diagnosis and Continuation of Therapy, Premedicated with Methylprednisolone. Dermatology, 2002, 204, 365-367. | 2.1 | 11 |
| 216 | A patient with xeroderma pigmentosum treated with imiquimod 5% cream. Journal of the American Academy of Dermatology, 2005, 52, 170-171. | 1.2 | 11 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Atopic dermatitis is not associated with actinic keratosis: crossâ€sectional results from the Rotterdam study. British Journal of Dermatology, 2016, 175, 89-94. | 1.5 | 11 |
| 218 | Natural moisturizing factor as a clinical marker in atopic dermatitis. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 188-190. | 5.7 | 11 |
| 219 | Evaluation of the reimbursement criteria for biological therapies for psoriasis in the Netherlands. British Journal of Dermatology, 2008, 158, 1159-1161. | 1.5 | 10 |
| 220 | Patient Advocacy Groups: Let's Stick Together. Journal of Investigative Dermatology, 2010, 130, 1757-1759. | 0.7 | 10 |
| 221 | Temperature measurements for dose-finding in steam ablation. Journal of Vascular Surgery, 2011, 53, 1454-1456. | 1.1 | 10 |
| 222 | Topical Psoralen Plus UV-A Therapy for Tyrosine Kinase Inhibitor–Induced Hand-Foot Syndrome. Archives of Dermatology, 2012, 148, 546. | 1.4 | 10 |
| 223 | Pigmentation-Independent Susceptibility Loci for Actinic Keratosis Highlighted by Compound Heterozygosity Analysis. Journal of Investigative Dermatology, 2017, 137, 77-84. | 0.7 | 10 |
| 224 | Genome-Wide Association Studies of Multiple Keratinocyte Cancers. PLoS ONE, 2017, 12, e0169873. | 2.5 | 10 |
| 225 | Numbers on injectable treatments in the Netherlands in 2016. Journal of the European Academy of Dermatology and Venereology, 2018, 32, e328-e330. | 2.4 | 10 |
| 226 | Towards an individualized management strategy for patients with chronic venous disease: Results of a Delphi consensus. Phlebology, 2018, 33, 492-499. | 1.2 | 10 |
| 227 | Epidemiology and determinants of facial telangiectasia: a crossâ€sectional study. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 821-826. | 2.4 | 10 |
| 228 | COVIDâ€19 in patients with cutaneous immuneâ€mediated diseases in The Netherlands: realâ€world observational data. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e173-e176. | 2.4 | 10 |
| 229 | Mobile health skin cancer risk assessment campaign using artificial intelligence on a populationâ€wide scale: a retrospective cohort analysis. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e772-e774. | 2.4 | 10 |
| 230 | A nationwide study of the incidence and trends of first and multiple basal cell carcinomas in the Netherlands and prediction of future incidence*. British Journal of Dermatology, 2022, 186, 476-484. | 1.5 | 10 |
| 231 | Risk factors for metastatic cutaneous squamous cell carcinoma: Refinement and replication based on 2 nationwide nested case-control studies. Journal of the American Academy of Dermatology, 2022, 87, 64-71. | 1.2 | 10 |
| 232 | Polymorphic light eruption may be associated with cigarette smoking and alcohol consumption. Photodermatology Photoimmunology and Photomedicine, 2006, 22, 87-92. | 1.5 | 9 |
| 233 | Dermatologists' Views and Opinions about Photo(chemo)therapy and Conventional Systemic Psoriasis Therapies: Results from a Belgian Survey. Dermatology, 2006, 213, 123-133. | 2.1 | 9 |
| 234 | Laser fibre stabs the catheter: a serious complication of endovenous laser ablation. Phlebology, 2011, 26, 119-120. | 1.2 | 9 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Going beyond Associative Studies of Psoriasis and Cardiovascular Disease. Journal of Investigative Dermatology, 2012, 132, 499-501. | 0.7 | 9 |
| 236 | Isolated limb perfusion for unresectable extremity cutaneous squamous cell carcinoma; an effective limb saving strategy. British Journal of Cancer, 2018, 119, 429-434. | 6.4 | 9 |
| 237 | Opportunities for improving the efficiency of keratinocyte carcinoma care in primary and specialist care: Results from population-based Dutch cohort studies. European Journal of Cancer, 2019, 117, 32-40. | 2.8 | 9 |
| 238 | Eczema phenotypes and risk of allergic and respiratory conditions in school age children. Clinical and Translational Allergy, 2020, 10, 7. | 3.2 | 9 |
| 239 | Identifying the best predictive diagnostic criteria for psoriasis in children (< 18 years): a UK multicentre case–control diagnostic accuracy study (DIPSOC study)*. British Journal of Dermatology, 2022, 186, 341-351. | 1.5 | 9 |
| 240 | Using a Clinicopathologic and Gene Expression (CP-GEP) Model to Identify Stage I–II Melanoma Patients at Risk of Disease Relapse. Cancers, 2022, 14, 2854. | 3.7 | 9 |
| 241 | Perceived skin colour seems a swift, valid and reliable measurement. British Journal of Dermatology, 2015, 173, 1084-1086. | 1.5 | 8 |
| 242 | Facial Wrinkles in Europeans: AÂGenome-Wide Association Study. Journal of Investigative Dermatology, 2018, 138, 1877-1880. | 0.7 | 8 |
| 243 | Factors influencing current lowâ€value followâ€up care after basal cell carcinoma and suggested strategies for deâ€adoption: a qualitative study. British Journal of Dermatology, 2019, 180, 1420-1429. | 1.5 | 8 |
| 244 | Principal component analysis of seven skinâ€ageing features identifies three main types of skin ageing. British Journal of Dermatology, 2020, 182, 1379-1387. | 1.5 | 8 |
| 245 | Effects of dupilumab treatment on patch test reactions: A retrospective evaluation. Clinical and Experimental Allergy, 2021, 51, 959-967. | 2.9 | 8 |
| 246 | Insuring Rapid and Robust Safety Assessment. Journal of Investigative Dermatology, 2004, 122, 857-858. | 0.7 | 7 |
| 247 | Adalimumab may be better or no worse than methotrexate in the treatment of psoriasis. British Journal of Dermatology, 2008, 159, 257-258. | 1.5 | 7 |
| 248 | "Validation―of Outcome Measures in Dermatology. Journal of Investigative Dermatology, 2013, 133, 1-4. | 0.7 | 7 |
| 249 | Common Variants Affecting Susceptibility to Develop Multiple Basal Cell Carcinomas. Journal of Investigative Dermatology, 2015, 135, 2135-2138. | 0.7 | 7 |
| 250 | Dermatological screening of a middle-aged and elderly population: the Rotterdam Study. British Journal of Dermatology, 2017, 177, e98-e100. | 1.5 | 7 |
| 251 | No Causal Association between 25-Hydroxyvitamin D and Features of Skin Aging: Evidence from a Bidirectional Mendelian Randomization Study. Journal of Investigative Dermatology, 2017, 137, 2291-2297. | 0.7 | 7 |
| 252 | Associations of eczema phenotypes with emotional and behavioural problems from birth until school age. The Generation R Study. British Journal of Dermatology, 2020, 183, 311-320. | 1.5 | 7 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Assessment of the Diagnostic Accuracy of Baseline Clinical Examination and Ultrasonographic Imaging for the Detection of Lymph Node Metastasis in Patients With High-risk Cutaneous Squamous Cell Carcinoma of the Head and Neck. JAMA Dermatology, 2022, 158, 151. | 4.1 | 7 |
| 254 | Increased overall drug utilization in patients with psoriasis: a case-control study based on Dutch general practitioner data. British Journal of Dermatology, 2017, 176, 634-642. | 1.5 | 6 |
| 255 | Practice Variation in Skin Cancer Treatment and Follow-Up Care: A Dutch Claims Database Analysis. Dermatology, 2021, 237, 1000-1006. | 2.1 | 6 |
| 256 | Needs and preferences of patients regarding atopic dermatitis care in the era of new therapeutic options: a qualitative study. Archives of Dermatological Research, 2023, 315, 75-83. | 1.9 | 6 |
| 257 | Occurrence of metachronous basal cell carcinomas: a prognostic model. British Journal of Dermatology, 2017, 177, 1113-1121. | 1.5 | 5 |
| 258 | A variant of the castor zinc finger 1 (CASZ1) gene is differentially associated with the clinical classification of chronic venous disease. Scientific Reports, 2019, 9, 14011. | 3.3 | 5 |
| 259 | Nonâ€genetic and genetic predictors of a superficial first basal cell carcinoma. Journal of the European Academy of Dermatology and Venereology, 2019, 33, 533-540. | 2.4 | 5 |
| 260 | Interaction between filaggrin mutations and neonatal cat exposure in atopic dermatitis. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 1481-1485. | 5.7 | 5 |
| 261 | Dupilumab treatment in patients with atopic dermatitis: a comparative cohort study between the Netherlands and Japan shows a discrepancy in patientâ€reported outcome measures. British Journal of Dermatology, 2021, 185, 555-562. | 1.5 | 5 |
| 262 | Moving heat source in a confined channel: Heat transfer and boiling in endovenous laser ablation of varicose veins. International Journal of Heat and Mass Transfer, 2017, 113, 153-165. | 4.8 | 4 |
| 263 | Satisfaction with Information Provision and Health-related Quality of Life in Basal and Squamous Cell Carcinoma Patients: A Cross-sectional Population-based Study. Acta Dermato-Venereologica, 2019, 99, 933-934. | 1.3 | 4 |
| 264 | Increased Th22 cell numbers in a general pediatric population with filaggrin haploinsufficiency: The Generation R Study. Pediatric Allergy and Immunology, 2021, 32, 1360-1368. | 2.6 | 4 |
| 265 | Efficacy, cost-minimization, and budget impact of a personalized discharge letter for basal cell carcinoma patients to reduce low-value follow-up care. PLoS ONE, 2022, 17, e0260978. | 2.5 | 4 |
| 266 | Systemic therapy does not usually clear psoriasis, but treatment success does not require clearing. Journal of the American Academy of Dermatology, 2005, 52, 140-141. | 1.2 | 3 |
| 267 | The Reduced Impact of Psoriasis Questionnaire Has Good Psychometric Properties in Italian Patients. Dermatology, 2007, 215, 348-351. | 2.1 | 3 |
| 268 | Level of Agreement With the British Guidelines for the Use of Biological Therapies for Psoriasis. Archives of Dermatology, 2007, 143, 1567-9. | 1.4 | 3 |
| 269 | Question the Obvious. Archives of Dermatology, 2007, 143, 1429-32. | 1.4 | 3 |
| 270 | Trends in the risks of melanoma as a second primary cancer among cancer patients in the Netherlands, 1989–2008. Melanoma Research, 2013, 23, 206-212. | 1.2 | 3 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 271 | A costly revolution for a subgroup of patients with metastatic melanoma. British Journal of Dermatology, 2013, 168, 467-470. | 1.5 | 3 |
| 272 | How we started performing endovenous thermal ablation procedures: a personal history. Lasers in Medical Science, 2014, 29, 383-385. | 2.1 | 3 |
| 273 | Competing Risk of Death in Kaplan-Meier Curves When Analyzing Subsequent Keratinocyte Cancer. JAMA Dermatology, 2016, 152, 493. | 4.1 | 3 |
| 274 | Treatment and frequency of followâ€up of <scp>BCC</scp> patients in the Netherlands. Journal of the European Academy of Dermatology and Venereology, 2018, 32, e351-e354. | 2.4 | 3 |
| 275 | Commentary on â€ [^] Photodynamic therapy versus topical imiquimod versus topical fluorouracil for treatment of superficial basal-cell carcinoma: a single blind, non-inferiority, randomised controlled trial'. British Journal of Dermatology, 2015, 172, 12-12. | 1.5 | 2 |
| 276 | Protocol for a case–control diagnostic accuracy study to develop diagnostic criteria for psoriasis in children (DIPSOC study): a multicentre study recruiting in UK paediatric dermatology clinics. BMJ Open, 2019, 9, e028689. | 1.9 | 2 |
| 277 | Survival is excellent for most patients with thin melanoma, but patients may die from thin melanoma. British Journal of Dermatology, 2021, 184, 4-4. | 1.5 | 2 |
| 278 | Genetics of facial telangiectasia in the Rotterdam Study: a genomeâ€wide association study and candidate gene approach. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 749-754. | 2.4 | 2 |
| 279 | Association between nasal and nasopharyngeal bacterial colonization in early life and eczema phenotypes. Clinical and Experimental Allergy, 2021, 51, 716-725. | 2.9 | 2 |
| 280 | Serum Interleukin 6 Level and Nutrition Status as Potential Predictors of Clinical Leprosy Development Among Household Contacts in Endemic Areas. Open Forum Infectious Diseases, 2022, 9, ofac010. | 0.9 | 2 |
| 281 | Survival in cancer patients hospitalized for psoriasis: a commentary. British Journal of Dermatology, 2011, 165, 1-2. | 1.5 | 1 |
| 282 | Smoking, a Dangerous Habit for the Skin. Archives of Dermatology, 2012, 148, 946. | 1.4 | 1 |
| 283 | Dermatoepidemiology; what's up people?. British Journal of Dermatology, 2015, 173, 881-883. | 1.5 | 1 |
| 284 | Commentary on: "A genomeâ€wide association study in Caucasian women suggests the involvement of <i><scp>HLA</scp></i> genes in the severity of facial solar lentigines†by Laville etÂal., 2016. Pigment Cell and Melanoma Research, 2017, 30, 72-73. | 3.3 | 1 |
| 285 | Histological diagnosis of basal cell carcinoma is not associated with life expectancy in elderly Dutch people: a population-based cohort study. British Journal of Dermatology, 2017, 177, e88-e89. | 1.5 | 1 |
| 286 | The four Ws of skin cancer surveillance in patients with melanoma: Why? Who? When? Where?. British Journal of Dermatology, 2017, 176, 839-841. | 1.5 | 1 |
| 287 | Keratinocyte skin cancers in the spotlight. British Journal of Dermatology, 2017, 177, 334-335. | 1.5 | 1 |
| 288 | Big data in small diseases: the case of necrotizing soft-tissue infections. British Journal of Dermatology, 2017, 177, 1468-1469. | 1.5 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Galli–Galli disease successfully treated with alitretinoin. Journal of the European Academy of Dermatology and Venereology, 2019, 33, e232-e233. | 2.4 | 1 |
| 290 | What do patients and dermatologists prefer regarding low-risk basal cell carcinoma follow-up care? A discrete choice experiment. PLoS ONE, 2021, 16, e0249298. | 2.5 | 1 |
| 291 | Genetic Susceptibility to Dry Skin in a General Middle-Aged to Elderly Population: A GWAS. Journal of Investigative Dermatology, 2021, 141, 2077-2079.e5. | 0.7 | 1 |
| 292 | A patient with xeroderma pigmentosum treated with imiqimod 5% cream. Journal of the American Academy of Dermatology, 2004, 50, P126. | 1.2 | 0 |
| 293 | PSN13 REFINEMENT AND REDUCTION OF THE IMPACT OF PSORIASIS QUESTIONNAIRE: CLASSICAL TEST THEORY VS RASCH ANALYSIS. Value in Health, 2005, 8, A146-A147. | 0.3 | 0 |
| 294 | P2-161 Increased melanoma risk among melanoma patients. Journal of Epidemiology and Community Health, 2011, 65, A265-A265. | 3.7 | 0 |
| 295 | P2-159 Can the increased incidence of melanoma be explained solely by enhanced surveillance and awareness? A study using second melanoma as an indicator. Journal of Epidemiology and Community Health, 2011, 65, A264-A265. | 3.7 | 0 |
| 296 | Letter: Comment on Letter to the Editor. Dermatologic Surgery, 2012, 38, 1413-1414. | 0.8 | 0 |
| 297 | Screening for second primary melanomas: is it efficient? Reply from authors. British Journal of Dermatology, 2013, 168, 1135-1135. | 1.5 | 0 |
| 298 | Cohort Studies (and Skin Cancer) Never Come Alone. Journal of Investigative Dermatology, 2015, 135, 649-651. | 0.7 | 0 |
| 299 | Actinic keratosis in China: big numbers and small percentages. British Journal of Dermatology, 2016, 174, 954-954. | 1.5 | 0 |
| 300 | Report from the first European Dermato-Epidemiology Network forum. British Journal of Dermatology, 2017, 177, e168-e171. | 1.5 | 0 |
| 301 | Outcome assessment in dermatology: a tree in need of pruning. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 276-277. | 2.4 | 0 |
| 302 | Considerations in association studies in dermatoepidemiology. British Journal of Dermatology, 2021, 185, 1-2. | 1.5 | 0 |
| 303 | Process evaluation of a multicentre randomised clinical trial of substituting surgical excisions of low-risk basal cell carcinomas from secondary to primary care. BMJ Open, 2022, 12, e047745. | 1.9 | 0 |