

# Thomas Forkmann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2366805/publications.pdf>

Version: 2024-02-01

92  
papers

2,337  
citations

201674

27  
h-index

276875

41  
g-index

107  
all docs

107  
docs citations

107  
times ranked

2808  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Assessment of depression severity with the PHQ-9 in cancer patients and in the general population. <i>BMC Psychiatry</i> , 2016, 16, 22.  | 2.6 | 153       |
| 2  | The clinical global impression scale and the influence of patient or staff perspective on outcome. <i>BMC Psychiatry</i> , 2011, 11, 83.  | 2.6 | 104       |
| 3  | Making sense of what you sense: Disentangling interoceptive awareness, sensibility and accuracy. <i>International Journal of Psychophysiology</i> , 2016, 109, 71-80.   | 1.0 | 93        |
| 4  | Positive mental health moderates the association between depression and suicide ideation: A longitudinal study. <i>International Journal of Clinical and Health Psychology</i> , 2018, 18, 1-7.   | 5.1 | 78        |
| 5  | Investigating the Dynamics of Suicidal Ideation. <i>Crisis</i> , 2018, 39, 65-69.   | 1.2 | 73        |
| 6  | Assessing suicidality in real time: A psychometric evaluation of self-report items for the assessment of suicidal ideation and its proximal risk factors using ecological momentary assessments.. <i>Journal of Abnormal Psychology</i> , 2018, 127, 758-769. | 1.9 | 72        |
| 7  | Resilience to suicide ideation: A cross-cultural test of the buffering hypothesis. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, e1-e9.  | 2.7 | 66        |
| 8  | Development and validation of the Rasch-based depression screening (DESC) using Rasch analysis and structural equation modelling. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2009, 40, 468-478.   | 1.2 | 62        |
| 9  | Effects of mindfulness-based cognitive therapy on self-reported suicidal ideation: results from a randomised controlled trial in patients with residual depressive symptoms. <i>Comprehensive Psychiatry</i> , 2014, 55, 1883-1890.                           | 3.1 | 61        |
| 10 | Development of an item bank for the assessment of depression in persons with mental illnesses and physical diseases using Rasch analysis.. <i>Rehabilitation Psychology</i> , 2009, 54, 186-197.  | 1.3 | 57        |
| 11 | Prevalence of Suicidal Ideation and Related Risk Factors in the German General Population. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 401-405.   | 1.0 | 55        |
| 12 | Dimensional assessment of depressive severity in the elderly general population: Psychometric evaluation of the PHQ-9 using Rasch Analysis. <i>Journal of Affective Disorders</i> , 2013, 148, 323-330.   | 4.1 | 53        |
| 13 | Remission of suicidal thoughts: Findings from a longitudinal epidemiological study. <i>Journal of Affective Disorders</i> , 2016, 190, 723-725.   | 4.1 | 46        |
| 14 | The Relation of Cognitive Reappraisal and Expressive Suppression to Suicidal Ideation and Suicidal Desire. <i>Suicide and Life-Threatening Behavior</i> , 2014, 44, 524-536.  | 1.9 | 44        |
| 15 | Validation of the Rasch-based Depression Screening in a large scale German general population sample. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 105.  | 2.4 | 41        |
| 16 | Effects of Alcohol Cue Exposure on Response Inhibition in Detoxified Alcohol-Dependent Patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 1584-1589.   | 2.4 | 41        |
| 17 | Positive mental health moderates the association between suicide ideation and suicide attempts. <i>Journal of Affective Disorders</i> , 2019, 245, 246-249.   | 4.1 | 41        |
| 18 | (In)stability of Capability for Suicide in Psychiatric Inpatients: Longitudinal Assessment Using Ecological Momentary Assessments. <i>Suicide and Life-Threatening Behavior</i> , 2019, 49, 1560-1572.  | 1.9 | 38        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Modelling suicide ideation from beep to beep: Application of network analysis to ecological momentary assessment data. <i>Internet Interventions</i> , 2019, 18, 100292.   | 2.7 | 38        |
| 20 | The association of depression and multimorbidity in the elderly: implications for the assessment of depression. <i>Psychogeriatrics</i> , 2011, 11, 227-234.   | 1.2 | 37        |
| 21 | A mediation model of mindfulness and decentering: sequential psychological constructs or one and the same?. <i>BMC Psychology</i> , 2014, 2, 18.   | 2.1 | 37        |
| 22 | Rumination, Entrapment and Suicide Ideation: A Mediational Model. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 226-234.  | 2.7 | 34        |
| 23 | Defeat and entrapment: more than meets the eye? Applying network analysis to estimate dimensions of highly correlated constructs. <i>BMC Medical Research Methodology</i> , 2018, 18, 16.  | 3.1 | 34        |
| 24 | Do suicide attempters and suicide ideators differ in capability for suicide?. <i>Psychiatry Research</i> , 2019, 275, 304-309.   | 3.3 | 34        |
| 25 | Evaluation of the "Consultation and Relational Empathy" (CARE) measure by means of Rasch-analysis at the example of cancer patients. <i>Patient Education and Counseling</i> , 2011, 82, 298-306.  | 2.2 | 31        |
| 26 | Resting vagal tone is negatively associated with suicide ideation. <i>Journal of Affective Disorders</i> , 2016, 194, 30-32.   | 4.1 | 31        |
| 27 | The association of trait impulsivity and suicidal ideation and its fluctuation in the context of the Interpersonal Theory of Suicide. <i>Comprehensive Psychiatry</i> , 2020, 98, 152158.  | 3.1 | 31        |
| 28 | The Effects of Mindfulness-Based Cognitive Therapy and Cognitive Behavioral Analysis System of Psychotherapy added to Treatment as Usual on suicidal ideation in chronic depression: Results of a randomized-clinical trial. <i>Journal of Affective Disorders</i> , 2016, 200, 51-57. | 4.1 | 30        |
| 29 | Does cognitive behavior therapy alter emotion regulation in inpatients with a depressive disorder?. <i>Psychology Research and Behavior Management</i> , 2014, 7, 147.   | 2.8 | 29        |
| 30 | The Relationship Between Interoception and Metacognition. <i>Journal of Psychophysiology</i> , 2016, 30, 76-86.  | 0.7 | 28        |
| 31 | Influence of cue exposure on inhibitory control and brain activation in patients with alcohol dependence. <i>Frontiers in Human Neuroscience</i> , 2012, 6, 92.  | 2.0 | 26        |
| 32 | Entrapment, perceived burdensomeness and thwarted belongingness as predictors of suicide ideation. <i>Psychiatry Research</i> , 2017, 257, 84-86.  | 3.3 | 25        |
| 33 | Adaptive screening for depression "Recalibration of an item bank for the assessment of depression in persons with mental and somatic diseases and evaluation in a simulated computer-adaptive test environment. <i>Journal of Psychosomatic Research</i> , 2013, 75, 437-443.          | 2.6 | 23        |
| 34 | High frequency heart rate variability: Evidence for a transdiagnostic association with suicide ideation. <i>Biological Psychology</i> , 2018, 138, 165-171.  | 2.2 | 23        |
| 35 | Interpersonal theory of suicide: prospective examination. <i>BJPsych Open</i> , 2020, 6, e113.   | 0.7 | 22        |
| 36 | Do Feelings of Defeat and Entrapment Change over Time? An Investigation of the Integrated Motivational-Volitional Model of Suicidal Behaviour Using Ecological Momentary Assessments. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4685.       | 2.6 | 21        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Diagnostik von Suizidalität. , 2016, , .  |     | 20        |
| 38 | Measuring decentering in self-reports: Psychometric properties of the Experiences Questionnaire in a German sample. <i>Psychotherapy Research</i> , 2014, 24, 67-79.  | 1.8 | 19        |
| 39 | Child abuse and suicidality in the context of the Interpersonal Psychological Theory of Suicide: A network analysis. <i>British Journal of Clinical Psychology</i> , 2021, 60, 425-442.   | 3.5 | 19        |
| 40 | Sensitivity and specificity of the Beck Depression Inventory in cardiologic inpatients: How useful is the conventional cut-off score?. <i>Journal of Psychosomatic Research</i> , 2009, 67, 347-352.  | 2.6 | 18        |
| 41 | The German version of the Painful and Provocative Events Scale: A psychometric investigation. <i>Psychiatry Research</i> , 2015, 226, 264-272.  | 3.3 | 18        |
| 42 | Sense it and use it: interoceptive accuracy and sensibility in suicide ideators. <i>BMC Psychiatry</i> , 2019, 19, 334.   | 2.6 | 18        |
| 43 | Poor Sleep Quality is Associated with Depressive Symptoms in Patients with Heart Disease. <i>International Journal of Behavioral Medicine</i> , 2012, 19, 526-534.  | 1.7 | 17        |
| 44 | Exploring the relationship of decentering to health related concepts and cognitive and metacognitive processes in a student sample. <i>BMC Psychology</i> , 2016, 4, 11.  | 2.1 | 16        |
| 45 | Brief reasons for living inventory: a psychometric investigation. <i>BMC Psychiatry</i> , 2017, 17, 358.  | 2.6 | 16        |
| 46 | Neural correlates of positive and negative performance feedback in younger and older adults. <i>Behavioral and Brain Functions</i> , 2015, 11, 17.  | 3.3 | 15        |
| 47 | Short defeat and entrapment scale: A psychometric investigation in three German samples. <i>Comprehensive Psychiatry</i> , 2020, 98, 152160.  | 3.1 | 15        |
| 48 | Defeat, entrapment, and suicidal ideation: Twelve-month trajectories. <i>Suicide and Life-Threatening Behavior</i> , 2022, 52, 69-82.   | 1.9 | 15        |
| 49 | The negative affect repair questionnaire: factor analysis and psychometric evaluation in three samples. <i>BMC Psychiatry</i> , 2013, 13, 16.   | 2.6 | 14        |
| 50 | Investigating dynamics and predictors of suicidal behaviors using ambulatory assessment. <i>Neuropsychiatry</i> , 2015, 29, 139-143.  | 2.5 | 14        |
| 51 | A Prospective Examination of Perceived Burdensomeness and Thwarted Belongingness As Risk Factors for Suicide Ideation In Adult Outpatients Receiving Cognitive-Behavioral Therapy. <i>Journal of Clinical Psychology</i> , 2017, 73, 1393-1402. | 1.9 | 14        |
| 52 | Perceived burdensomeness and suicide ideation in adult outpatients receiving exposure therapy for anxiety disorders. <i>Behaviour Research and Therapy</i> , 2016, 85, 1-5.   | 3.1 | 13        |
| 53 | From decision to action: Suicidal history and time between decision to die and actual suicide attempt. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 1427-1434.  | 2.7 | 13        |
| 54 | Frequency vs. intensity: which should be used as anchors for self-report instruments?. <i>Health and Quality of Life Outcomes</i> , 2012, 10, 107.  | 2.4 | 12        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Differences in Patient Health Questionnaire and Aachen Depression Item Bank scores between tablet versus paper-and-pencil administration. <i>Quality of Life Research</i> , 2015, 24, 3023-3032.                         | 3.1 | 12        |
| 56 | Metacognitive monitoring of attention performance and its influencing factors. <i>Psychological Research</i> , 2014, 78, 597-607.  | 1.7 | 11        |
| 57 | Ambivalent heroism? – Psychological burden and suicidal ideation among nurses during the Covid-19 pandemic. <i>Nursing Open</i> , 2022, 9, 785-800.  | 2.4 | 11        |
| 58 | The second exteroceptive suppression is affected by psychophysiological factors. <i>Journal of Psychosomatic Research</i> , 2009, 66, 521-529.   | 2.6 | 10        |
| 59 | Psychometric Evaluation of the Rasch-Based Depression Screening in Patients With Neurologic Disorders. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 1188-1193.                                    | 0.9 | 10        |
| 60 | Development and validation of parallel short forms PaSA-cardio for the assessment of general anxiety in cardiovascular rehabilitation patients using Rasch analysis. <i>Clinical Rehabilitation</i> , 2017, 31, 104-114. | 2.2 | 10        |
| 61 | Emotion suppression, not reappraisal, predicts psychotherapy outcome. <i>Psychotherapy Research</i> , 2017, 27, 143-153.   | 1.8 | 10        |
| 62 | Testing the main prediction of the Interpersonal Theory of Suicide in a representative sample of the German general population. <i>Journal of Affective Disorders</i> , 2017, 211, 150-152.                              | 4.1 | 10        |
| 63 | Testing the Four Main Predictions of the Interpersonal Psychological Theory of Suicidal Behavior in an Inpatient Sample Admitted Due to Severe Suicidality. <i>Behavior Therapy</i> , 2021, 52, 626-638.                 | 2.4 | 10        |
| 64 | Predicting suicidal behavior by implicit associations with death? Examination of the death IAT in two inpatient samples of differing suicide risk.. <i>Psychological Assessment</i> , 2021, 33, 287-299.                 | 1.5 | 10        |
| 65 | Is the relationship between child abuse and suicide attempts mediated by nonsuicidal self-harm and pain tolerance?. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 189-199.                                    | 2.7 | 9         |
| 66 | Sleep disturbances predict active suicidal ideation the next day: an ecological momentary assessment study. <i>BMC Psychiatry</i> , 2022, 22, 65.  | 2.6 | 9         |
| 67 | Cross-sectional validation of the Rasch-based Depression Screening (DESC) in a mixed sample of patients with mental and somatic diseases. <i>Comprehensive Psychiatry</i> , 2013, 54, 1082-1089.                         | 3.1 | 8         |
| 68 | Religious beliefs buffer the impact of depression on suicide ideation. <i>Psychiatry Research</i> , 2017, 257, 276-278.  | 3.3 | 8         |
| 69 | Learning by heart – the relationship between resting vagal tone and metacognitive judgments: a pilot study. <i>Cognitive Processing</i> , 2018, 19, 557-561.   | 1.4 | 8         |
| 70 | Prevalence and psychopathological characteristics of depression in consecutive otorhinolaryngologic inpatients. <i>BMC Ear, Nose and Throat Disorders</i> , 2011, 11, 7.   | 2.6 | 7         |
| 71 | Risikoabschätzung bei suizidalen Patienten: Geht das überhaupt?. <i>Verhaltenstherapie</i> , 2019, 29, 80-84.  | 0.4 | 7         |
| 72 | Calibration of an item bank in 474 orthopedic patients using Rasch analysis for computer-adaptive assessment of anxiety. <i>Clinical Rehabilitation</i> , 2019, 33, 1468-1478.   | 2.2 | 6         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Psychometric properties of the German version of the suicide cognitions scale in two clinical samples. <i>Psychiatry Research</i> , 2019, 274, 254-262.  | 3.3 | 6         |
| 74 | Pain persistence and lethality of suicide attempts. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 542-547.  | 2.7 | 6         |
| 75 | Predicting suicidal ideation in a longitudinal high-risk sample: Multilevel analyses and 12-month trajectories. <i>Journal of Clinical Psychology</i> , 2021, 77, 2353-2369.   | 1.9 | 6         |
| 76 | Listen to Your Heart – Ecological Momentary Assessment of Interoceptive Accuracy, Awareness and Sensibility: A Pilot Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4893.   | 2.6 | 5         |
| 77 | How Is the Presence of Company Related to Thwarted Belongingness in Real Time? Taking a Closer Look at the Conceptualization of the Construct of the Interpersonal Theory of Suicide. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4873. | 2.6 | 4         |
| 78 | Psychometric evaluation of the Interpersonal Needs Questionnaire (INQ) using item analysis according to the Rasch model. <i>PLoS ONE</i> , 2020, 15, e0232030.   | 2.5 | 4         |
| 79 | The role of the 5-HTTLPR polymorphism in acquired capability for suicide. <i>Suicide and Life-Threatening Behavior</i> , 2020, 50, 1121-1126.  | 1.9 | 3         |
| 80 | Perseverative Thinking about Suicide Questionnaire (PTSQ): Validation of a new measure to assess suicide-specific rumination. <i>Comprehensive Psychiatry</i> , 2022, 112, 152287.   | 3.1 | 3         |
| 81 | Association of real-time assessed mood, affect and suicidal ideation in psychiatric inpatients with unipolar depression. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 1580-1586.   | 2.7 | 3         |
| 82 | The Mereology of Depression – Networks of Depressive Symptoms during the Course of Psychotherapy. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 7131.   | 2.6 | 3         |
| 83 | Development of Rasch-based short screenings for the assessment of treatment motivation in patients with cardiovascular diseases. <i>Disability and Rehabilitation</i> , 2020, 42, 2519-2529.   | 1.8 | 2         |
| 84 | Validation of the German capability for suicide questionnaire (GCSQ) in a high-risk sample of suicidal inpatients. <i>BMC Psychiatry</i> , 2020, 20, 412.  | 2.6 | 2         |
| 85 | Brief Self-Report Measure of Agitation: A Psychometric Investigation in a German Sample. <i>Journal of Personality Assessment</i> , 2021, , 1-24.  | 2.1 | 2         |
| 86 | Suicidal behaviour in the social environment: Does exposure moderate the relationship between an individual's own suicidal ideation and behaviour?. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 1309-1320.  | 2.7 | 2         |
| 87 | Metacognitive judgements and abilities in patients with affective disorders. <i>Current Psychology</i> , 0, , 1.   | 2.8 | 2         |
| 88 | Animal experiments in biomedical research: Knowledge, self-evaluation and attitudes of biology and medical students. <i>Laboratory Animals</i> , 2022, 56, 455-465.  | 1.0 | 2         |
| 89 | Frequency vs. intensity: Framing effects on patients' use of verbal rating scale anchors. <i>Comprehensive Psychiatry</i> , 2014, 55, 1928-1936.   | 3.1 | 1         |
| 90 | Mindfulness-Based Cognitive Therapy for Patients with Suicidal Ideation and Behavior. , 2016, , 193-201.   |     | 1         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 91 | Does Clinical Experience or Professional Training Have an Impact On What Symptoms Are Thought To Be Important Features of Depression?. International Journal of Social Psychiatry, 2011, 57, 312-321. | 3.1 | 0         |
| 92 | Die deutsche Version der Interpersonal Hopelessness Scale (IHS). Verhaltenstherapie, 2022, 32, 45-54.   | 0.4 | 0         |