## Thomas Forkmann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2366805/publications.pdf

Version: 2024-02-01

92 papers 2,337 citations

27 h-index

201674

276875 41 g-index

107 all docs

107 docs citations

107 times ranked

2808 citing authors

#	Article	IF	Citations
1	Defeat, entrapment, and suicidal ideation: Twelveâ€month trajectories. Suicide and Life-Threatening Behavior, 2022, 52, 69-82.	1.9	15
2	Perseverative Thinking about Suicide Questionnaire (PTSQ): Validation of a new measure to assess suicide-specific rumination. Comprehensive Psychiatry, 2022, 112, 152287.	3.1	3
3	Ambivalent heroism? – Psychological burden and suicidal ideation among nurses during the Covidâ€19 pandemic. Nursing Open, 2022, 9, 785-800.	2.4	11
4	Suicidal behaviour in the social environment: Does exposure moderate the relationship between an individual's own suicidal ideation and behaviour?. Clinical Psychology and Psychotherapy, 2022, 29, 1309-1320.	2.7	2
5	Sleep disturbances predict active suicidal ideation the next day: an ecological momentary assessment study. BMC Psychiatry, 2022, 22, 65.	2.6	9
6	Animal experiments in biomedical research: Knowledge, self-evaluation and attitudes of biology and medical students. Laboratory Animals, 2022, 56, 455-465.	1.0	2
7	Die deutsche Version der Interpersonal Hopelessness Scale (IHS). Verhaltenstherapie, 2022, 32, 45-54.	0.4	O
8	Association of realâ€time assessed mood, affect and suicidal ideation in psychiatric inpatients with unipolar depression. Clinical Psychology and Psychotherapy, 2022, 29, 1580-1586.	2.7	3
9	The Mereology of Depression—Networks of Depressive Symptoms during the Course of Psychotherapy. International Journal of Environmental Research and Public Health, 2022, 19, 7131.	2.6	3
10	Testing the Four Main Predictions of the Interpersonal–Psychological Theory of Suicidal Behavior in an Inpatient Sample Admitted Due to Severe Suicidality. Behavior Therapy, 2021, 52, 626-638.	2.4	10
11	Is the relationship between child abuse and suicide attempts mediated by nonsuicidal selfâ€injury and pain tolerance?. Clinical Psychology and Psychotherapy, 2021, 28, 189-199.	2.7	9
12	From decision to action: Suicidal history and time between decision to die and actual suicide attempt. Clinical Psychology and Psychotherapy, 2021, 28, 1427-1434.	2.7	13
13	Predicting suicidal behavior by implicit associations with death? Examination of the death IAT in two inpatient samples of differing suicide risk Psychological Assessment, 2021, 33, 287-299.	1.5	10
14	Child abuse and suicidality in the context of the Interpersonal Psychological Theory of Suicide: A network analysis. British Journal of Clinical Psychology, 2021, 60, 425-442.	3.5	19
15	Brief Self-Report Measure of Agitation: A Psychometric Investigation in a German Sample. Journal of Personality Assessment, 2021, , 1-24.	2.1	2
16	Listen to Your Heart–Ecological Momentary Assessment of Interoceptive Accuracy, Awareness and Sensibility: A Pilot Study. International Journal of Environmental Research and Public Health, 2021, 18, 4893.	2.6	5
17	Predicting suicidal ideation in a longitudinal highâ€risk sample: Multilevel analyses and 12â€month trajectories. Journal of Clinical Psychology, 2021, 77, 2353-2369.	1.9	6
18	Development of Rasch-based short screenings for the assessment of treatment motivation in patients with cardiovascular diseases. Disability and Rehabilitation, 2020, 42, 2519-2529.	1.8	2

#	Article	IF	Citations
19	Short defeat and entrapment scale: A psychometric investigation in three German samples. Comprehensive Psychiatry, 2020, 98, 152160.	3.1	15
20	The association of trait impulsivity and suicidal ideation and its fluctuation in the context of the Interpersonal Theory of Suicide. Comprehensive Psychiatry, 2020, 98, 152158.	3.1	31
21	How Is the Presence of Company Related to Thwarted Belongingness in Real Time? Taking a Closer Look at the Conceptualization of the Construct of the Interpersonal Theory of Suicide. International Journal of Environmental Research and Public Health, 2020, 17, 4873.	2.6	4
22	Do Feelings of Defeat and Entrapment Change over Time? An Investigation of the Integrated Motivational—Volitional Model of Suicidal Behaviour Using Ecological Momentary Assessments. International Journal of Environmental Research and Public Health, 2020, 17, 4685.	2.6	21
23	The role of the 5â€HTTLPR polymorphism in acquired capability for suicide. Suicide and Life-Threatening Behavior, 2020, 50, 1121-1126.	1.9	3
24	Psychometric evaluation of the Interpersonal Needs Questionnaire (INQ) using item analysis according to the Rasch model. PLoS ONE, 2020, 15, e0232030.	2.5	4
25	Validation of the German capability for suicide questionnaire (GCSQ) in a high-risk sample of suicidal inpatients. BMC Psychiatry, 2020, 20, 412.	2.6	2
26	Interpersonal theory of suicide: prospective examination. BJPsych Open, 2020, 6, e113.	0.7	22
27	Pain persistence and lethality of suicide attempts. Clinical Psychology and Psychotherapy, 2020, 27, 542-547.	2.7	6
28	Calibration of an item bank in 474 orthopedic patients using Rasch analysis for computer-adaptive assessment of anxiety. Clinical Rehabilitation, 2019, 33, 1468-1478.	2.2	6
29	(In)stability of Capability for Suicide in Psychiatric Inpatients: Longitudinal Assessment Using Ecological Momentary Assessments. Suicide and Life-Threatening Behavior, 2019, 49, 1560-1572.	1.9	38
30	RisikoabschÃæung bei suizidalen Patienten: Geht das überhaupt?. Verhaltenstherapie, 2019, 29, 80-84.	0.4	7
31	Do suicide attempters and suicide ideators differ in capability for suicide?. Psychiatry Research, 2019, 275, 304-309.	3.3	34
32	Psychometric properties of the German version of the suicide cognitions scale in two clinical samples. Psychiatry Research, 2019, 274, 254-262.	3.3	6
33	Sense it and use it: interoceptive accuracy and sensibility in suicide ideators. BMC Psychiatry, 2019, 19, 334.	2.6	18
34	Modelling suicide ideation from beep to beep: Application of network analysis to ecological momentary assessment data. Internet Interventions, 2019, 18, 100292.	2.7	38
35	Positive mental health moderates the association between suicide ideation and suicide attempts. Journal of Affective Disorders, 2019, 245, 246-249.	4.1	41
36	Resilience to suicide ideation: A crossâ€cultural test of the buffering hypothesis. Clinical Psychology and Psychotherapy, 2018, 25, e1-e9.	2.7	66

#	Article	IF	CITATIONS
37	Positive mental health moderates the association between depression and suicide ideation: A longitudinal study. International Journal of Clinical and Health Psychology, 2018, 18, 1-7.	5.1	78
38	High frequency heart rate variability: Evidence for a transdiagnostic association with suicide ideation. Biological Psychology, 2018, 138, 165-171.	2.2	23
39	Learning by heartâ€"the relationship between resting vagal tone and metacognitive judgments: a pilot study. Cognitive Processing, 2018, 19, 557-561.	1.4	8
40	Defeat and entrapment: more than meets the eye? Applying network analysis to estimate dimensions of highly correlated constructs. BMC Medical Research Methodology, 2018, 18, 16.	3.1	34
41	Investigating the Dynamics of Suicidal Ideation. Crisis, 2018, 39, 65-69.	1.2	73
42	Assessing suicidality in real time: A psychometric evaluation of self-report items for the assessment of suicidal ideation and its proximal risk factors using ecological momentary assessments Journal of Abnormal Psychology, 2018, 127, 758-769.	1.9	72
43	Development and validation of parallel short forms PaSA-cardio for the assessment of general anxiety in cardiovascular rehabilitation patients using Rasch analysis. Clinical Rehabilitation, 2017, 31, 104-114.	2.2	10
44	Emotion suppression, not reappraisal, predicts psychotherapy outcome. Psychotherapy Research, 2017, 27, 143-153.	1.8	10
45	Rumination, Entrapment and Suicide Ideation: A Mediational Model. Clinical Psychology and Psychotherapy, 2017, 24, 226-234.	2.7	34
46	Testing the main prediction of the Interpersonal Theory of Suicide in a representative sample of the German general population. Journal of Affective Disorders, 2017, 211, 150-152.	4.1	10
47	A Prospective Examination of Perceived Burdensomeness and Thwarted Belongingness As Risk Factors for Suicide Ideation In Adult Outpatients Receiving Cognitiveâ∈Behavioral Therapy. Journal of Clinical Psychology, 2017, 73, 1393-1402.	1.9	14
48	Entrapment, perceived burdensomeness and thwarted belongingness as predictors of suicide ideation. Psychiatry Research, 2017, 257, 84-86.	3.3	25
49	Religious beliefs buffer the impact of depression on suicide ideation. Psychiatry Research, 2017, 257, 276-278.	3.3	8
50	Brief reasons for living inventory: a psychometric investigation. BMC Psychiatry, 2017, 17, 358.	2.6	16
51	The Effects of Mindfulnessâ€Based Cognitive Therapy and Cognitive Behavioral Analysis System of Psychotherapy added to Treatment as Usual on suicidal ideation in chronic depression: Results of a randomized-clinical trial. Journal of Affective Disorders, 2016, 200, 51-57.	4.1	30
52	Making sense of what you sense: Disentangling interoceptive awareness, sensibility and accuracy. International Journal of Psychophysiology, 2016, 109, 71-80.	1.0	93
53	Perceived burdensomeness and suicide ideation in adult outpatients receiving exposure therapy for anxiety disorders. Behaviour Research and Therapy, 2016, 85, 1-5.	3.1	13
54	Assessment of depression severity with the PHQ-9 in cancer patients and in the general population. BMC Psychiatry, 2016, 16, 22.	2.6	153

#	Article	IF	CITATIONS
55	Exploring the relationship of decentering to health related concepts and cognitive and metacognitive processes in a student sample. BMC Psychology, 2016, 4, 11.	2.1	16
56	Resting vagal tone is negatively associated with suicide ideation. Journal of Affective Disorders, 2016, 194, 30-32.	4.1	31
57	Remission of suicidal thoughts: Findings from a longitudinal epidemiological study. Journal of Affective Disorders, 2016, 190, 723-725.	4.1	46
58	Mindfulness-Based Cognitive Therapy for Patients with Suicidal Ideation and Behavior., 2016,, 193-201.		1
59	Diagnostik von SuizidalitÃಷ , 2016, , .		20
60	The Relationship Between Interoception and Metacognition. Journal of Psychophysiology, 2016, 30, 76-86.	0.7	28
61	The German version of the Painful and Provocative Events Scale: A psychometric investigation. Psychiatry Research, 2015, 226, 264-272.	3.3	18
62	Investigating dynamics and predictors of suicidal behaviors using ambulatory assessment. Neuropsychiatrie, 2015, 29, 139-143.	2.5	14
63	Neural correlates of positive and negative performance feedback in younger and older adults. Behavioral and Brain Functions, 2015, 11, 17.	3.3	15
64	Differences in Patient Health Questionnaire and Aachen Depression Item Bank scores between tablet versus paper-and-pencil administration. Quality of Life Research, 2015, 24, 3023-3032.	3.1	12
65	Does cognitive behavior therapy alter emotion regulation in inpatients with a depressive disorder?. Psychology Research and Behavior Management, 2014, 7, 147.	2.8	29
66	A mediation model of mindfulness and decentering: sequential psychological constructs or one and the same?. BMC Psychology, 2014, 2, 18.	2.1	37
67	The Relation of Cognitive Reappraisal and Expressive Suppression to Suicidal Ideation and Suicidal Desire. Suicide and Life-Threatening Behavior, 2014, 44, 524-536.	1.9	44
68	Frequency vs. intensity: Framing effects on patients' use of verbal rating scale anchors. Comprehensive Psychiatry, 2014, 55, 1928-1936.	3.1	1
69	Effects of mindfulness-based cognitive therapy on self-reported suicidal ideation: results from a randomised controlled trial in patients with residual depressive symptoms. Comprehensive Psychiatry, 2014, 55, 1883-1890.	3.1	61
70	Measuring decentering in self-reports: Psychometric properties of the Experiences Questionnaire in a German sample. Psychotherapy Research, 2014, 24, 67-79.	1.8	19
71	Metacognitive monitoring of attention performance and its influencing factors. Psychological Research, 2014, 78, 597-607.	1.7	11
72	The negative affect repair questionnaire: factor analysis and psychometric evaluation in three samples. BMC Psychiatry, 2013, 13, 16.	2.6	14

#	Article	IF	CITATIONS
73	Cross-sectional validation of the Rasch-based Depression Screening (DESC) in a mixed sample of patients with mental and somatic diseases. Comprehensive Psychiatry, 2013, 54, 1082-1089.	3.1	8
74	Dimensional assessment of depressive severity in the elderly general population: Psychometric evaluation of the PHQ-9 using Rasch Analysis. Journal of Affective Disorders, 2013, 148, 323-330.	4.1	53
75	Adaptive screening for depression — Recalibration of an item bank for the assessment of depression in persons with mental and somatic diseases and evaluation in a simulated computer-adaptive test environment. Journal of Psychosomatic Research, 2013, 75, 437-443.	2.6	23
76	Prevalence of Suicidal Ideation and Related Risk Factors in the German General Population. Journal of Nervous and Mental Disease, 2012, 200, 401-405.	1.0	55
77	Frequency vs. intensity: which should be used as anchors for self-report instruments?. Health and Quality of Life Outcomes, 2012, 10, 107.	2.4	12
78	Poor Sleep Quality is Associated with Depressive Symptoms in Patients with Heart Disease. International Journal of Behavioral Medicine, 2012, 19, 526-534.	1.7	17
79	Influence of cue exposure on inhibitory control and brain activation in patients with alcohol dependence. Frontiers in Human Neuroscience, 2012, 6, 92.	2.0	26
80	The association of depression and multimorbidity in the elderly: implications for the assessment of depression. Psychogeriatrics, 2011, 11, 227-234.	1.2	37
81	The clinical global impression scale and the influence of patient or staff perspective on outcome. BMC Psychiatry, 2011, 11, 83.	2.6	104
82	Prevalence and psychopathological characteristics of depression in consecutive otorhinolaryngologic inpatients. BMC Ear, Nose and Throat Disorders, 2011, 11, 7.	2.6	7
83	Evaluation of the "Consultation and Relational Empathy―(CARE) measure by means of Rasch-analysis at the example of cancer patients. Patient Education and Counseling, 2011, 82, 298-306.	2.2	31
84	Does Clinical Experience or Professional Training Have an Impact On What Symptoms Are Thought To Be Important Features of Depression?. International Journal of Social Psychiatry, 2011, 57, 312-321.	3.1	0
85	Validation of the Rasch-based Depression Screening in a large scale German general population sample. Health and Quality of Life Outcomes, 2010, 8, 105.	2.4	41
86	Effects of Alcohol Cue Exposure on Response Inhibition in Detoxified Alcoholâ€Dependent Patients. Alcoholism: Clinical and Experimental Research, 2010, 34, 1584-1589.	2.4	41
87	Psychometric Evaluation of the Rasch-Based Depression Screening in Patients With Neurologic Disorders. Archives of Physical Medicine and Rehabilitation, 2010, 91, 1188-1193.	0.9	10
88	The second exteroceptive suppression is affected by psychophysiological factors. Journal of Psychosomatic Research, 2009, 66, 521-529.	2.6	10
89	Sensitivity and specificity of the Beck Depression Inventory in cardiologic inpatients: How useful is the conventional cut-off score?. Journal of Psychosomatic Research, 2009, 67, 347-352.	2.6	18
90	Development and validation of the Rasch-based depression screening (DESC) using Rasch analysis and structural equation modelling. Journal of Behavior Therapy and Experimental Psychiatry, 2009, 40, 468-478.	1,2	62

#	Article	lF	CITATIONS
91	Development of an item bank for the assessment of depression in persons with mental illnesses and physical diseases using Rasch analysis Rehabilitation Psychology, 2009, 54, 186-197.	1.3	57
92	Metacognitive judgements and abilities in patients with affective disorders. Current Psychology, 0, , $1.$	2.8	2