

I Alex Vitkin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/237080/publications.pdf>

Version: 2024-02-01

266
papers

8,819
citations

44069

48
h-index

56724

83
g-index

274
all docs

274
docs citations

274
times ranked

5156
citing authors

#	ARTICLE	IF	CITATIONS
1	Bridging the macro to micro resolution gap with angiographic optical coherence tomography and dynamic contrast enhanced MRI. Scientific Reports, 2022, 12, 3159.	3.3	1
2	Longitudinal in-vivo quantification of tumour microvascular heterogeneity by optical coherence angiography in pre-clinical radiation therapy. Scientific Reports, 2022, 12, 6140.	3.3	7
3	Volumetric tumor delineation and assessment of its early response to radiotherapy with optical coherence tomography. Biomedical Optics Express, 2021, 12, 2952.	2.9	12
4	Toward a quantitative method for estimating tumour-stroma ratio in breast cancer using polarized light microscopy. Biomedical Optics Express, 2021, 12, 3241.	2.9	13
5	Low-coherence photonic method of electrochemical processes monitoring. Scientific Reports, 2021, 11, 12600.	3.3	3
6	Diattenuation and retardance signature of plasmonic gold nanorods in turbid media revealed by Mueller matrix polarimetry. Scientific Reports, 2021, 11, 20017.	3.3	3
7	Discriminating turbid media by scatterer size and scattering coefficient using backscattered linearly and circularly polarized light. Biomedical Optics Express, 2021, 12, 6831.	2.9	10
8	Longitudinal in-vivo quantification of tumour microvasculature heterogeneity via optical coherence tomography (OCT) angiography in a pre-clinical model of radiation therapy. , 2021, , .		0
9	Quantification of radiation-induced microvasculature changes using optical coherence tomography and dynamic contrast enhanced MRI. , 2021, , .		0
10	Peri-tumoural stroma collagen organization of invasive ductal carcinoma assessed by polarized light microscopy differs between OncotypeDX risk group. Journal of Biophotonics, 2020, 13, e202000188.	2.3	6
11	Dual-Agent Photodynamic Therapy with Optical Clearing Eradicates Pigmented Melanoma in Preclinical Tumor Models. Cancers, 2020, 12, 1956.	3.7	21
12	85: The Role of Cytokine Signaling in the Reversal of Chronic Lymphedema. Radiotherapy and Oncology, 2020, 150, S38-S39.	0.6	0
13	Novel quantitative signature of tumor stromal architecture: polarized light imaging differentiates between myxoid and sclerotic human breast cancer stroma. Biomedical Optics Express, 2020, 11, 3246.	2.9	13
14	Multimodal OCT for Malignancy Imaging. , 2020, , 425-464.		1
15	Photon mayhem: new directions in diagnostic and therapeutic photomedicine. Biomedical Engineering Letters, 2019, 9, 275-277.	4.1	3
16	A multiscale Mueller polarimetry module for a stereo zoom microscope. Biomedical Engineering Letters, 2019, 9, 339-349.	4.1	8
17	Novel methodology to image stromal tissue and assess its morphological features with polarized light: towards a tumour microenvironment prognostic signature. Biomedical Optics Express, 2019, 10, 3963.	2.9	14
18	Analysis of low-scattering regions in optical coherence tomography: applications to neurography and lymphangiography. Biomedical Optics Express, 2019, 10, 4207.	2.9	22

#	ARTICLE	IF	CITATIONS
19	Optical coherence angiography monitoring of tumor early response to PDT in experimental and clinical studies. , 2019, , .		1
20	Assessment of optical coherence tomography speckle patterns in low-scatterer-concentration regions: simulations for lymphatic vessels mapping. , 2019, , .		0
21	Impact of velocity gradient in Poiseuille flow on the statistics of coherent radiation scattered by flowing Brownian particles in optical coherence tomography. Journal of Biomedical Optics, 2019, 24, 1.	2.6	1
22	Preclinical longitudinal imaging of tumor microvascular radiobiological response with functional optical coherence tomography. Scientific Reports, 2018, 8, 38.	3.3	28
23	Kâ€distribution threeâ€dimensional mapping of biological tissues in optical coherence tomography. Journal of Biophotonics, 2018, 11, e201700055.	2.3	7
24	Pixel classification method in optical coherence tomography for tumor segmentation and its complementary usage with OCT microangiography. Journal of Biophotonics, 2018, 11, e201700072.	2.3	29
25	Monte Carlo simulation of polarizationâ€sensitive secondâ€harmonic generation and propagation in biological tissue. Journal of Biophotonics, 2018, 11, e201800036.	2.3	5
26	Cross-Polarization Optical Coherence Tomography with Active Maintenance of the Circular Polarization of a Sounding Wave in a Common Path System. Radiophysics and Quantum Electronics, 2018, 60, 897-911.	0.5	37
27	Optical coherence tomographyâ€based angiography device with realâ€time angiography Bâ€scans visualization and handâ€held probe for everyday clinical use. Journal of Biophotonics, 2018, 11, e201700292.	2.3	47
28	Preclinical quantitative in-vivo assessment of skin tissue vascularity in radiation-induced fibrosis with optical coherence tomography. Journal of Biomedical Optics, 2018, 23, 1.	2.6	9
29	Multiphoton tomography and multimodal OCT for in vivo visualization of oral malignancy in the hamster cheek pouch. , 2018, , .		1
30	Non-invasive voiding assessment in conscious mice. Bladder, 2018, 5, 33.	0.2	5
31	Optical coherence elastography assesses tissue modifications in laser reshaping of cornea and cartilages. , 2018, , .		0
32	Alternative Contrast Mechanism in Optical Coherence Tomography: Temporal Speckle Synchronization Effects. Sovremennye Tehnologii V Medicine, 2018, 10, 39.	1.1	0
33	Quantitative compressional OCE: obviating pitfalls in using pre-calibrated compliant layers and some other practical obstacles. , 2018, , .		0
34	Two-dimensional OCT-relaxography of collagenous tissues. , 2018, , .		0
35	Photodynamic therapy monitoring with optical coherence angiography. Scientific Reports, 2017, 7, 41506.	3.3	44
36	Optical coherence elastography for strain dynamics measurements in laser correction of cornea shape. Journal of Biophotonics, 2017, 10, 1450-1463.	2.3	57

#	ARTICLE	IF	CITATIONS
37	Multimodal OCT for assessment of vasculature-targeted PDT success. , 2017, , .		0
38	Multiparameter thermo-mechanical OCT-based characterization of laser-induced cornea reshaping. Proceedings of SPIE, 2017, , .	0.8	1
39	Flexible polarimetric probe for 3- Mueller matrix measurements of biological tissue. Scientific Reports, 2017, 7, 11958.	3.3	29
40	Optimized Mass Spectrometry Analysis Workflow with Polarimetric Guidance for ex vivo and in situ Sampling of Biological Tissues. Scientific Reports, 2017, 7, 468.	3.3	38
41	Manifestations of nonlinear elasticity of biological tissues in compressional optical coherence elastography. Proceedings of SPIE, 2017, , .	0.8	1
42	Multimodal OCT for complex assessment of tumors response to therapy. , 2017, , .		1
43	Quasistatic in-depth local strain relaxation/creep rate mapping using phase-sensitive optical coherence tomography. , 2017, , .		0
44	In-vivo longitudinal imaging of microvascular changes in irradiated oral mucosa of radiotherapy cancer patients using optical coherence tomography. Scientific Reports, 2017, 7, 16505.	3.3	40
45	Practical obstacles and their mitigation strategies in compressional optical coherence elastography of biological tissues. Journal of Innovative Optical Health Sciences, 2017, 10, 1742006.	1.0	60
46	Statistical properties of dynamic speckles from flowing Brownian scatterers in the vicinity of the image plane in optical coherence tomography. Biomedical Optics Express, 2017, 8, 2004.	2.9	8
47	Accurate viscosity measurements of flowing aqueous glucose solutions with suspended scatterers using a dynamic light scattering approach with optical coherence tomography. Journal of Biomedical Optics, 2017, 22, 1.	2.6	8
48	Polarization image segmentation of radiofrequency ablated porcine myocardial tissue. PLoS ONE, 2017, 12, e0175173.	2.5	23
49	Analysis of the optical delay generator for rapid depth scanning in optical coherence tomography. , 2017, , .		0
50	Analysis of scattering statistics and governing distribution functions in optical coherence tomography. Biomedical Optics Express, 2016, 7, 2551.	2.9	11
51	Multi-modal optical imaging characterization of atherosclerotic plaques. Journal of Biophotonics, 2016, 9, 1009-1020.	2.3	17
52	Robust strain mapping in optical coherence elastography by combining local phase-resolved measurements and cumulative displacement tracking. , 2016, , .		0
53	OCT-based approach to local relaxations discrimination from translational relaxation motions. Proceedings of SPIE, 2016, , .	0.8	0
54	Optimization of phase-variation measurements in low-coherence methods: implications for OCE. , 2016, , .		2

#	ARTICLE	IF	CITATIONS
55	Vessel-contrast enhancement in label-free optical coherence angiography based on phase and amplitude speckle variability. , 2016, , .		2
56	Microvascular contrast enhancement in optical coherence tomography using microbubbles. Journal of Biomedical Optics, 2016, 21, 076014.	2.6	14
57	Hybrid method of strain estimation in optical coherence elastography using combined sub-wavelength phase measurements and supra-pixel displacement tracking. Journal of Biophotonics, 2016, 9, 499-509.	2.3	48
58	Probability density function formalism for optical coherence tomography signal analysis: a controlled phantom study. Optics Letters, 2016, 41, 2727.	3.3	20
59	Optimized phase gradient measurements and phase-amplitude interplay in optical coherence elastography. Journal of Biomedical Optics, 2016, 21, 116005.	2.6	84
60	Rapid Detection of Necrosis in Breast Cancer with Desorption Electrospray Ionization Mass Spectrometry. Scientific Reports, 2016, 6, 35374.	3.3	57
61	Polarimetric assessment of healthy and radiofrequency ablated porcine myocardial tissue. Journal of Biophotonics, 2016, 9, 750-759.	2.3	25
62	Optical clearing of melanoma <i>in vivo</i> : characterization by diffuse reflectance spectroscopy and optical coherence tomography. Journal of Biomedical Optics, 2016, 21, 081210.	2.6	33
63	Dynamic light scattering by flowing Brownian particles measured with optical coherence tomography: impact of the optical system. Journal of Biomedical Optics, 2016, 21, 017002.	2.6	9
64	Characterization of atherosclerotic plaques by cross-polarization optical coherence tomography. , 2016, , .		1
65	Wide-field tissue polarimetry allows efficient localized mass spectrometry imaging of biological tissues. Chemical Science, 2016, 7, 2162-2169.	7.4	41
66	Blood flow contrast enhancement in optical coherence tomography using microbubbles: a phantom study. , 2016, , .		0
67	Rapid wide-field Mueller matrix polarimetry imaging based on four photoelastic modulators with no moving parts. Optics Letters, 2016, 41, 1038.	3.3	49
68	Quantitative assessment of oral microstructural and microvascular changes in late oral radiation toxicity, using noninvasive in-vivo optical coherence tomography. Photonics & Lasers in Medicine, 2016, 5, .	0.2	3
69	Talin Is Required Continuously for Cardiomyocyte Remodeling during Heart Growth in Drosophila. PLoS ONE, 2015, 10, e0131238.	2.5	10
70	Scan-pattern and signal processing for microvasculature visualization with complex SD-OCT: tissue-motion artifacts robustness and decorrelation time - blood vessel characteristics. , 2015, , .		5
71	Effects of gamma irradiation on collagen damage and remodeling. International Journal of Radiation Biology, 2015, 91, 240-247.	1.8	35
72	Deformation-induced speckle-pattern evolution and feasibility of correlational speckle tracking in optical coherence elastography. Journal of Biomedical Optics, 2015, 20, 075006.	2.6	54

#	ARTICLE	IF	CITATIONS
73	Polarized light imaging in biomedicine: emerging Mueller matrix methodologies for bulk tissue assessment. <i>Journal of Biomedical Optics</i> , 2015, 20, 061104.	2.6	190
74	Differential diagnosis of human bladder mucosa pathologies in vivo with cross-polarization optical coherence tomography. <i>Biomedical Optics Express</i> , 2015, 6, 1464.	2.9	48
75	Towards advanced OCT clinical applications. , 2015, , .		1
76	An approach to OCT-based microvascular imaging using reference-free processing of complex valued B-scans. , 2015, , .		2
77	Hybrid M-mode-like OCT imaging of three-dimensional microvasculature in vivo using reference-free processing of complex valued B-scans. <i>Optics Letters</i> , 2015, 40, 1472.	3.3	61
78	The Development of the Methodology of Monitoring Experimental Tumors Using Multimodal Optical Coherence Tomography: the Choice of an Optimal Tumor Model. <i>Sovremennye Tehnologii V Medicine</i> , 2015, 7, 6-15.	1.1	3
79	Features of Morphological Changes in Experimental CT-26 Tumors Growth. <i>Sovremennye Tehnologii V Medicine</i> , 2015, 7, 32-39.	1.1	5
80	An approach to OCT-based microvascular imaging using reference-free processing of complex-valued B-scans. , 2015, , .		0
81	Improved Arterial Tissue Differentiation by Spectroscopic Optical Coherence Tomography. <i>Sovremennye Tehnologii V Medicine</i> , 2015, 7, 13-20.	1.1	0
82	The Use of Cross-Polarization OCT in Determining the Dynamics of the State of Pathological and Normal Tissues During Radiation and Photodynamic Therapy. <i>Sovremennye Tehnologii V Medicine</i> , 2015, 7, 119-129.	1.1	1
83	Novel methods for elasticity characterization using optical coherence tomography: Brief review and future prospects. <i>Photonics & Lasers in Medicine</i> , 2014, 3, .	0.2	10
84	Imaging the electro-kinetic response of biological tissues with phase-resolved optical coherence tomography. <i>Photonics & Lasers in Medicine</i> , 2014, 3, .	0.2	0
85	Special Section Guest Editorial: Optical Coherence Tomography and Interferometry: Advanced Engineering and Biomedical Applications. <i>Journal of Biomedical Optics</i> , 2014, 19, 021101.	2.6	0
86	Assessment of local structural disorders of the bladder wall in partial bladder outlet obstruction using polarized light imaging. <i>Biomedical Optics Express</i> , 2014, 5, 621.	2.9	25
87	Dynamic light scattering arising from flowing Brownian particles: analytical model in optical coherence tomography conditions. <i>Journal of Biomedical Optics</i> , 2014, 19, 127004.	2.6	8
88	Recent Trends in Multimodal Optical Coherence Tomography. I. Polarization-Sensitive OCT and Conventional Approaches to OCT Elastography. <i>Radiophysics and Quantum Electronics</i> , 2014, 57, 52-66.	0.5	23
89	Recent Trends in Multimodal Optical Coherence Tomography. II. The Correlation-Stability Approach in OCT Elastography and Methods for Visualization of Microcirculation. <i>Radiophysics and Quantum Electronics</i> , 2014, 57, 210-225.	0.5	22
90	Speckle statistics in OCT images: Monte Carlo simulations and experimental studies. <i>Optics Letters</i> , 2014, 39, 3472.	3.3	50

#	ARTICLE	IF	CITATIONS
91	Correlating optical coherence tomography images with dose distribution in late oral radiation toxicity patients. <i>Photonics & Lasers in Medicine</i> , 2014, 3, .	0.2	1
92	Imaging of electro-kinetic properties of tissue using the amplitude and the phase of optical coherence tomography. <i>Proceedings of SPIE</i> , 2014, , .	0.8	0
93	Tissue multifractality and Born approximation in analysis of light scattering: a novel approach for precancers detection. <i>Scientific Reports</i> , 2014, 4, 6129.	3.3	27
94	Probing multifractality in tissue refractive index: prospects for precancer detection. <i>Optics Letters</i> , 2013, 38, 211.	3.3	39
95	Optimization of rapid Mueller matrix imaging of turbid media using four photoelastic modulators without mechanically moving parts. <i>Optical Engineering</i> , 2013, 52, 103114.	1.0	14
96	Optical Coherence Tomography: Principles and Applications of Microvascular Imaging. , 2013, , 945-975.		0
97	Imaging of electro-kinetic responses of tissues with optical coherence tomography. , 2013, , .		1
98	Development of quantitative parameters to assess in-vivo optical coherence tomography images of late oral radiation toxicity patients. <i>Proceedings of SPIE</i> , 2013, , .	0.8	0
99	Texture analysis of optical coherence tomography speckle for characterizing biological tissues in vivo. <i>Optics Letters</i> , 2013, 38, 1280.	3.3	60
100	Rapid time-gated polarimetric Stokes imaging using photoelastic modulators. <i>Optics Letters</i> , 2013, 38, 2997.	3.3	41
101	Experimental validation of optimum input polarization states for Mueller matrix determination with a dual photoelastic modulator polarimeter. <i>Optics Letters</i> , 2013, 38, 5272.	3.3	8
102	Optical coherence tomography platform for microvascular imaging and quantification: initial experience in late oral radiation toxicity patients. <i>Journal of Biomedical Optics</i> , 2013, 18, 076008.	2.6	28
103	Quantitative Polarimetry for Tissue Characterization and Diagnosis. <i>Series in Optics and Optoelectronics</i> , 2013, , 73-108.	0.0	29
104	Analysis of multi-spectral photoplethysmograph biosensors. , 2013, , .		3
105	Front Matter: Volume 8801. , 2013, , .		2
106	A Spinal Cord Window Chamber Model for In Vivo Longitudinal Multimodal Optical and Acoustic Imaging in a Murine Model. <i>PLoS ONE</i> , 2013, 8, e58081.	2.5	35
107	Imaging pancreatobiliary ductal system with optical coherence tomography: A review. <i>World Journal of Gastrointestinal Endoscopy</i> , 2013, 5, 540.	1.2	10
108	Quantifying tissue microvasculature with speckle variance optical coherence tomography. <i>Optics Letters</i> , 2012, 37, 3180.	3.3	49

#	ARTICLE	IF	CITATIONS
109	Noninvasive in vivo structural and vascular imaging of human oral tissues with spectral domain optical coherence tomography. <i>Biomedical Optics Express</i> , 2012, 3, 826.	2.9	42
110	Radiance detection of non-scattering inclusions in turbid media. <i>Biomedical Optics Express</i> , 2012, 3, 3001.	2.9	8
111	Detecting axial heterogeneity of birefringence in layered turbid media using polarized light imaging. <i>Biomedical Optics Express</i> , 2012, 3, 3250.	2.9	22
112	Optimum selection of input polarization states in determining the sample Mueller matrix: a dual photoelastic polarimeter approach. <i>Optics Express</i> , 2012, 20, 20466.	3.4	49
113	Comparative study of differential matrix and extended polar decomposition formalisms for polarimetric characterization of complex tissue-like turbid media. <i>Journal of Biomedical Optics</i> , 2012, 17, 105006.	2.6	55
114	Quantitative correlation between light depolarization and transport albedo of various porcine tissues. <i>Journal of Biomedical Optics</i> , 2012, 17, 045004.	2.6	46
115	Optical assessment of tissue anisotropy in <i>ex vivo</i> distended rat bladders. <i>Journal of Biomedical Optics</i> , 2012, 17, 086010.	2.6	16
116	OCT monitoring of cosmetic creams in human skin in vivo. , 2012, , .		2
117	Elastin overexpression by cell-based gene therapy preserves matrix and prevents cardiac dilation. <i>Journal of Cellular and Molecular Medicine</i> , 2012, 16, 2429-2439.	3.6	34
118	Frequency domain photoacoustic correlation (radar) imaging: a novel methodology for non-invasive imaging of biological tissues. , 2012, , .		2
119	Multivariate analysis methods for spectroscopic blood analysis. , 2012, , .		1
120	Colorization and Automated Segmentation of Human T2 MR Brain Images for Characterization of Soft Tissues. <i>PLoS ONE</i> , 2012, 7, e33616.	2.5	25
121	Quantification of glucose levels in flowing blood using M-mode swept source optical coherence tomography. <i>Laser Physics</i> , 2012, 22, 797-804.	1.2	14
122	In Vivo Optical Imaging of Tumor and Microvascular Response to Ionizing Radiation. <i>PLoS ONE</i> , 2012, 7, e42133.	2.5	38
123	Optical assessment of anisotropy in <i>ex vivo</i> rat bladders. , 2012, , .		0
124	Do different turbid media with matched bulk optical properties also exhibit similar polarization properties?. <i>Biomedical Optics Express</i> , 2011, 2, 3248.	2.9	38
125	Temporal and spatial speckle contrast in optical coherence tomography (OCT) – imaging tissue structure and function. , 2011, , .		0
126	Front Matter: Volume 8090. <i>Proceedings of SPIE</i> , 2011, , .	0.8	0

#	ARTICLE	IF	CITATIONS
127	Can temporal analysis of optical coherence tomography statistics report on dextrorotatory-glucose levels in blood?. <i>Laser Physics</i> , 2011, 21, 1962-1971.	1.2	32
128	Two-photon microscopy of healthy, infarcted and stem-cell treated regenerating heart. <i>Journal of Biophotonics</i> , 2011, 4, 297-304.	2.3	18
129	Effects of formalin fixation on tissue optical polarization properties. <i>Physics in Medicine and Biology</i> , 2011, 56, N115-N122.	3.0	33
130	Tissue polarimetry: concepts, challenges, applications, and outlook. <i>Journal of Biomedical Optics</i> , 2011, 16, 110801.	2.6	546
131	Mueller matrix polarimetry for the characterization of complex random medium like biological tissues. <i>Pramana - Journal of Physics</i> , 2010, 75, 1071-1086.	1.8	24
132	Influence of the order of the constituent basis matrices on the Mueller matrix decomposition-derived polarization parameters in complex turbid media such as biological tissues. <i>Optics Communications</i> , 2010, 283, 1200-1208.	2.1	74
133	Polarization birefringence measurements for characterizing the myocardium, including healthy, infarcted, and stem-cell-regenerated tissues. <i>Journal of Biomedical Optics</i> , 2010, 15, 047009.	2.6	80
134	Doppler optical coherence tomography for interventional cardiovascular guidance: in vivo feasibility and forward-viewing probe flow phantom demonstration. <i>Journal of Biomedical Optics</i> , 2010, 15, 011103.	2.6	8
135	Simultaneous 6-channel optical coherence tomography using a high-power telescope-less polygon-based swept laser in dual-amplifier configuration. , 2010, , .		1
136	<i>In vivo</i> endoscopic multi-beam optical coherence tomography. <i>Physics in Medicine and Biology</i> , 2010, 55, 615-622.	3.0	47
137	COMPARISON OF OPTICAL POLARIMETRY AND DIFFUSION TENSOR MR IMAGING FOR ASSESSING MYOCARDIAL ANISOTROPY. <i>Journal of Innovative Optical Health Sciences</i> , 2010, 03, 109-121.	1.0	17
138	Depolarization of light in turbid media: a scattering event resolved Monte Carlo study. <i>Applied Optics</i> , 2010, 49, 153.	2.1	25
139	Optimized speckle variance OCT imaging of microvasculature. <i>Optics Letters</i> , 2010, 35, 1257.	3.3	237
140	Polarimetry-based method to extract geometry-independent metrics of tissue anisotropy. <i>Optics Letters</i> , 2010, 35, 2570.	3.3	39
141	Optical Fiber Sensors for Biomedical Applications. , 2010, , 661-712.		3
142	Polarized Light Assessment of Complex Turbid Media Such as Biological Tissues Using Mueller Matrix Decomposition. <i>Series in Medical Physics and Biomedical Engineering</i> , 2010, , 253-282.	0.1	40
143	Interstitial point radiance spectroscopy of turbid media. <i>Journal of Applied Physics</i> , 2009, 105, 102025.	2.5	13
144	Preface to Special Topic: Applied Biophysics. <i>Journal of Applied Physics</i> , 2009, 105, 101901.	2.5	0

#	ARTICLE	IF	CITATIONS
145	Polarized light based birefringence measurements for monitoring myocardial regeneration. , 2009, , .		4
146	A Monte Carlo study of Mueller matrix decomposition in complex tissue-like turbid media. Proceedings of SPIE, 2009, , .	0.8	0
147	Mueller matrix decomposition for polarized light assessment of biological tissues. Journal of Biophotonics, 2009, 2, 145-156.	2.3	145
148	The potential of biophotonic techniques in stem cell tracking and monitoring of tissue regeneration applied to cardiac stem cell therapy. Journal of Biophotonics, 2009, 2, 669-681.	2.3	8
149	Oxygen-independent degradation of HIF-1 α via bioengineered VHL tumour suppressor complex. EMBO Molecular Medicine, 2009, 1, 66-78.	6.9	21
150	High-power wavelength-swept laser in Littman telescope-less polygon filter and dual-amplifier configuration for multichannel optical coherence tomography. Optics Letters, 2009, 34, 2814.	3.3	45
151	Proof-of-principle demonstration of a Mueller matrix decomposition method for polarized light tissue characterization in vivo. Journal of Biomedical Optics, 2009, 14, 014029.	2.6	60
152	Polarimetry in turbid, birefringent, optically active media: A Monte Carlo study of Mueller matrix decomposition in the backscattering geometry. Journal of Applied Physics, 2009, 105, .	2.5	72
153	Turbid polarimetry for tissue characterization. Proceedings of SPIE, 2009, , .	0.8	2
154	In vivo real time monitoring of vasoconstriction and vasodilation by a combined diffuse reflectance spectroscopy and Doppler optical coherence tomography approach. Lasers in Surgery and Medicine, 2008, 40, 323-331.	2.1	10
155	A Monte Carlo study of penetration depth and sampling volume of polarized light in turbid media. Optics Communications, 2008, 281, 380-387.	2.1	33
156	A calibration technique for frequency domain photoacoustics. European Physical Journal: Special Topics, 2008, 153, 491-495.	2.6	1
157	<i>In vivo</i> Optical Coherence Tomography Imaging of Preinvasive Bronchial Lesions. Clinical Cancer Research, 2008, 14, 2006-2011.	7.0	198
158	Improved method for amplitude estimation of time domain optical coherence tomography. Canadian Conference on Electrical and Computer Engineering, 2008, , .	0.0	0
159	Mueller matrix decomposition for extraction of individual polarization parameters from complex turbid media exhibiting multiple scattering, optical activity, and linear birefringence. Journal of Biomedical Optics, 2008, 13, 044036.	2.6	204
160	Electrostatic forward-viewing scanning probe for Doppler optical coherence tomography using a dissipative polymer catheter. Optics Letters, 2008, 33, 657.	3.3	46
161	Speckle variance detection of microvasculature using swept-source optical coherence tomography. Optics Letters, 2008, 33, 1530.	3.3	679
162	Frequency domain photoacoustic signal amplitude dependence on the optical properties of water: turbid polyvinyl chloride-plastisol system. Applied Optics, 2008, 47, 2564.	2.1	3

#	ARTICLE	IF	CITATIONS
163	High power wavelength linearly swept mode locked fiber laser for OCT imaging. Optics Express, 2008, 16, 14095.	3.4	38
164	Interstitial Doppler Optical Coherence Tomography as a Local Tumor Necrosis Predictor in Photodynamic Therapy of Prostatic Carcinoma: An <i>In vivo</i> Study. Cancer Research, 2008, 68, 9987-9995.	0.9	67
165	Innovations in imaging for chronic total occlusions: a glimpse into the future of angiography's blind-spot. European Heart Journal, 2008, 29, 583-593.	2.2	46
166	Combined optical intensity and polarization methodology for analyte concentration determination in simulated optically clear and turbid biological media. Journal of Biomedical Optics, 2008, 13, 044037.	2.6	29
167	Temperature and hydration effects on absorbance spectra and radiation sensitivity of a radiochromic medium. Medical Physics, 2008, 35, 4545-4555.	3.0	58
168	Phantoms for polarized light exhibiting controllable scattering, birefringence, and optical activity. , 2008, , .		0
169	Diagnostic photomedicine: probing biological tissues with polarized light. SPIE Newsroom, 2008, , .	0.1	0
170	Intra-irradiation changes in the signal of polymer-based dosimeter (GAFCHROMIC EBT) due to dose rate variations. Physics in Medicine and Biology, 2007, 52, N523-N529.	3.0	15
171	Perturbative diffusion theory formalism for interpreting temporal light intensity changes during laser interstitial thermal therapy. Physics in Medicine and Biology, 2007, 52, 1659-1674.	3.0	4
172	Energy dependence (75kVp to 18MV) of radiochromic films assessed using a real-time optical dosimeter. Medical Physics, 2007, 34, 458-463.	3.0	76
173	Determination of the optical properties of turbid media using relative interstitial radiance measurements: Monte Carlo study, experimental validation, and sensitivity analysis. Journal of Biomedical Optics, 2007, 12, 064027.	2.6	23
174	Interstitial Doppler optical coherence tomography monitors microvascular changes during photodynamic therapy in a Dunning prostate model under varying treatment conditions. Journal of Biomedical Optics, 2007, 12, 034022.	2.6	25
175	Wide dynamic range detection of bidirectional flow in Doppler optical coherence tomography using a two-dimensional Kasai estimator. Optics Letters, 2007, 32, 253.	3.3	32
176	Monte Carlo study of pathlength distribution of polarized light in turbid media. Optics Express, 2007, 15, 1348.	3.4	36
177	Doppler optical cardiogram gated 2D color flow imaging at 1000 fps and 4D <i>in vivo</i> visualization of embryonic heart at 45 fps on a swept source OCT system. Optics Express, 2007, 15, 1627.	3.4	120
178	Stokes polarimetry in multiply scattering chiral media: effects of experimental geometry. Applied Optics, 2007, 46, 4491.	2.1	14
179	Polarized light propagation in multiply scattering media exhibiting both linear birefringence and optical activity: Monte Carlo model and experimental methodology. Journal of Biomedical Optics, 2007, 12, 014029.	2.6	81
180	Doppler optical coherence tomography monitoring of microvascular tissue response during photodynamic therapy in an animal model of Barrett's esophagus. Gastrointestinal Endoscopy, 2007, 66, 326-333.	1.0	44

#	ARTICLE	IF	CITATIONS
181	Ex vivo imaging of chronic total occlusions using forward-looking optical coherence tomography. Lasers in Surgery and Medicine, 2007, 39, 28-35.	2.1	25
182	The effect of pre-vertebroplasty tumor ablation using laser-induced thermotherapy on biomechanical stability and cement fill in the metastatic spine. European Spine Journal, 2007, 16, 1171-1178.	2.2	28
183	SU-FF-T-370: Real-Time Point-Based in Vivo Dosimetry Using Radiochromic Materials and Remote Optical Fiber System. Medical Physics, 2007, 34, 2487-2487.	3.0	0
184	Doppler optical coherence tomography with a micro-electro-mechanical membrane mirror for high-speed dynamic focus tracking. Optics Letters, 2006, 31, 1262.	3.3	37
185	Information content of point radiance measurements in turbid media: implications for interstitial optical property quantification. Applied Optics, 2006, 45, 2101.	2.1	17
186	Interstitial doppler OCT monitoring of microvascular shutdown during photodynamic therapy in a Dunning prostate model: irradiance rate dependences. , 2006, , .		0
187	Feasibility of interstitial Doppler optical coherence tomography for in vivo detection of microvascular changes during photodynamic therapy. Lasers in Surgery and Medicine, 2006, 38, 754-761.	2.1	85
188	Angular measurements of light scattered by turbid chiral media using linear Stokes polarimeter. Journal of Biomedical Optics, 2006, 11, 041105.	2.6	41
189	Effects of the Vascular Disrupting Agent ZD6126 on Interstitial Fluid Pressure and Cell Survival in Tumors. Cancer Research, 2006, 66, 2074-2080.	0.9	51
190	SU-FF-T-138: Comparison of Change in Optical Density Between Three Radiochromic Films Due to 100 CGy Dose-To-Water Delivered by X-Rays in the 75 kVp to 18 MV Range. Medical Physics, 2006, 33, 2080-2080.	3.0	0
191	SU-FF-T-121: Characterization and Real-Time Measurements of Optical Density with GafChromic EBT Film. Medical Physics, 2006, 33, 2076-2076.	3.0	0
192	Po-Thur Eve General-28: Characterization and Real-Time Measurements of Optical Density with GafChromic EBT Film. Medical Physics, 2006, 33, 2665-2665.	3.0	0
193	Interstitial Doppler optical coherence tomography. , 2005, 5855, 250.		0
194	Imaging tissue microstructure and microvasculature with Doppler Optical Coherence Tomography: 3-dimensional flow phantom study. , 2005, , .		0
195	Three-dimensional light-tissue interaction models for bioluminescence tomography. , 2005, 5969, 295.		0
196	Effects of detection geometry on polarimetric measurements of scattered light from turbid media containing optically active glucose molecules. , 2005, , .		1
197	Optical coherence tomography for imaging of chronic total occlusions. , 2005, 5969, 423.		0
198	Micromachined 2-D scanner for 3-D optical coherence tomography. Sensors and Actuators A: Physical, 2005, 117, 331-340.	4.1	77

#	ARTICLE	IF	CITATIONS
199	Characterization of measurement artefacts in fluoroptic temperature sensors: Implications for laser thermal therapy at 810 nm. <i>Lasers in Surgery and Medicine</i> , 2005, 36, 297-306.	2.1	18
200	A Novel Strategy For Monitoring Laser Thermal Therapy Based on Changes in Optothermal Properties of Heated Tissues. <i>International Journal of Thermophysics</i> , 2005, 26, 233-241.	2.1	13
201	Suitability of radiochromic medium for real-time optical measurements of ionizing radiation dose. <i>Medical Physics</i> , 2005, 32, 1140-1155.	3.0	34
202	Laser photothermoacoustic heterodyned lock-in depth profilometry in turbid tissue phantoms. <i>Physical Review E</i> , 2005, 72, 051908.	2.1	16
203	Characterization and real-time optical measurements of the ionizing radiation dose response for a new radiochromic medium. <i>Medical Physics</i> , 2005, 32, 2510-2516.	3.0	65
204	Endoscopic Doppler optical coherence tomography in the human GI tract: initial experience. <i>Gastrointestinal Endoscopy</i> , 2005, 61, 879-890.	1.0	130
205	Optical and acoustic properties at 1064 nm of polyvinyl chloride-plastisol for use as a tissue phantom in biomedical optoacoustics. <i>Physics in Medicine and Biology</i> , 2005, 50, N141-N153.	3.0	129
206	Robust concentration determination of optically active molecules in turbid media with validated three-dimensional polarization sensitive Monte Carlo calculations. <i>Optics Express</i> , 2005, 13, 148.	3.4	88
207	Interstitial Doppler optical coherence tomography. <i>Optics Letters</i> , 2005, 30, 1791.	3.3	84
208	Development of a photothermoacoustic frequency swept system: Theory and experiment. <i>European Physical Journal Special Topics</i> , 2005, 125, 643-647.	0.2	1
209	SU-FF-T-231: Characterization and Real-Time Optical Measurements of the Ionizing Radiation Dose Response for a New Radiochromic Medium. <i>Medical Physics</i> , 2005, 32, 2003-2003.	3.0	0
210	SU-FF-T-126: 3D Gel Dosimetry of IMSRT Using Normoxic MAGAT Polymer Gel. <i>Medical Physics</i> , 2005, 32, 1978-1979.	3.0	0
211	Doppler optical coherence tomography for monitoring the vascular effects of photodynamic therapy. , 2004, 5316, 147.		4
212	Balanced detection for low-noise precision polarimetric measurements of optically active, multiply scattering tissue phantoms. <i>Journal of Biomedical Optics</i> , 2004, 9, 213.	2.6	55
213	Dynamic focus control in high-speed optical coherence tomography based on a microelectromechanical mirror. <i>Optics Communications</i> , 2004, 232, 123-128.	2.1	145
214	Three-dimensional photothermoacoustic depth-profilometric imaging by use of a linear frequency sweep lock-in heterodyne method. , 2004, , .		3
215	Radiance-based monitoring of the extent of tissue coagulation during laser interstitial thermal therapy. <i>Optics Letters</i> , 2004, 29, 959.	3.3	15
216	Micromachined array tip for multifocus fiber-based optical coherence tomography. <i>Optics Letters</i> , 2004, 29, 1754.	3.3	63

#	ARTICLE	IF	CITATIONS
217	Development and testing of an optoacoustic imaging system for monitoring and guiding prostate cancer therapies. , 2004, , .		11
218	Development of a laser photothermoacoustic frequency-swept system for subsurface imaging: Theory and experiment. Journal of the Acoustical Society of America, 2004, 116, 3523-3533.	1.1	49
219	Doppler optical coherence tomography for monitoring subsurface micro-structural and micro-vascular effects of cancer therapies. International Journal of Radiation Oncology Biology Physics, 2004, 60, S585-S586.	0.8	0
220	Structural and Doppler imaging of xenopus laevis embryos and murine skin tumors in vivo: a comparison of ultrasound biomicroscopy and optical coherence tomography. Ultrasound in Medicine and Biology, 2003, 29, S72.	1.5	1
221	In Vivo Doppler Optical Coherence Tomography of Mucocutaneous Telangiectases in Hereditary Hemorrhagic Telangiectasia. Gastrointestinal Endoscopy, 2003, 58, 591-598.	1.0	15
222	High speed, wide velocity dynamic range Doppler optical coherence tomography (Part I): System design, signal processing, and performance. Optics Express, 2003, 11, 794.	3.4	243
223	High speed, wide velocity dynamic range Doppler optical coherence tomography (Part II): Imaging in vivo cardiac dynamics of Xenopus laevis. Optics Express, 2003, 11, 1650.	3.4	109
224	High speed, wide velocity dynamic range Doppler optical coherence tomography (Part III): in vivo endoscopic imaging of blood flow in the rat and human gastrointestinal tracts. Optics Express, 2003, 11, 2416.	3.4	97
225	Optothermal transfer simulation in laser-irradiated human dentin. Journal of Biomedical Optics, 2003, 8, 298.	2.6	10
226	Optical method using fluence or radiance measurements to monitor thermal therapy. Review of Scientific Instruments, 2003, 74, 393-395.	1.3	5
227	Optical coherence and Doppler tomography for monitoring tissue changes induced by laser thermal therapyâ€™Anin vivofeasibility study. Review of Scientific Instruments, 2003, 74, 437-440.	1.3	9
228	Models and measurements of light intensity changes during laser interstitial thermal therapy: implications for optical monitoring of the coagulation boundary location. Physics in Medicine and Biology, 2003, 48, 543-559.	3.0	17
229	Semiquantitative analysis of atherosclerotic plaque using optical coherence tomography and time-of-flight secondary ion mass spectrometry. , 2003, 5140, 212.		0
230	High-sensitivity detection and monitoring of microcirculation using cutaneous and catheter probes for Doppler optical coherence tomography. , 2003, , .		5
231	Semi-Quantitative Analysis of Atherosclerotic Plaque using Optical Coherence Tomography and Time-of-Flight Secondary Ion Mass Spectrometry. , 2003, , .		0
232	Optical rotation and linear and circular depolarization rates in diffusively scattered light from chiral, racemic, and achiral turbid media. Journal of Biomedical Optics, 2002, 7, 291.	2.6	68
233	<title>Ultrasound backscatter microscopy/spectroscopy and optical coherence (Doppler) tomography for mechanism-specific monitoring of photodynamic therapy in vivo and in vitro</title>. , 2002, , .		6
234	Effects of molecular asymmetry of optically active molecules on the polarization properties of multiply scattered light. Optics Express, 2002, 10, 222.	3.4	25

#	ARTICLE	IF	CITATIONS
235	Improved phase-resolved optical Doppler tomography using the Kasai velocity estimator and histogram segmentation. <i>Optics Communications</i> , 2002, 208, 209-214.	2.1	123
236	Theoretical, experimental, and computational aspects of optical property determination of turbid media by using frequency-domain laser infrared photothermal radiometry. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2001, 18, 2548.	1.5	9
237	Polarization preservation in diffusive scattering from in vivo turbid biological media: effects of tissue optical absorption in the exact backscattering direction. <i>Optics Communications</i> , 2001, 190, 37-43.	2.1	40
238	Laser thermal therapy: utility of interstitial fluence monitoring for locating optical sensors. <i>Physics in Medicine and Biology</i> , 2001, 46, N91-N96.	3.0	13
239	Changes in relative light fluence measured during laser heating: implications for optical monitoring and modelling of interstitial laser photocoagulation. <i>Physics in Medicine and Biology</i> , 2001, 46, 2407-2420.	3.0	20
240	<title>Optical property determination of turbid media using frequency-domain infrared photothermal radiometry</title>. , 2000, , .		0
241	The effects of dynamic optical properties during interstitial laser photocoagulation. <i>Physics in Medicine and Biology</i> , 2000, 45, 1335-1357.	3.0	67
242	Changes in optical properties of ex vivo prostate due to heating. <i>Physics in Medicine and Biology</i> , 2000, 45, 1375-1386.	3.0	34
243	Polarization studies in multiply scattering chiral media. <i>Optical Engineering</i> , 2000, 39, 353.	1.0	40
244	Methodology for examining polarized light interactions with tissues and tissue-like media in the exact backscattering direction. <i>Journal of Biomedical Optics</i> , 2000, 5, 330.	2.6	51
245	Study of photodynamic reactions in human blood. <i>Journal of Biomedical Optics</i> , 2000, 5, 338.	2.6	21
246	Optical phantom materials for near infrared laser photocoagulation studies. , 1999, 25, 159-169.		59
247	Optical phantom materials for near infrared laser photocoagulation studies. <i>Lasers in Surgery and Medicine</i> , 1999, 25, 159-169.	2.1	2
248	Biophysical studies of pulsed photothermal radiometry in tissues and tissue-like media. <i>Medical Physics</i> , 1997, 24, 2056-2056.	3.0	3
249	Magnetic resonance imaging of temperature changes during interstitial microwave heating: A phantom study. <i>Medical Physics</i> , 1997, 24, 269-277.	3.0	61
250	Shedding Some Light on the Blue Vein Enigma. <i>Optics and Photonics News</i> , 1997, 8, 39.	0.5	0
251	Three-dimensional optical phantom and its application in photodynamic therapy. <i>Lasers in Surgery and Medicine</i> , 1997, 21, 227-234.	2.1	43
252	Why do veins appear blue? A new look at an old question. <i>Applied Optics</i> , 1996, 35, 1151.	2.1	84

#	ARTICLE	IF	CITATIONS
253	POLARIZED LIGHT and the asymmetry of life. Optics and Photonics News, 1996, 7, 30.	0.5	5
254	Enhanced optical rotation and diminished depolarization in diffusive scattering from a chiral liquid. Optics Communications, 1996, 132, 410-416.	2.1	33
255	THE OPTICAL SHIELD OF CEPHALOPODS. Optics and Photonics News, 1995, 6, 40.	0.5	0
256	Analysis of layered scattering materials by pulsed photothermal radiometry: application to photon propagation in tissue. Applied Optics, 1995, 34, 2973.	2.1	30
257	Pulsed photothermal radiometry in optically transparent media containing discrete optical absorbers. Physics in Medicine and Biology, 1994, 39, 1721-1744.	3.0	11
258	OPTICAL AND THERMAL CHARACTERIZATION OF NATURAL (<i>Sepia officinalis</i>) MELANIN. Photochemistry and Photobiology, 1994, 59, 455-462.	2.5	100
259	Determination of optical properties of turbid media using pulsed photothermal radiometry. Physics in Medicine and Biology, 1992, 37, 1203-1217.	3.0	106
260	The feasibility of monitoring exogenous dye uptake in tissue in vivo using pulsed photothermal radiometry. Journal of Photochemistry and Photobiology B: Biology, 1992, 16, 235-239.	3.8	4
261	Analytical microscopy of titanium nitride. Canadian Journal of Physics, 1991, 69, 290-297.	1.1	1
262	Thin-film photopyroelectric detection of thermal impulse response of single-crystalline YBa ₂ Cu ₃ O _{7-x} . Measurement Science and Technology, 1990, 1, 184-188.	2.6	10
263	Photothermal reflectance investigation of processed silicon. II. Signal generation and lattice temperature dependence in ion-implanted and amorphous thin layers. Journal of Applied Physics, 1990, 67, 2822-2830.	2.5	34
264	Photothermal reflectance investigation of processed silicon. I. Room-temperature study of the induced damage and of the annealing kinetics of defects in ion-implanted wafers. Journal of Applied Physics, 1990, 67, 2815-2821.	2.5	50
265	Laser-induced photothermal reflectance investigation of silicon damaged by arsenic ion implantation: A temperature study. Applied Physics Letters, 1989, 54, 2392-2394.	3.3	23
266	Improving treatment efficacy with biological or biophysical feedback. SPIE Newsroom, 0, , .	0.1	0