

# Marjolein M Iversen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2372569/publications.pdf>

Version: 2024-02-01

46  
papers

1,302  
citations

394421

19  
h-index

377865

34  
g-index

49  
all docs

49  
docs citations

49  
times ranked

1696  
citing authors

#	ARTICLE	IF	CITATIONS
1	History of Foot Ulcer Increases Mortality Among Individuals With Diabetes. <i>Diabetes Care</i> , 2009, 32, 2193-2199.	8.6	190
2	Longitudinal associations between depression and diabetes complications: a systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2019, 36, 1562-1572.	2.3	160
3	Severity and duration of diabetic foot ulcer (DFU) before seeking care as predictors of healing time: A retrospective cohort study. <i>PLoS ONE</i> , 2017, 12, e0177176.	2.5	82
4	Diabetes-related emotional distress in adults: Reliability and validity of the Norwegian versions of the Problem Areas in Diabetes Scale (PAID) and the Diabetes Distress Scale (DDS). <i>International Journal of Nursing Studies</i> , 2012, 49, 174-182.	5.6	80
5	A pilot study testing the feasibility of skin temperature monitoring to reduce recurrent foot ulcers in patients with diabetes – a randomized controlled trial. <i>BMC Endocrine Disorders</i> , 2015, 15, 55.	2.2	57
6	The Effect of Telemedicine Follow-up Care on Diabetes-Related Foot Ulcers: A Cluster-Randomized Controlled Noninferiority Trial. <i>Diabetes Care</i> , 2018, 41, 96-103.	8.6	51
7	Conditions for success in introducing telemedicine in diabetes foot care: a qualitative inquiry. <i>BMC Nursing</i> , 2017, 16, 2.	2.5	43
8	The impact of the COVID-19 pandemic on people with diabetes and diabetes services: A pan-European survey of diabetes specialist nurses undertaken by the Foundation of European Nurses in Diabetes survey consortium. <i>Diabetic Medicine</i> , 2021, 38, e14498.	2.3	43
9	Is depression a risk factor for diabetic foot ulcers? 11-years follow-up of the Nord-Trøndelag Health Study (HUNT). <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 20-25.	2.3	40
10	How 25 years of psychosocial research has contributed to a better understanding of the links between depression and diabetes. <i>Diabetic Medicine</i> , 2020, 37, 383-392.	2.3	39
11	The association between history of diabetic foot ulcer, perceived health and psychological distress: the Nord-Trøndelag Health Study. <i>BMC Endocrine Disorders</i> , 2009, 9, 18.	2.2	36
12	Psychometric Properties of the Norwegian Version of the Fear of COVID-19 Scale. <i>International Journal of Mental Health and Addiction</i> , 2022, 20, 1446-1464.	7.4	34
13	Effect of telemedicine follow-up care of leg and foot ulcers: a systematic review. <i>BMC Health Services Research</i> , 2014, 14, 565.	2.2	33
14	Telemedicine in diabetes foot care delivery: health care professionals' experience. <i>BMC Health Services Research</i> , 2016, 16, 134.	2.2	31
15	The bidirectional longitudinal association between depressive symptoms and HbA <sub>1c</sub> : A systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2022, 39, e14671.	2.3	30
16	An integrated wound-care pathway, supported by telemedicine, and competent wound management – Essential in follow-up care of adults with diabetic foot ulcers. <i>International Journal of Medical Informatics</i> , 2016, 94, 59-66.	3.3	27
17	A longitudinal study on patients with diabetes and symptoms of gastroparesis – associations with impaired quality of life and increased depressive and anxiety symptoms. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 89-94.	2.3	27
18	Quality of life and fear of COVID-19 in 2600 baccalaureate nursing students at five universities: a cross-sectional study. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 198.	2.4	27

#	ARTICLE	IF	CITATIONS
19	History of and factors associated with diabetic foot ulcers in Norway: The Nord-Trøndelag Health Study. <i>Scandinavian Journal of Public Health</i> , 2008, 36, 62-68.	2.3	26
20	Depression in Persons with Diabetes by Age and Antidiabetic Treatment: A Cross-Sectional Analysis with Data from the Hordaland Health Study. <i>PLoS ONE</i> , 2015, 10, e0127161.	2.5	23
21	Gestational diabetes mellitus by maternal country of birth and length of residence in immigrant women in Norway. <i>Diabetic Medicine</i> , 2021, 38, e14493.	2.3	19
22	Shared Electronic Health Record Systems: Key Legal and Security Challenges. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 1234-1239.	2.2	18
23	Telemedicine Versus Standard Follow-Up Care for Diabetes-Related Foot Ulcers: Protocol for a Cluster Randomized Controlled Noninferiority Trial (DiaFOTo). <i>JMIR Research Protocols</i> , 2016, 5, e148.	1.0	17
24	Anxiety, depression and timing of insulin treatment among people with type 2 diabetes: Nine-year follow-up of the Nord-Trøndelag Health Study, Norway. <i>Journal of Psychosomatic Research</i> , 2015, 79, 309-315.	2.6	15
25	Telemedicine follow-up facilitates more comprehensive diabetes foot ulcer care: A qualitative study in home-based and specialist health care. <i>Journal of Clinical Nursing</i> , 2018, 27, e1134-e1145.	3.0	15
26	A Network Analysis of the Fear of COVID-19 Scale (FCV-19S): A Large-Scale Cross-Cultural Study in Iran, Bangladesh, and Norway. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6824.	2.6	14
27	Psychometric properties of the Norwegian version of the Audit of Diabetes-Dependent Quality of Life. <i>Quality of Life Research</i> , 2013, 22, 2809-2812.	3.1	13
28	Anxiety and Depressive Symptoms as Predictors of All-Cause Mortality among People with Insulin-Naïve Type 2 Diabetes: 17-Year Follow-Up of the Second Nord-Trøndelag Health Survey (HUNT2), Norway. <i>PLoS ONE</i> , 2016, 11, e0160861.	2.5	13
29	Effect of a telemedicine intervention for diabetes-related foot ulcers on health, well-being and quality of life: secondary outcomes from a cluster randomized controlled trial (DiaFOTo). <i>BMC Endocrine Disorders</i> , 2020, 20, 157.	2.2	12
30	Regularity of preventive foot care in persons with diabetes: Results from the Nord-Trøndelag Health Study. <i>Research in Nursing and Health</i> , 2008, 31, 226-237.	1.6	9
31	Diabetes-related foot ulcers and associated factors: Results from the Nord-Trøndelag Health Survey (HUNT3) (2006-2008). <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 156-161.	2.3	9
32	Preconception Folic Acid Supplement Use in Immigrant Women (1999-2016). <i>Nutrients</i> , 2019, 11, 2300.	4.1	8
33	Undiagnosed diabetes: Prevalence and cardiovascular risk profile in a population-based study of 52,856 individuals. The HUNT Study, Norway. <i>Diabetic Medicine</i> , 2022, 39, e14829.	2.3	8
34	Integrating evidence-based practice into the diabetes nurse curriculum in Bergen. <i>European Diabetes Nursing</i> , 2010, 7, 10-15.	0.2	7
35	Diabetes research reported by nurses in Nordic countries. <i>European Diabetes Nursing</i> , 2013, 10, 46-51.	0.2	7
36	Psychometric properties of the Norwegian version of the short form of The Problem Areas in Diabetes scale (PAID-5): a validation study. <i>BMJ Open</i> , 2019, 9, e022903.	1.9	7

#	ARTICLE	IF	CITATIONS
37	Continuous glucose monitoring in adults with type 1 diabetes: A balance between benefits and barriers: A critical incident study. <i>Journal of Clinical Nursing</i> , 2019, 28, 3318-3329.	3.0	7
38	Educational needs, metabolic control and self-reported quality of life. <i>European Diabetes Nursing</i> , 2005, 2, 11-16.	0.2	6
39	Lasting impact of an implemented self-management programme for people with type 2 diabetes referred from primary care: a one-group, before-after design. <i>Scandinavian Journal of Caring Sciences</i> , 2017, 31, 789-795.	2.1	6
40	Characteristics of nursing studies in diabetes research published over three decades in Sweden, Norway, Denmark and Iceland: a narrative review of the literature. <i>Scandinavian Journal of Caring Sciences</i> , 2016, 30, 241-249.	2.1	4
41	Higher levels of bodily pain in people with long-term type 1 diabetes: associations with quality of life, depressive symptoms, fatigue and glycaemic control – the Dialong study. <i>Diabetic Medicine</i> , 2020, 37, 1569-1577.	2.3	4
42	Attempts to improve and confidence in improving health behaviour in 40–49 year olds with and without coronary heart disease: The Hordaland Health Study. <i>European Journal of Cardiovascular Nursing</i> , 2016, 15, e60-e69.	0.9	3
43	Cohort profile: Outcomes & Multi-morbidity In Type 2 diabetes (OMIT) – a national registry-based observational cohort with focus on care and treatment of key high-risk groups in Norway. <i>BMJ Open</i> , 2022, 12, e054840.	1.9	2
44	Diabetiske fotsårteam i norske sykehus. <i>Tidsskrift for Den Norske Laegeforening</i> , 2017, 137, .	0.2	0
45	Experiences and actions related to living with type 1 diabetes during the COVID-19 pandemic in Norway: a qualitative study conducted during July to December 2020. <i>BMJ Open</i> , 2022, 12, e056027.	1.9	0
46	Is the risk of cardiovascular disease in women with pre-eclampsia modified by very low or very high offspring birth weight? A nationwide cohort study in Norway. <i>BMJ Open</i> , 2022, 12, e055467.	1.9	0