
Marjolein M Iversen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2372569/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Psychometric Properties of the Norwegian Version of the Fear of COVID-19 Scale. International Journal of Mental Health and Addiction, 2022, 20, 1446-1464.	7.4	34
2	The bidirectional longitudinal association between depressive symptoms and HbA _{1c} : A systematic review and metaâ€analysis. Diabetic Medicine, 2022, 39, e14671.	2.3	30
3	Undiagnosed diabetes: Prevalence and cardiovascular risk profile in a populationâ€based study of 52,856 individuals. The HUNT Study, Norway. Diabetic Medicine, 2022, 39, e14829.	2.3	8
4	Experiences and actions related to living with type 1 diabetes during the COVID-19 pandemic in Norway: a qualitative study conducted during July to December 2020. BMJ Open, 2022, 12, e056027.	1.9	0
5	Is the risk of cardiovascular disease in women with pre-eclampsia modified by very low or very high offspring birth weight? A nationwide cohort study in Norway. BMJ Open, 2022, 12, e055467.	1.9	0
6	Cohort profile: Outcomes & Multi-morbidity In Type 2 diabetes (OMIT) – a national registry-based observational cohort with focus on care and treatment of key high-risk groups in Norway. BMJ Open, 2022, 12, e054840.	1.9	2
7	A Network Analysis of the Fear of COVID-19 Scale (FCV-19S): A Large-Scale Cross-Cultural Study in Iran, Bangladesh, and Norway. International Journal of Environmental Research and Public Health, 2022, 19, 6824.	2.6	14
8	Gestational diabetes mellitus by maternal country of birth and length of residence in immigrant women in Norway. Diabetic Medicine, 2021, 38, e14493.	2.3	19
9	The impact of the COVIDâ€19 pandemic on people with diabetes and diabetes services: A panâ€European survey of diabetes specialist nurses undertaken by the Foundation of European Nurses in Diabetes survey consortium. Diabetic Medicine, 2021, 38, e14498.	2.3	43
10	Quality of life and fear of COVID-19 in 2600 baccalaureate nursing students at five universities: a cross-sectional study. Health and Quality of Life Outcomes, 2021, 19, 198.	2.4	27
11	How 25 years of psychosocial research has contributed to a better understanding of the links between depression and diabetes. Diabetic Medicine, 2020, 37, 383-392.	2.3	39
12	Effect of a telemedicine intervention for diabetes-related foot ulcers on health, well-being and quality of life: secondary outcomes from a cluster randomized controlled trial (DiaFOTo). BMC Endocrine Disorders, 2020, 20, 157.	2.2	12
13	Higher levels of bodily pain in people with longâ€ŧerm type 1 diabetes: associations with quality of life, depressive symptoms, fatigue and glycaemic control – the Dialong study. Diabetic Medicine, 2020, 37, 1569-1577.	2.3	4
14	Preconception Folic Acid Supplement Use in Immigrant Women (1999–2016). Nutrients, 2019, 11, 2300.	4.1	8
15	Longitudinal associations between depression and diabetes complications: a systematic review and metaâ€analysis. Diabetic Medicine, 2019, 36, 1562-1572.	2.3	160
16	Psychometric properties of the Norwegian version of the short form of The Problem Areas in Diabetes scale (PAID-5): a validation study. BMJ Open, 2019, 9, e022903.	1.9	7
17	Continuous glucose monitoring in adults with type 1 diabetes: A balance between benefits and barriers: A critical incident study. Journal of Clinical Nursing, 2019, 28, 3318-3329.	3.0	7
18	The Effect of Telemedicine Follow-up Care on Diabetes-Related Foot Ulcers: A Cluster-Randomized Controlled Noninferiority Trial. Diabetes Care, 2018, 41, 96-103.	8.6	51

#	Article	IF	CITATIONS
19	Telemedicine followâ€up facilitates more comprehensive diabetes foot ulcer care: A qualitative study in homeâ€based and specialist health care. Journal of Clinical Nursing, 2018, 27, e1134-e1145.	3.0	15
20	A longitudinal study on patients with diabetes and symptoms of gastroparesis – associations with impaired quality of life and increased depressive and anxiety symptoms. Journal of Diabetes and Its Complications, 2018, 32, 89-94.	2.3	27
21	Lasting impact of an implemented selfâ€management programme for people with type 2 diabetes referred from primary care: a oneâ€group, before–after design. Scandinavian Journal of Caring Sciences, 2017, 31, 789-795.	2.1	6
22	Conditions for success in introducing telemedicine in diabetes foot care: a qualitative inquiry. BMC Nursing, 2017, 16, 2.	2.5	43
23	Shared Electronic Health Record Systems: Key Legal and Security Challenges. Journal of Diabetes Science and Technology, 2017, 11, 1234-1239.	2.2	18
24	Severity and duration of diabetic foot ulcer (DFU) before seeking care as predictors of healing time: A retrospective cohort study. PLoS ONE, 2017, 12, e0177176.	2.5	82
25	Diabetiske fotsårteam i norske sykehus. Tidsskrift for Den Norske Laegeforening, 2017, 137, .	0.2	0
26	Anxiety and Depressive Symptoms as Predictors of All-Cause Mortality among People with Insulin-NaÃ⁻ve Type 2 Diabetes: 17-Year Follow-Up of the Second Nord-TrÃ,ndelag Health Survey (HUNT2), Norway. PLoS ONE, 2016, 11, e0160861.	2.5	13
27	An integrated wound-care pathway, supported by telemedicine, and competent wound management—Essential in follow-up care of adults with diabetic foot ulcers. International Journal of Medical Informatics, 2016, 94, 59-66.	3.3	27
28	Telemedicine in diabetes foot care delivery: health care professionals' experience. BMC Health Services Research, 2016, 16, 134.	2.2	31
29	Characteristics of nursing studies in diabetes research published over three decades in <scp>S</scp> weden, <scp>N</scp> orway, <scp>D</scp> enmark and <scp>I</scp> celand: a narrative review of the literature. Scandinavian Journal of Caring Sciences, 2016, 30, 241-249.	2.1	4
30	Attempts to improve and confidence in improving health behaviour in 40–49 year olds with and without coronary heart disease: The Hordaland Health Study. European Journal of Cardiovascular Nursing, 2016, 15, e60-e69.	0.9	3
31	Telemedicine Versus Standard Follow-Up Care for Diabetes-Related Foot Ulcers: Protocol for a Cluster Randomized Controlled Noninferiority Trial (DiaFOTo). JMIR Research Protocols, 2016, 5, e148.	1.0	17
32	A pilot study testing the feasibility of skin temperature monitoring to reduce recurrent foot ulcers in patients with diabetes – a randomized controlled trial. BMC Endocrine Disorders, 2015, 15, 55.	2.2	57
33	Is depression a risk factor for diabetic foot ulcers? 11-years follow-up of the Nord-TrÃ,ndelag Health Study (HUNT). Journal of Diabetes and Its Complications, 2015, 29, 20-25.	2.3	40
34	Anxiety, depression and timing of insulin treatment among people with type 2 diabetes: Nine-year follow-up of the Nord-TrÃ,ndelag Health Study, Norway. Journal of Psychosomatic Research, 2015, 79, 309-315.	2.6	15
35	Depression in Persons with Diabetes by Age and Antidiabetic Treatment: A Cross-Sectional Analysis with Data from the Hordaland Health Study. PLoS ONE, 2015, 10, e0127161.	2.5	23
36	Effect of telemedicine follow-up care of leg and foot ulcers: a systematic review. BMC Health Services Research, 2014, 14, 565.	2.2	33

MARJOLEIN M IVERSEN

#	Article	IF	CITATIONS
37	Diabetes-related foot ulcers and associated factors: Results from the Nord-TrÃ,ndelag Health Survey (HUNT3) (2006–2008). Journal of Diabetes and Its Complications, 2014, 28, 156-161.	2.3	9
38	Psychometric properties of the Norwegian version of the Audit of Diabetes-Dependent Quality of Life. Quality of Life Research, 2013, 22, 2809-2812.	3.1	13
39	Diabetes research reported by nurses in Nordic countries. European Diabetes Nursing, 2013, 10, 46-51.	0.2	7
40	Diabetes-related emotional distress in adults: Reliability and validity of the Norwegian versions of the Problem Areas in Diabetes Scale (PAID) and the Diabetes Distress Scale (DDS). International Journal of Nursing Studies, 2012, 49, 174-182.	5.6	80
41	Integrating evidence-based practice into the diabetes nurse curriculum in Bergen. European Diabetes Nursing, 2010, 7, 10-15.	0.2	7
42	History of Foot Ulcer Increases Mortality Among Individuals With Diabetes. Diabetes Care, 2009, 32, 2193-2199.	8.6	190
43	The association between history of diabetic foot ulcer, perceived health and psychological distress: the Nord-TrÃ,ndelag Health Study. BMC Endocrine Disorders, 2009, 9, 18.	2.2	36
44	Regularity of preventive foot care in persons with diabetes: Results from the Nordâ€TrÃ,ndelag Health Study. Research in Nursing and Health, 2008, 31, 226-237.	1.6	9
45	History of and factors associated with diabetic foot ulcers in Norway: The Nord-TrÃ,ndelag Health Study. Scandinavian Journal of Public Health, 2008, 36, 62-68.	2.3	26
46	Educational needs, metabolic control and self-reported quality of life. European Diabetes Nursing, 2005, 2, 11-16.	0.2	6