

# Brennan C Kahan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2373943/publications.pdf>

Version: 2024-02-01

29  
papers

2,553  
citations

516710

16  
h-index

501196

28  
g-index

31  
all docs

31  
docs citations

31  
times ranked

3739  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of an Indwelling Pleural Catheter vs Chest Tube and Talc Pleurodesis for Relieving Dyspnea in Patients With Malignant Pleural Effusion. <i>JAMA - Journal of the American Medical Association</i> , 2012, 307, 2383.	7.4	508
2	A No-Prophylaxis Platelet-Transfusion Strategy for Hematologic Cancers. <i>New England Journal of Medicine</i> , 2013, 368, 1771-1780.	27.0	384
3	Predicting survival in malignant pleural effusion: development and validation of the LENT prognostic score. <i>Thorax</i> , 2014, 69, 1098-1104.	5.6	324
4	The risks and rewards of covariate adjustment in randomized trials: an assessment of 12 outcomes from 8 studies. <i>Trials</i> , 2014, 15, 139.	1.6	291
5	Improper analysis of trials randomised using stratified blocks or minimisation. <i>Statistics in Medicine</i> , 2012, 31, 328-340.	1.6	235
6	Reporting and analysis of trials using stratified randomisation in leading medical journals: review and reanalysis. <i>BMJ, The</i> , 2012, 345, e5840-e5840.	6.0	215
7	Outpatient Talc Administration by Indwelling Pleural Catheter for Malignant Effusion. <i>New England Journal of Medicine</i> , 2018, 378, 1313-1322.	27.0	183
8	Evaluating the efficacy of thoracoscopy and talc poudrage versus pleurodesis using talc slurry (TAPPS trial): protocol of an open-label randomised controlled trial. <i>BMJ Open</i> , 2014, 4, e007045.	1.9	48
9	Choosing sensitivity analyses for randomised trials: principles. <i>BMC Medical Research Methodology</i> , 2014, 14, 11.	3.1	47
10	A comparison of methods to adjust for continuous covariates in the analysis of randomised trials. <i>BMC Medical Research Methodology</i> , 2016, 16, 42.	3.1	45
11	Bias in randomised factorial trials. <i>Statistics in Medicine</i> , 2013, 32, 4540-4549.	1.6	36
12	Choosing appropriate analysis methods for cluster randomised cross-over trials with a binary outcome. <i>Statistics in Medicine</i> , 2017, 36, 318-333.	1.6	30
13	Estimands in cluster-randomized trials: choosing analyses that answer the right question. <i>International Journal of Epidemiology</i> , 2023, 52, 107-118.	1.9	28
14	MEMPHIS: a smartphone app using psychological approaches for women with chronic pelvic pain presenting to gynaecology clinics: a randomised feasibility trial. <i>BMJ Open</i> , 2020, 10, e030164.	1.9	25
15	Estimands in published protocols of randomised trials: urgent improvement needed. <i>Trials</i> , 2021, 22, 686.	1.6	23
16	A re-randomisation design for clinical trials. <i>BMC Medical Research Methodology</i> , 2015, 15, 96.	3.1	21
17	Pre-specification of statistical analysis approaches in published clinical trial protocols was inadequate. <i>Journal of Clinical Epidemiology</i> , 2018, 101, 53-60.	5.0	19
18	Reporting of randomized factorial trials was frequently inadequate. <i>Journal of Clinical Epidemiology</i> , 2020, 117, 52-59.	5.0	19

#	ARTICLE	IF	CITATIONS
19	Treatment estimands in clinical trials of patients hospitalised for COVID-19: ensuring trials ask the right questions. <i>BMC Medicine</i> , 2020, 18, 286.	5.5	17
20	Using re-randomization to increase the recruitment rate in clinical trials – an assessment of three clinical areas. <i>Trials</i> , 2016, 17, 595.	1.6	10
21	A national quality improvement programme to improve survival after emergency abdominal surgery: the EPOCH stepped-wedge cluster RCT. <i>Health Services and Delivery Research</i> , 2019, 7, 1-96.	1.4	9
22	Smartphone App Using Mindfulness Meditation for Women With Chronic Pelvic Pain (MEMPHIS): Protocol for a Randomized Feasibility Trial. <i>JMIR Research Protocols</i> , 2018, 7, e8.	1.0	7
23	Thoracoscopy and talc poudrage compared with intercostal drainage and talc slurry infusion to manage malignant pleural effusion: the TAPPS RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-90.	2.8	6
24	Independence estimators for re-randomisation trials in multi-episode settings: a simulation study. <i>BMC Medical Research Methodology</i> , 2021, 21, 235.	3.1	6
25	Re-randomisation trials in multi-episode settings: Estimands and independence estimators. <i>Statistical Methods in Medical Research</i> , 2022, 31, 1342-1354.	1.5	5
26	Re-randomization increased recruitment and provided similar treatment estimates as parallel designs in trials of febrile neutropenia. <i>Journal of Clinical Epidemiology</i> , 2018, 97, 14-19.	5.0	4
27	Combining factorial and multi-arm multi-stage platform designs to evaluate multiple interventions efficiently. <i>Clinical Trials</i> , 2022, 19, 432-441.	1.6	3
28	Estimands for factorial trials. <i>Statistics in Medicine</i> , 0, , .	1.6	3
29	A comparison of methods for analyzing a binary composite endpoint with partially observed components in randomized controlled trials. <i>Statistics in Medicine</i> , 2021, 40, 6634-6650.	1.6	2