

# Hamish McAllister-Williams

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2378330/publications.pdf>

Version: 2024-02-01

75  
papers

4,187  
citations

172457

29  
h-index

114465

63  
g-index

75  
all docs

75  
docs citations

75  
times ranked

5232  
citing authors

#	ARTICLE	IF	CITATIONS
1	Connectivity-Guided Theta Burst Transcranial Magnetic Stimulation Versus Repetitive Transcranial Magnetic Stimulation for Treatment-Resistant Moderate to Severe Depression: Magnetic Resonance Imaging Protocol and SARS-CoV-2-Induced Changes for a Randomized Double-blind Controlled Trial. <i>MIR Research Protocols</i> , 2022, 11, e31925.	1.0	3
2	When depression is difficult to treat. <i>European Neuropsychopharmacology</i> , 2022, 56, 89-91.	0.7	9
3	Cognitive function after electroconvulsive therapy for depression: relationship to clinical response. <i>Psychological Medicine</i> , 2021, 51, 1647-1656.	4.5	12
4	Assessment for vagus nerve stimulation in patients with difficult-to-treat depression: a model from the Newcastle Regional Affective Disorders Service (RADS). <i>Journal of Affective Disorders</i> , 2021, 280, 315-318.	4.1	11
5	Reconceptualising treatment-resistant depression as difficult-to-treat depression. <i>Lancet Psychiatry</i> , 2021, 8, 14-15.	7.4	19
6	The "difficult-to-treat depression" and the "response paradigm" models: Implications and relevance to patient management. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 824-825.	2.3	1
7	Study protocol for a randomised placebo-controlled trial of pramipexole in addition to mood stabilisers for patients with treatment resistant bipolar depression (the PAX-BD study). <i>BMC Psychiatry</i> , 2021, 21, 334.	2.6	2
8	The association between sleep and cognitive abnormalities in bipolar disorder. <i>Psychological Medicine</i> , 2020, 50, 125-132.	4.5	33
9	Connectivity guided theta burst transcranial magnetic stimulation versus repetitive transcranial magnetic stimulation for treatment-resistant moderate to severe depression: study protocol for a randomised double-blind controlled trial (BRIGHTMIND). <i>BMJ Open</i> , 2020, 10, e038430.	1.9	7
10	The identification, assessment and management of difficult-to-treat depression: An international consensus statement. <i>Journal of Affective Disorders</i> , 2020, 267, 264-282.	4.1	133
11	The effects of vagus nerve stimulation on the course and outcomes of patients with bipolar disorder in a treatment-resistant depressive episode: a 5-year prospective registry. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 13.	2.2	20
12	Frontal haemodynamic responses in depression and the effect of electroconvulsive therapy. <i>Journal of Psychopharmacology</i> , 2019, 33, 1003-1014.	4.0	8
13	Esketamine and the Need for a New Type of Registry for Drugs With Abuse Potential. <i>American Journal of Psychiatry</i> , 2019, 176, 966-966.	7.2	9
14	Bipolar and psychotic disorders in elite athletes: a narrative review. <i>British Journal of Sports Medicine</i> , 2019, 53, 746-753.	6.7	42
15	Treatment-resistant and multi-therapy-resistant criteria for bipolar depression: consensus definition. <i>British Journal of Psychiatry</i> , 2019, 214, 27-35.	2.8	54
16	Multiple-therapy-resistant major depressive disorder: a clinically important concept. <i>British Journal of Psychiatry</i> , 2018, 212, 274-278.	2.8	28
17	Sleep and circadian rhythm disturbance in bipolar disorder. <i>Psychological Medicine</i> , 2017, 47, 1678-1689.	4.5	84
18	British Association for Psychopharmacology consensus guidance on the use of psychotropic medication preconception, in pregnancy and postpartum 2017. <i>Journal of Psychopharmacology</i> , 2017, 31, 519-552.	4.0	166

#	ARTICLE	IF	CITATIONS
19	Ketamine augmentation of electroconvulsive therapy to improve neuropsychological and clinical outcomes in depression (Ketamine-ECT): a multicentre, double-blind, randomised, parallel-group, superiority trial. <i>Lancet Psychiatry</i> , 2017, 4, 365-377.	7.4	82
20	Analysing UK clinicians' understanding of cognitive symptoms in major depression: A survey of primary care physicians and psychiatrists. <i>Journal of Affective Disorders</i> , 2017, 207, 346-352.	4.1	18
21	The interrelationship between attentional and executive deficits in major depressive disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 73-82.	4.5	29
22	Altered hippocampal function in major depression despite intact structure and resting perfusion. <i>Psychological Medicine</i> , 2016, 46, 2157-2168.	4.5	14
23	Antidepressant augmentation with metyrapone for treatment-resistant depression (the ADD study): a double-blind, randomised, placebo-controlled trial. <i>Lancet Psychiatry</i> , 2016, 3, 117-127.	7.4	30
24	Evidence-based guidelines for treating bipolar disorder: Revised third edition recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2016, 30, 495-553.	4.0	755
25	Assessment and management of agitation in psychiatry: Expert consensus. <i>World Journal of Biological Psychiatry</i> , 2016, 17, 86-128.	2.6	204
26	Test-retest reliability and task order effects of emotional cognitive tests in healthy subjects. <i>Cognition and Emotion</i> , 2016, 30, 1247-1259.	2.0	21
27	Neurocognitive intra-individual variability in mood disorders: effects on attentional response time distributions. <i>Psychological Medicine</i> , 2015, 45, 2985-2997.	4.5	38
28	Study protocol for the randomised controlled trial: Ketamine augmentation of ECT to improve outcomes in depression (Ketamine-ECT study). <i>BMC Psychiatry</i> , 2015, 15, 257.	2.6	11
29	Early life trauma, depression and the glucocorticoid receptor gene – an epigenetic perspective. <i>Psychological Medicine</i> , 2015, 45, 3393-3410.	4.5	51
30	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2008 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2015, 29, 459-525.	4.0	528
31	Managing inadequate antidepressant response in depressive illness. <i>British Medical Bulletin</i> , 2015, 115, 183-201.	6.9	17
32	Cortisol awakening response and spatial working memory in man: a U-shaped relationship. <i>Human Psychopharmacology</i> , 2014, 29, 295-298.	1.5	25
33	Somatodendritic 5-hydroxytryptamine <sub>1A</sub> (5-HT <sub>1A</sub> ) autoreceptor function in major depression as assessed using the shift in electroencephalographic frequency spectrum with buspirone. <i>Psychological Medicine</i> , 2014, 44, 767-777.	4.5	12
34	Noradrenaline – the forgotten amine?. <i>Journal of Psychopharmacology</i> , 2013, 27, 657-658.	4.0	1
35	A naturalistic evaluation and audit database of agomelatine: clinical outcome at 12 weeks. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 203-211.	4.5	9
36	Metyrapone in treatment-resistant depression. <i>Therapeutic Advances in Psychopharmacology</i> , 2012, 2, 139-149.	2.7	29

#	ARTICLE	IF	CITATIONS
37	Author's reply to Letter to the Editor. <i>Journal of Psychopharmacology</i> , 2012, 26, 1164-1164.	4.0	0
38	Effect of low-dose acute tryptophan depletion on the specificity of autobiographical memory in healthy subjects with a family history of depression. <i>Psychopharmacology</i> , 2012, 222, 285-292.	3.1	7
39	The use of the EEG in measuring therapeutic drug action: focus on depression and antidepressants. <i>Journal of Psychopharmacology</i> , 2011, 25, 1175-1191.	4.0	66
40	Serotonin syndrome following introduction of venlafaxine following withdrawal of phenelzine: implications for drug washout periods. <i>Therapeutic Advances in Psychopharmacology</i> , 2011, 1, 125-127.	2.7	4
41	Hematological Effects of Valproate in Psychiatric Patients. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 282-285.	1.4	49
42	The use of antidepressants in clinical practice: focus on agomelatine. <i>Human Psychopharmacology</i> , 2010, 25, 95-102.	1.5	42
43	Lithium in bipolar and other affective disorders: prescribing practice in the UK. <i>Journal of Psychopharmacology</i> , 2010, 24, 1739-1746.	4.0	34
44	Commentary on STAR*D: a summary and UK perspective. <i>Journal of Psychopharmacology</i> , 2009, 23, 615-617.	4.0	0
45	Review: clinically important differences between antidepressants. <i>Evidence-Based Mental Health</i> , 2009, 12, 107-107.	4.5	0
46	Vegetarian psychotropics: a survey of psychotropic medications suitable for vegetarians. <i>Human Psychopharmacology</i> , 2009, 24, 248-249.	1.5	2
47	Do antidepressants work? A commentary on "Initial severity and antidepressant benefits: a meta-analysis of data submitted to the Food and Drug Administration" by Kirsch et al. <i>Evidence-Based Mental Health</i> , 2008, 11, 66-68.	4.5	30
48	Effects of Antidepressant Drugs on Electroencephalography Alpha Power: Importance of Study Duration. <i>Biological Psychiatry</i> , 2008, 64, e5-e6.	1.3	5
49	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2000 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2008, 22, 343-396.	4.0	437
50	Birth weight of infants after maternal exposure to typical and atypical antipsychotics: Prospective comparison study. <i>British Journal of Psychiatry</i> , 2008, 192, 333-337.	2.8	130
51	Repeated cortisol administration attenuates the EEG response to buspirone in healthy volunteers: evidence for desensitization of the 5-HT <sub>1A</sub> autoreceptor. <i>Journal of Psychopharmacology</i> , 2007, 21, 826-832.	4.0	27
52	A study of the neural correlates of episodic memory and HPA axis status in drug-free depressed patients and healthy controls. <i>Journal of Psychiatric Research</i> , 2007, 41, 295-304.	3.1	17
53	Graduate mental health worker case management of depression in UK primary care: a pilot study. <i>British Journal of General Practice</i> , 2007, 57, 880-885.	1.4	17
54	Assessing cortisol and dehydroepiandrosterone (DHEA) in saliva: effects of collection method. <i>Journal of Psychopharmacology</i> , 2006, 20, 643-649.	4.0	101

#	ARTICLE	IF	CITATIONS
55	Schizophrenia and increased risk of cardiovascular disease. <i>American Heart Journal</i> , 2006, 151, e13.	2.7	10
56	Effects of DHEA administration on episodic memory, cortisol and mood in healthy young men: a double-blind, placebo-controlled study. <i>Psychopharmacology</i> , 2006, 188, 541-551.	3.1	77
57	Managing the aftermath of mania - Newcastle, 2 September 2005: Consensus Meeting Statement. <i>Journal of Psychopharmacology</i> , 2006, 20, 51-54.	4.0	0
58	A case of pancytopenia. <i>Journal of Psychopharmacology</i> , 2006, 20, 690-692.	4.0	9
59	Prescribing of venlafaxine and dosulepin in primary care. <i>Journal of Psychopharmacology</i> , 2006, 20, 868-868.	4.0	2
60	Intramuscular haloperidol-promethazine sedates violent or agitated patients more quickly than intramuscular lorazepam. <i>Evidence-Based Mental Health</i> , 2005, 8, 7-7.	4.5	3
61	Lack of effect of tryptophan depletion on the loudness dependency of auditory event related potentials in healthy volunteers. <i>Biological Psychology</i> , 2004, 65, 137-145.	2.2	34
62	EEG effects of buspirone and pindolol: a method of examining 5-HT <sub>1A</sub> receptor function in humans. <i>Psychopharmacology</i> , 2003, 166, 284-293.	3.1	26
63	Effects of a single dose of cortisol on the neural correlates of episodic memory and error processing in healthy volunteers. <i>Psychopharmacology</i> , 2003, 167, 431-442.	3.1	63
64	Corticosterone modulation of somatodendritic 5-HT <sub>1A</sub> receptor function in mice. <i>Journal of Psychopharmacology</i> , 2002, 16, 245-252.	4.0	30
65	Rapid tranquillisation: Time for a reappraisal of options for parenteral therapy. <i>British Journal of Psychiatry</i> , 2002, 180, 485-489.	2.8	82
66	Effects of repeated cortisol administration on brain potential correlates of episodic memory retrieval. <i>Psychopharmacology</i> , 2002, 160, 74-83.	3.1	31
67	Effects of tryptophan depletion on brain potential correlates of episodic memory retrieval. <i>Psychopharmacology</i> , 2002, 160, 434-442.	3.1	60
68	Effects of adrenalectomy on 8-OH-DPAT induced hypothermia in mice. <i>Psychopharmacology</i> , 1999, 142, 73-77.	3.1	12
69	Effects of dexamethasone on neuroendocrine and psychological responses to L-tryptophan infusion. <i>Psychopharmacology</i> , 1999, 143, 64-71.	3.1	14
70	Acute effects of venlafaxine and paroxetine on serotonergic transmission in human volunteers. <i>Psychopharmacology</i> , 1999, 146, 194-198.	3.1	19
71	5-Hydroxytryptamine receptor function in humans is reduced by acute administration of hydrocortisone. <i>Psychopharmacology</i> , 1998, 139, 243-250.	3.1	34
72	Mood and neuropsychological function in depression: the role of corticosteroids and serotonin. <i>Psychological Medicine</i> , 1998, 28, 573-584.	4.5	162

#	ARTICLE	IF	CITATIONS
73	Exacerbation of migraine with paroxetine: Case report. <i>Human Psychopharmacology</i> , 1995, 10, 349-350.	1.5	2
74	The temperature dependence of high-threshold calcium channel currents recorded from adult rat dorsal raphe neurones. <i>Neuropharmacology</i> , 1995, 34, 1479-1490.	4.1	21
75	The modulation of calcium channel currents recorded from adult rat dorsal raphe neurones by 5-HT1A receptor or direct G-protein activation. <i>Neuropharmacology</i> , 1995, 34, 1491-1506.	4.1	13