Lukas Bäni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2378639/publications.pdf Version: 2024-02-01



<u> Ιμκλς Β</u>Δίαι

#	Article	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
2	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
3	Study of high-p T charged particle suppression in PbPb compared to pp collisions at \$sqrt{s_{mathrm{NN}}=2.76~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	369
4	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	3.9	342
5	Observation of a new boson with mass near 125 GeV in pp collisions at \$ sqrt{s}=7 \$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	320
6	Search for dark matter, extra dimensions, and unparticles in monojet events in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75, 235.	3.9	320
7	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	3.9	241
8	Suppression of non-prompt J/l̈́, prompt J/l̈́, and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt {{{s_{ext{NN}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	200
9	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	3.9	198
10	Measurement of the differential cross section for top quark pair production in pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 542.	3.9	191
11	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at \$sqrt{s_{NN}}= 2.76 mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	181
12	Search for heavy neutrinos and \$\$mathrm {W}\$\$ W bosons with right-handed couplings in proton–proton collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	3.9	179

Lukas BÃ**n**i

#	Article	IF	CITATIONS
19	Search for supersymmetry in hadronic final states with missing transverse energy using the variables α T and b-quark multiplicity in pp collisions at \$sqrt{s} = 8 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2568.	3.9	147
20	A search for a doubly-charged Higgs boson in pp collisions at \$sqrt{s} = 7 mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	129
21	Measurement of differential top-quark-pair production cross sections in pp collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 1.	3.9	125
22	Evidence for the 125 GeV Higgs boson decaying to a pair of Ï" leptons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	123
23	Searches for long-lived charged particles in pp collisions at \$ sqrt{s} \$ =7 and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	118
24	Search for a light charged Higgs boson in top quark decays in pp collisions at \$ sqrt {s} = 7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	117
25	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = 5.02 \$\$ sqrt{s_{mathrm{N};mathrm{N}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	103
26	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101
27	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	100
28	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at \$ sqrt {{{s_{ext{NN}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	99
29	Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final state produced in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710.	3.9	98
30	Measurement of the underlying event activity at the LHC with \$ sqrt {s} = 7 \$ TeV and comparison with \$ sqrt {s} = 0.9 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	97
31	Search for supersymmetry in hadronic final states using M T2 in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	95
32	Searches for invisible decays of the Higgs boson in pp collisions at s \$\$ sqrt{s} \$\$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	95
33	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	4.7	92
34	Measurements of differential and double-differential Drell–Yan cross sections in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	3.9	88
35	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at \$ sqrt{{{s_{mathrm{NN}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	85
36	Study of double parton scattering using W + 2-jet events in proton-proton collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85

#	Article	IF	CITATIONS
37	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
38	Study of the production of charged pions, kaons, and protons in pPb collisions at \$\$sqrt{s_{NN}} =; \$\$ s N N = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 2847.	3.9	85
39	Measurement of the single-top-quark t-channel cross section in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	83
40	Measurement of the differential cross section and charge asymmetry for inclusive \$\$mathrm {p}mathrm {p}ightarrow mathrm {W}^{pm }+X\$\$ p p → W ± + X production at \$\${sqrt{s}} = 8\$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 469.	3.9	83
41	Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509.	3.9	83
42	J/ڷ and ڷ (2S) production in pp collisions at \$ sqrt {s} = 7{ext{Tev}} \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	81
43	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	81
44	Search for a charged Higgs boson in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	81
45	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	78
46	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at \$ sqrt{{{s_{NN }}} \$ =2.76 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	77
47	Study of exclusive two-photon production of W+Wâ^' in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	75
48	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at \$\$sqrt{s_{mathrm{NN}}} = 5.02\$\$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 1.	3.9	75
49	Measurement of the \$\${{mathrm{W} }^{+} }mathrm{W}^{-} \$\$ W + W - cross section in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	3.9	74
50	Measurement of the X(3872) production cross section via decays to J/Ï`Ï€ + Ï€ â^' in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
51	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	3.9	73
52	Measurement of the t-channel single-top-quark production cross section and of the V tb CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	70
53	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the dilepton channel in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	69
54	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	69

Lukas BÃ**r**i

#	Article	IF	CITATIONS
55	Search for anomalous production of multilepton events in pp collisions at \$ sqrt {s} = 7,TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	68
56	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	3.9	68
57	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	68
58	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	3.9	68
59	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at \$sqrt{s} = 7 mbox{TeV}\$. European Physical Journal C, 2013, 73, 2283.	3.9	64
60	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	3.9	64
61	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63
62	Measurement of the W+Wâ^' cross section in pp collisions at \$sqrt{s} = 7mbox{ TeV}\$ and limits on anomalous WWγ and WWZ couplings. European Physical Journal C, 2013, 73, 1.	3.9	62
63	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at \$\$sqrt{s}=8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	3.9	62
64	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	62
65	Measurement of prompt J/ḯ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.	4.7	61
66	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at \$sqrt{s} = 7 mathrm{TeV}\$ and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1.	3.9	60
67	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
68	Jet production rates in association with W and Z bosons in pp collisions at \$ sqrt {s} = 7 {ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
69	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	4.7	58

#	Article	IF	CITATIONS
73	Exclusive Î ³ Î ³ → μ + μ â^' production in proton-proton collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	56
74	Event activity dependence of \$ Y \$ (nS) production in \$ sqrt{{{s_{NN }}} \$ = 5.02 TeV pPb and \$ sqrt{s} \$ = 2.76 TeV pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	56
75	Measurement of masses in the \$mathrm{t}overline{mathrm{t}}\$ system by kinematic endpoints in pp collisions at \$sqrt{s}=7 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2494.	3.9	55
76	Measurement of associated W + charm production in pp collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	55
77	Measurement of the double-differential inclusive jet cross section in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.	3.9	55
78	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 288.	3.9	54
79	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	54
80	Measurement of the \$ {{m t}ar{m t}} \$ production cross section and the top quark mass in the dilepton channel in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	53
81	Measurement of prompt and nonprompt \$\$mathrm{J}/{psi }\$\$ J / Ï^ production in \$\$mathrm {p}mathrm {p}\$\$ p p and \$\$mathrm {p}mathrm {Pb}\$\$ p Pb collisions at \$\$sqrt{s_{mathrm {NN}}} =5.02,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	3.9	53
82	Measurement of the \$ toverline{t} \$ production cross section in the dilepton channel in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	52
83	Search for exclusive or semi-exclusive l̂ ³ l̂ ³ production and observation of exclusive and semi-exclusive e+eâ^' production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	51
84	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51
85	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	50
86	Search for new physics with jets and missing transverse momentum in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	49
87	Search for leptonic decays of W′ bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	49
88	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
89	Search for new physics in events with same-sign dileptons and jets in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	48
90	Observation of Y(1S) pair production in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48

#	Article	IF	CITATIONS
91	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	47
92	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	46
93	Search for disappearing tracks in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	46
94	Search for third-generation scalar leptoquarks decaying to a top quark and a \$\$au \$\$ Ï,, lepton at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	3.9	46
95	Search for heavy bottom-like quarks in 4.9 fbâ~'1 of pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
96	Search for microscopic black holes in pp collisions at \$ sqrt{s}=8 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	44
97	Search for a light charged Higgs boson decaying to c s Â ⁻ \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	4.7	44
98	Search for decays of stopped long-lived particles produced in proton–proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	3.9	44
99	Search for standard model production of four top quarks with same-sign and multilepton final states in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	3.9	44
100	Measurement of top quark–antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	3.9	43
101	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	43
102	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton–proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.	3.9	43
103	Measurement of the top-quark mass in \$mathrm{t}overline{mathrm{t}}\$ events with dilepton final states in pp collisions at \$sqrt{s}=7 mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	42
104	Evidence for exclusive Î ³ Î ³ → W + W â^' production and constraints on anomalous quartic gauge couplings in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	42
105	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	41
106	Measurement of the t t Â ⁻ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the eμ channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
107	Measurement of the \$\$mathrm{t}overline{{mathrm{t}}}\$\$ t t Â ⁻ production cross section in the all-jets final state in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128.	3.9	41
108	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41

#	Article	IF	CITATIONS
109	Search for same-sign top-quark pair production at \$ sqrt {s} = 7 \$ TeV and limits on flavour changing neutral currents in the top sector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	40
110	Measurement of the \$\$mathrm{t}overline{mathrm{t}} \$\$ t t Â ⁻ production cross section using events in the \$\$mathrm {e}mu \$\$ e μ final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	3.9	40
111	Search for new physics in dijet angular distributions using proton–proton collisions at \$\$sqrt{s}=13hbox {TeV}\$\$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	3.9	40
112	Inclusive b-jet production in pp collisions at \$sqrt {s} = 7TeV\$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
113	Measurement of the Z/γ* + b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
114	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
115	Measurement of the ZZ production cross section and search for anomalous couplings in 2ℓ2ℓ′ final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
116	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s \$\$ sqrt{s} \$\$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	39
117	Measurement of the top-quark mass in \$ mathrm{t}overline{mathrm{t}} \$ events with lepton+jets final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	38
118	Measurement of the \$mathrm{{tar{t}}}\$ production cross section in pp collisions at \$sqrt{s}=7\$ TeV using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011, 71, 1.	3.9	37
119	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	37
120	Measurement of the WZ production cross section in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 and 8 \$\$,ext{TeV}\$\$ TeV and search for anomalous triple gauge couplings at \$\$sqrt{s} = 8,ext{TeV} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	3.9	37
121	Measurement of the Drell-Yan cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	36
122	Search for resonant and nonresonant Higgs boson pair production in the b b Â ⁻ â,,"νâ,,"ν \$\$ mathrm{b}overline{mathrm{b}}mathit{ell u ell u } \$\$ final state in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	36
123	Measurement of the top-quark mass in all-jets \$\$hbox {t}ar{mathrm{t}}\$\$ t t Â ⁻ events in pp collisions at \$\$sqrt{s}=7\$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 2758.	3.9	35
124	Search for heavy Majorana neutrinos in e±e±+ jets and e± μ ±+ jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	35
125	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	35
126	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34

#	Article	IF	CITATIONS
127	Search for microscopic black holes in pp collisions at \$\$ sqrt {s} = {ext{7TeV}} \$\$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
128	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or ≥3 b-quark jets in 7 TeV pp collisions using the variable α T. Journal of High Energy Physics, 2013, 2013, 1.	4.7	34
129	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	34
130	Measurement of \$\$mathrm {t}overline{mathrm {t}}\$\$ t t Â ⁻ production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	3.9	34
131	Measurements of the \$\$mathrm{t}overline{mathrm{t}}\$\$ t t Â ⁻ production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to 7Â \$\$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	3.9	34
132	Measurement of the top quark mass with lepton+jets final states using \$\$mathrm {p}\$\$\$\$mathrm {p}\$\$ collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2018, 78, 891.	3.9	34
133	Search for single production of vector-like quarks decaying to a top quark and a \$\$mathrm {W} \$\$ W boson in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	3.9	34
134	Measurement of the underlying event in the Drell–Yan process in proton–proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	33
135	Search for new physics in events with same-sign dileptons and b jets in pp collisions at \$ sqrt{s}=8 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	33
136	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	3.9	33
137	Search for supersymmetry in pp collisions at \$ sqrt {s} = 7 \$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
138	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
139	Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.	3.9	32
140	Measurements of the \$\$mathrm{Z}\$\$ Z \$\$mathrm{Z}\$\$ Z production cross sections in the \$\$2mathrm{l} 2u \$\$ 2 l 2 ν channel in proton–proton collisions at \$\$sqrt{s} = 7\$\$ s = 7 and \$\$8~. European Physical Journal C, 2015, 75, 511.	3.9	32
141	Searches for pair production of third-generation squarks in \$\$sqrt{s}=13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	3.9	32
142	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	31
143	Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	3.9	31
144	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31

Lukas Bäi

#	Article	IF	CITATIONS
145	Search for top squark pair production in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
146	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
147	Search for a Higgs boson in the decay channel H → ZZ(*) → q\$ overline {ext{q}} \$ â"" â~' â"" + in pp collisions at \$ sqrt {s} = 7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
148	Measurement of the W-boson helicity in top-quark decays from \$ mathrm{t}overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	30
149	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
150	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ â,," ν b b Â ⁻ final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	3.9	30
151	Measurements of the associated production of a Z boson and b jets in pp collisions at \$\${sqrt{s}} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	3.9	30
152	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	29
153	Measurement of inclusive jet production and nuclear modifications in pPb collisions at \$\$sqrt{s_{_mathrm {NN}}} =5.02,mathrm{TeV} \$\$ s NN. European Physical Journal C, 2016, 76, 372.	3.9	29
154	Correlations between jets and charged particles in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	29
155	A search for new phenomena in pp collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the \$\$alpha _{mathrm {T}}\$\$ α T variable. European Physical Journal C, 2017, 77, 294.	3.9	29
156	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
157	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	3.9	29
158	Study of Z production in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}=2.76 \$\$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
159	Search for anomalous single top quark production in association with a photon in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	27
160	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
161	Search for resonant \$ mathrm{t}overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
162	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton–proton collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	26

Lukas Bäi

#	Article	IF	CITATIONS
163	Search for the standard model Higgs boson in the H → ZZ → 2ℓ2ν channel in pp collisions = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	at \$ sqrt 4.7	{ext{s}}
164	Measurement of the production cross section for pairs of isolated photons in pp collisions at \$ sqrt {s} = 7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
165	Search for W′ → tb decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	26
166	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	26
167	Measurement of the inclusive jet cross section in pp collisions at \$\$sqrt{s} = 2.76,ext {TeV}\$\$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	3.9	26
168	Measurement of energy flow at large pseudorapidities in pp collisions at \$ sqrt {s} = 0.{9} \$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	25
169	Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	3.9	25
170	Measurement of the \$mathrm{t}ar{mathrm{t}}\$ production cross section in the Ï,,+jets channel in pp collisions at \$sqrt{s}=7 mbox{TeV}\$. European Physical Journal C, 2013, 73, 1.	3.9	24
171	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
172	Search for third-generation scalar leptoquarks in the tÏ,, channel in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
173	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
174	Measurement of WZ and ZZ production in pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	3.9	23
175	Observation of top quark pairs produced in association with a vector boson in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	23
176	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
177	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
178	Measurement of the top quark mass using single top quark events in proton-proton collisions at \$\$sqrt{s}= 8\$\$ s = 8 ÂTeV. European Physical Journal C, 2017, 77, 354.	3.9	23
179	Measurement of the triple-differential dijet cross section in proton-proton collisions at \$\$sqrt{s}=8,ext {TeV} \$\$ s = 8 TeV and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	3.9	23
180	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23

#	Article	IF	CITATIONS
181	Search for physics beyond the standard model in events with Ï,, leptons, jets, and large transverse momentum imbalance in pp collisions at \$sqrt{s}=7 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2493.	3.9	22
182	Search for t t Â ⁻ \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
183	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
184	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
185	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying Ï" leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
186	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	21
187	Search for exotic resonances decaying into WZ/ZZ in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	20
188	Search for supersymmetry in pp collisions at \$sqrt{s} =7\$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	3.9	20
189	Measurements of the \$ mathrm{t}overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	20
190	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
191	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
192	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
193	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into Ï" leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
194	Search for quark compositeness in dijet angular distributions from pp collisions at \$ sqrt {s} = 7{ } \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	18
195	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{N};mathrm{N}}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	18
196	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at \$\$sqrt{s} = 8;ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	3.9	18
197	Measurement of normalized differential \$\$ mathrm{t}overline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
198	Search for stopped long-lived particles produced in pp collisions at \$ sqrt {s} = {ext{7TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17

Lukas BäII

#	Article	IF	CITATIONS
199	Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
200	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	17

201	Probing color coherence effects in pp collisions at \$\$sqrt{s}=7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901.	3.9	17
	Measurement of the ratio of the production cross sections times branching fractions of B c ±  â†' J/lî`i€	±	

203	2015, 1. Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
204	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
205	Search for new physics in the monophoton final state in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
206	Measurement of electroweak-induced production of WÎ ³ with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
207	Measurements of jet charge with dijet events in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
208	Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	3.9	17
209	Electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	3.9	17
210	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	16
211	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the all-jet final state in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
212	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
213	Measurement of jet multiplicity distributions in \$\$mathrm {t}overline{mathrm {t}}\$\$ t t Â ⁻ production in pp collisions at \$\$sqrt{s} = 7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 3014.	3.9	16
214	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm {e}mu \$\$ e μ pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	3.9	16
215	Search for excited leptons in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
216	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16

and $B\hat{A}\pm\hat{a}\in\hat{M}\hat{a}^{*}\hat{a}\in\hat{M}/\hat{l}^{*}K\hat{A}\pm$ and $\hat{a}_{n}\neg B c \hat{A}\pm\hat{a}^{*}\hat{J}/\hat{l}^{*}\hat{l}\in\hat{a}^{*}\hat{a}^{*}\hat{a}_{n}\neg B c \hat{A}\pm\hat{a}^{*}\hat{J}/\hat{l}^{*}\hat{l}\in\hat{A}\pm\hat{s}$ mathrm{mathcal{B}}left({mathrm{B}_{mathrm{c}}^{*}}{mathrm{c}}) mathrm{J}/psi {pi}^{pm} J ETQq0 0 0 rgBT /Overlock 10 Tf 50 202

#	Article	IF	CITATIONS
217	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at \$\$sqrt{s} = 8{,mathrm{{TeV}} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	3.9	16
218	Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	3.9	16
219	Search for a fermiophobic Higgs boson in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
220	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
221	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
222	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
223	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
224	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
225	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
226	Search for new physics with dijet angular distributions in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
227	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	14
228	Measurement of the production cross section for \$ mathrm{Z}gamma o u overline{u}gamma \$ in pp collisions at \$ sqrt{s} = 7 \$ TeV and limits on ZZγ and ZγI³ triple gauge boson couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	14
229	Search for s channel single top quark production in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
230	Search for supersymmetry in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
231	Search for associated production of dark matter with a Higgs boson decaying to b b Â⁻ \$\$ mathrm{b}overline{mathrm{b}} \$\$ or γγ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
232	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
233	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
234	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14

#	Article		IF	CITATIONS
235	Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 â^— (5840) 0 and	\$\${mathrm {B}}		

Lukas BäII

Lukas Bäi

#	Article	IF	CITATIONS
253	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at s = 2.76 \$\$ sqrt{s}=2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	10
254	Measurements of the pp → Wγγ and pp → Zγγ cross sections and limits on anomalous quartic gauge coupling at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	^S 4.7	10
255	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
256	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
257	A Study of the Radiation Tolerance of CVD Diamond to 70 MeV Protons, Fast Neutrons and 200 MeV Pions. Sensors, 2020, 20, 6648.	3.8	10
258	Searches for W′ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
259	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
260	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at \$ sqrt{s}=7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	7
261	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	7
262	Search for high-mass Zγ resonances in e+eâ^'γ and μ + μ â^'γ final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	5 4.7	7
263	Measurement of the cross section for production of \$ boverline b X \$ decaying to muons in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	6
264	Comparison of the Z/γ â^— + jets to γ + jets cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	6
265	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at \$\$sqrt{s} = 7\$\$ s = 7 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 302.	3.9	6
266	Measurement of the mass of the top quark in decays with a J/ḯ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	6
267	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.		6
268	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
269	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
270	Search for a heavy resonance decaying to a top quark and a vector-like top quark at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	5

#	Article	IF	CITATIONS
271	Measurement of energy flow at large pseudorapidities in pp collisions at (sqrt {s} = 0.{9}) and 7 TeV. , 2011, 2011, 1.		5
272	Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	3.9	5
273	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	4.7	4
274	Search for dark matter particles in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
275	Search for CP violation in t t \hat{A}^- \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	4
276	Study of hadronic event-shape variables in multijet final states in pp collisions at s = 7 \$\$ sqrt{s} = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	3
277	Search for W′ → tb in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	3
278	Search for top quark partners with charge 5/3 in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
279	Measurement of the (toverline{t}) production cross section in the dilepton channel in pp collisions at (sqrt{s}) = 8 TeV. , 2014, 2014, 1.		3
280	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	3.9	2
281	Search for new physics in events with same-sign dileptons and b jets in pp collisions at (sqrt{s}=8) TeV. , 2013, 2013, 1.		2
282	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	1
283	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	0