

Narcis Avarvari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2380366/publications.pdf>

Version: 2024-02-01

135
papers

4,122
citations

116194

36
h-index

156644

58
g-index

140
all docs

140
docs citations

140
times ranked

3720
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Tetrathiafulvalene-based group XV ligands: Synthesis, coordination chemistry and radical cation salts. <i>Coordination Chemistry Reviews</i> , 2009, 253, 1398-1438. | 9.5 | 250 |
| 2 | Electrical magnetochiral anisotropy in a bulk chiral molecular conductor. <i>Nature Communications</i> , 2014, 5, 3757. | 5.8 | 185 |
| 3 | Main-Group-Based Electro- and Photoactive Chiral Materials. <i>Chemical Reviews</i> , 2019, 119, 8435-8478. | 23.0 | 181 |
| 4 | Hierarchical Chiral Expression from the Nano- to Mesoscale in Synthetic Supramolecular Helical Fibers of a Nonamphiphilic C_3 -Symmetrical π -Functional Molecule. <i>Journal of the American Chemical Society</i> , 2011, 133, 8344-8353. | 6.6 | 154 |
| 5 | A Series of Redox Active, Tetrathiafulvalene-Based Amidopyridines and Bipyridines Ligands: Syntheses, Crystal Structures, a Radical Cation Salt and Group 10 Transition-Metal Complexes. <i>Chemistry - A European Journal</i> , 2004, 10, 3697-3707. | 1.7 | 129 |
| 6 | Strategies towards chiral molecular conductors. <i>Journal of Materials Chemistry</i> , 2009, 19, 4061. | 6.7 | 116 |
| 7 | Chiral Molecular Metals: Syntheses, Structures, and Properties of the AsF_6^- Salts of Racemic (Δ), (R)-, and (S)-Tetrathiafulvalene Oxazoline Derivatives. <i>Journal of the American Chemical Society</i> , 2005, 127, 5748-5749. | 6.6 | 94 |
| 8 | First cation radical salt of a tetrathiafulvalene-based phosphine metal complex. <i>Chemical Communications</i> , 2004, , 1300-1301. | 2.2 | 82 |
| 9 | Chirality Driven Metallic versus Semiconducting Behavior in a Complete Series of Radical Cation Salts Based on Dimethyl-Ethylenedithio-Tetrathiafulvalene (DM-EDT-TTF). <i>Journal of the American Chemical Society</i> , 2013, 135, 17176-17186. | 6.6 | 79 |
| 10 | Unexpected Reactivity of $PdCl_2$ and $PtCl_2$ Complexes of the Unsaturated Diphosphine o-Me2TTF(PPh_2) ₂ toward Chloride Abstraction with Thallium Triflate. <i>Inorganic Chemistry</i> , 2004, 43, 3136-3141. | 1.9 | 78 |
| 11 | Ethylenedithio-Tetrathiafulvalene-Helicenes: Electroactive Helical Precursors with Switchable Chiroptical Properties. <i>Chemistry - A European Journal</i> , 2013, 19, 13160-13167. | 1.7 | 73 |
| 12 | Triplet state CPL active helicene-dithiolen platinum bipyridine complexes. <i>Chemical Communications</i> , 2017, 53, 9210-9213. | 2.2 | 69 |
| 13 | Singular Crystalline π -Layered Topologies Directed by Ribbons of Self-Complementary Amide-Amide Ring Motifs in [EDT-TTF-(CONH ₂) ₂] ₂ X (X = HSO ₄ , ClO ₄ , ReO ₄ , AsF ₆): Coupled Activation of Ribbon Curvature, Electron Interactions, and Magnetic Susceptibility. <i>Journal of the American Chemical Society</i> , 2003, 125, 11583-11590. | 6.6 | 66 |
| 14 | Constructing Robust Channel Structures by Packing Metallacalixarenes: Reversible Single-Crystal-to-Single-Crystal Dehydration. <i>Journal of the American Chemical Society</i> , 2009, 131, 4586-4587. | 6.6 | 66 |
| 15 | Tetrathiafulvalene based phosphino-oxazolines: a new family of redox active chiral ligands. <i>Chemical Communications</i> , 2004, , 1384-1385. | 2.2 | 65 |
| 16 | Structural and electrochemical study of metal carbonyl complexes with chelating bis- and tetrakis(diphenylphosphino)tetrathiafulvalenes. <i>Journal of Organometallic Chemistry</i> , 2002, 643-644, 292-300. | 0.8 | 59 |
| 17 | Conducting Anilate-Based Mixed-Valence Fe(II)Fe(III) Coordination Polymer: Small-Polaron Hopping Model for Oxalate-Type Fe(II)Fe(III) 2D Networks. <i>Journal of the American Chemical Society</i> , 2018, 140, 12611-12621. | 6.6 | 58 |
| 18 | O π -S vs. N π -S intramolecular nonbonded interactions in neutral and radical cation salts of TTF-oxazoline derivatives: synthesis, theoretical investigations, crystalline structures, and physical properties. <i>New Journal of Chemistry</i> , 2007, 31, 1468. | 1.4 | 57 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Twists and turns in the hierarchical self-assembly pathways of a non-amphiphilic chiral supramolecular material. <i>Chemical Communications</i> , 2012, 48, 4552. | 2.2 | 57 |
| 20 | Supramolecular electroactive organogel and conducting nanofibers with C3-symmetrical architectures. <i>Journal of Materials Chemistry</i> , 2009, 19, 4495. | 6.7 | 56 |
| 21 | Covalent non-fused tetrathiafulvalene-acceptor systems. <i>Chemical Communications</i> , 2016, 52, 7906-7927. | 2.2 | 54 |
| 22 | Complete Series of Chiral Paramagnetic Molecular Conductors Based on Tetramethyl-bis(ethylenedithio)-tetrathiafulvalene (TM-BEDT-TTF) and Chloranilate-Bridged Heterobimetallic Honeycomb Layers. <i>Inorganic Chemistry</i> , 2015, 54, 3643-3653. | 1.9 | 52 |
| 23 | Enhancement of electrocatalytic oxygen evolution by chiral molecular functionalization of hybrid 2D electrodes. <i>Nature Communications</i> , 2022, 13, . | 5.8 | 48 |
| 24 | Structural Isomerism in Crystals of Redox-Active Secondaryortho-Diamides: The Role of Competing Intra- and Intermolecular Hydrogen Bonds in Directing Crystalline Topologies. <i>Chemistry - A European Journal</i> , 2004, 10, 4498-4511. | 1.7 | 47 |
| 25 | Multielectron Donors Based on TTF-Phosphine and Ferrocene-Phosphine Hybrid Complexes of a Hexarhenium(III) Octahedral Cluster Core. <i>Inorganic Chemistry</i> , 2005, 44, 3459-3465. | 1.9 | 47 |
| 26 | Order Versus Disorder in Chiral Tetrathiafulvalene-Oxazoline Radical-Cation Salts: Structural and Theoretical Investigations and Physical Properties. <i>Chemistry - A European Journal</i> , 2010, 16, 528-537. | 1.7 | 47 |
| 27 | Tetrathiafulvalene-Benzothiadiazoles as Redox-Tunable Donor-Acceptor Systems: Synthesis and Photophysical Study. <i>Chemistry - A European Journal</i> , 2013, 19, 2504-2514. | 1.7 | 47 |
| 28 | Halogen-bonding in a new family of tris(haloanilato)metallate (<sc>iii</sc>) magnetic molecular building blocks. <i>Dalton Transactions</i> , 2014, 43, 7006-7019. | 1.6 | 47 |
| 29 | 1,4-Dihydro-1,4-diphosphinine fused with two tetrathiafulvalenes. <i>Chemical Communications</i> , 2004, , 2794-2795. | 2.2 | 45 |
| 30 | Tetramethyl-Bis(ethylenedithio)-Tetrathiafulvalene (TM-BEDT-TTF) Revisited: Crystal Structures, Chiroptical Properties, Theoretical Calculations, and a Complete Series of Conducting Radical Cation Salts. <i>Chirality</i> , 2013, 25, 466-474. | 1.3 | 45 |
| 31 | Tetrathiafulvalene-hydroxyamides and -oxazolines: hydrogen bonding, chirality, and a radical cation salt. <i>Tetrahedron</i> , 2005, 61, 10935-10942. | 1.0 | 43 |
| 32 | Localization versus Delocalization in Chiral Single Component Conductors of Gold Bis(dithiolene) Complexes. <i>Journal of the American Chemical Society</i> , 2016, 138, 6838-6851. | 6.6 | 43 |
| 33 | Triggering Emission with the Helical Turn in Thiadiazole-Helicenes. <i>Chemistry - A European Journal</i> , 2017, 23, 437-446. | 1.7 | 42 |
| 34 | Ferromagnetic Coupling through Spin Polarization in the Hexanuclear [MnII3CuII3] Complex. <i>Inorganic Chemistry</i> , 2004, 43, 5189-5191. | 1.9 | 40 |
| 35 | Structural Diversity and Physical Properties of Paramagnetic Molecular Conductors Based on Bis(ethylenedithio)tetrathiafulvalene (BEDT-TTF) and the Tris(chloranilato)ferrate(III) Complex. <i>Inorganic Chemistry</i> , 2014, 53, 7028-7039. | 1.9 | 40 |
| 36 | Tetrathiafulvalene-phosphine-based iron and ruthenium carbonyl complexes: Electrochemical and EPR studies. <i>Physical Chemistry Chemical Physics</i> , 2005, 7, 85-93. | 1.3 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Electroactive oxazoline ligands. <i>Coordination Chemistry Reviews</i> , 2010, 254, 1523-1533. | 9.5 | 37 |
| 38 | Nanosheets of Two-Dimensional Neutral Coordination Polymers Based on Near-Infrared-Emitting Lanthanides and a Chlorocyananilate Ligand. <i>Chemistry of Materials</i> , 2018, 30, 6575-6586. | 3.2 | 36 |
| 39 | Mono- and Bis(tetrathiafulvalene) π - π -Triazines as Covalently Linked Donor-Acceptor Systems: Structural, Spectroscopic, and Theoretical Investigations. <i>Chemistry - A European Journal</i> , 2009, 15, 380-387. | 1.7 | 35 |
| 40 | Hierarchical Self-Assembly of Supramolecular Helical Fibres from Amphiphilic C ₃ -Symmetrical Functional Tris(tetrathiafulvalenes). <i>Chemistry - A European Journal</i> , 2014, 20, 17443-17453. | 1.7 | 35 |
| 41 | Charge transfer complexes and radical cation salts of chiral methylated organosulfur donors. <i>CrystEngComm</i> , 2014, 16, 3906. | 1.3 | 35 |
| 42 | Intramolecular Mixed-Valence State Through Silicon or Germanium Double Bridges in Rigid Bis(Tetrathiafulvalenes). <i>Chemistry - A European Journal</i> , 2007, 13, 5394-5400. | 1.7 | 34 |
| 43 | [2 + 2]Photocyclization in a single-crystal-to-single-crystal transformation of a TTF-amido-pyridine. <i>Chemical Communications</i> , 2004, , 1538. | 2.2 | 33 |
| 44 | Chemo- and enantioselective sulfoxidation of bis(ethylenedithio)-tetrathiafulvalene (BEDT-TTF) into chiral BEDT-TTF-sulfoxide. <i>Chemical Communications</i> , 2008, , 220-222. | 2.2 | 33 |
| 45 | Chiral metal-dithiolene complexes. <i>Coordination Chemistry Reviews</i> , 2017, 346, 20-31. | 9.5 | 33 |
| 46 | 1,2,4,5-Tetrazine based ligands and complexes. <i>Dalton Transactions</i> , 2020, 49, 5759-5777. | 1.6 | 33 |
| 47 | Anion size control of the packing in the metallic versus semiconducting chiral radical cation salts (DM-EDT-TTF) ₂ XF ₆ (X = P, As, Sb). <i>Chemical Communications</i> , 2016, 52, 12438-12441. | 2.2 | 32 |
| 48 | Two Successive Single Crystal Phase Transitions Involving the Coordination Sphere of Antimony in PhSb(dmit), the First Organo-Antimony(III) Dithiolene Complex. <i>Inorganic Chemistry</i> , 2001, 40, 2570-2577. | 1.9 | 31 |
| 49 | Magneto-chiral anisotropy: From fundamentals to perspectives. <i>Chirality</i> , 2021, 33, 844-857. | 1.3 | 31 |
| 50 | Tetrathiafulvalene-s-tetrazine: versatile platform for donor-acceptor systems and multifunctional ligands. <i>RSC Advances</i> , 2013, 3, 3218. | 1.7 | 30 |
| 51 | Spontaneous separation of on-surface synthesized tris-helicenes into two-dimensional homochiral domains. <i>Chemical Communications</i> , 2018, 54, 7948-7951. | 2.2 | 30 |
| 52 | Enantiopure Conducting Salts of Dimethylbis(ethylenedithio)tetrathiafulvalene (DM-BEDT-TTF) with the Hexachlororhenate(IV) Anion. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 3855-3862. | 1.0 | 29 |
| 53 | Heteroleptic NIR-Emitting Yb ^{III} /Anilate-Based Neutral Coordination Polymer Nanosheets for Solvent Sensing. <i>ACS Applied Nano Materials</i> , 2020, 3, 94-104. | 2.4 | 29 |
| 54 | Switching-on luminescence in anilate-based molecular materials. <i>Dalton Transactions</i> , 2015, 44, 15786-15802. | 1.6 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Surface-assisted diastereoselective Ullmann coupling of bishelicenes. <i>Chemical Communications</i> , 2016, 52, 12694-12697. | 2.2 | 28 |
| 56 | Neutral and Dianionic Organoantimony(III) Dithiolene Complexes: Syntheses, X-ray Crystal Structures, and Unexpected Reactivity. <i>Organometallics</i> , 2003, 22, 2042-2049. | 1.1 | 26 |
| 57 | C2-symmetric chiral tetrathiafulvalene-bis(oxazolines) (TTF-BOX): new precursors for organic materials and electroactive metal complexes. <i>Chemical Communications</i> , 2009, , 3753. | 2.2 | 26 |
| 58 | Hybrid Organic/Inorganic Complexes Based on Electroactive Tetrathiafulvalene-Functionalized Diphosphanes Tethered to C3-Symmetrized Mo3Q4 (Q = S, Se) Clusters. <i>Inorganic Chemistry</i> , 2010, 49, 1894-1904. | 1.9 | 26 |
| 59 | The fate of bromine after temperature-induced dehydrogenation of on-surface synthesized bisheptahelicene. <i>Chemical Science</i> , 2019, 10, 2998-3004. | 3.7 | 25 |
| 60 | Tetrathiafulvalene-1,3,5-triazines as (Multi)Donor-Acceptor Systems with Tunable Charge Transfer: Structural, Photophysical, and Theoretical Investigations. <i>Inorganic Chemistry</i> , 2013, 52, 5023-5034. | 1.9 | 24 |
| 61 | Electronic tuning effects via π -linkers in tetrathiafulvalene-based dyes. <i>New Journal of Chemistry</i> , 2014, 38, 3269. | 1.4 | 23 |
| 62 | Copper (II) and cobalt (II) complexes of chiral tetrathiafulvalene-oxazoline (TTF-OX) and tetrathiafulvalene-thiomethyl-oxazoline (TTF-SMe-OX) derivatives. <i>Inorganica Chimica Acta</i> , 2007, 360, 233-240. | 1.2 | 22 |
| 63 | Conducting mixed-valence salt of bis(ethylenedithio)tetrathiafulvalene (BEDT-TTF) with the paramagnetic heteroleptic anion $[\text{Cr}^{\text{III}}(\text{oxalate})_2(2,2\text{-bipyridine})]^{2-}$. <i>New Journal of Chemistry</i> , 2008, 32, 333-339. | 1.4 | 22 |
| 64 | Dysprosium Chlorocycanoanilate-Based 2D-Layered Coordination Polymers. <i>Inorganic Chemistry</i> , 2019, 58, 13988-13998. | 1.9 | 22 |
| 65 | Radical cation salts of BEDT-TTF, enantiopure tetramethyl-BEDT-TTF, and TTF-Oxazoline (TTF-Ox) donors with the homoleptic TRISPHAT anion. <i>New Journal of Chemistry</i> , 2011, 35, 2279. | 1.4 | 21 |
| 66 | Hydrogen-Bonded Supramolecular Architectures Based on Tris(Hydranilate)Metallate(III) (M = Fe, Cr) Metallotectons. <i>Crystal Growth and Design</i> , 2014, 14, 5938-5948. | 1.4 | 21 |
| 67 | Rigid Bis(tetrathiafulvalenes) Doubly Bridged by Phosphino Groups and Derivatives: Synthesis and Intramolecular Mixed Valence State. <i>Organometallics</i> , 2009, 28, 3691-3699. | 1.1 | 20 |
| 68 | Structural, photophysical and magnetic properties of transition metal complexes based on the dipicolylamino-chloro-1,2,4,5-tetrazine ligand. <i>Dalton Transactions</i> , 2015, 44, 8855-8866. | 1.6 | 20 |
| 69 | Conservation of structural arrangements and 3:1 stoichiometry in a series of crystalline conductors of TMTTF, TMTSF, BEDT-TTF, and chiral DM-EDT-TTF with the oxo-bis[pentafluorotantalate] dianion. <i>Chemical Science</i> , 2020, 11, 10078-10091. | 3.7 | 20 |
| 70 | Sb-S and S-S interactions in the first neutral and oxidized diphenylstibino (Ph ₂ Sb) derivatives of the redox active tetrathiafulvalene (TTF) core. <i>Dalton Transactions RSC</i> , 2002, , 3686-3690. | 2.3 | 19 |
| 71 | In Search of Chiral Molecular Superconductors: $\text{[}(\text{S,S})\text{-DM-BEDT-TTF}]_2\text{ClO}_4$ Revisited. <i>Advanced Materials</i> , 2020, 32, e2002811. | 11.1 | 19 |
| 72 | Selective monosulfoxidation of tetrathiafulvalenes into chiral TTF-sulfoxides. <i>Chirality</i> , 2009, 21, 818-825. | 1.3 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Modulation of the charge transfer and photophysical properties in non-fused tetrathiafulvalene-benzothiadiazole derivatives. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 1040-1047. | 1.5 | 18 |
| 74 | Electroactive Bisiminopyridine Ligands: Synthesis and Complexation Studies. <i>Crystals</i> , 2012, 2, 338-348. | 1.0 | 16 |
| 75 | Synthesis and reactivity of silylated tetrathiafulvalenes. <i>Dalton Transactions</i> , 2008, , 4866. | 1.6 | 15 |
| 76 | Synthesis and Physical Properties of Purely Organic BEDT-TTF-Based Conductors Containing Hetero-/Homosubstituted Cl/CN-Anilate Derivatives. <i>Inorganic Chemistry</i> , 2017, 56, 12564-12571. | 1.9 | 14 |
| 77 | Bis(tetrathiafulvalenes) with aromatic bridges: electron delocalization in the oxidized species through EPR and theoretical studies. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 9650. | 1.3 | 13 |
| 78 | Thiophene-benzoquinones: synthesis, crystal structures and preliminary coordination chemistry of derived anilate ligands. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 8752-8763. | 1.5 | 13 |
| 79 | Chiral EDT-TTF precursors with one stereogenic centre: substituent size modulation of the conducting properties in the (R-EDT-TTF) ₂ PF ₆ (R = Me or Et) series. <i>Journal of Materials Chemistry C</i> , 2019, 7, 12664-12673. | 2.7 | 13 |
| 80 | Triggering Gel Formation and Luminescence through Donor–Acceptor Interactions in a C ₃ -Symmetric Tris(pyrene) System. <i>Chemistry - A European Journal</i> , 2016, 22, 5839-5843. | 1.7 | 11 |
| 81 | Tetrathiafulvalene- $\{2,2\}$ paracyclophanes: Synthesis, crystal structures, and chiroptical properties. <i>Chirality</i> , 2018, 30, 568-575. | 1.3 | 11 |
| 82 | Stereospecific Autocatalytic Surface Explosion Chemistry of Polycyclic Aromatic Hydrocarbons. <i>Journal of the American Chemical Society</i> , 2018, 140, 7705-7709. | 6.6 | 11 |
| 83 | Conformational Study and Chiroptical Properties of Chiral Dimethyl-Ethylenedithio-Tetrathiafulvalene (DM-EDT-TTF). <i>Chimia</i> , 2018, 72, 389. | 0.3 | 11 |
| 84 | Water Docking Bias in [4]Helicene. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 11257-11261. | 7.2 | 11 |
| 85 | Dielectric magnetochiral anisotropy. <i>Nature Communications</i> , 2022, 13, . | 5.8 | 11 |
| 86 | Mononuclear and One-Dimensional Cobalt(II) Complexes with the 3,6-Bis(picolylamino)-1,2,4,5-tetrazine Ligand. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 449-457. | 1.0 | 10 |
| 87 | Structural Diversity in a New Series of Halogenated Quinoly-Salicylaldimides-Based Fe ^{III} Complexes Showing Solid-State Halogen-Bonding/Halogen– π –Halogen Interactions. <i>Crystal Growth and Design</i> , 2018, 18, 4187-4199. | 1.4 | 10 |
| 88 | Combining Chirality and Hydrogen Bonding in Methylated Ethylenedithio-Tetrathiafulvalene Primary Diamide Precursors and Radical Cation Salts. <i>Crystal Growth and Design</i> , 2020, 20, 2516-2526. | 1.4 | 10 |
| 89 | Conducting chiral nickel(ii) bis(dithiolene) complexes: structural and electron transport modulation with the charge and the number of stereogenic centres. <i>Journal of Materials Chemistry C</i> , 2021, 9, 4119-4140. | 2.7 | 10 |
| 90 | Schiff-base [4]helicene Zn(σ -ii) complexes as chiral emitters. <i>Dalton Transactions</i> , 2021, 50, 10533-10539. | 1.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Electrospray ionization mass spectrometry of organic-inorganic materials: identification and gas-phase reactivity of functionalized octahedral rhenium(III) clusters. <i>Journal of Mass Spectrometry</i> , 2005, 40, 60-65. | 0.7 | 9 |
| 92 | Dimensionality Control in Crystalline Zinc(II) and Silver(I) Complexes with Ditopic Benzothiadiazole-Dipyridine Ligands. <i>Chemistry</i> , 2021, 3, 269-287. | 0.9 | 9 |
| 93 | Revisiting urea-based gelators: strong solvent- and casting-microstructure dependencies and organogel processing using an alumina template. <i>New Journal of Chemistry</i> , 2014, 38, 4448-4457. | 1.4 | 8 |
| 94 | Internal Probing of the Supramolecular Organization of Pyrene-Based Organogelators. <i>Chemistry - an Asian Journal</i> , 2016, 11, 81-85. | 1.7 | 8 |
| 95 | Magnetic Molecular Conductors Based on Bis(ethylenedithio)tetrathiafulvalene (BEDT-TTF) and the Tris(chlorocyananilato)ferrate(III) Complex. <i>Inorganic Chemistry</i> , 2019, 58, 15359-15370. | 1.9 | 8 |
| 96 | Large Synthetic Molecule that either Folds or Aggregates through Weak Supramolecular Interactions Determined by Solvent. <i>ACS Omega</i> , 2019, 4, 10108-10120. | 1.6 | 8 |
| 97 | Chiral Conducting Me-EDT-TTF and Et-EDT-TTF-Based Radical Cation Salts with the Perchlorate Anion. <i>Crystals</i> , 2020, 10, 1069. | 1.0 | 8 |
| 98 | Combined Experimental/Theoretical Study on the Luminescent Properties of Homoleptic/Heteroleptic Erbium(III) Anilate-Based 2D Coordination Polymers. <i>Inorganic Chemistry</i> , 2021, 60, 17765-17774. | 1.9 | 8 |
| 99 | Chiral Emissive Lanthanide Complexes from Enantiopure [6]Helicene-Bis(pyrazolyl)pyridine Ligands. <i>European Journal of Inorganic Chemistry</i> , 2022, 2022, . | 1.0 | 8 |
| 100 | Distinguishing between Mechanical and Electrostatic Interaction in Single Pass Multi Frequency Electrostatic Force Microscopy Measurements on a Molecular Material. <i>Langmuir</i> , 2016, 32, 13593-13599. | 1.6 | 7 |
| 101 | Helicene Bis(pyrazolyl)pyridine Ligands for Luminescent Transition-Metal Complexes. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 4807-4814. | 1.0 | 7 |
| 102 | Heteroatom Bridged Tetrathiafulvalenes. <i>European Journal of Inorganic Chemistry</i> , 2020, 2020, 1706-1719. | 1.0 | 7 |
| 103 | Straightforward <i>N</i> -alkylation of diketopyrrolopyrroles through the Mitsunobu reaction with benzyl, β -branched, and chiral alcohols. <i>Chemical Communications</i> , 2021, 57, 6514-6517. | 2.2 | 7 |
| 104 | Unusual stoichiometry, band structure and band filling in conducting enantiopure radical cation salts of TM-BEDT-TTF showing helical packing of the donors. <i>Journal of Materials Chemistry C</i> , 2021, 9, 10777-10786. | 2.7 | 7 |
| 105 | Field-induced mononuclear cobalt(II) single-molecule magnet (SMM) based on a benzothiadiazole- <i>ortho</i> -vanillin ligand. <i>Dalton Transactions</i> , 2022, 51, 4760-4771. | 1.6 | 7 |
| 106 | Enantiopure Radical Cation Salt Based on Tetramethyl-Bis(ethylenedithio)-Tetrathiafulvalene and Hexanuclear Rhenium Cluster. <i>Crystals</i> , 2016, 6, 8. | 1.0 | 6 |
| 107 | Versatile coordination behaviour of the chloro-tetrazine-picolyamine ligand: mixed-valence binuclear Cu(I)/Cu(II) complexes. <i>Dalton Transactions</i> , 2019, 48, 11966-11977. | 1.6 | 6 |
| 108 | Ligand exchange reactions on the chiral Au ₃₈ cluster: CD modulation caused by the modification of the ligand shell composition. <i>Nanoscale</i> , 2020, 12, 18160-18170. | 2.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Tuning the Organogelating and Spectroscopic Properties of a C ₃ -Symmetric Pyrene-Based Gelator through Charge Transfer. <i>Chemistry - A European Journal</i> , 2021, 27, 2410-2420. | 1.7 | 6 |
| 110 | Structures of tertiary phosphines incorporating the redox active o-Me ₂ TTF core: an example of structure adaptation to molecular symmetry in (o-Me ₂ TTF) ₃ P. <i>Comptes Rendus Chimie</i> , 2004, 7, 895-899. | 0.2 | 5 |
| 111 | Co-existence of ferro- and antiferromagnetic interactions in a hexanuclear mixed-valence Co ^{III} 2Mn ^{II} 2Mn ^{IV} 2 cluster sustained by a multidentate Schiff base ligand. <i>Dalton Transactions</i> , 2019, 48, 11862-11871. | 1.6 | 5 |
| 112 | Dipicolylamino-methoxy-1,2,4,5-tetrazine ligand and its metal complexes: Structural and photophysical studies. <i>Polyhedron</i> , 2019, 170, 232-238. | 1.0 | 5 |
| 113 | Mn(III) Chain Coordination Polymers Assembled by Salicylidene-2-ethanolamine Schiff Base Ligands: Synthesis, Crystal Structures, and HFEP Study. <i>Crystal Growth and Design</i> , 2020, 20, 1491-1502. | 1.4 | 5 |
| 114 | Old Donors for New Molecular Conductors: Combining TMTSF and BEDT-TTF with Anionic (TaF ₆) ⁻ _x /(PF ₆) _x Alloys. <i>Crystals</i> , 2021, 11, 386. | 1.0 | 5 |
| 115 | Chiral Radical Cation Salts of Me-EDT-TTF and DM-EDT-TTF with Octahedral, Linear and Tetrahedral Monoanions. <i>Magnetochemistry</i> , 2021, 7, 87. | 1.0 | 5 |
| 116 | Stereospecific on-Surface Cyclodehydrogenation of Bishelicenes: Preservation of Handedness from Helical to Planar Chirality. <i>Chemistry - A European Journal</i> , 2021, 27, 13523-13526. | 1.7 | 5 |
| 117 | Helical thienothiophene (TT) and benzothieno-benzothiophene (BTBT) derivatives: synthesis, structural characterization and semiconducting properties. <i>Journal of Materials Chemistry C</i> , 2022, 10, 8034-8042. | 2.7 | 5 |
| 118 | Bis(dithiomethyl-tetrathiafulvalene) with two phenyl-phosphino bridges. <i>Comptes Rendus Chimie</i> , 2010, 13, 1227-1232. | 0.2 | 4 |
| 119 | Regioselective synthesis of chiral dimethyl-bis(ethylenedithio)tetrathiafulvalene sulfones. <i>Beilstein Journal of Organic Chemistry</i> , 2015, 11, 1105-1111. | 1.3 | 4 |
| 120 | Thiophene-Bipyridine Appended Diketopyrrolopyrrole Ligands and Platinum(II) Complexes. <i>Inorganic Chemistry</i> , 2021, 60, 7351-7363. | 1.9 | 4 |
| 121 | Metal-Organic Framework vs. Coordination Polymer—Influence of the Lanthanide on the Nature of the Heteroleptic Anilate/Terephthalate 3D Network. <i>Crystals</i> , 2022, 12, 763. | 1.0 | 4 |
| 122 | Configurationally stable dithia[7]helicene and dithia-quasi[8]circulene fused dithiolones. <i>Organic Chemistry Frontiers</i> , 2022, 9, 4260-4270. | 2.3 | 4 |
| 123 | Charge Fluctuations in the Dimer-Mott Insulating State of (rac-DM-EDT-TTF) ₂ PF ₆ . <i>Journal of Physical Chemistry C</i> , 2017, 121, 21975-21984. | 1.5 | 3 |
| 124 | Solvent Dependent Prototropic Tautomerism in a Schiff Base Derived from Vanillin and 2-Aminobenzylalcohol. <i>ChemistrySelect</i> , 2019, 4, 7858-7865. | 0.7 | 3 |
| 125 | Radical Cation Salts of Tetramethyltetrathiafulvalene (TM-TTF) and Tetramethyltetraselenafulvalene (TM-TSF) with Chlorocyananilate-Based Anions. <i>Crystal Growth and Design</i> , 2020, 20, 6777-6786. | 1.4 | 3 |
| 126 | Zinc(II) and copper(II) complexes with benzothiadiazole Schiff-base ligands. <i>Polyhedron</i> , 2022, 224, 115994. | 1.0 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Heterometallic mixed-valence complex with a {CoIICoIIICu2O4} core as a new type of cobalt-based oxide cubane. <i>Journal of Coordination Chemistry</i> , 2018, 71, 68-77. | 0.8 | 2 |
| 128 | Mono- and Binuclear Copper(II) and Nickel(II) Complexes with the 3,6-Bis(picolyamino)-1,2,4,5-Tetrazine Ligand. <i>Molecules</i> , 2021, 26, 2122. | 1.7 | 2 |
| 129 | Reactivity and Mechanistic Issues in the Photocyclisation of Dihalostyrylâ€Naphthalenes towards Haloâ€[4]helicenes: a Transposition on a Mallory Theme. <i>ChemPhotoChem</i> , 0, , . | 1.5 | 2 |
| 130 | Charge-sensitive vibrational modes in the (EDT-TTF-OX)2AsF6 chiral molecular conductors. <i>Open Physics</i> , 2014, 12, . | 0.8 | 1 |
| 131 | [4]Helicene based anions in electrocrystallization with tetrachalcogenafulvalene donors. <i>CrystEngComm</i> , 0, , . | 1.3 | 1 |
| 132 | Iron(ii) and cobalt(ii) complexes based on anionic phenanthroline-imidazolate ligands: reversible single-crystal-to-single-crystal transformations. <i>CrystEngComm</i> , 2018, 20, 4141-4150. | 1.3 | 0 |
| 133 | Water Docking Bias in [4]Helicene. <i>Angewandte Chemie</i> , 2019, 131, 11379-11383. | 1.6 | 0 |
| 134 | Helicene Bis(pyrazolâ€lâ€yl)pyridine Ligands for Luminescent Transitionâ€Metal Complexes. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 4797-4797. | 1.0 | 0 |
| 135 | Chiroptical properties of anionic and neutral nickel(II) bis(dithiolene) complexes based on methyl and dimethylâ€ddt ligands. <i>Chirality</i> , 2021, , . | 1.3 | 0 |