

Morris J Birnbaum

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2381521/publications.pdf>

Version: 2024-02-01

212
papers

40,706
citations

2802

94
h-index

2385

198
g-index

215
all docs

215
docs citations

215
times ranked

44270
citing authors

#	ARTICLE	IF	CITATIONS
1	Regulation of Neuronal Survival by the Serine-Threonine Protein Kinase Akt. <i>Science</i> , 1997, 275, 661-665.	12.6	2,322
2	Insulin Resistance and a Diabetes Mellitus-Like Syndrome in Mice Lacking the Protein Kinase Akt2 (PKBbeta). <i>Science</i> , 2001, 292, 1728-1731.	12.6	1,652
3	AMP-kinase regulates food intake by responding to hormonal and nutrient signals in the hypothalamus. <i>Nature</i> , 2004, 428, 569-574.	27.8	1,464
4	AMP-Activated Protein Kinase Induces a p53-Dependent Metabolic Checkpoint. <i>Molecular Cell</i> , 2005, 18, 283-293.	9.7	1,431
5	Expression of a Constitutively Active Akt Ser/Thr Kinase in 3T3-L1 Adipocytes Stimulates Glucose Uptake and Glucose Transporter 4 Translocation. <i>Journal of Biological Chemistry</i> , 1996, 271, 31372-31378.	3.4	1,115
6	Inhibition of Ceramide Synthesis Ameliorates Glucocorticoid-, Saturated-Fat-, and Obesity-Induced Insulin Resistance. <i>Cell Metabolism</i> , 2007, 5, 167-179.	16.2	1,048
7	AMP kinase is required for mitochondrial biogenesis in skeletal muscle in response to chronic energy deprivation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 15983-15987.	7.1	895
8	Essential Regulation of Cell Bioenergetics by Constitutive InsP3 Receptor Ca ²⁺ Transfer to Mitochondria. <i>Cell</i> , 2010, 142, 270-283.	28.9	888
9	Convergent evidence for impaired AKT1-GSK3 β signaling in schizophrenia. <i>Nature Genetics</i> , 2004, 36, 131-137.	21.4	884
10	A Role for AMP-Activated Protein Kinase in Contraction- and Hypoxia-Regulated Glucose Transport in Skeletal Muscle. <i>Molecular Cell</i> , 2001, 7, 1085-1094.	9.7	845
11	Akt1/PKB β Is Required for Normal Growth but Dispensable for Maintenance of Glucose Homeostasis in Mice. <i>Journal of Biological Chemistry</i> , 2001, 276, 38349-38352.	3.4	845
12	Receptor-mediated activation of ceramidase activity initiates the pleiotropic actions of adiponectin. <i>Nature Medicine</i> , 2011, 17, 55-63.	30.7	751
13	Biguanides suppress hepatic glucagon signalling by decreasing production of cyclic AMP. <i>Nature</i> , 2013, 494, 256-260.	27.8	707
14	Memory CD8 ⁺ T Cells Use Cell-Intrinsic Lipolysis to Support the Metabolic Programming Necessary for Development. <i>Immunity</i> , 2014, 41, 75-88.	14.3	650
15	AMP-activated protein kinase mediates ischemic glucose uptake and prevents postischemic cardiac dysfunction, apoptosis, and injury. <i>Journal of Clinical Investigation</i> , 2004, 114, 495-503.	8.2	640
16	Identification of a novel gene encoding an insulin-responsive glucose transporter protein. <i>Cell</i> , 1989, 57, 305-315.	28.9	613
17	Role of Akt/protein kinase B in metabolism. <i>Trends in Endocrinology and Metabolism</i> , 2002, 13, 444-451.	7.1	590
18	Cloning and characterization of a cDNA encoding the rat brain glucose-transporter protein.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 5784-5788.	7.1	558

#	ARTICLE	IF	CITATIONS
19	Hepatic Acetyl CoA Links Adipose Tissue Inflammation to Hepatic Insulin Resistance and Type 2 Diabetes. <i>Cell</i> , 2015, 160, 745-758.	28.9	547
20	MICU1 Is an Essential Gatekeeper for MCU-Mediated Mitochondrial Ca ²⁺ Uptake that Regulates Cell Survival. <i>Cell</i> , 2012, 151, 630-644.	28.9	543
21	Role for Akt3/Protein Kinase B β in Attainment of Normal Brain Size. <i>Molecular and Cellular Biology</i> , 2005, 25, 1869-1878.	2.3	504
22	The role of FoxO in the regulation of metabolism. <i>Oncogene</i> , 2008, 27, 2320-2336.	5.9	473
23	Regulation of pancreatic β -cell growth and survival by the serine/threonine protein kinase Akt1/PKB β . <i>Nature Medicine</i> , 2001, 7, 1133-1137.	30.7	471
24	The AMP-activated protein kinase α 2 catalytic subunit controls whole-body insulin sensitivity. <i>Journal of Clinical Investigation</i> , 2003, 111, 91-98.	8.2	444
25	Akt/PKB regulates hepatic metabolism by directly inhibiting PGC-1 α transcription coactivator. <i>Nature</i> , 2007, 447, 1012-1016.	27.8	420
26	The Small Intestine Converts Dietary Fructose into Glucose and Organic Acids. <i>Cell Metabolism</i> , 2018, 27, 351-361.e3.	16.2	416
27	Regulation of Insulin-Stimulated Glucose Transporter GLUT4 Translocation and Akt Kinase Activity by Ceramide. <i>Molecular and Cellular Biology</i> , 1998, 18, 5457-5464.	2.3	411
28	Early diabetes and abnormal postnatal pancreatic islet development in mice lacking Glut-2. <i>Nature Genetics</i> , 1997, 17, 327-330.	21.4	385
29	Cyclic AMP Promotes Neuronal Survival by Phosphorylation of Glycogen Synthase Kinase 3 β . <i>Molecular and Cellular Biology</i> , 2000, 20, 9356-9363.	2.3	352
30	GLUT-1 deficiency syndrome caused by haploinsufficiency of the blood-brain barrier hexose carrier. <i>Nature Genetics</i> , 1998, 18, 188-191.	21.4	349
31	Cell-autonomous regulation of cell and organ growth in <i>Drosophila</i> by Akt/PKB. <i>Nature Cell Biology</i> , 1999, 1, 500-506.	10.3	349
32	Akt1/protein kinase B is critical for ischemic and VEGF-mediated angiogenesis. <i>Journal of Clinical Investigation</i> , 2005, 115, 2119-2127.	8.2	341
33	Identification of a Proline-rich Akt Substrate as a 14-3-3 Binding Partner. <i>Journal of Biological Chemistry</i> , 2003, 278, 10189-10194.	3.4	322
34	Exercise Induces Isoform-Specific Increase in 5 α -AMP-Activated Protein Kinase Activity in Human Skeletal Muscle. <i>Biochemical and Biophysical Research Communications</i> , 2000, 273, 1150-1155.	2.1	318
35	Inhibition of Akt Kinase by Cell-permeable Ceramide and Its Implications for Ceramide-induced Apoptosis. <i>Journal of Biological Chemistry</i> , 1998, 273, 16568-16575.	3.4	315
36	Insulin regulates liver metabolism in vivo in the absence of hepatic Akt and Foxo1. <i>Nature Medicine</i> , 2012, 18, 388-395.	30.7	310

#	ARTICLE	IF	CITATIONS
37	A Role for Protein Kinase B ¹ /Akt2 in Insulin-Stimulated GLUT4 Translocation in Adipocytes. <i>Molecular and Cellular Biology</i> , 1999, 19, 7771-7781.	2.3	294
38	Hepatic Hdac3 promotes gluconeogenesis by repressing lipid synthesis and sequestration. <i>Nature Medicine</i> , 2012, 18, 934-942.	30.7	285
39	The immune response attenuates growth and nutrient storage in <i>Drosophila</i> by reducing insulin signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 20853-20858.	7.1	284
40	Construction and Characterization of a Conditionally Active Version of the Serine/Threonine Kinase Akt. <i>Journal of Biological Chemistry</i> , 1998, 273, 11937-11943.	3.4	281
41	The Effects of Wortmannin on Rat Skeletal Muscle. <i>Journal of Biological Chemistry</i> , 1995, 270, 2107-2111.	3.4	279
42	Unraveling the Regulation of Hepatic Metabolism by Insulin. <i>Trends in Endocrinology and Metabolism</i> , 2017, 28, 497-505.	7.1	278
43	Protein Kinase C δ Inhibits Insulin Signaling by Phosphorylating IRS1 at Ser1101. <i>Journal of Biological Chemistry</i> , 2004, 279, 45304-45307.	3.4	274
44	The Regulation of AMP-Activated Protein Kinase by H ₂ O ₂ . <i>Biochemical and Biophysical Research Communications</i> , 2001, 287, 92-97.	2.1	269
45	Isoform-specific Regulation of Insulin-dependent Glucose Uptake by Akt/Protein Kinase B. <i>Journal of Biological Chemistry</i> , 2003, 278, 49530-49536.	3.4	268
46	Role of AMP-activated Protein Kinase in Cyclic AMP-dependent Lipolysis In 3T3-L1 Adipocytes. <i>Journal of Biological Chemistry</i> , 2003, 278, 43074-43080.	3.4	254
47	Loss of Akt1 Leads to Severe Atherosclerosis and Occlusive Coronary Artery Disease. <i>Cell Metabolism</i> , 2007, 6, 446-457.	16.2	253
48	Activation of SOCS-3 by Resistin. <i>Molecular and Cellular Biology</i> , 2005, 25, 1569-1575.	2.3	247
49	AKT1 and AKT2 maintain hematopoietic stem cell function by regulating reactive oxygen species. <i>Blood</i> , 2010, 115, 4030-4038.	1.4	246
50	Akt2 Is Required for Hepatic Lipid Accumulation in Models of Insulin Resistance. <i>Cell Metabolism</i> , 2009, 10, 405-418.	16.2	241
51	The aetiology and molecular landscape of insulin resistance. <i>Nature Reviews Molecular Cell Biology</i> , 2021, 22, 751-771.	37.0	221
52	Physiological role of AMP-activated protein kinase (AMPK): insights from knockout mouse models. <i>Biochemical Society Transactions</i> , 2003, 31, 216-219.	3.4	215
53	Transduction of Growth or Mitogenic Signals into Translational Activation of TOP mRNAs Is Fully Reliant on the Phosphatidylinositol 3-Kinase-Mediated Pathway but Requires neither S6K1 nor rpS6 Phosphorylation. <i>Molecular and Cellular Biology</i> , 2002, 22, 8101-8113.	2.3	210
54	Direct Hepatocyte Insulin Signaling Is Required for Lipogenesis but Is Dispensable for the Suppression of Glucose Production. <i>Cell Metabolism</i> , 2016, 23, 1154-1166.	16.2	207

#	ARTICLE	IF	CITATIONS
55	Insulin Increases the Association of Akt-2 with Glut4-containing Vesicles. <i>Journal of Biological Chemistry</i> , 1998, 273, 7201-7204.	3.4	204
56	Akt and CHIP coregulate tau degradation through coordinated interactions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 3622-3627.	7.1	203
57	The translational inhibitor 4E-BP is an effector of PI(3)K/Akt signalling and cell growth in <i>Drosophila</i> . <i>Nature Cell Biology</i> , 2001, 3, 596-601.	10.3	202
58	Akt1 Regulates a JNK Scaffold during Excitotoxic Apoptosis. <i>Neuron</i> , 2002, 35, 697-709.	8.1	191
59	Pim and Akt oncogenes are independent regulators of hematopoietic cell growth and survival. <i>Blood</i> , 2005, 105, 4477-4483.	1.4	188
60	Leptin activates hypothalamic acetyl-CoA carboxylase to inhibit food intake. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 17358-17363.	7.1	188
61	The Role of Glycogen Synthase Kinase 3 β in Insulin-stimulated Glucose Metabolism. <i>Journal of Biological Chemistry</i> , 1999, 274, 17934-17940.	3.4	187
62	Defects in secretion, aggregation, and thrombus formation in platelets from mice lacking Akt2. <i>Journal of Clinical Investigation</i> , 2004, 113, 441-450.	8.2	186
63	The role of FOXO in the regulation of metabolism. <i>Current Diabetes Reports</i> , 2009, 9, 208-214.	4.2	184
64	Akt/Protein Kinase B Isoforms Are Differentially Regulated by Epidermal Growth Factor Stimulation. <i>Journal of Biological Chemistry</i> , 2000, 275, 30934-30942.	3.4	181
65	Protein Kinase A-Dependent and -Independent Signaling Pathways Contribute to Cyclic AMP-Stimulated Proliferation. <i>Molecular and Cellular Biology</i> , 1999, 19, 5882-5891.	2.3	174
66	Contribution of Insulin and Akt1 Signaling to Endothelial Nitric Oxide Synthase in the Regulation of Endothelial Function and Blood Pressure. <i>Circulation Research</i> , 2009, 104, 1085-1094.	4.5	173
67	Selective Inhibition of Ras, Phosphoinositide 3 Kinase, and Akt Isoforms Increases the Radiosensitivity of Human Carcinoma Cell Lines. <i>Cancer Research</i> , 2005, 65, 7902-7910.	0.9	169
68	Insulin Regulates Adipocyte Lipolysis via an Akt-Independent Signaling Pathway. <i>Molecular and Cellular Biology</i> , 2010, 30, 5009-5020.	2.3	169
69	The Role of AMPK and mTOR in Nutrient Sensing in Pancreatic β -Cells. <i>Journal of Biological Chemistry</i> , 2007, 282, 10341-10351.	3.4	161
70	Construction of human activity-based phosphorylation networks. <i>Molecular Systems Biology</i> , 2013, 9, 655.	7.2	153
71	Regulation of Fat Cell Mass by Insulin in <i>Drosophila melanogaster</i> . <i>Molecular and Cellular Biology</i> , 2009, 29, 6341-6352.	2.3	151
72	Adiponectin suppresses gluconeogenic gene expression in mouse hepatocytes independent of LKB1-AMPK signaling. <i>Journal of Clinical Investigation</i> , 2011, 121, 2518-2528.	8.2	147

#	ARTICLE	IF	CITATIONS
73	The PP2A-Associated Protein $\hat{A}4$ Is an Essential Inhibitor of Apoptosis. <i>Science</i> , 2004, 306, 695-698.	12.6	142
74	The Human Growth Hormone Gene Locus: Structure, Evolution, and Allelic Variations. <i>DNA and Cell Biology</i> , 1987, 6, 59-70.	5.2	138
75	An energetic tale of AMPK-independent effects of metformin. <i>Journal of Clinical Investigation</i> , 2010, 120, 2267-2270.	8.2	135
76	Insulin signaling to hepatic lipid metabolism in health and disease. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2011, 46, 200-215.	5.2	132
77	The LKB1-salt-inducible kinase pathway functions as a key gluconeogenic suppressor in the liver. <i>Nature Communications</i> , 2014, 5, 4535.	12.8	131
78	PPAR $\hat{3}$ contributes to PKM2 and HK2 expression in fatty liver. <i>Nature Communications</i> , 2012, 3, 672.	12.8	127
79	Hepatic insulin signalling is dispensable for suppression of glucose output by insulin in vivo. <i>Nature Communications</i> , 2015, 6, 7078.	12.8	127
80	Insulin, but Not Contraction, Activates Akt/PKB in Isolated Rat Skeletal Muscle. <i>Journal of Biological Chemistry</i> , 1998, 273, 14679-14682.	3.4	126
81	Isolation of a <i>Drosophila</i> genomic sequence homologous to the kinase domain of the human insulin receptor and detection of the phosphorylated <i>Drosophila</i> receptor with an anti-peptide antibody.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 4710-4714.	7.1	123
82	Opposing Roles for Akt1 and Akt2 in Rac/Pak Signaling and Cell Migration. <i>Journal of Biological Chemistry</i> , 2006, 281, 36443-36453.	3.4	122
83	Membrane depolarization is the trigger for PI3K/Akt activation and leads to the generation of ROS. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 302, H105-H114.	3.2	122
84	A Conserved Role for Phosphatidylinositol 3-Kinase but Not Akt Signaling in Mitochondrial Adaptations that Accompany Physiological Cardiac Hypertrophy. <i>Cell Metabolism</i> , 2007, 6, 294-306.	16.2	121
85	Oxalic acid and diacylglycerol 36:3 are cross-species markers of sleep debt. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 2569-2574.	7.1	121
86	Distinct signals in the GLUT4 glucose transporter for internalization and for targeting to an insulin-responsive compartment.. <i>Journal of Cell Biology</i> , 1995, 130, 1071-1079.	5.2	119
87	Akt1 and Akt2 are required for $\hat{1}\hat{2}$ thymocyte survival and differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 12105-12110.	7.1	116
88	Postprandial Hepatic Lipid Metabolism Requires Signaling through Akt2 Independent of the Transcription Factors FoxA2, FoxO1, and SREBP1c. <i>Cell Metabolism</i> , 2011, 14, 516-527.	16.2	116
89	Neuregulin Signaling through a PI3K/Akt/Bad Pathway in Schwann Cell Survival. <i>Molecular and Cellular Neurosciences</i> , 2001, 17, 761-767.	2.2	115
90	Regulation of Angiogenesis by Glycogen Synthase Kinase-3 $\hat{2}$. <i>Journal of Biological Chemistry</i> , 2002, 277, 41888-41896.	3.4	111

#	ARTICLE	IF	CITATIONS
91	Molecular and Genetic Studies Imply Akt-mediated Signaling Promotes Protein Kinase C β II Alternative Splicing via Phosphorylation of Serine/Arginine-rich Splicing Factor SRp40. <i>Journal of Biological Chemistry</i> , 2005, 280, 14302-14309.	3.4	107
92	TLR4-Mediated AKT Activation Is MyD88/TRIF Dependent and Critical for Induction of Oxidative Phosphorylation and Mitochondrial Transcription Factor A in Murine Macrophages. <i>Journal of Immunology</i> , 2012, 188, 2847-2857.	0.8	107
93	Defects in secretion, aggregation, and thrombus formation in platelets from mice lacking Akt2. <i>Journal of Clinical Investigation</i> , 2004, 113, 441-450.	8.2	101
94	Molecular aspects of fructose metabolism and metabolic disease. <i>Cell Metabolism</i> , 2021, 33, 2329-2354.	16.2	100
95	Activation of Liver AMPK with PF-06409577 Corrects NAFLD and Lowers Cholesterol in Rodent and Primate Preclinical Models. <i>EBioMedicine</i> , 2018, 31, 122-132.	6.1	99
96	Metabolic drivers of non-alcoholic fatty liver disease. <i>Molecular Metabolism</i> , 2021, 50, 101143.	6.5	99
97	Isoform-specific requirement for Akt1 in the developmental regulation of cellular metabolism during lactation. <i>Cell Metabolism</i> , 2006, 4, 475-490.	16.2	98
98	Insulin receptor substrate 1 mediates insulin and insulin-like growth factor I-stimulated maturation of <i>Xenopus</i> oocytes.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 5172-5175.	7.1	93
99	Selective suppression of AMP-activated protein kinase in skeletal muscle: update on "lazy mice". <i>Biochemical Society Transactions</i> , 2003, 31, 236-241.	3.4	93
100	Identification of Wortmannin-sensitive Targets in 3T3-L1 Adipocytes. <i>Journal of Biological Chemistry</i> , 1999, 274, 24677-24684.	3.4	92
101	Signaling Pathways Mediating Insulin-Stimulated Glucose Transport. <i>Annals of the New York Academy of Sciences</i> , 1999, 892, 169-186.	3.8	91
102	ADP-ribosylation factor 6 regulates insulin secretion through plasma membrane phosphatidylinositol 4,5-bisphosphate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 13320-13325.	7.1	90
103	Spontaneous Hepatocellular Carcinoma after the Combined Deletion of Akt Isoforms. <i>Cancer Cell</i> , 2016, 29, 523-535.	16.8	89
104	The Critical Role of AKT2 in Hepatic Steatosis Induced by PTEN Loss. <i>American Journal of Pathology</i> , 2010, 176, 2302-2308.	3.8	87
105	Insulin-responsive Aminopeptidase Trafficking in 3T3-L1 Adipocytes. <i>Journal of Biological Chemistry</i> , 2000, 275, 2560-2567.	3.4	86
106	Akt1 deficiency in schizophrenia and impairment of hippocampal plasticity and function. <i>Hippocampus</i> , 2012, 22, 230-240.	1.9	84
107	Expansion of Hepatic Tumor Progenitor Cells in Pten-Null Mice Requires Liver Injury and Is Reversed by Loss of AKT2. <i>Gastroenterology</i> , 2010, 139, 2170-2182.	1.3	83
108	Identification of a nonneuronal isoform of synaptotagmin.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 5895-5899.	7.1	81

#	ARTICLE	IF	CITATIONS
109	Activating AMP-Activated Protein Kinase without AMP. <i>Molecular Cell</i> , 2005, 19, 289-290.	9.7	77
110	Akt1 and Akt2 promote peripheral B-cell maturation and survival. <i>Blood</i> , 2010, 115, 4043-4050.	1.4	74
111	The Role of PDE3B Phosphorylation in the Inhibition of Lipolysis by Insulin. <i>Molecular and Cellular Biology</i> , 2015, 35, 2752-2760.	2.3	73
112	AKT-dependent HspB1 (Hsp27) Activity in Epidermal Differentiation. <i>Journal of Biological Chemistry</i> , 2007, 282, 17297-17305.	3.4	72
113	Natural and inducible TH17 cells are regulated differently by Akt and mTOR pathways. <i>Nature Immunology</i> , 2013, 14, 611-618.	14.5	72
114	Turning down insulin signaling. <i>Journal of Clinical Investigation</i> , 2001, 108, 655-659.	8.2	72
115	mTORC1 stimulates phosphatidylcholine synthesis to promote triglyceride secretion. <i>Journal of Clinical Investigation</i> , 2017, 127, 4207-4215.	8.2	71
116	Mechanisms of glucocorticoid hormone action. <i>The Journal of Steroid Biochemistry</i> , 1984, 20, 77-88.	1.1	70
117	GDF-15 Neutralization Alleviates Platinum-Based Chemotherapy-Induced Emesis, Anorexia, and Weight Loss in Mice and Nonhuman Primates. <i>Cell Metabolism</i> , 2020, 32, 938-950.e6.	16.2	70
118	Akt2, phosphatidylinositol 3-kinase, and PTEN are in lipid rafts of intestinal cells: Role in absorption and differentiation. <i>Gastroenterology</i> , 2004, 126, 122-135.	1.3	69
119	Isoform-specific regulation of adipocyte differentiation by Akt/protein kinase B. <i>Biochemical and Biophysical Research Communications</i> , 2008, 371, 138-143.	2.1	69
120	SREBP1c-CRY1 signalling represses hepatic glucose production by promoting FOXO1 degradation during refeeding. <i>Nature Communications</i> , 2016, 7, 12180.	12.8	67
121	Selective Activation of AMPK α 1-Containing Isoforms Improves Kidney Function in a Rat Model of Diabetic Nephropathy. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2017, 361, 303-311.	2.5	66
122	Innate Immune Signaling in <i>Drosophila</i> Blocks Insulin Signaling by Uncoupling PI(3,4,5)P3 Production and Akt Activation. <i>Cell Reports</i> , 2018, 22, 2550-2556.	6.4	66
123	A role for the serine/threonine kinase, Akt, in insulin-stimulated glucose uptake. <i>Biochemical Society Transactions</i> , 1997, 25, 981-988.	3.4	65
124	PGC-1 α gene expression is downregulated by Akt-mediated phosphorylation and nuclear exclusion of FoxO1 in insulin-stimulated skeletal muscle. <i>FASEB Journal</i> , 2005, 19, 2072-2074.	0.5	65
125	Activation of Akt Is Essential for the Propagation of Mitochondrial Respiratory Stress Signaling and Activation of the Transcriptional Coactivator Heterogeneous Ribonucleoprotein A2. <i>Molecular Biology of the Cell</i> , 2010, 21, 3578-3589.	2.1	63
126	A Noncanonical, GSK3-Independent Pathway Controls Postprandial Hepatic Glycogen Deposition. <i>Cell Metabolism</i> , 2013, 18, 99-105.	16.2	63

#	ARTICLE	IF	CITATIONS
127	Akt Deficiency Attenuates Muscle Size and Function but Not the Response to ActRIIB Inhibition. PLoS ONE, 2010, 5, e12707.	2.5	62
128	Loss of PIP5K1 β , unlike other PIP5KI isoforms, impairs the integrity of the membrane cytoskeleton in murine megakaryocytes. Journal of Clinical Investigation, 2008, 118, 812-9.	8.2	61
129	The tyrosine kinases Syk and Lyn exert opposing effects on the activation of protein kinase Akt/PKB in B lymphocytes. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 6890-6895.	7.1	60
130	Constitutively active Akt1 expression in mouse pancreas requires S6 kinase 1 for insulinoma formation. Journal of Clinical Investigation, 2008, 118, 3629-3638.	8.2	60
131	A novel Akt3 mutation associated with enhanced kinase activity and seizure susceptibility in mice. Human Molecular Genetics, 2011, 20, 988-999.	2.9	58
132	Differentiation-dependent Suppression of Platelet-derived Growth Factor Signaling in Cultured Adipocytes. Journal of Biological Chemistry, 1999, 274, 23858-23867.	3.4	57
133	AMP kinase is not required for the GLUT4 response to exercise and denervation in skeletal muscle. American Journal of Physiology - Endocrinology and Metabolism, 2004, 287, E739-E743.	3.5	57
134	Akt is required for Stat5 activation and mammary differentiation. Breast Cancer Research, 2010, 12, R72.	5.0	57
135	Control of Gluconeogenesis by Metformin: Does Redox Trump Energy Charge?. Cell Metabolism, 2014, 20, 197-199.	16.2	57
136	Loss of Akt1 in Mice Increases Energy Expenditure and Protects against Diet-Induced Obesity. Molecular and Cellular Biology, 2012, 32, 96-106.	2.3	56
137	Lack of AKT in adipocytes causes severe lipodystrophy. Molecular Metabolism, 2016, 5, 472-479.	6.5	56
138	Expression of a Glucose Transporter Gene Cloned from Brain in Cellular Models of Insulin Resistance: Dexamethasone Decreases Transporter mRNA in Primary Cultured Adipocytes. Molecular Endocrinology, 1989, 3, 1132-1141.	3.7	55
139	Akt-mediated foxo1 inhibition is required for liver regeneration. Hepatology, 2016, 63, 1660-1674.	7.3	55
140	Polyoma Middle T Antigen Activates the Ser/Thr Kinase Akt in a PI3-Kinase-Dependent Manner. Biochemical and Biophysical Research Communications, 1998, 246, 76-81.	2.1	52
141	Glucagon: acute actions on hepatic metabolism. Diabetologia, 2016, 59, 1376-1381.	6.3	51
142	Different Signaling Roles of SHPTP2 in Insulin-induced GLUT1 Expression and GLUT4 Translocation. Journal of Biological Chemistry, 1995, 270, 12965-12968.	3.4	50
143	Targeting hepatic glutaminase activity to ameliorate hyperglycemia. Nature Medicine, 2018, 24, 518-524.	30.7	50
144	GLUT4, AMP kinase, but not the insulin receptor, are required for hepatoportal glucose sensor-stimulated muscle glucose utilization. Journal of Clinical Investigation, 2003, 111, 1555-1562.	8.2	50

#	ARTICLE	IF	CITATIONS
145	1 Cellular insulin action and insulin resistance. <i>Bailliere's Clinical Endocrinology and Metabolism</i> , 1993, 7, 785-873.	1.0	47
146	Normal Akt/PKB with reduced PI3K activation in insulin-resistant mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001, 281, E1249-E1254.	3.5	47
147	Ciliary Neurotrophic Factor Stimulates Muscle Glucose Uptake by a PI3-Kinase-Dependent Pathway That Is Impaired With Obesity. <i>Diabetes</i> , 2009, 58, 829-839.	0.6	47
148	Rapamycin Induces Mitogen-activated Protein (MAP) Kinase Phosphatase-1 (MKP-1) Expression through Activation of Protein Kinase B and Mitogen-activated Protein Kinase Kinase Pathways. <i>Journal of Biological Chemistry</i> , 2013, 288, 33966-33977.	3.4	47
149	Dialogue between muscle and fat. <i>Nature</i> , 2001, 409, 672-673.	27.8	43
150	Transformation stimulates glucose transporter gene expression in the absence of protein kinase C. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 8252-8256.	7.1	42
151	Platelet-Derived Growth Factor (PDGF) Stimulates Glucose Transport in 3T3-L1 Adipocytes Overexpressing PDGF Receptor by a Pathway Independent of Insulin Receptor Substrates. <i>Endocrinology</i> , 2003, 144, 3811-3820.	2.8	42
152	Lysophosphatidic acid induces cell migration through the selective activation of Akt1. <i>Experimental and Molecular Medicine</i> , 2008, 40, 445.	7.7	42
153	AMPK supports growth in <i>Drosophila</i> by regulating muscle activity and nutrient uptake in the gut. <i>Developmental Biology</i> , 2010, 344, 293-303.	2.0	42
154	Pharmacologic inhibition of ketohexokinase prevents fructose-induced metabolic dysfunction. <i>Molecular Metabolism</i> , 2021, 48, 101196.	6.5	42
155	ADP-Ribosylation Factor 6 Delineates Separate Pathways Used by Endothelin 1 and Insulin for Stimulating Glucose Uptake in 3T3-L1 Adipocytes. <i>Molecular and Cellular Biology</i> , 2001, 21, 5276-5285.	2.3	40
156	Role of Insulin-Like Growth Factor-Binding Protein 5 (IGFBP5) in Organismal and Pancreatic β -Cell Growth. <i>Molecular Endocrinology</i> , 2010, 24, 178-192.	3.7	39
157	Phosphorylation of GATA-6 is required for vascular smooth muscle cell differentiation after mTORC1 inhibition. <i>Science Signaling</i> , 2015, 8, ra44.	3.6	39
158	Akt pathway is hypoactivated by synergistic actions of diabetes mellitus and hypercholesterolemia resulting in advanced coronary artery disease. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 299, H699-H706.	3.2	37
159	PI3K regulates pleckstrin-2 in T-cell cytoskeletal reorganization. <i>Blood</i> , 2007, 109, 1147-1155.	1.4	36
160	Mio/dChREBP coordinately increases fat mass by regulating lipid synthesis and feeding behavior in <i>Drosophila</i> . <i>Biochemical and Biophysical Research Communications</i> , 2012, 426, 43-48.	2.1	36
161	Proteolytic Cleavage of AMPK α and Intracellular MMP9 Expression Are Both Required for TLR4-Mediated mTORC1 Activation and HIF-1 α Expression in Leukocytes. <i>Journal of Immunology</i> , 2015, 195, 2452-2460.	0.8	35
162	Turning down insulin signaling. <i>Journal of Clinical Investigation</i> , 2001, 108, 655-659.	8.2	35

#	ARTICLE	IF	CITATIONS
163	Hepatic Gi signaling regulates whole-body glucose homeostasis. <i>Journal of Clinical Investigation</i> , 2018, 128, 746-759.	8.2	34
164	Quantitative Analysis of Anti-apoptotic Function of Akt in Akt1 and Akt2 Double Knock-out Mouse Embryonic Fibroblast Cells under Normal and Stressed Conditions. <i>Journal of Biological Chemistry</i> , 2006, 281, 31380-31388.	3.4	33
165	GLUT4, AMP kinase, but not the insulin receptor, are required for hepatportal glucose sensorâ€stimulated muscle glucose utilization. <i>Journal of Clinical Investigation</i> , 2003, 111, 1555-1562.	8.2	31
166	Drugs, diabetes and cancer. <i>Nature</i> , 2011, 470, 338-339.	27.8	30
167	Lipolysis. <i>Journal of Cell Biology</i> , 2003, 161, 1011-1012.	5.2	29
168	De-Meaning of Metabolism. <i>Science</i> , 2012, 336, 1651-1652.	12.6	29
169	Linker region of Akt1/protein kinase B \pm mediates platelet-derived growth factor-induced translocation and cell migration. <i>Cellular Signalling</i> , 2008, 20, 2030-2037.	3.6	28
170	Differential regulation of Akt/protein kinase B isoforms during cell cycle progression. <i>FEBS Letters</i> , 2009, 583, 685-690.	2.8	28
171	JUND regulates pancreatic β cell survival during metabolic stress. <i>Molecular Metabolism</i> , 2019, 25, 95-106.	6.5	28
172	Insulin Is Required to Maintain Albumin Expression by Inhibiting Forkhead Box O1 Protein. <i>Journal of Biological Chemistry</i> , 2016, 291, 2371-2378.	3.4	27
173	On the InterAktion between Hexokinase and the Mitochondrion. <i>Developmental Cell</i> , 2004, 7, 781-782.	7.0	25
174	Protein Kinase B/Akt Is a Novel Cysteine String Protein Kinase That Regulates Exocytosis Release Kinetics and Quantal Size. <i>Journal of Biological Chemistry</i> , 2006, 281, 1564-1572.	3.4	25
175	Role of PI3K/Akt signaling in TRAIL- and radiation-induced gastrointestinal apoptosis. <i>Cancer Biology and Therapy</i> , 2008, 7, 2047-2053.	3.4	24
176	The Combined Deletion of S6K1 and Akt2 Deteriorates Glycemic Control in a High-Fat Diet. <i>Molecular and Cellular Biology</i> , 2012, 32, 4001-4011.	2.3	24
177	Distinct mTORC1 pathways for transcription and cleavage of SREBP-1c. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 15974-15975.	7.1	24
178	Inhibition of ketohexokinase in adults with NAFLD reduces liver fat and inflammatory markers: A randomized phase 2 trial. <i>Med</i> , 2021, 2, 800-813.e3.	4.4	24
179	The Regulation of Glucose Transporter Gene Expression by Cyclic Adenosine Monophosphate in NIH3T3 Fibroblasts. <i>Molecular Endocrinology</i> , 1989, 3, 1470-1476.	3.7	23
180	Insulin-Dependent Regulation of mTORC2-Akt-FoxO Suppresses TLR4 Signaling in Human Leukocytes: Relevance to Type 2 Diabetes. <i>Diabetes</i> , 2016, 65, 2224-2234.	0.6	23

#	ARTICLE	IF	CITATIONS
181	Akt recruits Dab2 to albumin endocytosis in the proximal tubule. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F1380-F1389.	2.7	22
182	Three-amino-acid-loop-extension homeodomain factor Meis3 regulates cell survival via PDK1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 20494-20499.	7.1	21
183	The role of mouse Akt2 in insulin-dependent suppression of adipocyte lipolysis in vivo. <i>Diabetologia</i> , 2015, 58, 1063-1070.	6.3	21
184	Phosphatidylinositol 3-kinase binding to polyoma virus middle tumor antigen mediates elevation of glucose transport by increasing translocation of the GLUT1 transporter.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 11613-11617.	7.1	20
185	Akt2 and SGK3 are both determinants of postnatal hair follicle development. <i>FASEB Journal</i> , 2009, 23, 3193-3202.	0.5	20
186	mTORC1 Down-Regulates Cyclin-Dependent Kinase 8 (CDK8) and Cyclin C (CycC). <i>PLoS ONE</i> , 2015, 10, e0126240.	2.5	20
187	Addressing unmet needs for people with cancer cachexia: recommendations from a multistakeholder workshop. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 1418-1425.	7.3	19
188	ADaPting to Energetic Stress. <i>Science</i> , 2011, 332, 1387-1388.	12.6	17
189	Novel Role for SGK3 in Glucose Homeostasis Revealed in SGK3/Akt2 Double-Null Mice. <i>Molecular Endocrinology</i> , 2011, 25, 2106-2118.	3.7	15
190	Regulation of Gastric Acid Secretion by PKB/Akt2. <i>Cellular Physiology and Biochemistry</i> , 2010, 25, 695-704.	1.6	14
191	Akt2/PKB β^2 -sensitive regulation of renal phosphate transport. <i>Acta Physiologica</i> , 2010, 200, 75-85.	3.8	13
192	Regulation of renal tubular glucose reabsorption by Akt2/PKB β^2 . <i>American Journal of Physiology - Renal Physiology</i> , 2010, 298, F1113-F1117.	2.7	12
193	Quantitative Analysis of Anti-apoptotic Function of Akt in Akt1 and Akt2 Double Knock-out Mouse Embryonic Fibroblast Cells under Normal and Stressed Conditions. <i>Journal of Biological Chemistry</i> , 2006, 281, 31380-31388.	3.4	12
194	Loss of PIP5K β^2 Causes a Defect in Lamellipodia Formation and Shear Resistant Adhesion.. <i>Blood</i> , 2006, 108, 141-141.	1.4	12
195	The Polycomb protein, Bmi1, regulates insulin sensitivity. <i>Molecular Metabolism</i> , 2014, 3, 794-802.	6.5	10
196	When the usual insulin is just not enough. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 8681-8682.	7.1	7
197	Sweet Conundrum. <i>Science</i> , 2008, 319, 1348-1349.	12.6	6
198	Pharma and Academia: What We Have Here Is a Failure to Communicate. <i>Cell Metabolism</i> , 2016, 24, 365-367.	16.2	5

#	ARTICLE	IF	CITATIONS
199	RhoGAP. <i>Developmental Cell</i> , 2002, 2, 521-523.	7.0	4
200	<i>Principles of Hormone Action.</i> , 2016, , 18-48.		4
201	Signalling pathways mediating insulin-activated glucose transport. <i>Seminars in Cell and Developmental Biology</i> , 1996, 7, 239-247.	5.0	3
202	Rejoinder: Genetic Research into the Causes of Type 2 Diabetes Mellitus. <i>Anthropology and Medicine</i> , 2005, 12, 129-134.	1.2	3
203	Of Mice and Men: Not ExAKTly the Same?. <i>Cell Metabolism</i> , 2011, 14, 722-723.	16.2	3
204	The physician's voice in the health care debate. <i>Journal of Clinical Investigation</i> , 2009, 119, 2846-2846.	8.2	3
205	Assaying Tyrosine Phosphorylation of Insulin Receptor and Insulin Receptor Substrates. , 2003, 83, 119-126.		2
206	SHIPing news: A new way to keep your weight down. <i>Cell Metabolism</i> , 2005, 1, 90-92.	16.2	1
207	Regulation of Glucose and Lipid Metabolism by Akt/PKB. <i>FASEB Journal</i> , 2007, 21, A44.	0.5	1
208	<i>Skeletal Muscle Metabolism.</i> , 2012, , 841-853.		0
209	Turning point: Morris Birnbaum. <i>Nature</i> , 2014, 515, 301-301.	27.8	0
210	Role of Insulin-Like Growth Factor-Binding Protein 5 (IGFBP5) in Organismal and Pancreatic β -Cell Growth. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 5183-5183.	3.6	0
211	Akt/PKB-sensitive proximal tubular glucose and phosphate transport. <i>FASEB Journal</i> , 2010, 24, 606.5.	0.5	0
212	Akt and mTOR Pathways Differentially Regulate the Development of Natural and Inducible IL-17-Producing CD4+ T Cells. <i>Blood</i> , 2012, 120, 838-838.	1.4	0