

# Federico Tessadori

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2382544/publications.pdf>

Version: 2024-02-01

42  
papers

2,354  
citations

257450

24  
h-index

254184

43  
g-index

47  
all docs

47  
docs citations

47  
times ranked

4166  
citing authors

#	ARTICLE	IF	CITATIONS
1	Asymmetric Hapln1a drives regionalized cardiac ECM expansion and promotes heart morphogenesis in zebrafish development. <i>Cardiovascular Research</i> , 2022, 118, 226-240.	3.8	23
2	Common Genetic Variants Contribute to Risk of Transposition of the Great Arteries. <i>Circulation Research</i> , 2022, 130, 166-180.	4.5	15
3	The zebrafish cohesin protein Sgo1 is required for cardiac function and eye development. <i>Developmental Dynamics</i> , 2022, , .	1.8	3
4	Recurrent de novo missense variants across multiple histone H4 genes underlie a neurodevelopmental syndrome. <i>American Journal of Human Genetics</i> , 2022, 109, 750-758.	6.2	13
5	Twisting of the zebrafish heart tube during cardiac looping is a tbx5-dependent and tissue-intrinsic process. <i>ELife</i> , 2021, 10, .	6.0	10
6	A de novo variant in the human HIST1H4J gene causes a syndrome analogous to the HIST1H4C-associated neurodevelopmental disorder. <i>European Journal of Human Genetics</i> , 2020, 28, 674-678.	2.8	11
7	Pyridox(am)ine 5- $\alpha$ -phosphate oxidase (PNPO) deficiency in zebrafish results in fatal seizures and metabolic aberrations. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020, 1866, 165607.	3.8	17
8	Zebrafish prrx1a mutants have normal hearts. <i>Nature</i> , 2020, 585, E14-E16.	27.8	15
9	Notch and Bmp signaling pathways act coordinately during the formation of the proepicardium. <i>Developmental Dynamics</i> , 2020, 249, 1455-1469.	1.8	8
10	Identification and Characterization of a Transcribed Distal Enhancer Involved in Cardiac Kcnh2 Regulation. <i>Cell Reports</i> , 2019, 28, 2704-2714.e5.	6.4	15
11	ABCC9-related Intellectual disability Myopathy Syndrome is a KATP channelopathy with loss-of-function mutations in ABCC9. <i>Nature Communications</i> , 2019, 10, 4457.	12.8	31
12	Actin dynamics and the Bmp pathway drive apical extrusion of proepicardial cells. <i>Development (Cambridge)</i> , 2019, 146, .	2.5	16
13	Identification of human D lactate dehydrogenase deficiency. <i>Nature Communications</i> , 2019, 10, 1477.	12.8	62
14	GLS hyperactivity causes glutamate excess, infantile cataract and profound developmental delay. <i>Human Molecular Genetics</i> , 2019, 28, 96-104.	2.9	23
15	Single-cell analysis uncovers that metabolic reprogramming by ErbB2 signaling is essential for cardiomyocyte proliferation in the regenerating heart. <i>ELife</i> , 2019, 8, .	6.0	162
16	Variants in members of the cadherin-catenin complex, CDH1 and CTNND1, cause blepharocheilodontic syndrome. <i>European Journal of Human Genetics</i> , 2018, 26, 210-219.	2.8	34
17	Effective CRISPR/Cas9-based nucleotide editing in zebrafish to model human genetic cardiovascular disorders. <i>DMM Disease Models and Mechanisms</i> , 2018, 11, .	2.4	69
18	Genetic Dissection of Morphometric Traits Reveals That Phytochrome B Affects Nucleus Size and Heterochromatin Organization in <i>Arabidopsis thaliana</i> . <i>G3: Genes, Genomes, Genetics</i> , 2017, 7, 2519-2531.	1.8	14

#	ARTICLE	IF	CITATIONS
19	Germline mutations affecting the histone H4 core cause a developmental syndrome by altering DNA damage response and cell cycle control. <i>Nature Genetics</i> , 2017, 49, 1642-1646.	21.4	35
20	GNB5 Mutations Cause an Autosomal-Recessive Multisystem Syndrome with Sinus Bradycardia and Cognitive Disability. <i>American Journal of Human Genetics</i> , 2016, 99, 704-710.	6.2	58
21	Heterozygous <i>KIDINS220/ARMS1</i> nonsense variants cause spastic paraplegia, intellectual disability, nystagmus, and obesity. <i>Human Molecular Genetics</i> , 2016, 25, 2158-2167.	2.9	37
22	Glypican4 promotes cardiac specification and differentiation by attenuating canonical Wnt and Bmp signaling. <i>Development (Cambridge)</i> , 2015, 142, 1767-1776.	2.5	42
23	Nodal Signaling Range Is Regulated by Proprotein Convertase-Mediated Maturation. <i>Developmental Cell</i> , 2015, 32, 631-639.	7.0	17
24	Recurrent Mutations in the Basic Domain of TWIST2 Cause Ablepharon Macrostomia and Barber-Say Syndromes. <i>American Journal of Human Genetics</i> , 2015, 97, 99-110.	6.2	61
25	Developmental Alterations in Heart Biomechanics and Skeletal Muscle Function in Desmin Mutants Suggest an Early Pathological Root for Desminopathies. <i>Cell Reports</i> , 2015, 11, 1564-1576.	6.4	42
26	Noonan and LEOPARD syndrome Shp2 variants induce heart displacement defects in zebrafish. <i>Development (Cambridge)</i> , 2014, 141, 1961-1970.	2.5	47
27	Environment-Induced Chromatin Reorganisation and Plant Acclimation. <i>Signaling and Communication in Plants</i> , 2013, , 21-40.	0.7	4
28	A Nodal-independent and tissue-intrinsic mechanism controls heart-looping chirality. <i>Nature Communications</i> , 2013, 4, 2754.	12.8	102
29	Shedding Light on Large-Scale Chromatin Reorganization in <i>Arabidopsis thaliana</i> . <i>Molecular Plant</i> , 2012, 5, 583-590.	8.3	42
30	Genetic variation in T-box binding element functionally affects SCN5A/SCN10A enhancer. <i>Journal of Clinical Investigation</i> , 2012, 122, 2519-2530.	8.2	167
31	Identification and Functional Characterization of Cardiac Pacemaker Cells in Zebrafish. <i>PLoS ONE</i> , 2012, 7, e47644.	2.5	154
32	Stable S/MAR-based episomal vectors are regulated at the chromatin level. <i>Chromosome Research</i> , 2010, 18, 757-775.	2.2	18
33	Photoreceptors CRYTOCHROME2 and Phytochrome B Control Chromatin Compaction in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2010, 154, 1686-1696.	4.8	44
34	Large-scale chromatin de-compaction induced by low light is not accompanied by nucleosomal displacement. <i>Plant Signaling and Behavior</i> , 2010, 5, 1677-1678.	2.4	11
35	Immunocytological Analysis of Chromatin in Isolated Nuclei. <i>Methods in Molecular Biology</i> , 2010, 655, 413-432.	0.9	16
36	PHYTOCHROME B and HISTONE DEACETYLASE 6 Control Light-Induced Chromatin Compaction in <i>Arabidopsis thaliana</i> . <i>PLoS Genetics</i> , 2009, 5, e1000638.	3.5	123

#	ARTICLE	IF	CITATIONS
37	Large-scale dissociation and sequential reassembly of pericentric heterochromatin in dedifferentiated <i>Arabidopsis</i> cells. <i>Journal of Cell Science</i> , 2007, 120, 1200-1208.	2.0	145
38	Live cell imaging of repetitive DNA sequences via GFP-tagged polydactyl zinc finger proteins. <i>Nucleic Acids Research</i> , 2007, 35, e107-e107.	14.5	104
39	Light-regulated large-scale reorganization of chromatin during the floral transition in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2007, 50, 848-857.	5.7	99
40	LHP1, the <i>Arabidopsis</i> homologue of HETEROCHROMATIN PROTEIN1, is required for epigenetic silencing of FLC. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 5012-5017.	7.1	270
41	The <i>Arabidopsis</i> LHP1 protein is a component of euchromatin. <i>Planta</i> , 2005, 222, 910-925.	3.2	104
42	Cytogenetics as a tool to study gene regulation. <i>Trends in Plant Science</i> , 2004, 9, 147-153.	8.8	54